

雑 誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Abe M, Mashiba T, Zeniya M, Yamamoto K, <u>Onji M</u> , Tsubouchi H, the Autoimmune Hepatitis Study Group, a subgroup of the Intractable Hepato-Biliary Disease Study Group in Japan	Present status of autoimmune hepatitis in Japan: a nationwide survey	J Gastroenterol	46	1136-1141	2011
<u>Onji M</u> , Autoimmune Hepatitis Study Group.	Proposal of autoimmune hepatitis presenting with acute hepatitis, severe hepatitis and acute liver failure.	Hepatol Res	41	497	2011
<u>恩地森一</u> , 阿部雅則	自己免疫性肝炎診療・研究の現状と今後	日本消化器病学会雑誌	108	7-20	2011
<u>恩地森一</u>	急性肝炎ないしは重症肝炎, 急性肝不全として発症する自己免疫性肝炎の病態についての提唱	肝臓	52	327	2011
阿部雅則, 多田藤政, <u>恩地森一</u>	異時性 PBC/AIH オーバーラップ	肝胆膵	62	693-698	2011
Kajiwara A, Doi H, Eguchi J, Ishii S, Hiraide A, Sakaki M, Omori R, <u>Hiroishi K</u> , Imawari M.	IL-4 and CpG therapy suppresses the outgrowth of tumors by activating tumor-specific Th1-Ttype immune responses.	Oncology Reports		in press	
Kamijo A, <u>Yoshizawa K</u> , Joshita S, Yoneda S, Umemura T, Ichijo T, Matsumoto A, Ota M, Tanaka E	Cytokine profiles affecting the pathogenesis of autoimmune hepatitis in Japanese patients.	Hepatol Res	41	350-357	2011
Aiba Y, Nakamura M, Joshita S, Inamine T, Komori A, <u>Yoshizawa K</u> , Umemura T, Horie H, Migita K, Yatsunashi H, Nakamura M, Fukushima N, Saoshiro T, Hayashi S, Kouno H, Ota H, Muro T, Watanabe Y, Nakamura Y, Komeda T, Shimada M, Masaki N, Komatsu T, Yagura M, Sugi K, Koga M, Tsukamoto K, Tanaka E, Ishibashi H, The PBC Study Group in NHOSLJ	Genetic polymorphisms in CTLA4 and SLC4A2 are differentially associated with the pathogenesis of primary biliary cirrhosis in Japanese patients.	J Gastroenterol	46	1203-1212	2011
Umemura T, Joshita S, Ichijo T, <u>Yoshizawa K</u> , Katsuyama Y, Tanaka E, Ota M, The Shinshu PBC Study Group	Human leukocyte antigen class II molecules confer both susceptibility and progression in Japanese patients with primary biliary cirrhosis.	Hepatology	55	506-511	2012
<u>Zeniya M</u> , Takahashi H	Characteristics of autoimmune hepatitis in the Asia-Pacific Region: historical review	Hepatol Int	6	342-349	2012

Takahashi H, <u>Zeniya M</u>	Acute form of autoimmune hepatitis; Does it exist? A literature review.	Hepatol Res	41	498-504	2011
<u>Zeniya M</u> , Takahashi H	Diagnostic criteria for autoimmune hepatitis : Historical review and present problems.	Jikeikai Medical Journal	58	89-93	2011
高橋宏樹 銭谷幹男	自己免疫性肝炎の診断におけるスコアリングシステムの位置付け	日本消化器病学会雑誌	108	1837-44	2011
Nakamoto N, Ebinuma H, Kanai T, Po-Sung Chu, Ono Y, Mikami Y, Ojiro K, Martin Lipp, Paul E. Love, Saito H, <u>Hibi T</u>	CCR9 ⁺ Macrophages Are Required for Acute Liver Inflammation in Mouse Models of Hepatitis	Gastroenterology	142	366-376	2012
Inamine T, Nakamura M, Kawachi A, Shirakawa Y, Hashiguchi H, Aiba Y, Taketomi A, Shirabe K, Nakamuta M, Hayashi S, Saoshiro T, Komori A, Yatsuhashi H, Kondo S, Omagari K, Maehara Y, <u>Ishibashi H</u> , Tsukamoto K; the PBC Study Group in NHOSLJ.	A polymorphism in the integrin α V subunit gene affects the progression of primary biliary cirrhosis in Japanese patients.	J Gastroenterol	46(5)	676-86	2011
Tanaka A, Harada K, Ebinuma H, Komori A, Yokokawa J, Yoshizawa K, Abe M, Miyake Y, Kikuchi K, Ohira H, Zeniya M, Yamamoto K, <u>Ishibashi H</u> , Onji M, Nakanuma Y, Tsubouchi H, Takikawa H.	Primary biliary cirrhosis - Autoimmune hepatitis overlap syndrome: A rationale for corticosteroids use based on a nation-wide retrospective study in Japan.	Hepatol Res	41(9)	877-886	2011
Aiba Y, Nakamura M, Joshita S, Inamine T, Komori A, Yoshizawa K, Umemura T, Horie H, Migita K, Yatsuhashi H, Nakamuta M, Fukushima N, Saoshiro T, Hayashi S, Kouno H, Ota H, Muro T, Watanabe Y, Nakamura Y, Komeda T, Shimada M, Masaki N, Komatsu T, Yagura M, Sugi K, Koga M, Tsukamoto K, Tanaka E, <u>Ishibashi H</u> ; The PBC Study Group in NHOSLJ.	Genetic polymorphisms in CTLA4 and SLC4A2 are differentially associated with the pathogenesis of primary biliary cirrhosis in Japanese patients.	J Gastroenterol	46(10)	1203-1212	2011

Migita K, Watanabe Y, Jiuchi Y, Nakamura Y, Saito A, Yagura M, Ohta H, Shimada M, Mita E, Hijioka T, Yamashita H, Takezaki E, Muro T, Sakai H, Nakamuta M, Abiru S, Komori A, Ito M, Yatsuhashi H, Nakamura M, <u>Ishibashi H</u> ; Japanese NHO-Liver-network study group.	Hepatocellular carcinoma and survival in patients with autoimmune hepatitis (Japanese National Hospital Organization-autoimmune hepatitis prospective study).	Liver Int		Epub ahead of print	
中村 稔, 相葉佳洋, 小森敦正, 下田慎治, <u>石橋大海</u> .	PBCの予後予測: 自己抗体を基盤に. -特集 自己免疫性胆管疾患のオーバーラップス: PBC/AIH, PSC/AIH と PSC/IgG4関連硬化性胆管炎を中心に-	肝胆膵	62(4)	707-714	2011
<u>石橋大海</u> , 下田慎治, 小森敦正, 中村 稔.	PBCの病態の多様性と治療ガイドライン. -特集 自己免疫性胆管疾患のオーバーラップス: PBC/AIH, PSC/AIH と PSC/IgG4関連硬化性胆管炎を中心に-	肝胆膵	62(4)	715-722	2011
小森敦正, 中村 稔, <u>石橋大海</u> .	自己免疫性胆管疾患の病態形成への自然免疫の関与. -特集 自己免疫性胆管疾患のオーバーラップス: PBC/AIH, PSC/AIH と PSC/IgG4関連硬化性胆管炎を中心に-	肝胆膵	62(4)	639-643	2011
中村 稔, <u>石橋大海</u> , 安波道郎	PBCに関与するHLA 個体差.	肝胆膵	62(5)	945-952	2011
<u>石橋大海</u>	最新のガイドラインを学ぶ⑥ PBC.	たんじゅうさん	10(1)	32	2011
<u>石橋大海</u> , 小森敦正, 下田慎治, 中村 稔.	肝と免疫, 原発性胆汁性肝硬変, (3) 治療と予後.	臨牀消化器内科	26(11)	1517-1521	2011
戸田剛太郎, <u>石橋大海</u> , 大西三朗, 岡上 武, 恩地森一, 賀古 眞, 金子周一, 上村朝輝, 川崎寛中, 佐田通夫, 鈴木一幸, 田中直見, 林 直諒, 牧野 勲, 渡辺純夫.	原発性胆汁性肝硬変に対するウルソデオキシコール酸長期使用と臨牀経過 -ウルソ- PBC 特別調査研究会-	肝臓	52 (9)	584-601	2011
中村 稔, <u>石橋大海</u> .	遺伝子多型は自己免疫性肝胆道疾患の病態にせまれるか. -特集; 遺伝子多型による消化器疾患の理解-	分子消化器病	8(3)	205-211	2011
中村 稔, 相葉佳洋	核膜孔複合体タンパク質 GP210.	生体の科学	62(5)	386-387	2011
<u>石橋大海</u> , 小森敦正, 下田慎治	原発性胆汁性肝硬変. 内科疾患インストラクションガイド 何をどう説明するか.	Medicina	48(11)	287-289	2011
中沼安二, <u>石橋大海</u> , 滝川 一, 坪内博仁	PBCの新しい病期・活動度分類の提案.	日本消化器病学会雑誌	108(11)	1817-1818	2011
Suzuki F, <u>Suzuki Y</u> , Akuta N, Sezaki H, Arase Y, Hirakawa M, Kawamura Y, Hosaka T, Kobayashi M, Saitoh S, Ikeda K, Kobayashi M, Kamatani N, Nakamura Y, Chayama K, Kumada H.	Influence of ITPA polymorphisms on decreases of hemoglobin during treatment with pegylated interferon, ribavirin, and telaprevir.	Hepatology	53(2)	415-21	2011

Arase Y, <u>Suzuki Y</u> , Suzuki F, Matsumoto N, Akuta N, Imai N, Seko Y, Sezaki H, Kawamura Y, Kobayashi M, Hosaka T, Saito S, Ikeda K, Kobayashi M, Kumada H.	Efficacy and safety of combination therapy of natural human interferon beta and ribavirin in chronic hepatitis C patients.	Internal Medicine	50	1-7	2011
Kobayashi M, Hosaka T, Ikeda K, Seko Y, Kawamura Y, Sezaki H, Akuta N, Suzuki F, <u>Suzuki Y</u> , Saitoh S, Arase Y, Kumada H.	Highly sensitive AFP-L3% assay is useful for predicting recurrence of hepatocellular carcinoma after curative treatment pre- and postoperatively.	Hepatol Res.	41(11)	1036-45	2011
Arase Y, Suzuki F, Kawamura Y, <u>Suzuki Y</u> , Kobayashi M, Matsumoto N, Akuta N, Sezaki H, Hosaka T, Ogawa K, Imai N, Seko Y, Saito S, Ikeda K, Kobayashi M, Kumada H.	Development rate of chronic kidney disease in hepatitis C virus patients with advanced fibrosis after interferon therapy.	Hepatol Res	41(10)	946-54	2011
Imai N, Ikeda K, Seko Y, Kawamura Y, Sezaki H, Hosaka T, Akuta N, Kobayashi M, Saitoh S, Suzuki F, <u>Suzuki Y</u> , Arase Y, Kumada H.	Previous chemoembolization response after transcatheter arterial chemoembolization (TACE) can predict the anti-tumor effect of subsequent TACE with miriplatin in patients with recurrent hepatocellular carcinoma.	Oncology	80(3-4)	188-94	2011
Akuta N, Suzuki F, Hirakawa M, Kawamura Y, Sezaki H, <u>Suzuki Y</u> , Hosaka T, Kobayashi M, Kobayashi M, Saitoh S, Arase Y, Ikeda K, Kumada H.	Amino acid substitutions in hepatitis C virus core region predict hepatocarcinogenesis following eradication of HCV RNA by antiviral therapy.	J Med Virol	83(6)	1016-22	2011
Ikeda K, Kobayashi M, Kawamura Y, Imai N, Seko Y, Hirakawa M, Hosaka T, Sezaki H, Akuta N, Saitoh S, Suzuki F, <u>Suzuki Y</u> , Arase Y, Kumada H.	Stage progression of small hepatocellular carcinoma after radical therapy: comparisons of radiofrequency ablation and surgery using the Markov model.	Liver Int	31(5)	692-9	2011
Arase Y, Suzuki F, Kobayashi M, <u>Suzuki Y</u> , Kawamura Y, Matsumoto N, Akuta N, Imai N, Kobayashi M, Sezaki H, Saito S, Hosaka T, Ikeda K, Kumada H, Ohmoto Y, Amakawa K, Tsuji H, Hsieh SD, Kobayashi T.	Efficacy and safety in sitagliptin therapy for diabetes complicated by chronic liver disease caused by hepatitis C virus.	Hepatol Res	41(6)	524-9	2011

Arase Y, Suzuki F, Kobayashi M, <u>Suzuki Y</u> , Kawamura Y, Matsumoto N, Akuta N, Kobayashi M, Sezaki H, Saito S, Hosaka T, Ikeda K, Kumada H, Ohmoto Y, Amakawa K, Tsuji H, Hsieh SD, Kato K, Tanabe M, Ogawa K, Hara S, Kobayashi T.	The development of chronic kidney disease in Japanese patients with non-alcoholic fatty liver disease.	Intern Med	50(10)	1081-7	2011
Akuta N, Suzuki F, Hirakawa M, Kawamura Y, Sezaki H, <u>Suzuki Y</u> , Hosaka T, Kobayashi M, Kobayashi M, Saitoh S, Arase Y, Ikeda K, Chayama K, Nakamura Y, Kumada H.	Amino acid substitution in HCV core/NS5A region and genetic variation near IL28B gene affect treatment efficacy to interferon plus ribavirin combination therapy.	Intervirolgy		Epub ahead of print	2011
Akuta N, Suzuki F, Hirakawa M, Kawamura Y, Sezaki H, <u>Suzuki Y</u> , Hosaka T, Kobayashi M, Kobayashi M, Saitoh S, Arase Y, Ikeda K, Chayama K, Nakamura Y, Kumada H.	Amino acid substitution in HCV core region and genetic variation near the IL28B gene affect viral dynamics during telaprevir, peginterferon and ribavirin treatment.	Intervirolgy		Epub ahead of print	2011
Kawamura Y, Arase Y, Ikeda K, Seko Y, Imai N, Hosaka T, Kobayashi M, Saitoh S, Sezaki H, Akuta N, Suzuki F, <u>Suzuki Y</u> , Ohmoto Y, Amakawa K, Tsuji H, Kumada H.	Large-Scale Long-Term Follow-Up Study of Japanese Patients With Non-Alcoholic Fatty Liver Disease for the Onset of Hepatocellular Carcinoma.	Am J Gastroenterol		Epub ahead of print	2011
鈴木義之, 瀬崎ひとみ, 芥田憲夫, 鈴木文孝, 今井則博, 平川美晴, 川村祐介, 保坂哲也, 小林正宏, 斎藤聡, 荒瀬康司, 池田健次, 小林万利子, 熊田博光	NS5A 阻害剤と NS3プロテアーゼ阻害剤併用投与における早期抗ウイルス効果	肝臓	52(2)	147-9	2011
保坂哲也, 鈴木文孝, 小林正宏, 瀬古裕也, 今井則博, 平川美晴, 川村祐介, 瀬崎ひとみ, 芥田憲夫, 鈴木義之, 斎藤聡, 荒瀬康司, 池田健次, 小林万利子, 熊田博光	B型慢性肝疾患に対する核酸アナログ療法による HBs 抗原消失とその関連因子の検討	肝臓	52(4)	255-7	2011

小林万利子, 鈴木文孝, 鈴木義之, 芥田憲夫, 瀬崎ひとみ, 川村祐介, 瀬古裕也, 保坂哲也, 小林正宏, 斎藤聡, 荒瀬康司, 池田健次, 熊田博光	コバス TaqManHBV 「オート」 v2.0における 同一時の血清検体と血漿検体の HBVDNA 検 出率の検討	肝臓	52(11)	756-7	2011
Fujimaki S, Matsuda Y, Wakai T, Sanpei A, Kubota M, Takamura M, Yamagiwa S, Yano M, Ohkoshi S, <u>Aoyagi Y.</u>	Blockade of ataxia telangiectasia mutated sensitizes hepatoma cell lines to sorafenib by interfering with Akt signaling	Cancer Lett	in press	2012	
Nozawa Y, Nishikura K, Ajioka Y, <u>Aoyagi Y.</u>	Relationship between alpha-methylacyl- coenzyme A racemase expression and mucin phenotype in gastric cancer	Hum Pathol	in press	2012	
Kamimura H, Yamagiwa S, Tsuchiya A, Takamura M, Matsuda Y, Ohkoshi S, Inoue M, Wakai T, Shirai Y, Nomoto M, <u>Aoyagi Y.</u>	Reduced NKG2D ligand expression in hepatocellular carcinoma correlates with early recurrence	J Hepatol	56	381-8	2012
Iwasaki T, Kawai H, Oseki K, Togashi T, Shioji K, Yamamoto S, Sato Y, Suzuki K, Toba K, Nomoto M, Hatakeyama K, <u>Aoyagi Y.</u>	Japanese case of Budd-Chiari syndrome due to hepatic vein thrombosis successfully treated with liver transplantation	Hepatol Res	42	213-8	2012
Kobayashi M, Takeuchi M, Hashimoto S, Mizuno KI, Sato Y, Narisawa R, <u>Aoyagi Y.</u>	Contributing factors to gastric ulcer healing after endoscopic submucosal dissection including the promoting effect of rebamipide	Dig Dis Sci	57	119-26	2012
Hashimoto S, Kobayashi M, Takeuchi M, Sato Y, Narisawa R, <u>Aoyagi Y.</u>	The efficacy of endoscopic triamcinolone injection for the prevention of esophageal stricture after endoscopic submucosal dissection	Gastrointest Endosc	74	1389-93	2011
Tsuchiya A, Kamimura H, Tamura Y, Takamura M, Yamagiwa S, Suda T, Nomoto M, <u>Aoyagi Y.</u>	Hepatocellular carcinoma with progenitor cell features distinguishable by the hepatic stem/progenitor cell marker NCAM	Cancer Lett 309	95-103	2011	
Kobayashi M, Takeuchi M, Ajioka Y, Hashimoto S, Sato A, Narisawa R, <u>Aoyagi Y.</u>	Mucin phenotype and narrow-band imaging with magnifying endoscopy for differentiated-type mucosal gastric cancer	J Gastroenterol	46	1064-70	2011
Ohkoshi S, Yamagiwa S, Yano M, Takahashi H, Aoki YH, Waguri N, Igarashi K, Sugitani S, Takahashi T, Ishikawa T, Kamimura T, Wakabayashi H, Watanabe T, Matsuda Y, <u>Aoyagi Y.</u>	Failure to achieve 2-log10 viral decrease in first four weeks of peg-IFNalpha-2b plus ribavirin therapy for chronic hepatitis C with genotype 1b and high viral titer is useful in predicting non-response: evaluation of response-guided therapy	Hepatogastroenterology	58	965-70	2011

Mizuno KI, Kudo SE, Ohtsuka K, Hamatani S, Wada Y, Inoue H, <u>Aoyagi Y.</u>	Narrow-Banding Images and Structures of Microvessels of Colonic Lesions	Dig. Dis. Sci	56	1811-7	2011
Takeuchi M, Kobayashi M, Hashimoto S, Narisawa R, <u>Aoyagi Y.</u>	Usefulness of magnifying narrow band imaging for assessing lateral tumor extent of early gastric cancer: a case report.	Dig Endosc	23 Suppl 1	86-8	2011
<u>Aoyagi Y.</u> , Tamura Y, Suda T.	EDITORIAL, History and recent progress in evaluation of the fucosylated alpha-fetoprotein fraction	J Gastroenterol Hepatol	26	615-6	2011
Abe S, Nagasaka K, Hirayama Y, Kozuka-Hata H, Oyama M, <u>Aoyagi Y.</u> , Obuse C, Hirota T.	The initial phase of chromosome condensation requires Cdk1-mediated phosphorylation of the CAP-D3 subunit of condensin II	Genes Dev	25	863-74	2011
Aoki YH, Ohkoshi S, Yamagiwa S, Yano M, Takahashi H, Waguri N, Igarashi K, Sugitani S, Takahashi T, Ishikawa T, Kamimura T, Wakabayashi H, Watanabe T, Matsuda Y, Nomoto M, <u>Aoyagi Y.</u>	Characterization of elevated alanine aminotransferase levels during pegylated-interferon α -2b plus ribavirin treatment for chronic hepatitis C	Hepatol Res	41	118-25	2011
Kawai H, Nomoto M, Suda T, Kamimura K, Tsuchiya A, Tamura Y, Yano M, Takamura M, Igarashi M, Wakai T, Yamagiwa S, Matsuda Y, Ohkoshi S, Kurosaki I, Shirai Y, Okada M, <u>Aoyagi Y.</u>	Multicentric occurrence of hepatocellular carcinoma with nonalcoholic steatohepatitis	World J Hepatol	3	15-23	2011
Miyake Y, Yasunaka T, Ikeda F, Takaki A, Nouse K, <u>Yamamoto K.</u>	Fulminant hepatitis: Who survives without liver transplantation?	Hepatol Res	42(1)	60-67	2012
Tanaka A, Harada K, Ebinuma H, Komori A, Yokokawa J, Yoshizawa K, Abe M, Miyake Y, Kikuchi K, Ohira H, Zeniya M, <u>Yamamoto K.</u> , Ishibashi H, Onji M, Nakanuma Y, Tsubouchi H, Takikawa H.	Primary biliary cirrhosis - Autoimmune hepatitis overlap syndrome: A rationale for corticosteroids use based on a nation-wide retrospective study in Japan.	Hepatol Res	41(9)	877-886	2011
<u>山本和秀</u> , 三宅康広	【肝と免疫】 原発性胆汁性肝硬変 診断	臨床消化器内科	26(11)	1501-1507	2011
三宅康広, <u>山本和秀</u>	【自己免疫性胆管疾患のオーバーラップス PBC/AIH, PSC/AIH と PSC/IgG4関連硬化性胆管炎を中心に】 PSC とその類縁疾患, オーバーラップス 基礎 自己抗体からみた PSC および類縁疾患 (IgG4関連硬化性胆管炎を含む) の病態	肝胆膵	62(4)	751-755	2011

<u>Nakamoto Y</u> , Mizukoshi E, Kitahara M, Arihara F, Sakai Y, Kakinoki K, Fujita Y, Marukawa Y, Arai K, Yamashita T, Mukaida N, Matsushima K, Matsui O, Kaneko S	Prolonged recurrence-free survival following OK432-stimulated dendritic cell transfer into hepatocellular carcinoma during transarterial embolization.	Clin Exp Immunol	163(2)	165-177	2011
Mizukoshi E, <u>Nakamoto Y</u> , Arai K, Yamashita T, Sakai A, Sakai Y, Kagaya T, Yamashita T, Honda M, Kaneko S	Comparative analysis of various tumor-associated antigen-specific T-cell responses in patients with hepatocellular carcinoma.	Hepatology	53(4)	1206-1216	2011
Honda M, Takehana K, Sakai A, Tagata Y, Shirasaki T, Nishitani S, Muramatsu T, Yamashita T, <u>Nakamoto Y</u> , Mizukoshi E, Sakai Y, Yamashita T, Nakamura M, Shimakami T, Yi M, Lemon SM, Suzuki T, Wakita T, Kaneko S	Malnutrition impairs interferon signaling through mTOR and FoxO pathways in patients with chronic hepatitis C	Gastroenterology	141(1)	128-140	2011
Takata Y, <u>Nakamoto Y</u> , Nakada A, Terashima T, Arihara F, Kitahara M, Kakinoki K, Arai K, Yamashita T, Sakai Y, Yamashita T, Mizukoshi E, Kaneko S	Frequency of CD45RO+ subset in CD4+CD25(high) regulatory T cells associated with progression of hepatocellular carcinoma.	Cancer Lett	307(2)	165-173	2011
廣原淳子, 仲野俊成 關壽人, 岡崎和一 中沼安二, 坪内博仁	全国集計からみた原発性胆汁性肝硬変の疫学的動向	肝胆膵	62	679-684	2011
<u>Nakanuma Y</u> , Sato Y	Cystic and papillary neoplasm involving peribiliary glands: A biliary counterpart of branch-type IPMN?	Hepatology		Epub ahead of print	2012
Harada K, Shimoda S, Kimura Y, Sato Y, Ikeda H, Igarashi S, Ren XS, Sato H, <u>Nakanuma Y</u>	Significance of IgG4-positive cells in extrahepatic cholangiocarcinoma: Molecular mechanism of IgG4 reaction in cancer tissue.	Hepatology		Epub ahead of print	2012
Takeshita Y, Takamura T, Inoue O, Okumura M, Kato K, Sunagozaka H, Arai K, Misu H, Nakamura M, <u>Nakanuma Y</u> , Kaneko S	Slowly progressive insulin-dependent diabetes in a patient with primary biliary cirrhosis with portal hypertension-type progression..	Intern Med	51	79-82	2012

Hytioglou P, Snover DC, Alves V, Balabaud C, Bhathal PS, Bioulac-Sage P, Crawford JM, Dhillon AP, Ferrell L, Guido M, <u>Nakanuma Y</u> , Paradis V, Quaglia A, Theise ND, Thung SN, Tsui WM, van Leeuwen DJ	Beyond "cirrhosis": a proposal from the international liver pathology study group.	Am J Clin Pathol	137	5-9	2012
Sato Y, Harada K, Sasaki M, Yasaka T, <u>Nakanuma Y</u>	Heat shock proteins 27 and 70 are potential biliary markers for the detection of cholangiocarcinoma.	Am J Pathol	180	123-30	2012
<u>Nakanuma Y</u>	Tutorial review for understanding of cholangiopathy.	International Journal of Hepatology	2012	ID 547840 (9 page)	2012
Harada K, <u>Nakanuma Y</u>	Cholangiopathy with respect to biliary innate immunity.	International Journal of Hepatology	2012	ID 793569 (10 page)	2012
Zen Y, <u>Nakanuma Y</u>	IgG4 cholangiopathy.	International Journal of Hepatology	2012	ID 472376 (6 page)	2012
Sasaki M, <u>Nakanuma Y</u>	Novel approach to bile duct damage in primary biliary cirrhosis: Participation of cellular senescence and autophagy.	International Journal of Hepatology	2012	ID 452143 (9 page)	2012
Sato Y, Ren Xiang Shan, <u>Nakanuma Y</u>	Caroli's disease: Current knowledge of its biliary pathogenesis obtained from an orthologous rat model.	International Journal of Hepatology	2012	ID 107945 (10 page)	2012
Tsuneyama K, Moritoki Y, Kikuchi K, <u>Nakanuma Y</u>	Pathological features of new animal models for primary biliary cirrhosis.	International Journal of Hepatology	2012	ID 403954 (7 page)	2012
佐藤保則, 中沼安二	胆管内腫瘍の組織分類とそのエビデンス	胆と膵	32	1331-8	2011
中沼安二, 佐々木素子, 佐藤保則, 原田憲一, 池田博子	肝門部～肝内胆管癌の病理	臨床消化器内科	26	1691-7	2011
中沼安二, 石橋大海, 滝川 一, 坪内博仁	PBC の新しい病期・活動度分類の提案	日本消化器病学会雑誌	108	1817-22	2011
中沼安二, 原田憲一, 角田優子, 池田博子	自己免疫性肝炎(2) 成因 (病理)	臨床消化器内科	26	1485-92	2011
中沼安二, 山口淳平, 佐々木素子, 佐藤保則	胆嚢発癌と病理 (合流異常を含む)	外科	73	473-8	2011
佐々木素子, 中沼安二	細胞老化と胆管障害, 細胆管反応	肝胆膵	62	657-63	2011
廣原淳子, 仲野俊成, 關 壽人, 岡崎和一, 中沼安二, 坪内博仁	全国集計からみた原発性胆汁性肝硬変の疫学的動向	肝胆膵	62	679-84	2011
原田憲一, 中沼安二	PBC の新しい病期・活動度分類と Validation	肝胆膵	62	685-92	2011
佐藤保則, 原田憲一, 中沼安二	胆管硬化と EMT	肝胆膵	62	743-50	2011
中沼安二, 木村 康, 原田憲一	IgG4関連硬化性胆管炎と胆管癌	肝胆膵	62	787-93	2011
中沼安二	胆道の臨床病理—BillIN を中心として—	胆道	25	31-42	2011

中沼安二, Hsu Malyee, 佐々木素子, 佐藤保則, 原田憲一	胆道の病理 (胆嚢を除く) —— 膵カウンターパートとの比較を中心に——	画像診断	31	266-77	2011
中沼安二, Marylee Hsu, 佐々木素子	病理・発癌の観点から	肝胆膵	62	17-28	2011
中西喜嗣, 近藤 哲, 中沼安二	胆管周囲付属腺と胆管腫瘍発生—胆管内乳頭状腫瘍の発生の注目して—	肝胆膵	62	127-31	2011
米田憲秀, 松原崇史, 中村功一, 小坂一斗, 小林 聡, 瀧 圭一, 上田和彦, 蒲田敏文, 松井 修, 中沼安二	肝粘液性嚢胞性腫瘍 (画像所見を中心に)	肝胆膵	62	141-7	2011
佐藤保則, 中沼安二	胆管内管状腫瘍	肝胆膵	62	155-61	2011
原田憲一, 中沼安二	神経内分泌腫瘍	肝胆膵	62	163-9	2011
Xu J, Sasaki M, Harada K, Sato Y, Ikeda H, Kim JH, Yu E, <u>Nakanuma Y</u>	Intrahepatic cholangiocarcinoma arising in chronic advanced liver disease and the cholangiocarcinomatous component of hepatocellular cholangiocarcinoma share common phenotypes and cholangiocarcinogenesis.	Histopathology	59	1090-9	2011
Nakanishi Y, <u>Nakanuma Y</u> , Ohara M, Iwao T, Kimura N, Ishidate T, Kijima H	Intraductal papillary neoplasm arising from peribiliary glands connecting with the inferior branch of the bile duct of the anterior segment of the liver.	Pathol Int	61	773-7	2011
Sasaki M, Miyakoshi M, Sato Y, <u>Nakanuma Y</u>	A possible involvement of p62/sequestosome-1 in the process of biliary epithelial autophagy and senescence in primary biliary cirrhosis.	Liver Int		Epub ahead of print	2011
Lim JH, Zen Y, Jang KT, Kim YK, <u>Nakanuma Y</u>	Cyst-forming intraductal papillary neoplasm of the bile ducts: description of imaging and pathologic aspects.	AJR Am J Roentgenol	197	1111-20	2011
Ren XS, Sato Y, Harada K, Sasaki M, Yoneda N, Lin ZH, <u>Nakanuma Y</u>	Biliary infection may exacerbate biliary cystogenesis through the induction of VEGF in cholangiocytes of the polycystic kidney (PCK) rat.	Am J Pathol	179	2845-54	2011
Sasaki M, Miyakoshi M, Sato Y, <u>Nakanuma Y</u>	Autophagy may precede cellular senescence of bile ductular cells in ductular reaction in primary biliary cirrhosis.	Dig Dis Sci		Epub ahead of print	2011
Tanaka A, Harada K, Ebinuma H, Komori A, Yokokawa J, Yoshizawa K, Abe M, Miyake Y, Kikuchi K, Ohira H, Zeniya M, Yamamoto K, Ishibashi H, Onji M, <u>Nakanuma Y</u> , Tsubouchi H, Takikawa H	Primary biliary cirrhosis - Autoimmune hepatitis overlap syndrome: A rationale for corticosteroids use based on a nation-wide retrospective study in Japan.	Hepatol Res	41	877-86	2011
<u>Nakanuma Y</u> , Sato Y, Harada K	Recent progress of IgG4-related hepatobiliary diseases with emphasis on pathologic aspects and differential diagnosis.	Diagnostic Histopathology	17	454-61	2011

Harada K, Chiba M, Okamura A, Hsu M, Sato Y, Igarashi S, Ren XS, Ikeda H, Ohta H, Kasashima S, Kawashima A, <u>Nakanuma Y</u>	Monocyte chemoattractant protein-1 derived from biliary innate immunity contributes to hepatic fibrogenesis.	J Clin Pathol	64	660-5	2011
Zen Y, Pedica F, Patcha VR, Capelli P, Zamboni G, Casaril A, Quaglia A, <u>Nakanuma Y</u> , Heaton N, Portmann B	Mucinous cystic neoplasms of the liver: a clinicopathological study and comparison with intraductal papillary neoplasms of the bile duct.	Mod Pathol	24	1079-89	2011
<u>Nakanuma Y</u> , Xu J, Harada K, Sato Y, Sasaki M, Ikeda H, Kim J, Yu E	Pathological spectrum of intrahepatic cholangiocarcinoma arising in non-biliary chronic advanced liver diseases.	Pathol Int	61	298-305	2011
<u>Nakanuma Y</u> , Harada K	The role of the pathologist in diagnosing and grading biliary diseases.	Clin Res Hepatol Gastroenterol	35	347-52	2011
Shimoda S, Harada K, Niuro H, Shirabe K, Taketomi A, Maehara Y, Tsuneyama K, <u>Nakanuma Y</u> , Leung P, Ansari AA, Gershwin ME, Akashi K	Interaction between Toll-like receptors and natural killer cells in the destruction of bile ducts in primary biliary cirrhosis.	Hepatology	53	1270-81	2011
Miyagawa-Hayashino A, Egawa H, Yoshizawa A, Ueda Y, Ichida T, Ueno Y, Uemoto S, Harada K, <u>Nakanuma Y</u>	Frequent overlap of active hepatitis in recurrent primary sclerosing cholangitis after living-donor liver transplantation relates to its rapidly progressive course.	Hum Pathol	42	1329-36	2011
Egawa H, Ueda Y, Ichida T, Teramukai S, <u>Nakanuma Y</u> , Onishi S, Tsubouchi H	Risk factors for recurrence of primary sclerosing cholangitis after living donor liver transplantation in Japanese Registry.	Am J Transplant	11	518-27	2011
Harada K, Shimoda S, Ikeda H, Chiba M, Hsu M, Sato Y, Kobayashi M, Ren XS, Ohta H, Kasashima S, Kawashima A, <u>Nakanuma Y</u>	Significance of periductal Langerhans cells and biliary epithelial cell-derived macrophage inflammatory protein-3 α in the pathogenesis of primary biliary cirrhosis.	Liver Int	31	245-53	2011
Zen Y, <u>Nakanuma Y</u>	Pathogenesis of IgG4-related disease.	Curr Opin Rheumatol	23	114-8	2011
Umemura T, Zen Y, Hamano H, Joshita S, Ichijo T, Yoshizawa K, Kiyosawa K, Ota M, Kawa S, <u>Nakanuma Y</u> , Tanaka E	Clinical significance of immunoglobulin G4-associated autoimmune hepatitis.	J Gastroenterol	46	48-55	2011
<u>Shimoda S</u> , Harada K, Niuro H, Shirabe K, Taketomi A, Maehara Y, Tsuneyama K, Nakanuma Y, Leung P, Ansari AA, Gershwin ME, Akashi K.	Interaction between Toll-like receptors and natural killer cells in the destruction of bile ducts in primary biliary cirrhosis.	Hepatology	53(4)	1270-81	2011

Takeyama Y, <u>Sakisaka S</u>	Hepatobiliary membrane transporters in primary biliary cirrhosis	Hepatology Research	42	120-130	2012
Honda A, Miyazaki T, Ikegami T, Iwamoto J, Maeda T, Hirayama T, Saito Y, Teramoto T, Matsuzaki Y.	Cholesterol 25-hydroxylation activity of CYP3A	J. Lipid Res	52	1509-1516	2011
Toda K, Hayashi Y, Ono M, <u>Saibara T.</u>	Impact of ovarian sex steroids on ovulation and ovulatory gene induction in aromatase-null mice.	Endocrinology	153	386-394	2012
Yoneda M, Fujii H, Sumida Y, Hyogo H, Itoh Y, Ono M, Eguchi Y, Suzuki Y, Aoki N, Kanemasa K, Imajo K, Chayama K, <u>Saibara T.</u> , Kawada N, Fujimoto K, Kohgo Y, Yoshikawa T, Okanoue T	Platelet count for predicting fibrosis in nonalcoholic fatty liver disease.	J Gastroenterol	46	1300-1306	2011
Ono M, Ochi T, Munekage K, Ogasawara M, Hirose A, Nozaki Y, Takahashi M, Okamoto N, <u>Saibara T.</u>	Angiotensinogen gene haplotype is associated with the prevalence of Japanese non-alcoholic steatohepatitis.	Hepatology Res	41	1223-1229	2011
Taniuchi K, Cemy RL, Tanouchi A, Kohno K, Kotani N, <u>Saibara T.</u> , Hollingsworth MA.	Overexpression of GalNAc-transferase GalNAc-T3 promotes pancreatic cancer cell growth.	Oncogene	30	4843-4854	2011
Taniuchi K, Iwasaki S, <u>Saibara T.</u>	BART inhibits pancreatic cancer cell invasion by inhibiting ARL2-mediated RhoA inactivation.	Int J Oncol	39	1243-1252	2011
Koga M, Saito H, Mukai M, <u>Saibara T.</u> , Kasayama S.	Serum dehydroepiandrosterone sulphate levels in patients with non-alcoholic fatty liver disease.	Internal Med	50	1657-1661.	2011
Yasui K, Hashimoto E, Komorizono Y, Koike K, Ariei S, Imai Y, Shima T, Kanbara Y, <u>Saibara T.</u> , Mori T, Kawata S, Uto H, Takami S, Sumida Y, Takamura T, Kawanaka M, Okanoue T	Characteristics of patients with nonalcoholic steatohepatitis who develop hepatocellular carcinoma.	Clin Gastroenterol Hepatol	9	428-433.	2011
Ogasawara M, Hirose A, Ono M, Aritake K, Nozaki Y, Takahashi M, Okamoto N, Sakamoto S, Iwasaki S, Asanuma T, Taniguchi T, Urade Y, Onishi S, <u>Saibara T.</u> , Oben JA.	A novel and comprehensive mouse model of human non-alcoholic steatohepatitis with the full range of dysmetabolic and histological abnormalities induced by gold thioglucose and a high-fat diet.	Liver Int	31	542-551	2011

Sumida Y, Yoneda M, Hyogo H, Yamaguchi K, Ono M, Fujii H, Eguchi Y, Suzuki Y, Imai S, Kanemasa K, Fujita K, Chayama K, Yasui K, <u>Saibara T</u> , Kawada N, Fujimoto K, Kohgo Y, Okanoue T	A simple clinical scoring system using ferritin, fasting insulin, and type IV collagen 7S for predicting steatohepatitis in nonalcoholic fatty liver disease.	J Gastroenterol	46	257-268	2011
宗景玄祐, 小野正文, <u>西原利治</u>	NASH に関するリポ蛋白遺伝子	肝胆膵	62	977-984	2011
小野正文, 宗景玄祐, 越智経浩, <u>西原利治</u>	全身疾患としての非アルコール性脂肪性肝疾患 疾患概念の変遷と国内外の疫学	診断と治療	99	1461-1467	2011
小野正文, 岡本宣人, <u>西原利治</u>	今日の NAFLD・NASH 治療法	Pharma Medica	29	47-52	2011
小野正文, 麻植啓輔, <u>西原利治</u>	インクレチンの肝細胞への脂肪蓄積抑制作用 - NASH 治療薬創薬への期待 -	日本臨牀	69	853-858	2011
増田弘誠, 小野正文, <u>西原利治</u>	身体合併症	精神科	18	629-633	2011
岩崎信二, 高橋昌也, <u>西原利治</u>	薬物治療法: UDCA とベザフィブレートを中心に	肝胆膵	62	729-736	2011
増田弘誠, 小野正文, <u>西原利治</u>	脂肪肝・非アルコール性脂肪肝炎 (NASH) に対する栄養療法	肝胆膵	63	445-451	2011
Ninomiya M, <u>Ueno Y</u> , Shimosegawa T	PBC: animal models of cholangiopathies and possible endogenous viral infections	International Journal of Hepatology,		in press	2012
Ninomiya M, <u>Ueno Y</u> , Funayama R, Nagashima T, Nishida Y, Kondo Y, Inoue J, Kakazu E, Kimura O, Nakayama K, Shimosegawa T	Use of Illumina deep sequencing technology to differentiate hepatitis C virus variants.	Journal of Clinical Microbiology		in press	2012
Yang F, Priester S, Onori P, Venter J, Renzi A, Franchitto A, Munshi MK, Wise C, Dostal DE, Marzioni M, Saccomanno S, <u>Ueno Y</u> , Gaudio E, Glaser S.	Castration inhibits biliary proliferation induced by bile duct obstruction: novel role for the autocrine trophic effect of testosterone.	American journal of physiology Gastrointestinal and liver physiology.	301	981-91	2011
Renzi A, Glaser S, Demorrow S, Mancinelli R, Meng F, Franchitto A, Venter J, White M, Francis H, Han Y, Alvaro D, Gaudio E, Carpino G, <u>Ueno Y</u> , Onori P, Alpini G.	Melatonin inhibits cholangiocyte hyperplasia in cholestatic rats by interaction with MT1 but not MT2 melatonin receptors.	American journal of physiology Gastrointestinal and liver physiology.	301	634-43	2011

Alpini G, Franchitto A, Demorrow S, Onori P, Gaudio E, Wise C, Francis H, Venter J, Kopriva S, Mancinelli R, Carpino G, Stagnitti F, <u>Ueno Y</u> , Han Y, Meng F, Glaser S.	Activation of alpha(1) -adrenergic receptors stimulate the growth of small mouse cholangiocytes via calcium-dependent activation of nuclear factor of activated T cells 2 and specificity protein 1.	Hepatology.	53	628-39	2011
二宮匡史, 福島耕二, 上野義之, 下瀬川徹	PBC とその類縁疾患, オーバーラップス基礎 ウイルス感染と PBC	肝胆膵	62	665-669	2011
Kuroda, H., Takikawa Y, Onodera M, Kakisaka K, Yoshida Y, Kataoka K, Sawara K, Miyamoto Y, Oikawa K, Endo R, <u>Suzuki K</u>	Serial changes of liver stiffness measured by acoustic radiation force impulse imaging in acute liver failure: a case report.	J Clin Ultrasound	40(2)	99-104	2012
Kuroda H, Takikawa Y, <u>Suzuki K</u>	Non-invasive markers of liver fibrosis.	Eur Gastroenterol Hepatol	7(4)	264-267	2011
Naiki T, Nakayama N, Mochida S, Oketani M, Takikawa Y, <u>Suzuki K</u> , Tada S, Ichida T, Moriwaki H, Tsubuchi H	Novel scoring system as a useful model to predict the outcome of patients with acute liver failure: Application to indication criteria for liver transplantation.	Hepatol Res	42(1)	68-75	2012
Shimizu M, Sakai H, Shirakami Y, Iwasa J, Yasuda Y, Kubota M, Takai K, Tsurumi H, Tanaka T, <u>Moriwaki H</u> .	Acyclic retinoid inhibits diethylnitrosamine-induced liver tumorigenesis in obese and diabetic C57BLKS/J- +(db)/+Lepr(db) mice.	Cancer Prev Res	4	128-136	2011
Shimizu M, Sakai H, Shirakami Y, Yasuda Y, Kubota M, Terakura D, Baba A, Ohno T, Hara Y, Tanaka T, <u>Moriwaki H</u> .	Preventive effects of (-)-epigallocatechin gallate on diethylnitrosamine-induced liver tumorigenesis in obese and diabetic C57BL/KsJ-db/db Mice.	Cancer Prev Res	4	396-403	2011
Shimizu M, Yasuda Y, Sakai H, Kubota M, Terakura D, Baba A, Ohno T, Kochi T, Tsurumi H, Tanaka T, <u>Moriwaki H</u> .	Pitavastatin suppresses diethylnitrosamine-induced liver preneoplasms in male C57BL/KsJ-db/db obese mice.	BMC Cancer	11	281	2011
Shimizu M, Adachi S, Masuda M, Kozawa O, <u>Moriwaki H</u> .	Cancer chemoprevention with green tea catechins by targeting receptor tyrosine kinases.	Mol Nutr Food Res	55	832-843	2011
Shimizu M, Sakai H, <u>Moriwaki H</u> .	Chemoprevention of hepatocellular carcinoma by acyclic retinoid.	Front Biosci	16	759-769	2011
Osawa Y, Kanamori H, Seki E, Hoshi M, Ohtani H, Yasuda Y, Ito H, Suetsugu A, Nagaki M, <u>Moriwaki H</u> , Saito K, Seishima M.	L-tryptophan-mediated enhancement of susceptibility to nonalcoholic fatty liver disease is dependent on the mammalian target of rapamycin.	J Biol Chem	286	34800-34808	2011

Osawa Y, Seki E, Kodama Y, Suetsugu A, Miura K, Adachi M, Ito H, Shiratori Y, Banno Y, Olefsky JM, Nagaki M, <u>Moriwaki H</u> , Brenner DA, Seishima M.	Acid sphingomyelinase regulates glucose and lipid metabolism in hepatocytes through AKT activation and AMP-activated protein kinase suppression.	FASEB J	25	1133-1144	2011
Chayama K, Hayes CN, Yoshioka K, <u>Moriwaki H</u> , Okanoue T, Sakisaka S, Takehara T, Oketani M, Toyota J, Izumi N, Hiasa Y, Matsumoto A, Nomura H, Seike M, Ueno Y, Yotsuyanagi H, Kumada H.	Factors predictive of sustained virological response following 72 weeks of combination therapy for genotype 1b hepatitis C.	J Gastroenterol	46	545-555	2011
Tatsukawa H, Sano T, Fukaya Y, Ishibashi N, Watanabe M, Okuno M, <u>Moriwaki H</u> , Kojima S.	Dual induction of caspase 3- and transglutaminase-dependent apoptosis by acyclic retinoid in hepatocellular carcinoma cells.	Mol Cancer	10	4	2011
<u>市田隆文</u> , 玄田拓哉, 平野克治	脳死肝移植適応評価に関する今後の展望.	移植	6	406-411	2011
Naiki T, Nakayama N, Mochida S, Oketani M, Takikawa Y, Suzuki K, Tada SI, <u>Ichida T</u> , <u>Moriwaki H</u> , Tsubouchi H	the Intractable Hepato-Biliary Disease Study Group supported by the Ministry of Health, Labor and Welfare of Japan. Novel scoring system as a useful model to predict the outcome of patients with acute liver failure: Application to indication criteria for liver transplantation.	Hepatol Res		in press	2011
有井滋樹, 辺見 聡, 古川博之, <u>市田隆文</u> , 國土典宏	座談会 我が国の肝移植医療に与える改正臓器移植法のインパクト	肝臓	10	625-643	2011
Mochida S, Takikawa Y, Nakayama N, Oketani M, Yamagishi Y, <u>Ichida T</u> , Tsubouchi H	Diagnostic criteria of acute liver failure: A report by the Intractable Hepato-Biliary Diseases Study Group of Japan	Hepatol Res	9	805-812	2011
Gouw AS, Balabaud C, Kusano H, Todo S, <u>Ichida T</u> , Kojiro M	Markers for microvascular invasion in hepatocellular carcinoma : Where do we stand?	Liver Transplant	Suppl2	S72-80	2011
<u>市田隆文</u>	脳死肝移植適応評価委員会はどう変わったか	肝胆膵	1	87-91	2011
持田智, 滝川康裕, 中山伸郎, 桶谷真, 内木隆文, 山岸由幸, <u>市田隆文</u> , 坪内博仁	我が国における「急性肝不全」の概念, 診断基準の確立: 厚生労働省科学研究費補助金(難治性疾患克服研究事業)「難治性の肝・胆道疾患に関する調査研究」班, ワーキンググループ1, 研究報告	肝臓	6	393-398	2011
<u>市田隆文</u> , 玄田拓哉, 平野克治	肝移植は肝癌治療の第一選択となりうるか?	内科	6	1106-1111	2011
Miyagawa-Hayashino A, Egawa H, Yoshizawa A, Ueda Y, <u>Ichida T</u> , Ueno Y, Uemoto S, Harada K, Nakanuma Y	Frequent overlap of active hepatitis in recurrent primary sclerosing cholangitis after living-donor liver transplantation relates to its rapidly progressive course	Human Path	9	1329-36	2011

Egawa H, Ueda U, <u>Ichida T</u> , Teramukai S, Nakanuma Y, Ohnishi S, Tsubouchio H	Risk factors for recurrence of primary sclerosing cholangitis after living donor liver transplantation in Japanese registry	Ame J Transplant	3	518-527	2011
市田隆文	Editorial わが国における脳死肝移植の現状	肝臓	2	81-86	2011
<u>Fujiwara K</u> , Nakano M, Yasui S, Okitsu K, Yonemitsu Y, <u>Yokosuka O</u> .	Advanced histology and impaired liver regeneration are associated with disease severity in acute onset autoimmune hepatitis.	Histopathology	58	693-704	2011
Yasui S, <u>Fujiwara K</u> , Yonemitsu Y, Oda S, Nakano M, <u>Yokosuka O</u> .	Clinicopathological features of severe and fulminant forms of autoimmune hepatitis.	J Gastroenterol	46	378-390	2011
Yasui S, <u>Fujiwara K</u> , <u>Yokosuka O</u> .	Autoimmune fulminant hepatic failure in chronic hepatitis C during peg-interferon-alfa 2b plus ribavirin treatment showing histological heterogeneity.	Dig Liver Dis	43	666-667	2011
<u>Fujiwara K</u> , Yasui S, Tawada A, Fukuda Y, Nakano M, <u>Yokosuka O</u> .	Diagnostic value and utility of the simplified International Autoimmune Hepatitis Group criteria in acute onset autoimmune hepatitis.	Liver Int	31	1013-1020	2011
<u>Fujiwara K</u> , Yasui S, <u>Yokosuka O</u> .	Efforts at making the diagnosis of acute onset autoimmune hepatitis.	Hepatology	54	371-372	2011
Yasui S, <u>Fujiwara K</u> , Tawada A, Fukuda Y, Nakano M, <u>Yokosuka O</u> .	Efficacy of intravenous glycyrrhizin in the early stage of acute onset autoimmune hepatitis.	Dig Dis Sci	56	3638-3647	2011
Yasui S, <u>Fujiwara K</u> , Okitsu K, Yonemitsu Y, Ito H, <u>Yokosuka O</u> .	Importance of computed tomography imaging features for the diagnosis of autoimmune acute liver failure.	Hepato Res	42	42-50	2012
<u>Fujiwara K</u> , <u>Yokosuka O</u> .	Histological discrimination between autoimmune hepatitis and drug-induced liver injury.	Hepatology	55	657	2012
<u>Fujiwara K</u> , <u>Yokosuka O</u> .	Frequent detection of IgM anti-herpes simplex viral antibody in patients with primary biliary cirrhosis.	Hepatology		in press	2012
Miyamura T, Ishii K, Kanda T, Tawada A, Sekimoto T, Wu S, Nakamoto S, Arai M, <u>Fujiwara K</u> , Imazeki F, Kiyohara T, Wakita T, <u>Yokosuka O</u> .	Possible widespread presence of hepatitis A virus subgenotype IIIA in Japan: Recent trend of hepatitis A causing acute liver failure.	Hepato Res		in press	2012
Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Arai M, <u>Fujiwara K</u> , Goto N, Imazeki F, <u>Yokosuka O</u> .	Efficacy of lamivudine or entecavir on acute exacerbation of chronic hepatitis B.	Int J Med Sci	9	27-32	2012
藤原慶一, 神田達郎, 横須賀収	A型肝炎のウイルス学	化学療法の領域		印刷中	2012
Uemura, M. Fujimura, Y. Ko, S. Matsumoto, M. Nakajima, Y. <u>Fukui, H</u> .	Determination of ADAMTS13 and its clinical significance for ADAMTS13 supplementation therapy to improve the survival of patients with decompensated liver cirrhosis	Int J Hepatol (電子出版)	2011	1-12	2011

Ishikawa M, Uemura M, Matsuyama T, Matsumoto M, Ishizashi H, Kato S, Morioka C, Fujimoto M, Kojima H, Yoshiji H, Tsujimoto T, Takimura C, Fujimura Y, <u>Fukui H</u> .	Potential role of enhanced cytokinemia and plasma inhibitor on the decreased activity of plasma ADAMTS13 in patients with alcoholic hepatitis: relationship to endotoxemia.	Alcohol Clin Exp Res	34 Suppl 1	S25-33	2010
Uemura M, Fujimura Y, Ko S, Matsumoto M, Nakajima Y, <u>Fukui H</u> .	Pivotal role of ADAMTS13 function in liver diseases.	Int J Hematol	91(1)	20-9	2010
Uemura M, Fujimura Y, Matsuyama T, Matsumoto M, Ishikawa M, Ishizashi H, Kato S, Tsujimoto T, Fujimoto M, Yoshiji H, Morioka C, <u>Fukui H</u> .	Potential role of ADAMTS13 in the progression of alcoholic hepatitis.	Curr Drug Abuse Rev	1(2)	188-96	2008
Uemura M, Fujimura Y, Matsumoto M, Ishizashi H, Kato S, Matsuyama T, Isonishi A, Ishikawa M, Yagita M, Morioka C, Yoshiji H, Tsujimoto T, Kurumatani N, <u>Fukui H</u> .	Comprehensive analysis of ADAMTS13 in patients with liver cirrhosis.	Thromb Haemost	99(6)	1019-29	2008
Kodama T, <u>Takehara T</u> , Hikita H, Shimizu S, Shigekawa M, Tsunematsu H, Li W, Miyagi T, Hosui A, Tatsumi T, Ishida H, Kanto T, Hiramatsu N, Kubota S, Takigawa M, Tomimaru Y, Tomokuni A, Nagano H, Doki Y, Mori M, Hayashi N	Increases in p53 expression induce CTGF synthesis by mouse and human hepatocytes and result in liver fibrosis in mice.	J Clin Invest	121	3343-3356	2011
Kodama T, <u>Takehara T</u> , Hikita H, Shimizu S, Li W, Miyagi T, Hosui A, Tatsumi T, Ishida H, Kanto T, Hiramatsu N, Yin XM, Hayashi N	BH3-only activator proteins, Bid and Bim, are dispensable for Bak/Bax-dependent thrombocyte apoptosis induced by Bcl-xL deficiency: Molecular requisites for the mitochondrial pathway to apoptosis in platelets.	J Biol Chem	286	13950-13913	2011
Ishida H, Tatsumi T, Hosui A, Nawa T, Kodama T, Shimizu S, Hikita H, Hiramatsu N, Kanto T, Hayashi N, <u>Takehara T</u>	Alterations in microRNA expression profile in HCV-infected hepatoma cells: Involvement of miR-491 in regulation of HCV replication via the PI3 kinase/Akt pathway.	Biochem Biophys Res Commun	412	92-97	2011

Shigekawa M, Takehara T, Kodama T, Hikita H, Shimizu S, Li W, Miyagi T, Hosui A, Tatsumi T, Ishida H, Kanto T, Hiramatsu N, Hayashi N.	Involvement of STAT3-regulated hepatic soluble factors in attenuation of stellate cell activity and liver fibrogenesis in mice.	Biochem Biophys Res Commun	406	614-620	2011
Hikita H, Takehara T, Kodama T, Shimizu S, Shigekawa M, Hosui A, Miyagi T, Tatsumi T, Ishida H, Li W, Kanto T, Hiramatsu N, Shimizu S, Tsujimoto Y, Hayashi N	Delayed-onset caspases-dependent massive hepatocyte apoptosis upon Fas activation in Bax/Bak-deficient mice.	Hepatology	54	240-251	2011
井上和明, 高橋 寛, 与芝真彰	C型慢性肝炎の新規治療薬	日本消化器病学会雑誌	108(7)	1187-1199	2011
井上和明	劇症肝炎・肝性脳症	救急医学(9月臨時増刊号)救急薬剤プラクティカルガイド	35(10)	1350-1354	2011
井上和明	肝性脳症		48(11 増刊号)	278-282	2011
井上和明, 渡邊綱正, 与芝真彰	強力な人工肝補助療法から見える肝移植にあるべきチーム医療の風景	日本消化器病学会雑誌	108 (Suppl)	A127	2011
井上和明, 塗谷秀子, 小原道法	PCRとin situ hybridizationを組み合わせたHCVとHBVのウイルスゲノム存在様式可視化の試み	肝臓	52 (Suppl.1)	A168	2011
井上和明, 与芝真彰	人工肝補助療法からみた近未来のあるべき劇症肝炎治療	日腹部救急医学会誌	31 (2)	326	2011
佐藤亜希子, 賀古 眞, 井上和明	長期肝補助療法にて救命しえた腎不全合併急性肝不全の一例	日腹部救急医学会誌	31 (2)	376	2011
菅波由有, 合田真海, 川島彰人, 北川 泉, 賀古 眞, 井上和明	塩化リゾチームによる劇症肝炎と考えられた68歳男性の一症例	日腹部救急医学会誌	31 (2)	376	2011
平田雄一, 井上和明, 小原道法	ヒト肝細胞での自然免疫応答におけるIFN-λの重要性とその誘導メカニズム	日本消化器病学会雑誌	108 (Suppl.)	A437	2011
兼坂 茂, 井上和明	劇症肝不全に対する血液浄化療法の課題	日急性血浄化会誌	2 (Suppl)	58	2011
Inoue K.	Appropriate Liver Support Systems as Perioperative Care in Liver Transplantation Improves Survival	Liver Transpl	17(6, Suppl. 1)	S119-S120	2011
Inoue K, Yoshiba M.	An Artificial Liver Support System Using Huge Buffer Volumes Can Prevent Brain Edema and Is an Ideal Bridge for Liver Transplantation in Fulminant Hepatic Failure	Liver Transpl	17(6, Suppl. 1)	S120	2011
Inoue K, Yoshiba M.	Change in MELD score is a useful tool of Liver transplantation for patients with fulminant hepatic failure under ALS	Hepatol Int	5(1)	62-63	2011
Inoue K, Nuriya H, Kohara M.	Modified PCR-based in situ hybridization reveals accurate distribution of hepatitis B and C viruses	J Hepatol	54 (Suppl. 1)	S318	2011

<u>Inoue K</u> , Kohara M.	Reply to "Significance of a Single-Nucleotide Primer Mismatch in Hepatitis B Virus Real-Time PCR Diagnostic Assays"	J Clin Microbiol	49(12)	4420	2011
<u>Inoue K</u> , Yoshiba M, Kohara M.	Sophisticated in situ PCR and immunohistochemistry is helpful to understand pathogenesis of chronic hepatitis and fulminant hepatitis	Hepatology	54(4)	1099A	2011
<u>Inoue K</u> , Yoshiba M, Kohara M.	Localization and distribution of viral genomes and proteins are helpful to understand pathogenesis of hepatitis	Global Antiviral Journal	7 (Suppl. 1)	99	2011
菅原寧彦, 田村純人, <u>國土典宏</u>	Laboratory Practice 移植医療 移植医療と検査 肝臓移植における血小板動態	検査と技術	40	45-48	2012
山敷宣代, 菅原寧彦, 小池和彦, <u>國土典宏</u>	【移植医療の新展開】臓器移植法改正による新展開 移植内科医の役割	外科	73	1155-1159	2011
山敷宣代, 菅原寧彦, <u>國土典宏</u>	【自己免疫性胆管疾患のオーバーラップ PBC/AIH, PSC/AIH と PSC/IgG4関連硬化性胆管炎を中心に】PBC とその類縁疾患, オーバーラップ 治療 PBC とその類縁疾患に対する肝移植 Author :	肝胆膵	62	723-728	2011
Suzuki Y, <u>Mori T</u> , Abe N, Sugiyama M and Atomi Y	Predictive factors for cholangiocarcinoma associated with hepatolithiasis determined on the basis of Japanese Multicenter study	Hepatology Research	42	166-170	2012
Ueno M, <u>Uchiyama K</u>	Adjuvant chemolipiodolization reduces early recurrence derived from intrahepatic metastasis of hepatocellular carcinoma after hepatectomy.	Ann Surg Oncol	18	3624-3631	2011
<u>Uchiyama K</u>	Combined intraoperative use of contrast-enhanced ultrasonography imaging using a sonazoid and fluorescence navigation system with indocyanine green during anatomical hepatectomy.	Langenbecks Arch Surg	396	1101-1107	2011
Kiriyama S, <u>Uchiyama K</u> .	Triple positive tumor markers for hepatocellular carcinoma are useful predictors of poor survival.	Ann Surg	254	984-991	2011
<u>Uchiyama K</u>	Impact of nodal involvement on surgical outcomes of intrahepatic cholangiocarcinoma: a multicenter analysis by the Study Group for Hepatic Surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery.	J Hepatobiliary Pancreat Sci	18	443-452	2011
内山和久	血管支配に基づいた系統的肝切除のための工夫.	外科治療	105	376-382	2011
神澤輝実, 露口利夫, 川崎誠治, <u>田妻進</u> , 乾和朗	<総説> IgG4関連硬化性胆管炎	胆道	25 (1)	86-93	2011
<u>田妻進</u>	硬化性胆管炎診断基準作成の試み	肝胆膵	62 (4)	736-774	2011
<u>田妻進</u>	自己免疫性肝疾患	日本臨床内科医学会誌	26 (1)	9-17	2011

S.Tazuma,Y.Igarashi,K. Inui,H.Ohara,T. Tsuyuguti,S.Ryozawa and the BTI Therapy Research Group.	Clinical efficacy of intravenous doripenem,a new class of carbapanem,in patients with biliary tract infection:A multi-center trial.	Hepatology Research	41	340-349	2011
M.Inoue,S.Tazuma,K. Kanno,H.Hyogo,K. Igarashi and K.Chayama.	Bach 1 gene ablation reduces steatohepatitis in mouse MCD diet model.	Jounal of Clinical Biochemistry and Nutrition.	48(2)	161-166	2011
正田純一	胆石症の病態・診断・治療 胆石症治療方針の概要	消化器外科	34	1709-14	2011
正田純一	胆石と胆嚢がん	胆道		印刷中	2012
Yamanashi Y, Takada T, Shoda J, Suzuki H	Novel Function of Niemann-Pick C1-Like 1 as a Negative Regulator of Niemann-Pick C2 Protein.	Hepatology		In press	2012
Okada K, Warabi E, Sugimoto H, Horie M, Tokushige K, Ueda T, Harada N, Taguchi K, Hashimoto E, Itoh K, Ishii T, Utsunomiya H, Yamamoto M, Shoda J	Nrf2 inhibits hepatic iron accumulation and counteracts oxidative stress-induced liver injury in nutritional steatohepatitis.	J Gastroenterol		In press	2012
Kishida M, Ishige K, Horibe K, Tada N, Koibuchi N, Shoda J, Kita K, Kawakami K	Orexin 2 receptioor as a potential target for the immunotoxin and antibody-drug conjugate cancer tgherapy.	Oncology Letters		In press	2012
Yamanashi Y, Takada T, Yoshikado T, Shoda J, Suzuki H	Biliary NPC2 regulates biliary cholesterol secretion via stimulation of ABCG5/G8-mediated cholesterol transport.	Gastroenterology	140	1664-1674	2011
Shoda J, Ishige K, Sugiyama H, Kawamoto T	Biliary tract carcinoma: clinical perspective on molecular targeting strategies for therapeutic options.	JHBPS		In press	2012
Sugiyama H, Onuki K, Ishige K, Baba N, Ueda T, Matsuda S, Takeuchi K, Onodera M, Nakanuma Y, Yamato M, Yamamoto M, Hyodo I, Shoda J	Potent in vitro and in vivo antitumor activity of sorafenib against human intrahepatic cholangiocarcinoma cells.	J Gastroenterol	46	779-89	2011