

143. Kita M, Yoshimura N: Endoscope-assisted vitrectomy in the management of pseudophakic and aphakic retinal detachments with undetected retinal breaks. *Retina* 31:1347–1351, 2011.
144. Ooto S, Hangai M, Takayama K, Arakawa N, Tsujikawa A, Koizumi H, Oshima S, Yoshimura N: High-Resolution Photoreceptor Imaging in Idiopathic Macular Telangiectasia Type 2 Using Adaptive Optics Scanning Laser Ophthalmoscopy. *Invest Ophthalmol Vis Sci* 52:5541–5550, 2011.
145. Hirata M, Tsujikawa A, Matsumoto A, Hangai M, Ooto S, Yamashiro K, Akiba M, Yoshimura N: Macular choroidal thickness and volume in normal subjects measured by swept-source optical coherence tomography. *Invest Ophthalmol Vis Sci* 52:4971–4978, 2011.
146. Nonaka A, Hangai M, Akagi T, Mori S, Nukada M, Nakano N, Yoshimura N: Biometric features of peripapillary atrophy Beta in eyes with high myopia. *Invest Ophthalmol Vis Sci* 52, 6706–6713, 2011.
147. Ogino K, Tsujikawa A, Murakami T, Muraoka Y, Akagi-Kurashige Y, Ishihara K, Miyamoto K, Nakamura H, Yoshimura N: Evaluation of macular function using focal macular electroretinography in eyes with macular edema associated with branch retinal vein occlusion. *Invest Ophthalmol Vis Sci* 52:8047–8055, 2011.
148. Yamashiro K, Mori K, Nakata I, Tsuchihashi T, Horie-Inoue K, Nakanishi H, Tsujikawa A, Saito M, Iida T, Yamada R, Matsuda F, Inoue S, Awata T, Yoneya S, Yoshimura N: Association of elastin gene polymorphism to age-related macular degeneration and polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci* 52:8780–8784, 2011.
149. Nakano N, Ikeda HO, Hangai M, Muraoka Y, Toda Y, Kakizuka A, Yoshimura N: Longitudinal and simultaneous imaging of retinal ganglion cells and inner retinal layers in a mouse model of glaucoma induced by N-Methyl-D-Aspartate. *Invest Ophthalmol Vis Sci* 52:8754–8762, 2011.
150. Ooto S, Hangai M, Tomidokoro A, Saito H, Araie M, Otani T, Kishi S, Matsushita K, Maeda N, Shirakashi M, Abe H, Ohkubo S, Sugiyama K, Iwase A, Yoshimura N: Effects of age, gender, and axial length on the three-dimensional profile of normal macular layer structures. *Invest Ophthalmol Vis Sci* 52:8769–8779, 2011.
151. Saito M, Iida T, Kano M: Combined intravitreal ranibizumab and photodynamic therapy for polypoidal choroidal vasculopathy. *Retina*, in press.
152. Saito M, Iida T, Kano M: Intravitreal ranibizumab for exudative age-related macular degeneration with good baseline visual acuity. *Retina*, in press.

153. Usui S, Ikuno Y, Akiba M, Maruko I, Sekiryu T, Nishida K, Iida T: Circadian changes in subfoveal choroidal thickness and the relationship with circulatory factors in healthy subjects. *Invest Ophthalmol Vis Sci*, 2012 Mar 16.[Epub ahead of print].
154. Maruko I, Iida T, Sugano Y, Ojima A, Oyamada H, Sekiryu T: Demographic features of idiopathic macular telangiectasia in Japanese patients. *Jpn J Ophthalmol*, 2012 Mar 16. [Epub ahead of print].
155. Saito M, Iida T, Kano M: Combined intravitreal ranibizumab and photodynamic therapy for retinal angiomatic proliferation. *Am J Ophthalmol* 153:504–514.e1, 2012.
156. Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Akagi-Kurashige Y, Tsujikawa A, Otani A, Saito M, Iida T, Oishi A, Matsuo K, Tajima K, Matsuda F, Yoshimura N: Significance of C2/CFB variants in age-related macular degeneration and polypoidal choroidal vasculopathy in a Japanese population. *Invest Ophthalmol Vis Sci* 53:794–798, 2012.
157. Toju R, Iida T, Sekiryu T, Saito M, Maruko I, Kano M: Near-infrared autofluorescence in patients with idiopathic submacular choroidal neovascularization. *Am J Ophthalmol* 53:314–319, 2012.
158. Yamashiro K, Mori K, Nakata I, Tsuchihashi T, Horie-Inoue K, Nakanishi H, Tsujikawa A, Saito M, Iida T, Yamada R, Matsuda F, Inoue S, Awata T, Yoneya S, Yoshimura N: Association of elastin gene polymorphism to age-related macular degeneration and polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci* 52:8780–8784, 2011.
159. Maruko I, Iida T, Sugano Y, Oyamada H, Sekiryu T: Morphologic choroidal and sclera changes at the macula in tilted disc syndrome with staphyloma using optical coherence tomography. *Invest Ophthalmol Vis Sci* 52:8763–8768, 2011.
160. Sekiryu T, Oguchi Y, Arai S, Wada I, Iida T: Autofluorescence of the cells in human subretinal fluid. *Invest Ophthalmol Vis Sci* 52:8534–8541, 2011.
161. Maruko I, Iida T, Sugano Y, Furuta M, Sekiryu T: One-year result of choroidal thickness following photodynamic therapy in central serous chorioretinopathy. *Retina* 31:1921–1927, 2011.
162. Saito M, Iida T, Kano M: Intravitreal ranibizumab for polypoidal choroidal vasculopathy with recurrent or residual exudation. *Retina* 31:1589–1597, 2011.
163. Ikuno Y, Maruko I, Yasuno Y, Miura M, Sekiryu T, Nishida K, Iida T: Reproducibility of retinal and choroidal thickness measurements in enhanced depth imaging and high-penetration optical coherence tomography. *Invest Ophthalmol Vis Sci* 52:5536–5540, 2011.
164. Maruko I, Iida T, Sugano Y, Ojima A, Sekiryu T: Subfoveal choroidal thickness in fellow eyes of

- patients with central serous chorioretinopathy. Retina 31:1603–1608, 2011.
165. Ojima A, Iida T, Sekiryu T, Maruko I, Sugano Y : Photopigments in central serous chorioretinopathy. Am J Ophthalmol 151:940–952, 2011.
166. Maruko I, Iida T, Ojima A, Sekiryu T:Subretinal dot-like precipitates and yellow material in central serous chorioretinopathy. Retina 31:759–765, 2011.
167. Maruko I, Iida T, Sugano Y, Saito M, Sekiryu T:Subfoveal retinal and choroidal thickness after verteporfin photodynamic therapy for polypoidal choroidal vasculopathy. Am J Ophthalmol 151: 594–603, 2011.
168. Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Hayashi H, Tsujikawa A, Otani A, Saito M, Iida T, Oishi A, Matsuo K, Tajima K, Matsuda F, Yoshimura N:Association between the SERPING1 gene and neovascular age-related macular degeneration and polypoidal choroidal vasculopathy in Japanese. PLoS One 6:e19108, 2011.
169. Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Hayashi H, Tsujikawa A, Otani A, Ooto A, Tamura H, Saito M, Saito K, Iida T, Oishi A, Kurimoto Y, Matsuda F, Yoshimura N:Genetic variants in pigment epithelium-derived factor influence response of polypoidal choroidal vasculopathy to photodynamic therapy. Ophthalmology 118:1408–1415, 2011.
170. Ohno-Matsui K, Akiba M, Moriyama M, Ishibashi T, Hirakata A, Tokoro T:Intrachoroidal cavitation in macular area of eyes with pathologic myopia. Am J Ophthalmol, in press.
171. Ohno-Matsui K, Akiba M, Moriyama M, Shimada N, Ishibashi T, Tokoro T, Spaide RF:Acquired Optic Nerve and Peripapillary Pits in Pathologic Myopia. Ophthalmology, in press.
172. Tsuchiya K, Moriyama M, Ohno-Matsui K:Development of peripapillary venous loop in eye with small optic disc. Int Ophthalmol, in press.
173. Hayashi K, Shimada N, Moriyama M, Hayashi W, Tokoro T, Ohno-Matsui K:Two year outcomes of intravitreal bevacizumab for choroidal neovascularization in Japanese patients with pathological myopia. Retina, in press.
174. Ohno-Matsui K, Akiba M, Moriyama M, Ishibashi T, Tokoro T, Spaide RF:Imaging Retrobulbar subarachnoid space around optic nerve by swept source optical coherence tomography in eyes with pathologic myopia. Invest Ophthalmol Vis Sci 52:9644–9650, 2011.
175. Fukuda F, Shimada N, Ishida T, Furuse Y, Tobita H, Ohno-Matsui K:Bilateral circumscribed choroidal hemangioma with retinal and choroidal venous abnormalities. Jpn J Ophthalmol 55: 688–690, 2011.

176. Wang J, Ohno-Matsui K, Nakahama K, Okamoto A, Yoshida T, Shimada N, Mochizuki M, Morita I: Amyloid β enhances migration of endothelial progenitor cells by up-regulating CX3CR1 in response to fractalkine, which may be associated with development of choroidal neovascularization. *Arterioscler Thromb Vasc Biol* 31:e11-18, 2011.
177. Nagaoka N, Shimada N, Hayashi W, Hayashi K, Moriyama M, Yoshida T, Tokoro T, Ohno-Matsui K: Characteristics of periconus choroidal neovascularization in pathological myopia. *Am J Ophthalmol* 152:420-427, 2011.
178. Ohno-Matsui K, Shimada N, Yasuzumi Y, Hayashi K, Yoshida T, Kojima A, Moriyama M, Tokoro T: Long-term development of significant visual field defects in highly myopic eyes. *Am J Ophthalmol* 152:256-265, 2011.
179. Shimada N, Hayashi K, Yoshida T, Tokoro T, Ohno-Matsui K: Development of Macular Detachment after successful intravitreal bevacizumab for myopic choroidal neovascularization. *Jpn J Ophthalmol* 55:378-382, 2011.
180. Tanaka Y, Shimada Y, Moriyama M, Hayashi K, Yoshida T, Tokoro T, Ohno-Matsui K: Natural history of lamellar macular holes in highly myopic eyes. *Am J Ophthalmol* 152:96-99, 2011.
181. Moriyama M, Ohno-Matsui K, Hayashi K, Shimada N, Yoshida T, Tokoro T, Morita I: Topographical analyses of shape of eyes with pathologic myopia by high-resolution three dimensional magnetic resonance imaging. *Ophthalmology* 118:1626-1637, 2011.
182. Hayashi W, Shimada N, Hayashi K, Moriyama M, Yoshida T, Tokoro T, Ohno-Matsui K: Retinal vessels in high myopia. *Ophthalmology* 118:791, 2011.
183. Ohno-Matsui K, Shimada N, Nagaoka N, Tokoro T, Mochizuki M: Choroidal folds radiating from edge of inferior staphyloma in eye with tilted disc syndrome. *Jpn J Ophthalmol* 55:171-173, 2011.
184. Nagaoka N, Ohno-Matsui K, Saka N, Tokoro T, Mochizuki M: Clinical characteristics of patients with congenital high myopia. *Jpn J Ophthalmol* 55:7-10, 2011.
185. Hayashi K, Ohno-Matsui K, Shimada N, Moriyama M, Hayashi W, Wang J, Yoshida T, Tokoro T, Mochizuki M: Long-term results of photodynamic therapy for choroidal neovascularization in Japanese patients with pathological myopia. *Am J Ophthalmol* 151:137-147, 2011.
186. Moriyama M, Ohno-Matsui K, Shimada N, Hayashi K, Kojima A, Yoshida T, Tokoro T, Mochizuki M: Correlation between visual prognosis and fundus autofluorescence and optical coherence tomographic findings in highly myopic eyes with submacular hemorrhage and without choroidal neovascularization. *Retina* 31:74-80, 2011.

187. Iriyama A, Kadonosono K, Yasuhiro T, Yanagi Y:Effect of Brilliant Blue G on the retinal ganglion cells of rats. Retina 32:613–616, 2012.
188. Nomura Y, Ueta T, Iriyama A, Inoue Y, Obata R, Tamaki Y, Yamaguchi T, Yanagi Y: Vitreomacular interface in typical exudative age-related macular degeneration and polypoidal choroidal vasculopathy. Ophthalmology 118:853–859, 2011.
189. Iriyama A, Usui T, Yanagi Y, Amano S, Oba M, Miyata K, Nishiyama N, Kataoka K:Gene transfer using micellar nanovectors inhibits corneal neovascularization in vivo. Cornea 30:1423–1427, 2011.
190. Yanagi Y, Ueta T, Obata R, Iriyama A, Fukuda T, Hashimoto H:Utility values in Japanese patients with exudative age-related macular degeneration. Jpn J Ophthalmol 55:35–38, 2011.
191. Kawazoe K, Ohno H, Inoue K, Yanagi Y:Evaluation of a partial retinal surface tear by optical coherence tomography. Clin Ophthalmol 5:733–734, 2011.
192. Kadonosono K, Arakawa A, Yamane S, Uchio E, Yanagi Y:An experimental study of retinal endovascular surgery with a microfabricated needle. Invest Ophthalmol Vis Sci 52:5790–5793, 2011.
193. Kure K, Obata R, Inoue Y, Iriyama A, Yanagi Y:Acute progression of electrophysiologically affected fellow eye in unilaterally symptomatic acute zonal occult outer retinopathy. Clin Ophthalmol 5:1167–1170, 2011.
194. Ueta T, Inoue T, Furukawa T, Tamaki Y, Nakagawa Y, Imai H, Yanagi Y:Glutathione peroxidase 4 is required for maturation of photoreceptor cells. J Biol Chem 287:7675–7682, 2011.
195. Iriyama A, Oba M, Ishii T, Nishiyama N, Kataoka K, Tamaki Y, Yanagi Y:Gene transfer using micellar nanovectors inhibits choroidal neovascularization in vivo. PLoS One 6:e28560, 2011.
196. 千原典夫、山村隆:ここまでわかつた自己免疫疾患-多発性硬化症・視神経脊髄炎-、臨床検査 55:1241–1248、2011.
197. Chihara N, Aranami T, Sato W, Miyazaki Y, Miyake S, Okamoto T, Ogawa M, Toda T, Yamamura T:Interleukin 6 signaling promotes anti-aquaporin 4 autoantibody production from plasmablasts in neuromyelitis optica. Proc Natl Acad Sci U S A 108:3701–3706, 2011.

