

HH 3213	Pandan leaves <i>Pandanus amaryllifolius</i> Roxb.
HH 0740	Parsley <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill; Syn: <i>P. saivum</i> Hoffm.; <i>P. hortense</i> auct. <i>P. crispum</i> var. <i>neapolitanum</i> Danert
HH 3214	Pennywort <i>Centella asiatica</i> (L.) Urb. Peppermint, see Mints, HH 0738 <i>Mentha x piperita</i> L.
HH 3215	Perilla <i>Perilla frutescens</i> (L.) Britton var. <i>crispa</i> Phank ka yaeng, see Rice paddy herb, HH 3217
HH 3216	Phak paen <i>Trichodesma indicum</i> (L.) Sm.
HH 3217	Rice paddy herb <i>Limnophila chinensis</i> (Osbeck) Merr. Syn: <i>Limnophila aromatica</i> (Lam.) Merr.
HH 0741	Rosemary <i>Rosmarinus officinalis</i> L.
HH 0743	Sage and related Salvia species <i>Salvia officinalis</i> L.; <i>S. sclarea</i> L.; <i>S. triloba</i> L.
HH 0745	Savory, Summer; Winter <i>Salureja hortensis</i> L.; <i>S. montana</i> L.
HH 0746	Sorrel, Common, and related Rumex species among others <i>Rumex acetosa</i> L.; <i>R. scutatus</i> L.; <i>R. patientia</i> L.
HH 0754	Southernwood <i>Artemisia abrotanum</i> L.; <i>A. pontica</i> L. Spearmint, see Mints, HH 0738 <i>Mentha spicata</i> L.;
HH 3218	Stevia <i>Stevia rebaudiana</i> (Bertoni) Bertoni
	Stink weed or Stinking, see Culantro, HH 3198 <i>Eryngium foetidum</i> L.
	Swamp leaf, see Rice paddy herb, HH 3217
HH 0747	Sweet Cicely <i>Myrrhis odorata</i> (L.) Scop.
HH 0749	Tarragon <i>Artemisia dracunculus</i> L.; <i>A. drancunculoides</i> Pursh.

HH 0750	Thyme <i>Thymus vulgaris</i> L.; <i>T. serpyllum</i> L.; <i>T. citriodorus</i> (Pers.) Schreb. and <i>Thymus</i> hybrids. Vietnamese mint, see Coriander, Vietnamese, HH 3196 <i>Polygonum odoratum</i> Lour.
HH 3219	Violet <i>Viola odorata</i> L.: <i>V. tricolor</i> L.
HH 3220	Wasabi leaves <i>Wasabia japonica</i> (Miq.) Matsum.
	Watercress, see Group 013: Leafy vegetables, VL 0473
HH 3221	Waterpepper, Japanese <i>Persicaria hydropiper</i> (L.) Delabre
[HH XXXX	Wild bette leaf bush <i>Piper sarmentosum</i>]
HH 0751	Winter cress, Common; American <i>Barbarea vulgaris</i> W.T. Aiton.; <i>B. verna</i> (Mill.) Asch.
HH 0752	Wintergreen leaves <i>Gaultheria procumbens</i> L. (not including herbs of the Wintergreen family (<i>Pyrolaceae</i>))
HH 3222	Yarrow <i>Achillea millefolium</i> L.
HH 3223	Yomogi <i>Artemisia indica</i> Willd. var. <i>maximowizii</i> (Nakai) H. Hara
	Group 027B Leaves of woody plants
	Code No. Commodity
HH 2096	Leaves of woody plants (Includes all commodities in this subgroup)
HH 3230	Aniseed myrtle <i>Syzygium anisatum</i> (Vickery) Craven & Bliffen
	Bay leaves, see Laurel leaves HH 0723
HH 3231	Boldo <i>Peumus boldus</i> Molina
HH 0729	Curry leaves <i>Bergera koenigii</i> L. Syn: <i>Murraya koenigii</i> L. Sprengel
HH 3232	Japanese pepper leaves <i>Zanthoxylum piperitum</i> (L.) DC.
HH 3233	Kaffir lime leaves <i>Citrus hystrix</i> DC.
HH 0723	Laurel leaves <i>Laurus nobilis</i> L.

HH 3234	Lemon myrtle <i>Backhousia citriodora</i> F. Muell. Malabar leaf, see Tejpat leaves, HH 3237 Malabathrum, see Tejpat leaves, HH 3237
HH 3235	Native mint <i>Prostanthera incisae</i> R. Br., <i>P. rotundifolia</i> R. Br.
[HH XXXX	Pepper, leaves <i>Piper spp.</i>
HH 3236	Pepperbush, leaves <i>Tasmania lanceolata</i> (Poir.) A.C. Sm.; <i>T. stipitata</i> (Vick.)
HH 0742	Rue <i>Ruta graveolens</i> L.
HH 0744	Sassafras leaves <i>Sassafras albidum</i> (Nutt.) Nees
HH 3237	Tejpat leaves <i>Cinnamomum tamala</i> (Buch.-Ham) Nees & Eberm.

Spices

Class A

Type 5 Herbs and spices Group 028 Group Letter Code HS

Group 028. Spices consist of the aromatic seeds, buds, roots, rhizomes, bark, pods, flowers or parts thereof, berries or other fruits from a variety of plants, which are used in relatively small quantities to flavour foods.

Spices are exposed in varying degrees to pesticides applied during the growing season. Also post harvest treatment may be applied to spices in the dried form.

They are consumed primarily in the dried form as condiments.

The group Spices is divided in eight subgroups:

028A	Spices, seeds
028B	Spices, fruit or berry
028C	Spices, bark
028D	Spices, root or rhizome
028E	Spices, buds
028F	Flower or stigma
028G	Spices, aril
028H	Spices, Citrus peel

Portion of the commodity to which MRL applies (and which is analysed): Unless specified, whole commodity as marketed, mainly in the dried form.

Group 028 Spices

Code No.

Commodity

HS 0093 Spices (includes all commodities in this group)

Group 028A Seeds

Code No.

Commodity

HS 0190 Spices, seeds (includes all commodities in this subgroup)

HS 3280 Achiote seeds

Bixa orellana L.

HS 3281	Ajwain <i>Trachyspermum ammi</i> (L.) Sprague ex Turill Syn: <i>T. copticum</i> L.
HS 0720	Angelica seed <i>Angelica archangelica</i> L.; <i>A. sylvestris</i> L.
HS 0771	Aniseed, see Anise seed, HS 0771 Anise seed <i>Pimpinella anisum</i> L.
HS 0722	Basil seed <i>Ocimum spp.</i>
HS 3282	Black caraway <i>Nigella sativa</i> L.
HS 0774	Caraway seed <i>Carum carvi</i> L.
HS 0624	Celery seed <i>Apium graveolens</i> L.
HS 3283	Chia <i>Salvia hispanica</i> L.
HS 0779	Coriander, seed <i>Coriandrum sativum</i> L.
HS 3284	Culantro seed <i>Eryngium foetidum</i> L.
HS 0780	Cumin seed <i>Cuminum cyminum</i> L.
HS 0730	Dill seed <i>Anethum graveolens</i> L.
HS 0731	Fennel, seed <i>Foeniculum vulgare</i> Mill.; Syn: <i>F. officinale</i> All; <i>F. capillaceum</i> Gillb.
HS 0782	Fenugreek, seed <i>Trigonella foenum-graecum</i> L.; <i>T. caerulea</i> (L.) Ser.
HS 3285	Honewort seed <i>Cryptotaenia japonica</i> Hassk.
HS 0735	Lovage, seed <i>Levisticum officinale</i> Koch.
HS 3286	Mahaleb <i>Prunus mahaleb</i> L.
HS 0789	Nutmeg Seed of <i>Myristica fragrans</i> Houtt.

HS 0740	Parsley seed <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill;
	Poppy seed, SO 0495, see Group 023: Oilseed
	Sesame seed, SO 01700, see Group 023: Oilseed
HS 3287	Wattle seed <i>Acacia victoriae</i> Bent. and other spp.
Group 028B Fruit or berry	
<u>Code No.</u>	<u>Commodity</u>
HS 0191	Spices, fruit or berries (includes all commodities in this subgroup) Allspice fruit, see Pimento, HS 0792
HS 3290	Caper berries <i>Capparis spinosa</i> L.
HS 0775	Cardamom (pods and seeds) <i>Elettaria cardamomum</i> (L.) Maton <i>Annonum tsao-ko</i> Crevost & Lemarié; <i>A. subulatum</i> Roxb.; <i>A. compactum</i> Sol. ex Malon
	Cardamom, black, see Cardamom, HS 0775
HS 3291	Cumin, black <i>Bunium persicum</i> (Bolss.) B. Fedtsch.
HS 3292	Eucalyptus fruit <i>Eucalyptus</i> spp.
HS 3293	Gardenia fruit <i>Gardenia jasminoides</i> J. Ellis
HS 0785	Grains of paradise <i>Aframomum melegueta</i> (Rosc.) K Schum.; Syn: <i>Annonum melegueta</i> Rosc.
HS 3294	Grains of Selim <i>Xylopia aethiopica</i> (Dunal) A. Rich.
HS 0786	Juniper, berry <i>Juniperis communis</i> L.
HS 3295	Luo han guo <i>Siralita grosvenorii</i> (Swingle) C. Jeffrey ex. A.M. Lu & Zhi Y. Zhang
HS 3296	Miracle fruit <i>Synsepalum dulciferum</i> (Scumach. & Thonn.) Daniell
HS 0739	Nasturtium pods <i>Tropaeolum majus</i> L.; <i>T. minus</i> L.
HS 0790	Pepper, Black; White; Pink; Green (see Note 1) <i>Piper nigrum</i> L.
HS 3297	Pepper, Cubeb <i>Piper cuceba</i> L. f.
HS 0791	Pepper, Long <i>Piper longum</i> L.; <i>P. retrofractum</i> Vahl;

HS 3298	Pepper, Sichuan <i>Zanthoxylum burgeanum</i> Maxim.; <i>Z. schinifolium</i> Siebold & Zucc.; <i>Z. simulans</i> Hance; <i>Z. piperitum</i> (L.) DC
HS 3299	Peperbush berry <i>Tasmannia lanceolata</i> (Poir.) A.C. Sm.; <i>T. stipitata</i> (Vick.) A.C. Smith
HS 3300	Peppertree <i>Schinus terebinthifolius</i> Raddi; <i>S. molle</i> L.
HS 0792	Pimento, fruit <i>Pimenta dioica</i> (L.) Merrill
HS 3301	Star anise <i>Illicium verum</i> Hook.f.
HS 0369	Tamarind, see also Group 006: Assorted tropical and sub-tropical fruits - Inedible peel <i>Tamarindus indica</i> L., sour varieties
HS 0795	Vanilla, beans <i>Vanilla planifolia</i> Andrews
Group 028C Bark	
<u>Code No.</u>	<u>Commodity</u>
HS 0192	Spices, bark (includes all commodities in this subgroup) Cassia bark, see Cinnamon bark (including Cinnamon, Chinese bark), HS 0777 <i>Cinnamomum aromaticum</i> Nees;
HS 0777	Cinnamon bark (including Cinnamon, Chinese bark) <i>Cinnamomum verum</i> J. Presl., Syn: <i>Cinnamomum zeylanicum</i> Blume; <i>C. aromaticum</i> Nees; <i>C. burmannii</i> (Nees & T. Nees) Blume; <i>C. loureiroi</i> Nees;
HS 3310	Eucalyptus bark <i>Eucalyptus</i> spp.
HS 3311	Mastic <i>Pistacia lentiscus</i> L.
	Quinine, see Red cinchona, HS 3312
HS 3312	Red cinchona <i>Cinchona pubescens</i> Vahlk; <i>C. officinalis</i> L.
Group 028D Root or rhizome	
<u>Code No.</u>	<u>Commodity</u>
HS 0193	Spices, root or rhizome (includes all commodities in this subgroup) Angelica, root, stem and leaves, see Group 027: Herbs, Angelica HH 0720
HS 3320	Asafoetida (see Note 2) <i>Ferula foetida</i> (Bunge) Regel; <i>F. assa-foetida</i> L.
HS 3321	Coriander, root <i>Coriandrum sativum</i> L.
HS 3322	Fingerroot <i>Boesenbergia rotunda</i> (L.) Mansf. Syn: <i>B. pandurata</i> (Roxb.) Schllr.

HS 0783	Galangal, rhizomes <i>Languas galanga</i> (L.) Stunz; Syn: <i>Alpinia galanga</i> Sw.; <i>Languas officinarum</i> (Hance) Farwell; Syn: <i>Alpinia officinarum</i> Hance <i>Kaempferia galanga</i> L.
HS 0784	Ginger, rhizomes <i>Zingiber officinale</i> Rosc. Horseradish, see VR 0583, Group 016: Root and Tuber vegetables Krachai, see Fingerroot, HS 3322 Licorice, see Liquorice, roots, HS 0787
HS 0787	Liquorice, roots <i>Glycyrrhiza glabra</i> L.
HS 0794	Turmeric, root <i>Curcuma longa</i> L.; <i>C. mangga</i> Valeton & van Zijp
HS 3323	Zedoary <i>Curcuma zedoaria</i> (Cristm.) Roscoe
Group 028E Buds	
<u>Code No.</u>	<u>Commodity</u>
HS 0194	Spices, buds (Includes all commodities in this subgroup)
HS 0773	Caper buds <i>Capparis spinosa</i> L.
HS 0776	Cassia buds <i>Cinnamomum aromaticum</i> (L.) Nees
HS 0778	Cloves, buds <i>Syzygium aromaticum</i> (L.) Merr. & Perr.; Syn: <i>Eugenia caryophyllus</i> (Sprengel) Bullock & Harrison; <i>E. aromatica</i> Kuntze; <i>E. caryophyllata</i> Thunb.; <i>Caryophyllus aromaticus</i> L.
Group 028F Flower or stigma	
<u>Code No.</u>	<u>Commodity</u>
HS 0195	Spices, flower or stigma (Includes all commodities in this subgroup)
HS 3340	Saffron <i>Crocus sativus</i> L.
Group 028G Aril	
<u>Code No.</u>	<u>Commodity</u>
HS 0196	Spices, aril (Includes all commodities in this subgroup)
HS 0788	Mace Dried aril of <i>Myristica fragrans</i> Houtt.
Group 028H Citrus Peel	
<u>Code No.</u>	<u>Commodity</u>
HS 0197	Spices, Citrus peel (Includes all commodities in this subgroup)
HS 2206	Kaffir lime peel <i>Citrus hirtix</i> DC.

HS 3350	Satsuma mandarin peel <i>Citrus unshiu</i> Marcow.
HS 2211	Yuzu peel <i>Citrus junos</i> Siebold ex Tanaka

Note 1: Although white pepper is in principle a processed food belonging to Type 13: Derived products of plant origin, it is listed for convenience in Group 028 Spices. White pepper is prepared from Black pepper, *Piper nigrum* L.: The seeds are retted in water and dried after removal of the mesocarp. The resulting white pepper may or may not be ground into powder. The scientific name of green pepper and pink pepper is *Piper nigrum* L. Pink pepper is mature pepper. Green pepper is an immature stage of pink pepper.

Note 2: Asafoetida is not only marketed as root, but also as products (resin, powder, flour), which are produced from a gum of the root.

Appendix V Citrus fruits (as extracted from ALINORM 10/33/24, Appendix IX)Class A

Type 1	Fruits	Group 001	Group Letter Code FC
--------	--------	-----------	----------------------

Citrus fruits are produced on trees or shrubs of the family Rutaceae. Aromatic oily peel, globular form and interior segments of juice-filled vesicles characterize these fruits. The fruit is fully exposed to pesticides during the growing season. Post-harvest treatments with pesticides and liquid waxes are often carried out to avoid deterioration during transport and distribution due to fungal diseases, insect pests or loss of moisture.

The fruit pulp may be consumed in succulent form and as juice. The entire fruit may be used for preserves.

Group 001A Lemons and Limes: Hybrids and related species similar to lemons and limes

Group 001B Mandarins: Hybrids and related species similar to mandarins

Group 001C Oranges, Sweet, Sour: Hybrids and related species similar to oranges

Group 001D Pummelos: Hybrids and related species

Portion of the commodity to which the MRL applies (and which is analyzed): Whole commodity.

Group 001	Citrus fruits
-----------	---------------

<u>Code No.</u>	<u>Commodity</u>
-----------------	------------------

FC 0001	Citrus Fruit
---------	--------------

(includes all commodities in this group)

Subgroup 001A Lemons and Limes

<u>Code No.</u>	<u>Commodity</u>
-----------------	------------------

FC 0002	Lemons and Limes (Including Citron)
---------	-------------------------------------

- *Citrus limon* Burm.f.;

- *Citrus aurantiifolia* Swingle;

- *Citrus medica* L.;

Hybrids and related species similar to lemons and limes including *Citrus jambhiri* Lush; *Citrus limetta* Risso; *Citrus limetoides* Tan.; *Citrus limonia* Osbeck.

Syn: see specific fruit species

(includes all commodities in this subgroup)

FC 2201	Australian blood lime, see also Lemons and Limes, FC 0002
---------	---

Microcitrus australasica (F. Muell.) Swingle

Syn: *Citrus australasica* F. Muell.

FC 2202	Australian desert lime, see also Lemons and Limes, FC 0002
---------	--

Eremocitrus glauca (Lindl.) Swingle

Syn: *Citrus glauca* (Lindl.) Burkill

FC 2203	Australian round lime, see also Lemons and Limes, FC 0002
---------	---

Microcitrus australis (A. Cunn. ex Mudie) Swingle

Syn: *Citrus australis* (A. Cunn. ex Mudie) Planch.

FC 2204	Brown River finger-lime, see also Lemons and Limes, FC 0002
---------	---

Microcitrus papuana Winters

Citrus wintersii Mabb.

FC 0202	Citron, see also Lemons and Limes, FC 0002
---------	--

Citrus medica L.;

Syn: *Citrus cedra* Link; *Citrus cedratus* Raf.;

Citrus medica genuina Engl.; *Citrus medica* proper Bonavia

FC 0204	Lemon, see also Lemons and Limes, FC 0002
---------	---

Citrus limon Burm. f.;

Syn: *Citrus medica limon* L.; *Citrus limonum* Risso; *Citrus medica limonum* Hook. F.; *Citrus jambhiri* Lush.

FC 0205	Lime, see Codex stan. 217-1999, Amd. 1-2005, see also Lemons and Limes, FC 0002
---------	---

Citrus aurantiifolia Swingle;

Syn: *Limonia aurantiifolia* Christn.; *L. acidissima* Hoult. *Citrus lima* Lunan; *Citrus acida* Roxb.; *Citrus limonellus* Hassk.

FC 2205	Lime, Sweet, see also Lemons and Limes, FC 0002
---------	---

Citrus limetta Risso

Syn: *Citrus limetoides* Tan., *Citrus lumia* Risso)

FC 2206	Kaffir lime
---------	-------------

Citrus hirtix DC.

-	Mexican Lime, see Codex stan. 217-1999, see Lime, FC 0205
---	---

Citrus aurantiifolia Swingle see, Amd. 1-2005

FC 2207	Mount White-lime, see also Lemons and Limes, FC 0002
---------	--

Microcitrus garrowayae (F. M. Bailey) Swingle

FC 2208	New Guinea wild lime, see also Lemons and Limes, FC 0002
---------	--

Microcitrus warburgiana (F. M. Bailey) Tanaka

FC 2209	Russell River-lime, see also Lemons and Limes, FC 0002
---------	--

Microcitrus inodora (F. M. Bailey) Swingle

Syn: *Citrus inodora* (F. M. Bailey)

FC 2210 Tahiti Lime, see Codex stan. 213-1999, Amd. 3-2005,

see also Lemons and Limes, FC 0002

Citrus latifolia Tan.

FC 2211 Yuzu, see also Lemons and Limes, FC 0002

Citrus junos Siebold ex Tanaka

Subgroup 001B Mandarins

Code No. Commodity

FC 0003 Mandarins (including Mandarin-like hybrids)

- *Citrus reticulata* Blanco;

Hybrids and related species including *Citrus nobilis* Lour.:

Citrus deliciosa Ten.; *Citrus tangarina* Hort.; *Citrus mitis* Blanco

Syn: *Citrus madurensis* Lour.; *Citrus unshiu* Marcow;

Syn: see specific fruit species Mandarin

(includes all commodities in this subgroup)

FC 0201 Calamondin, see also Mandarins, FC 0003

Citrus mitis Blanco;

Syn: *Citrus madurensis* Lour. (hybrid of *Citrus reticulata* Blanco.

var. *austera* Swing x *Fortunella* sp.)

- Clementine, see Mandarins, FC 0003

Citrus clementina Hort. Ex Tanaka cultivar of *Citrus reticulata* Blanco (possibly natural hybrid of Mandarin x Orange, Sweet)

- Cleopatra mandarin, see Mandarins, FC 0003

Citrus reshni Hort. Ex Tan.

- Dancy or Dancy mandarin, see Mandarins, FC 0003

Citrus tangarina Hort.

- King mandarin, see Mandarins, FC 0003

Citrus nobilis Lour. (= hybrid of Mandarin x Orange, Sweet)

FC 0206 Mandarin, see also see Mandarins, FC 0003

Citrus reticulata Blanco;

Syn: *Citrus nobilis* Andrews (non Lour.); *Citrus poonensis* Hort. Ex Tanaka; *Citrus chrysocarpa* Lush.

- Mediterranean mandarin, see Mandarins, FC 0003

Citrus deliciosa Ten (= hybrid of Mandarin x Orange, Sweet)

- Satsuma or Satsuma mandarin, see Mandarins, FC 0003

Citrus unshiu Marcow.

- Tangelo, small and medium sized cultivars, see Mandarins, FC 0003

Hybrids of Mandarin x Grapefruit or Mandarin x Shaddock

- Tangerine, see Mandarins, FC 0003

Citrus reticulata Blanco;

Syn: *Citrus tangarina* Hort. Ex Tan. *Citrus poonensis* Hort., *Citrus Chrysocarpa* Lush., *Citrus Reshni* Hort.

- Tangors, see Mandarins, FC 0003

Citrus nobilis Lour. (= Hybrid of Mandarin x Orange, sweet) ;

- Tankan mandarin, see Mandarins, FC 0003

Citrus reticulata Blanco *tankan* Hyata (= probably hybrid of Mandarin x Orange, Sweet)

FC 2212 Unshu orange, see also Mandarins, FC 0003

Citrus reticulata Blanco ssp. *unshiu* (Marcow.) D.Rivera Núñez et al.

- Willowleaf mandarin, see Mandarins, FC 0003

Citrus deliciosa Ten. (= hybrid of Mandarin and Orange, sweet)

Subgroup 001C Oranges, Sweet, Sour

Code No. Commodity

FC 0004 Oranges, Sweet, Sour (including Orange-like hybrids)

several cultivars:

- *Citrus sinensis* Osbeck;

- *Citrus aurantium* L.;

Hybrids and related species:

Citrus myrtifolia Raf.; *Citrus salicifolia* Raf.;

Syn: see specific fruit species

(Includes all commodities in this subgroup)

- Bergamot, see Oranges, Sweet, Sour, FC 0004

Citrus aurantium ssp. *bergamia*

- Bigarade, see Orange, Sour FC 0207

Citrus aurantium L.

- Blood orange, see Orange, Sweet, FC 0208

Cultivar of *Citrus sinensis* Osbeck

- Chinotto, see Orange, Sour, FC 0207
Citrus aurantium L., var. *myrtifolia* Ker-Gawler;
 Syn: *Citrus myrtifolia* Raf.
- Chironja (orangelo), see Oranges, Sweet, Sour, FC 0004
Citrus sinensis x *Citrus paradise* (= Hybrid of Orange, Sweet x Mandarin)
- Ichang Bitter Orange, see Orange, Sweet, FC 0208
Citrus ichangensis Swingle
- Malta orange, see Blood Orange
- Myrtle-leaf orange, see Chinotto
- Orange, Bitter, (=bigarade) see Orange, Sour FC 0207
- FC 0207 Orange, Sour, see also see Oranges, Sweet, Sour, FC 0004
Citrus aurantium L.;
 Syn: *Citrus vulgaris* Risso; *Citrus bigaradia* Loisel; *Citrus communis* Le Maoût & Dec.
- FC 0208 Orange, Sweet, See Codex stan. 245-2004 Amd 1-2005, see also see Oranges, Sweet, Sour, FC 0004
Citrus sinensis Osbeck;
 Syn: *Citrus aurantium sinensis* L.; *Citrus dulcis* Pers.; *Citrus aurantium vulgare* Risso & Poit.; *Citrus aurantium dulce* Hayne
- Seville Orange, see Orange, Sour, FC 0207
- Tachibana orange see Oranges, Sweet, Sour, FC 0004
Citrus tachibana (Makino) Tanaka
 Syn: *Citrus aurantium* L. var. *tachibana* Makino; *Citrus depressa*
- FC 2213 Trifoliate orange see also Oranges, Sweet, Sour, FC 0004
Poncirus trifoliata (L.) Raf.

Subgroup 001D Pummelos

Code No. Commodity

- FC 0005 Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)
Citrus maxima (Burm.) Merr.
 Syn: *Citrus Grandis* L. Osbeck; *Citrus paradisi* Macf.; *Citrus decumana* L.
 Hybrids and related species, similar to Shaddocks, including *Citrus natsudaïdai* Hayata; Tangelos large sized (= hybrid, Grapefruit x Mandarin); Tangelos: (hybrid, Grapefruit x Tangelo): Syn: see specific fruit species
 (Includes all commodities in this subgroup)

- FC 0203 Grapefruit, see Codex stan. 219-1999 Amd 2-2005, see also Pummelo and Grapefruits, FC 0005
 Hybrid of Shaddock x Orange, Sweet
Citrus paradisi Macf.;
 Syn: *Citrus maxima uvacarpa* Merr. & Lee.
- Natsudaïdai, see Pummelo and Grapefruits, FC 0005
Citrus natsudaïdai Hayata (possibly natural hybrid of Mandarin x Shaddock)
- Pomelo, see Pummelo and Grapefruits, FC 0005
- FC 0209 Pummelo, see Codex stan. 214-1999, Amd 2-2005, see Pummelo and Grapefruits, FC 0005
Citrus maxima (Burm.) Merr.
 Syn: *Citrus grandis* L. Osbeck; *Citrus aurantium decumana* L.; *Citrus decumana* Murr.
- Shaddock, see also Pummelo and Grapefruits, FC 0005
Citrus maxima (Burm.) Merr.;
- Tangelo, large-sized cultivars, see Pummelo and Grapefruits, FC 0005
Citrus x tangelo J.W. Ingram & H.E. Moore;
- Tangelolo, see Pummelo and Grapefruits, FC 0005
 Hybrids of Grapefruit x Tangelo
- Ugli/Uniq fruit (=tangelo), see Pummelo and Grapefruits, FC 0005
 Cultivar of Tangelo, large sized fruit cultivar, see there
Citrus reticulata x *Citrus paradisi*

Appendix II Pome fruits (as extracted from ALINORM 10/33/24, Appendix IX)

Class A

Type 1 Fruits Group 002 Group Letter Code FP

Pome fruits are produced on trees and shrubs belonging to certain genera of the rose family (Rosaceae), especially the genera *Malus* and *Pyrus*. They are characterized by fleshy tissue surrounding a core consisting of parchment-like carpels enclosing the seeds.

Pome fruits are fully exposed to pesticides applied during the growing season. Post-harvest treatments directly after harvest may also occur. The entire fruit, except the core, may be consumed in the succulent form or after processing.

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity after removal of stems.

Group 002 Pome fruits

Code No.Commodity

FP 0009

Pome fruits

(Includes all commodities in this group)

FP 0226

Apple

Malus domestica Borkhausen

FP 2220

Azarole

Crataegus azarolus L.

FP 2221

Chinese quince

Chaenomeles speciosa (sweet) Nakai

FP 0227

Crab-apple

Malus spp.; among other *Malus baccata* (L.) Borkh. var *baccata*;

M. prunifolia (Willd.) Borkh.

-

Japanese medlar, see Loquat, FP 0228

FP 0228

Loquat

Eriobotrya japonica (Thunberg ex J.A. Murray) Lindley

FP 2222

Mayhaw

Crataegus spp.

FP 0229

Medlar

Mespilus germanica L.

-

Nashi pear, see Pear, Oriental

FP 0230

Pear

Pyrus communis L.; *P. pyrifolia* (Burm.) Nakai; *P. bretschneideri* Rhd.; *P. sinensis* L.

-

Pear, Oriental, see Pear, FP 0230

Pyrus pyrifolia (Burm.) Nakai

FP 0231

Quince

Cydonia oblonga P. Miller;

Syn: *Cydonia vulgaris* Persoon

-

Sand pear, see Pear, Oriental

FP 2223

Tejocote

Crataegus mexicana DC.

FP 2224

Wild pear

Pyrus elaeagnifolia Pallas

Appendix III Stone fruits (as extracted from ALINORM 10/33/24, Appendix IX)Class A

Type 1	Fruits	Group 003	Group Letter Code FS
--------	--------	-----------	----------------------

Stone fruits are produced on trees belonging to the genus *Prunus* of the rose family (Rosaceae). They are characterized by fleshy tissue surrounding a single hard shelled seed. The fruit is fully exposed to pesticides applied during the growing season (from fruit setting until harvest). Dipping of fruit immediately after harvest, especially with fungicides, may also occur.

The entire fruit, except the seed, may be consumed in a succulent or processed form.

Group 003 A Cherries: Cherry and related species of *Prunus*, which produce stone fruits similar to cherry

Group 003 B Plums: Plum and related species of *Prunus*, which produce stone fruits similar to plum

Group 003 C Peaches: Peach, nectarine, apricot and related species of *Prunus*, which produce stone fruits similar to peach, nectarine and apricot.

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity after removal of stems and stones, but the residue is calculated and expressed on the whole commodity without stem.

Group 003	Stone fruits
-----------	--------------

Code No.	Commodity
----------	-----------

FS 0012	Stone fruits
---------	--------------

Prunus spp. (includes all commodities in this group)

Subgroup 003A	Cherries
---------------	----------

Code No.	Commodity
----------	-----------

FS 0013	Cherries
---------	----------

(includes all commodities in this subgroup)

Capulin, see Cherry, black, FS 2230

Prunus serotina Ehrh. subsp. *capuli*

FS 2230	Cherry, black (including capulin) <i>Prunus serotina</i> Ehrh. subsp. <i>Serotina</i> ;
---------	--

Prunus serotina Ehrh. subsp. *capuli*

FS 2231	Cherry, Nanking
---------	-----------------

Prunus tomentosa Thunb.

FS 0243	Cherry, Sour
---------	--------------

Prunus cerasus L.

FS 0244	Cherry, Sweet
---------	---------------

Prunus avium L.

Cherry, tart, see Cherry, Sour, FS 0243

FS 2232

Choke cherry

Prunus virginiana L.

Morello, see Cherry, Sour, FS 0243

Prunus cerasus L., var. *austera* L.

Subgroup 003B Plums

Code No.Commodity

FS 0014

Plums (Including Prunes)

Prunus domestica L.; other *Prunus* spp and ssp.

(includes all commodities in this subgroup)

FS 0241

Bullace

Prunus insititia L.;

Syn: *Prunus domestica* L., ssp. *insititia* (L.) Schneider

FS 0242

Cherry plum

Prunus cerasifera Ehrhart, syn: *P. divaricata* Ledebor *P. salicina* Lindl., var. Burbank

Chickasaw plum, see Plum, Chickasaw, FS 0248

Damsons (Damson plums), see Plum, Damson

Greengages (Greengage plums), see Plum, Greengage

FS 2233

Klamath plum,

Prunus subcordata Benth.

Mirabelle, see Plum, Mirabelle

Myrobalan plum, see Cherry plum, FS 0242

FS 2234

Plum

Prunus domestica L.

Plum, American, see Sloe, FS 0249

Prunus americana Marshall

FS 2235

Plum, beach

Prunus maritima Marshall

FS 0248

Plum, Chickasaw

Prunus angustifolia Marsh.;

Syn: *P. Chickasaw* Mich.

Plum, Damson, see Bullace, FS 0241

- Plum, Greengage, see Plums, FS 0014
Prunus insititia L., var. *italica* (Borkh.) L.M Neum.
- Plum, Japanese, see Plums, FS 0014
Prunus salicina Lindley;
Syn: *P. triflora* Roxb.
- Plum, Mirabelle, see Bullace, FS 0241
Prunus insititia L., var. *syriaca*,
Syn: *P. domestica* L., ssp. *insititia* (L.) Schneider
- FS 2236 Plumcot
Prunus domestica x *P. armeniaca*
- Prunes, see Plums, FS 0014
- FS 0249 Sloe
Prunus spinosa L.; several wild *Prunus* spp.

Subgroup 003A Peaches

<u>Code No.</u>	<u>Commodity</u>
FS 2001	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)
FS 0240	Apricot <i>Prunus armeniaca</i> L.; Syn: <i>Armeniaca vulgaris</i> Lamarck
FS 2237	Japanese apricot <i>Prunus mume</i> Siebold & Zucc.
FS 0245	Nectarine <i>Prunus persica</i> (L.) Batsch, var. <i>nectarina</i>
FS 0247	Peach <i>Prunus persica</i> (L.) Batsch; Syn: <i>P. vulgaris</i> Mill.

Appendix IV Berries and other small fruits (as extracted from ALINORM 10/33/24, Appendix IX)Class A

Type 1 Fruits Group 004 Group Letter Code FB

Berries and other small fruits are derived from a variety of perennial plants and shrubs having fruit characterized by a high surface: weight ratio. The fruits are fully exposed to pesticides applied during the growing season (blossoming until harvest).

The entire fruit, often including seed, may be consumed in a succulent or processed form.

Five subgroups are defined:

Group 004 A Caneberries: Includes berries originating from canes that are erect or trailing, mainly *Rubus* species

Group 004 B Bushberries: Includes berries originating from woody shrubs

Group 004 C Large shrub/tree berries: Includes berries originating from large shrubs or trees

Group 004 D Small fruit vine climbing: Includes berries originating from climbing vines

Group 004 E Low growing berries: Includes berries originating from low growing berries that are short shrubs or herbaceous plants

Portion of commodity to which the MRL applies (and which is analysed): Whole commodity after removal of caps and stems.
Currants, Black, Red, White: fruit with stem.

Group 004 Berries and other small fruits

<u>Code No.</u>	<u>Commodity</u>
FB 0018	Berries and other small fruits (includes all commodities in this group)

Subgroup 004A Cane berries

<u>Code No.</u>	<u>Commodity</u>
FB 2005	Cane berries <i>Rubus</i> species (includes all commodities in this subgroup)
FB 0264	Blackberries <i>Rubus fruticosus</i> auct. aggr., several ssp.
-	Boysenberry, see Dewberries, FB 0266 Hybrid of <i>Rubus</i> spp.
FB 0266	Dewberries (including Boysenberry and Loganberry) <i>Rubus cerasius</i> L.; several <i>Rubus</i> ssp. and hybrids
-	Korean Black Raspberry, see Raspberries, Red, Black FB 0272 <i>Rubus coreanus</i> Miquel.
-	Korean Raspberry, see Raspberries, Red, Black FB 0272 <i>Rubus crataegifolius</i> Bunge

-	Loganberry, see Dewberries, FB 0266
	<i>Rubus loganobaccus</i> L.H. Bailey, hybrid of <i>Rubus</i> spp.
-	Olallie berry, see Dewberries, FB 0266
FB 0272	Raspberries, Red, Black
	<i>Rubus idaeus</i> L.; <i>Rubus occidentalis</i> L.; several <i>Rubus</i> spp. and hybrids, including wild rasp berries <i>Rubus molluccanus</i> L.
-	Youngberry, see Dewberries, FB 0266
	<i>Rubus ursinus</i> cv. Young
Subgroup 004B	Bush berries
Code No.	Commodity
FB 2006	Bush berries
	(includes all commodities in this subgroup)
FB 0019	Vaccinium berries, including Bearberry, except Cranberry
	<i>Vaccinium</i> spp.; <i>Arctostaphylos uva-ursi</i> (L.) Spreng.
FB 0020	Blueberries
	<i>Vaccinium corymbosum</i> L.; <i>Vaccinium angustifolium</i> Ait.; <i>Vaccinium virgatum</i> Alton; <i>Gaylussacia</i> spp.
FB 2240	Aronia berries
	<i>Aronia</i> spp.
FB 0260	Bearberry
	<i>Arctostaphylos uva-ursi</i> (L.) Spreng.
FB 0261	Bilberry
	<i>Vaccinium myrtillus</i> L.
FB 0262	Bilberry, Bog
	<i>Vaccinium uliginosum</i> L.
FB 0263	Bilberry, Red
	<i>Vaccinium vitis-idaea</i> L.
-	Blueberry, Highbush, see Blueberries, FB 0020
	<i>Vaccinium corymbosum</i> L.
-	Blueberry, Lowbush, see Blueberries, FB 0020
	<i>Vaccinium angustifolium</i> Ait.

-	Blueberry, Rabbiteye, see Blueberries, FB 0020
	<i>Vaccinium virgatum</i> Alton
FB 2241	Buffalo currant
	<i>Ribes aureum</i> var. <i>villosum</i> DC. (Syn: <i>Ribes odoratum</i> H.Wendl)
FB 2242	Chilean guava
	<i>Ugni molinae</i> Turcz. (Syn: <i>Myrtus ugni</i> Mol.)
-	Cowberry, see Bilberry, Red, FB 0263
FB 0021	Currants, Black, Red, White
	<i>Ribes nigrum</i> L.; <i>R. rubrum</i> L.
FB 0278	Currant, Black, see also Currants, Black, Red, White
	<i>Ribes nigrum</i> L.
FB 0279	Currant, Red, White, see also Currants, Black, Red, White
	<i>Ribes rubrum</i> L.
FB 0268	Gooseberry
	<i>Ribes uva-crispa</i> L. (Syn: <i>R. grossularia</i> L.)
FB 2243	European barberry
	<i>Berberis vulgaris</i> L.
-	European Blueberry, see bilberry FB 0261
FB 2244	Huckleberries
	1. Blueberries, see above FB 0020
	2. <i>Gaylussacia</i> spp., see Blueberries FB 0020
	Red Huckleberry (<i>Vaccinium parvifolium</i> L.)
FB 2245	Jostaberries
	<i>Ribes x nidigrolaria</i> Rud. Bauer & A. Bauer
FB 0270	Juneberries
	<i>Amelanchier</i> spp.
FB 2246	Native currant
	<i>Acrotriche depressa</i> R. Br.
FB 2247	Riberries
	<i>Syzygium leuhmannii</i>

FB 0273	Rose hips <i>Rosa</i> L., several spp.
FB 2248	Salal <i>Gaultheria shallon</i> Pursh
FB 2249	Sea buckthorn <i>Hippophae rhamnoides</i> L.
-	Whortleberry, Red, see Bilberry, Red, FB 0263
Subgroup 004C	Large shrub/tree berries
<u>Code No.</u>	<u>Commodity</u>
FB 2007	Large shrub/tree berries (Includes all commodities in this subgroup)
FB 2250	Bayberries <i>Morella</i> spp.
FB 2251	Buffaloberry <i>Shepherdia argentea</i> (Pursh) Nutt.
FB 2252	Che <i>Maclura tricuspidata</i> Carrière
FB 0267	Elderberries <i>Sambucus</i> spp.
FB 2253	Gelder rose <i>Viburnum opulus</i> L.
FB 0271	Mulberries <i>Morus alba</i> L.; <i>Morus nigra</i> L.; <i>Morus rubra</i> L.
FB 2254	Phalsa <i>Grewia asiatica</i> L.
-	Rowan, see Service berries, FB 0274 <i>Sorbus aucuparia</i> L.
FB 0274	Service berries 1. see Juneberries 2. <i>Sorbus torminalis</i> (L.) Crantz; <i>Sorbus domestica</i> L. <i>S. aucuparia</i> L.

FB 2255	Silverberry, Russian <i>Elaeagnus angustifolia</i> L.
Subgroup 004D	Small fruit vine climbing
<u>Code No.</u>	<u>Commodity</u>
FB 2008	Small fruit vine climbing (includes all commodities in this subgroup)
FB 2256	Arguta kiwifruit <i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex. Miq.
FB 2257	Amur river grape <i>Vitis amurensis</i> Rupr.
FB 0269	Grapes <i>Vitis vinifera</i> L., several cultivars
FB 2258	Schisandraberries <i>Schisandra chinensis</i> (Turcz.) Baill.
FB 1235	Table-grapes Special cultivars of <i>Vitis vinifera</i> L., suitable for direct human consumption
-	Tara vine, see Arguta kiwifruit, FB 2255
FB 1236	Wine-grapes Special cultivars of <i>Vitis vinifera</i> L., suitable for preparing juice and fermenting into wine
Subgroup 004E	Low growing berries
<u>Code No.</u>	<u>Commodity</u>
FB 2009	Low growing berries (includes all commodities in this subgroup)
-	Bakeapple, see Cloudberry, FB 0277
FB 0265	Cranberry <i>Vaccinium macrocarpon</i> Allon
FB 0277	Cloudberry <i>Rubus chamaemorus</i> L.
FB 2259	Muntries <i>Kunzea pomifera</i> F. Muell.

FB 2260

Partridge berry

Mitchella repens L.

-

Squaw vine, see Partridge berry, FB 2259

FB 0275

Strawberry

Fragaria x ananassa Duchene ex Rozler

FB 0276

Strawberries, Wild

Fragaria vesca L.; *Fragaria moschata* Duchene

-

Strawberry , Musky, see Strawberries wild, FB 0276

Fragaria moschata Duchene

Appendix 1

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas

Class A

Type 2 Vegetables Group 010 Group Letter Code VB

Brassica (cole or cabbage) vegetables and flowerhead brassicas are foods derived from the leafy heads, stems and immature inflorescences of plants belonging to the genus Brassica of the family Cruciferae. Although Kohlrabi does not comply fully with the description above, for convenience and because of the similarity in residue behaviour the commodity is classified in this group. Kohlrabi is a tuber-like enlargement of the stem.

The edible part of the crop is partly protected from pesticides applied during the growing season by outer leaves, or skin (Kohlrabi).

The entire vegetable after discarding obviously decomposed or withered leaves may be consumed.

It is proposed to divide this group in 3 subgroups:

10A Flowerhead Brassicas

10B Head Brassicas

10C Stem Brassicas

Portion of the commodity to which the MRL applies (and which is analysed): Head cabbages and Kohlrabi: Whole commodity as marketed, after removal of obviously decomposed or withered leaves. Cauliflower and broccoli: flower heads (immature inflorescence only). Brussels sprouts: "buttons" only.

Group 010 Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas

Code NO. Commodity

VB 0040 Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas

(includes all commodities in this group)

Group 10A Flowerhead Brassicas

Code NO. Commodity

VB 0042 Flowerhead brassicas (includes Broccoli and Cauliflower)

VB 0400 Broccoli

Brassica oleracea L. var. *italica* Plenck

- Broccoli, Chinese, See Leafy vegetables Group 13

- Broccoli, Sprouting, see Broccoli, VB 0400

VB 0404 Cauliflower

Brassica oleracea L. var. *botrytis* L., several cultivars (white and green)

- Cauliflower, Green, see Cauliflower, VB 0404

- Kailan, see Broccoli, Chinese

- Romanesco broccoli, See Cauliflower, VB 0404

Group 10B

Head Brassicas

Code NO.Commodity

VB 2036

Head Brassicas

(includes all commodities in this group)

VB 0041

Cabbages, Head

Brassica oleracea L. var. *capitata* L., several var. and cvs.

(includes Savoy cabbage and Chinese cabbage)

VB 0402

Brussels sprouts

Brassica oleracea L. var. *gemmifera* (DC.) Zenker

-

Cabbage, see Cabbages, Head, VB 0041

-

Cabbage, Green, see Cabbage, Savoy

-

Cabbage, Red, see Cabbages, Head, VB 0041

-

Brassica oleracea L. *capitata* L., var. *rubra*

-

Cabbage, Oxhead, see Cabbages, Head, VB 0041

-

Brassica oleracea L. *capitata* L., var. *alba, forma conica*

-

Cabbage, Pointed, see Cabbage, Oxhead

-

Cabbage, White, see Cabbages, Head, VB 0041

-

Brassica oleracea L. *capitata* L., var. *alba*

VB 0403

Cabbage, Savoy, see also Cabbages, Head, VB 0041

Brassica oleracea L. var. *sabauda* L.

-

Cabbage, Yellow, see Cabbage, Savoy, VB 0403

-

Celery cabbage, see Chinese cabbage, (type Pe-Isai), VB 0467

VB 0467

Chinese cabbage, (type Pe-Isai)

Brassica rapa L. *subsp. pekinensis* (Lour.) Haneltsyn: *B. pekinensis* (Lour.) Rupr.

-

Chinese cabbage (napa), see Chinese cabbage, (type Pe-Isai), VB 0467

-

Kimchi cabbage, see Chinese cabbage (type Pe-Isai), VB 0467

Brassica rapa L. *subsp. pekinensis* (Lour.) Haneltsyn: *Brassica rapa* L. var. *glabra* Regel

-

Napa cabbage, See Chinese cabbage (type Pe-Isai), VB 0467

-

Pak-Isai, see Chinese cabbage, (type Pe-Isai), VB 0467

Group 10C Stem Brassicas

Code No.Commodity

VB 0405

Kohlrabi

Brassica oleracea L. var. *gongylodes* L.Appendix II

Leafy vegetables (including Brassica leafy vegetables)

Class A

Type 2 Vegetables Group 013 Group Letter Code VL

Group 013 Leafy vegetables are foods derived from the leaves of a wide variety of edible plants, usually annuals or biennials. They are characterized by high surface: weight ratio. The leaves are fully exposed to pesticides applied during the growing season.

The entire leaf may be consumed, either fresh or after processing or household cooking.

It is proposed to divide this group in 5 subgroups:

013A Leafy greens

013B Brassica Leafy vegetables

013C Leaves of root and tuber vegetables

013D Leaves of trees, shrubs and vines

013E Leafy aquatic vegetables

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity as usually marketed, after removal of obviously decomposed or withered leaves.

Group 013 Leafy vegetables (including Brassica leafy vegetables)

Code No.Commodity

VL 0053

Leafy vegetables

Group 013A

Leafy greens

Code No.Commodity

VL 2050

Leafy greens

(Includes all commodities in this subgroup)

VL 0460

Amaranth

Amaranthus spp.; including *A. spinosus* L.; *A. dubius* C. Mart. ex. Thell.; *A. hypochondriacus* L.; *A. cruentus* L.; *A. viridis* L.; *A. tricolor* L.

VL 2740

Aster, Indian

Kalimeris indica (L.) Sch. Bip.

-

Beet leaves, see Chard, VL 0464

VL 2741

Blackjack

Bidens pilosa L.

-

Bledo, see Amaranth, VL 0460

- Buckhorn plantain, See Plantain leaves, VL 0490
Plantago lanceolata L.
- Bush greens, See Amaranth, VL 0460
Amaranthus cruentus L.
- VL 2742 Cat's Whiskers
Cleome gynandra L.
- VL 2743 Cham-chwi
Doellingeria scabra (Thunb.) Nees
syn: *Aster scaber* Thunb.
- VL 2744 Cham-na-mul
Pimpinella calycina Maxim
syn: *Pimpinella brachycarpa* (Kom.) Nakai;
- VL 2745 Cham-ssuk
Artemisia dubia Wall. Ex DC.
- VL 0464 Chard
Beta vulgaris L. subsp. *vulgaris* var. *vulgaris*; *Beta vulgaris* L. subsp. *vulgaris* var. *cicla*
- VL 0465 Chervil
Anthriscus cerefolium (L.) Hoffmann
- VL 0469 Chicory leaves (green and red cultivars)
Cichorium intybus L., var. *foliosum* Hegi
- Chinese amaranth, See Amaranth, VL 0460
Amaranthus tricolor L.
- VL 2746 Chipilin
Crotalaria linguirostrata Hook & Arn.
- VL 2747 Chrysanthemum, Edible leaved
Glebionis spp.
- Chrysanthemum, garland, See Chrysanthemum, edible leaved, VL 2747
Glebionis coronaria (L.) Cass. ex Spach;
- Common plantain, see Plantain leaves, VL 0490
Plantago major L.

- Corn chrysanthemum, see Chrysanthemum, edible leaved, VL 2747
Glebionis segetum (L.) Fourr
- VL 0470 Corn salad
Valerianella spp.
- VL 0510 Cos lettuce
Lactuca sativa L. var. *longifolia* Lam.
- VL 2748 Cosmos
Cosmos caudatus Kunth
- Crisphead lettuce, see Lettuce, Head, VL 0482
- Cutting lettuce, see Lettuce, Leaf, VL 0483
- VL 0474 Dandelion
Taraxacum officinale F.H. Wigg. agr.
- VL 2749 Dang-gwi
Angelica gigas Nakai
- VL 0475 Dock
Rumex spp.; [*Rumex patientia* L.]
- VL 2750 Dol-nam-mul
Sedum samentosum Bunge
- VL 2751 Ebolo
Crassocephalum crepidioides (Benth.) S. Moore
- VL 0476 Endive
Cichorium endivia L.
- Endive, broad or plain leaved, see Endive, VL 0476
Cichorium endivia L., var. *latifolium* Lamarck
- Endive, curled, see Endive, VL 0476
Cichorium endivia L., var. *crispum* Lamarck.
- VL 0514 Fame flower
Talinum fruticosum L. Juss.
- Fennel, see Group 027 Herbs
- Fennel, Bulb, see Group Stalk and stem vegetables

VL 0515	Feather cockcomb <i>Glinus oppositifolius</i> (L.) Aug. DC.
VL 2752	Glasswort, common <i>Salicornia</i> L.
VL 2753	Gom-chwi <i>Ligularia fischeri</i> Turcz.
-	Good King Henry, see Goosefoot, VL 0477 <i>Chenopodium bonus-henricus</i> L.
VL 0477	Goosefoot <i>Chenopodium</i> spp.
-	Huauzontle, see Goosefoot, VL 0477 <i>Chenopodium berlandieri</i> Moq.
VL 2754	Iceplant <i>Mesembryanthemum crystallinum</i> L.
-	Italian corn salad, see com salad, VL 0470 <i>Valerianella eriocarpa</i> Desv.;
-	Jew mallow, see Jute, VL 2754 <i>Corchorus olitorius</i> L.
VL 2755	Jute <i>Corchorus</i> spp.
-	Lambs lettuce, see Corn salad, VL 0470 <i>Valerianella locusta</i> L.;
VL 2756	Lettuce, bitter <i>Launaea cornuta</i> (Hochst. ex Oliv. & Hieron) C. Jeffrey
VL 0482	Lettuce, Head <i>Lactuca sativa</i> L., var. <i>capitata</i>
VL 0483	Lettuce, Leaf <i>Lactuca sativa</i> L., var. <i>crispa</i> L.;
-	Lettuce, Red, see Lettuce, Head, VL 0482 Red cultivar of <i>Lactuca sativa</i> , var. <i>capitata</i>

VL 0486	New Zealand spinach <i>Tetragonia tetragonioides</i> (Pallas) O. Kuntze; syn: <i>T. expansa</i> Murr.
VL 0488	Orach <i>Atriplex hortensis</i> L.
VL 0490	Plantain leaves <i>Plantago major</i> L.
VL 0492	Purslane <i>Portulaca oleracea</i> L., ssp. <i>sativa</i> (Haw) Celak.
VL 0493	Purslane, Winter <i>Claytonia perfoliata</i> Donn ex Willd.;
-	Red-leaved chicory, see Chicory leaves
-	Silver beet, see Chard, VL 0464
-	Slender amaranth, see Amaranth <i>Amaranthus viridis</i> L.
VL 0501	Sowthistle <i>Sonchus oleraceus</i> L.
VL 0502	Spinach <i>Spinacia oleracea</i> L.
-	Spinach beet, see Chard, VL 0464
VL 0503	Spinach, Indian <i>Basella alba</i> L.;
-	Spiny amaranth, see Amaranth <i>Amaranthus spinosus</i> L.
-	Spleen amaranth, see Amaranth <i>Amaranthus dubius</i> C. Mart. ex Thell.
-	Sugar loaf, see Chicory leaves, VL 0469
-	Swiss chard, see Chard, VL 0464
VL 2757	Tanier spinach <i>Xanthosoma brasiliense</i> (Desf.) Engl.

-	Tricolor chrysanthemum, see Chrysanthemum, Edible leaved, VL 2747
	<i>Glebionis carinata</i> (Schousb.) Tzvelev
-	Vine spinach, see Spinach, Indian, VL 0503
VL 2758	Violet, Chinese
	<i>Asystasia gangetica</i> (L.) T. Anderson
-	Warrigal greens, see New Zealand spinach, VL 0486
Group 013B	Brassica leafy vegetables
<u>Code No.</u>	<u>Commodity</u>
VL 0054	Brassica leafy vegetables
	<i>Brassica</i> spp.
	(Includes all commodities in this subgroup)
-	Amsoi, see Indian Mustard
-	Arrugula, see Rucola, VL 0496
-	Big-stem mustard, See Mustard greens, VL 0485
	<i>Brassica juncea</i> (L.) Czern subsp. <i>Isatsai</i> (T.L. Mao) Gladis
-	Borecole, see Kale, curly
VL 0401	Broccoli, Chinese
	<i>Brassica oleracea</i> var <i>alboglabra</i> (L.H. Bailey) Musll
VL 2770	Broccoli raab
	<i>Brassica ruvo</i> L.H. Bailey
VL 2771	Cabbage, Abyssinian
	<i>Brassica carinata</i> A. Braun
VL 2772	Cabbage, Seakale
	<i>Brassica oleracea</i> L. var. <i>costada</i> DC.
-	Celery mustard, see Pak-choi
VL 0466	Chinese cabbage (type Pak-choi)
	<i>Brassica rapa</i> subsp. <i>chinensis</i> (L.) Hanelt
VL 2773	Chinese flat cabbage
	<i>Brassica rapa</i> subsp. <i>naninosa</i> (L.H. Bailey) Hanelt
-	Choisum, See Flowering white cabbage, VL 0468
-	Collards, see Kale, VL 0480

VL 0472	Cress, Garden
	<i>Lepidium sativum</i> L.; <i>L. virginicum</i> L.
VL 2774	Cress, Upland
	<i>Barbarea vulgaris</i> W.T. Aiton; <i>B. Verna</i> (Mill.) Asch.
-	Curly Kale, see Kale, curly
-	Field mustard greens, See Rape greens, VL 0495
	<i>Brassica napus</i> L. subsp. <i>trilocularis</i> (Roxb.) Hanelt; <i>Brassica napus</i> L. subsp. <i>dichotoma</i> (Roxb.) Hanelt; <i>Brassica napus</i> L. subsp. <i>oleifera</i> Metzg.
-	Garden cress, see Cress, Garden, VL 0472
VL 0468	Flowering white cabbage
	<i>Brassica rapa</i> L. subsp. <i>chinensis</i> (L.) Hanelt var. <i>parachinensis</i>
VL 2775	Hanover salad
	<i>Brassica napus</i> var. <i>pabularia</i> (DC.) Rohb
-	Indian mustard, See Mustard greens, VL 0485
	<i>Brassica juncea</i> (L.) Czern.
-	Kabuna, See Mizuna, VL 0481
	<i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L.H. Bailey) Hanelt var. <i>pirivirdis</i> L.H. Bailey
VL 0480	Kale
	(Including among others: Collards, Curly kale, Scotch kale, Thousand-headed kale, Branching bush kale, Jersey kale; not including Marrow-stem kale, no. AV 1052, see Group 052: Miscellaneous fodder and forage crops, page 108)
	<i>Brassica oleracea</i> L., var. <i>sabellica</i> L.
-	Kale, branching bush, See Kale, VL 0480
	<i>Brassica oleracea</i> L., var. <i>ramosa</i> DC. L.
-	Kale, curly, see Kale, VL 0480
	<i>Brassica oleracea</i> L., convar. <i>acephala</i> (D. C.) Alef., var. <i>sabellica</i> L.
-	Kale, Jersey, See Kale, VL 0480
	<i>Brassica oleracea</i> L., var. <i>palmifolia</i> DC.
-	Komatsuna, See Mizuna, VL 0481
	<i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L.H. Bailey) Hanelt var. <i>pirivirdis</i> L.H. Bailey
-	Land cress, See Cress, Upland, VL 2774
	<i>B. Verna</i> (Mill.) Asch.

-	Leaf mustard, See Mustard greens, VL 0485 <i>Brassica juncea</i> (L.) Czern subsp. <i>integrifolia</i> (H. West) Thell.
VL 2776	Maca <i>Lepidium meyenii</i> Walp.
VL 0481	Mizuna <i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L.H. Bailey) Hanelt; <i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L.H. Bailey) Hanelt var. <i>piriviridis</i> L.H. Bailey
VL 0485	Mustard greens <i>Brassica juncea</i> (L.) Czern
-	Mustard, Indian, see Indian Mustard
-	Mustard spinach, see Komatsuna
VL 2777	Mustard, tuberous rooted, Chinese <i>Brassica juncea</i> (L.) Czern. Subsp. <i>napiformis</i> (Palleux & Bols)
-	Namenia, see Turnip greens, VL 0506
-	Oil radish greens, See Radish leaves, VL 2778 <i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers.
-	Pak-choi or Paksoi, See Chinese cabbage (type Pak-choi), VL 0466
-	Pak-tsal, see Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas, Group 010
-	Pak-tsoi or Pak-soi, see Pak-choi or Paksoi
-	Peppergrass, See Cress, garden, VL 0472 <i>Lepidium virginicum</i> L.
VL 2778	Purple-stem mustard <i>Brassica rapa</i> subsp. <i>chinensis</i> (L.) Hanelt var. <i>purpuraria</i> (L.H. Bailey) Hanelt
VL 0494	Radish leaves (including Radish tops) <i>Raphanus sativus</i> L., several varieties
VL 0495	Rape greens <i>Brassica napus</i> L.
-	Rat-tail radish greens, See Radish leaves, VL 0494 <i>Raphanus sativus</i> L. var. <i>mougrii</i> H.J.W. Helm
-	Rocket salad, see Rucola, VL 0496
-	Roquette, see Rucola, VL 0496

VL 0496	Rucola <i>Eruca sativa</i> Mill.
VL 0497	Rutabaga greens <i>Brassica napus</i> L., var. <i>napobrassica</i> (L.) Rchb.
VL 2779	Shepherd's purse <i>Capsella bursa-pastoris</i> (L.) Medik
-	Tendergreen, see Turnip greens, VL 0506
-	Tsai shim, see Cholsun
-	Tsoi sum, see Cholsun
VL 0506	Turnip greens <i>Brassica rapa</i> L. subsp. <i>rapa</i> ;
VL 0473	Watercress <i>Nasturtium officinale</i> W.T. Alton
VL 2780	Wild rocket <i>Diplotaxis tenuifolia</i> (L.) Rchb
Group 013C	Leaves of root and tuber vegetables
<u>Code No.</u>	<u>Commodity</u>
VL 2052	Leaves of root and tuber vegetables (Includes all commodities in this subgroup)
VL 2790	Alexanders leaves <i>Smyrniolum olusatrum</i> L.
VL 2791	Bell flower, Chinese leaves <i>Platycodon grandiflorus</i> (Jacq.) A. DC.
-	Blue ape leaves, See Tannia leaves, VL 0504 <i>Xanthosoma violaceum</i> Schott
VL 0463	Cassava leaves <i>Manihot esculenta</i> Crantz
VL 2792	Chayote leaves <i>Sechium edule</i> (Jacq.) Sw.
-	Chinese yam, See Yam leaves, VL 2796 <i>Dioscorea polystachya</i> Turcz.

-	Greater yam, See Yam leaves, VL 2796 <i>Dioscorea alata</i> L.
-	Lesser yam, See Yam leaves, VL 2796 <i>Dioscorea esculenta</i> (Lour.) Burkill
-	Mapuey, See Yam leaves, VL 2796 <i>Dioscorea trifida</i> L.f.
VL 2793	Rampion leaves <i>Campanula rapunculus</i> L.
VL 0498	Salsify leaves <i>Tragopogon portifolium</i> L.; <i>Scorzonera hispanica</i> L.
VL 0508	Sweet potato, leaves <i>Ipomoea batatas</i> (L.) Lam.
VL 0504	Tannia leaves <i>Xanthosoma sagittifolium</i> (L.) Schott; syn: <i>X. edule</i> (Mey) Schott; <i>X. xanthorrhizon</i> (Jacq.); C. Koch; <i>Arum sagittaeifolium</i> L.
VL 0505	Taro leaves <i>Colocasia esculenta</i> (L.) Schott
VL 2794	Ullucu leaves <i>Ullucus tuberosus</i> Caldas
VL 2795	Velvet plant leaves <i>Gynura bicolor</i> (Roxb. ex Willd.) DC.
-	White yam, See Yam leaves, VL 2796 <i>Dioscorea rotundata</i> Poir.
VL 0469	Witloof chicory (sprouts) <i>Cichorium intybus</i> L., var. <i>foliosum</i> Hegl; green, red and white cultivars
VL 2796	Yam leaves <i>Dioscorea</i> spp.
-	Yellow yam, See Yam leaves, VL 2796 <i>Dioscorea cayenensis</i> Lam.

Group 013D Leaves of trees, shrubs and vines	
<u>Code No.</u>	<u>Commodity</u>
VL 2053	Leaves of trees, shrubs and vines (Includes all commodities in this subgroup)
VL 0269	Grape leaves <i>Vitis vinifera</i> L.
VL 0517	Melientha <i>Melientha suavis</i> Pierre
VL 0337	Papaya leaves <i>Carica papaya</i> L.
Group 013E Leafy aquatic vegetables	
<u>Code No.</u>	<u>Commodity</u>
VL 2054	Leafy aquatic vegetables (Includes all commodities in this subgroup)
VL 0507	Kangkung <i>Ipomoea aquatica</i> Forssk.;
-	Sun-cha, see Water shleki, VL 2820
-	Water convolvulus, see Kangkung, VL 0507
VL 0518	Water mimosa <i>Neptunia Oleracea</i> Lour.
VL 2820	Water shield <i>Brasenia schreberi</i> J.F. Gmel.
-	Water spinach, see Kangkung, VL 0507