

or below the critical concentration estimated previously, there may be no use investigating a dose–response, but not dose–effect, relationship between the exposure and outcomes, irrespective of the sample size.

Acknowledgments

We thank all the families for their participation in the cohort study. We would like to acknowledge all the staff members of Environmental Health Sciences, Tohoku University Graduate School of Medicine, for their help with the organization of data collection for the cohort study.

References

- Achenbach, T.M., 1992. Manual for the Child Behavior Checklist 2–3 and 1992 Profile. University of Vermont, Department of Psychiatry, Burlington.
- Anme, T., Takayama, T., 1990. Evaluation of home stimulation for normal and handicapped children in Japan. In: Takayama, T. (Ed.), *Early Childhood Toward the 21st Century*. Yew Chung Education Publishing Co, Hong Kong, pp. 427–430.
- Anme, T., Ueda, R., Hirayama, M., 1986. Evaluation of home stimulation using HSQ (HOME screening questionnaire). *J. Child Health* 45, 556–560.
- Budtz-Jørgensen, E., Keiding, N., Grandjean, P., Weihe, P., 2002. Estimation of health effects of prenatal methylmercury exposure using structural equation models. *Environ. Health* 1, 2.
- Burns, J.M., Baghurst, P.A., Sawyer, M.G., McMichael, A.J., Tong, S., 1999. Lifetime low-level exposure to environmental lead and children's emotional and behavioral development at ages 11–13 years. *Am. J. Epidemiol.* 149 (8), 740–749.
- Caldwell, B.M., Bradley, R.H., 1984. Home Observation for Measurement of the Environment. University of Arkansas at Little Rock, Little Rock.
- Daniels, J.L., Longnecker, M.P., Klebanoff, M.A., Gray, K.A., Brock, J.W., Zhou, H., Chen, Z., Needham, L.L., 2003. Prenatal exposure to low-level polychlorinated biphenyls in relation to mental and motor development at 8 months. *Am. J. Epidemiol.* 157 (6), 485–492.
- Davidson, P.W., Myers, G.J., Cox, C., Axtell, C., Shamlaye, C., Sloane-Reeves, J., Cernichiari, E., Needham, L., Choi, A., Wang, Y., Berlin, M., Clarkson, T.W., 1998. Effects of prenatal and postnatal methylmercury exposure from fish consumption on neurodevelopment: outcomes at 66 months of age in the Seychelles child development study. *J. Am. Med. Assoc.* 280 (8), 701–707.
- Downs, T.J., Ogneva-Himmelberger, Y., Aupont, O., Wang, Y., Raj, A., Zimmerman, P., Goble, R., Taylor, O., Churchill, L., Lemay, C., McLaughlin, T., Felice, M., 2010. Vulnerability-based spatial sampling stratification for the National Children's Study, Worcester County, Massachusetts: capturing health-relevant environmental and sociodemographic variability. *Environ. Health Perspect.* 118 (9), 1318–1325.
- Grandjean, P., Weihe, P., White, R.F., Debes, F., Araki, S., Yokoyama, K., Murata, K., Sørensen, N., Dahl, R., Jørgensen, P.J., 1997. Cognitive deficit in 7-year-old children with prenatal exposure to methylmercury. *Neurotoxicol. Teratol.* 19 (6), 417–428.
- Grandjean, P., Weihe, P., Burse, V.W., Needham, L.L., Storr-Hansen, E., Heinzow, B., Debes, F., Murata, K., Simonsen, H., Ellefsen, J., Budtz-Jørgensen, E., Keiding, N., White, R.F., 2001. Neurobehavioral deficits associated with PCB in 7-year-old children prenatally exposed to seafood neurotoxicants. *Neurotoxicol. Teratol.* 23 (4), 305–317.
- Guallar, E., Sanz-Gallardo, M.I., van't Veer, P.V., Bode, P., Aro, A., Gomez-Aracena, J., Kark, J.D., Riemersma, R.A., Martin-Moreno, J.M., Kok, F.J., 2002. Mercury, fish oils, and the risk of myocardial infarction. *N. Engl. J. Med.* 347 (22), 1747–1754.
- Hasegawa, M., Tsukamoto, N., 2009. Epidemiological research on children's environmental health: clarification of environmental risks that affect children's development. *Nippon Eiseigaku Zasshi* 64 (4), 782–785.
- Jacobson, J.L., Jacobson, S.W., 1996. Intellectual impairment in children exposed to polychlorinated biphenyls in utero. *N. Engl. J. Med.* 335 (11), 783–789.
- Konishi, K., Sasaki, S., Kato, S., Ban, S., Washino, N., Kajiwara, J., Todaka, T., Hirakawa, H., Hori, T., Yasutake, D., Kishi, R., 2009. Prenatal exposure to PCDDs/PCDFs and dioxin-like PCBs in relation to birth weight. *Environ. Res.* 109 (7), 906–913.
- Kostyniak, P.J., Stinson, C., Greizerstein, H.B., Vena, J., Buck, G., Mendola, P., 1999. Relation of Lake Ontario fish consumption, lifetime lactation, and parity to breast milk polychlorobiphenyl and pesticide concentrations. *Environ. Res.* 80 (2), S166–174.
- Lanphear, B.P., Hornung, R., Khoury, J., Yolton, K., Baghurst, P., Bellinger, D.C., Canfield, R.L., Dietrich, K.N., Bornschein, R., Greene, T., Rothenberg, S.J., Needleman, H.L., Schnaas, L., Wasserman, G., Graziano, J., Roberts, R., 2005. Low-level environmental lead exposure and children's intellectual function: an international pooled analysis. *Environ. Health Perspect.* 113 (7), 894–899.
- Longnecker, M.P., Wolff, M.S., Gladen, B.C., Brock, J.W., Grandjean, P., Jacobson, J.L., Korrick, S.A., Rogan, W.J., Weisglas-Kuperus, N., Hertz-Picciotto, I., Ayotte, P., Stewart, P., Winneke, G., Charles, M.J., Jacobson, S.W., Dewailly, E., Boersma, E.R., Altshul, L.M., Heinzow, B., Pagano, J.J., Jensen, A.A., 2003. Comparison of polychlorinated biphenyl levels across studies of human neurodevelopment. *Environ. Health Perspect.* 111 (1), 65–70.
- Muckle, G., Ayotte, P., Dewailly, E., Jacobson, S.W., Jacobson, J.L., 2001. Prenatal exposure of the Northern Quebec Inuit infants to environmental contaminants. *Environ. Health Perspect.* 109 (12), 1291–1299.
- Myers, G.J., Davidson, P.W., Palumbo, D., Shamlaye, C., Cox, C., Cernichiari, E., Clarkson, T.W., 2000. Secondary analysis from the Seychelles child development study: the child behavior checklist. *Environ. Res.* 84 (1), 12–19.
- Myers, G.J., Thurston, S.W., Pearson, A.T., Davidson, P.W., Cox, C., Shamlaye, C.F., Cernichiari, E., Clarkson, T.W., 2009. Postnatal exposure to methyl mercury from fish consumption: a review and new data from the Seychelles child development study. *Neurotoxicology* 30 (3), 338–349.
- Nakai, K., Suzuki, K., Oka, T., Murata, K., Sakamoto, M., Okamura, K., Hosokawa, T., Sakai, T., Nakamura, T., Saito, Y., Kurokawa, N., Kameo, S., Satoh, H., 2004. The Tohoku study of child development: a cohort study of effects of perinatal exposures to methylmercury and environmentally persistent organic pollutants on neurobehavioral development in Japanese children. *Tohoku J. Exp. Med.* 202 (3), 227–237.
- Nakamura, T., Nakai, K., Matsumura, T., Suzuki, S., Saito, Y., Satoh, H., 2008. Determination of dioxins and polychlorinated biphenyls in breast milk, maternal blood and cord blood from residents of Tohoku, Japan. *Sci. Total Environ.* 394 (1), 39–51.
- Nakata, Y., Kamibayashi, Y., Fukui, T., 1999. Standardization of Japanese child behavior checklist for age 2–3. *Psychiatr. Neurol. Pediatr. Jpn.* 39, 317–322.
- Patandin, S., Lanting, C.I., Mulder, P.G., Boersma, E.R., Sauer, P.J., Weisglas-Kuperus, N., 1999. Effects of environmental exposure to polychlorinated biphenyls and dioxins on cognitive abilities in Dutch children at 42 months of age. *J. Pediatr.* 134 (1), 33–41.
- Plusquellec, P., Muckle, G., Dewailly, E., Ayotte, P., Bégin, G., Desrosiers, C., Després, C., Saint-Amour, D., Poitras, K., 2010. The relation of environmental contaminants exposure to behavioral indicators in Inuit preschoolers in Arctic Quebec. *Neurotoxicology* 31 (1), 17–25.
- Raven, J.C., 1958. Standard Progressive Matrices: Sets A, B, C, D and E. Lewis, London.
- Rogan, W.J., Gladen, B.C., 1992. Neurotoxicology of PCBs and related compounds. *Neurotoxicology* 13 (1), 27–35.
- Rogan, W.J., Gladen, B.C., McKinney, J.D., Carreras, N., Hardy, P., Thullen, J., Tinglestad, J., Tully, M., 1986. Neonatal effects of transplacental exposure to PCBs and DDE. *J. Pediatr.* 109 (2), 335–341.
- Roy, A., Bellinger, D., Hu, H., Schwartz, J., Ettinger, A.S., Wright, R.O., Bouchard, M., Palaniappan, K., Balakrishnan, K., 2009. Lead exposure and behavior among young children in Chennai, India. *Environ. Health Perspect.* 117 (10), 1607–1611.
- Stewart, P.W., Loneky, E., Reihman, J., Pagano, J., Gump, B.B., Darvill, T., 2008. The relationship between prenatal PCB exposure and intelligence (IQ) in 9-year-old children. *Environ. Health Perspect.* 116 (10), 1416–1422.
- Strain, J.J., Davidson, P.W., Bonham, M.P., Duffy, E.M., Stokes-Riner, A., Thurston, S.W., Wallace, J.M., Robson, P.J., Shamlaye, C.F., Georger, L.A., Sloane-Reeves, J., Cernichiari, E., Canfield, R.L., Cox, C., Huang, L.S., Janciuars, J., Myers, G.J., Clarkson, T.W., 2008. Associations of maternal long-chain polyunsaturated fatty acids, methyl mercury, and infant development in the Seychelles child development nutrition study. *Neurotoxicology* 29 (5), 776–782.
- Suzuki, K., Nakai, K., Sugawara, T., Nakamura, T., Ohba, T., Shimada, M., Hosokawa, T., Okamura, K., Sakai, T., Kurokawa, N., Murata, K., Satoh, C., Satoh, H., 2010. Neurobehavioral effects of prenatal exposure to methylmercury and PCBs, and seafood intake: neonatal behavioral assessment scale results of Tohoku study of child development. *Environ. Res.* 110 (7), 699–704.
- Visser, A., Huizinga, G.A., Hoekstra, H.J., van der Graaf, W.T., Hoekstra-Weebers, J.E., 2006. Parental cancer: characteristics of parents as predictors for child functioning. *Cancer* 106 (5), 1178–1187.
- Walkowiak, J., Wiener, J.A., Fastabend, A., Heinzow, B., Krämer, U., Schmidt, E., Steingrüber, H.J., Wundram, S., Winneke, G., 2001. Environmental exposure to polychlorinated biphenyls and quality of the home environment: effects on psychodevelopment in early childhood. *Lancet* 358 (9293), 1602–1607.
- Wasserman, G.A., Staghezza-Jaramillo, B., Shrout, P., Popovac, D., Graziano, J., 1998. The effect of lead exposure on behavior problems in preschool children. *Am. J. Public Health* 88 (3), 481–486.
- Yorifuji, T., Debes, F., Weihe, P., Grandjean, P., 2010. Prenatal exposure to lead and cognitive deficit in 7- and 14-year-old children in the presence of concomitant exposure to similar molar concentration of methylmercury. *Neurotoxicol. Teratol.* 33 (2), 205–211.
- Yoshizawa, K., Rimm, E.B., Morris, J.S., Spate, V.L., Hsieh, C.C., Spiegelman, D., Stampfer, M.J., Willett, W.C., 2002. Mercury and the risk of coronary heart disease in men. *N. Engl. J. Med.* 347 (22), 1755–1760.

Please cite this article as: Tatsuta, N., et al., Prenatal exposures to environmental chemicals and birth order as risk factors for child behavior problems. *Environ. Res.* (2012), doi:10.1016/j.envres.2012.02.001

厚生労働科学研究費補助金 化学物質リスク研究事業

出生コホートによる難分解性有機汚染物質（POPs）ばく露の次世代影響の検証
（H21-科学-一般-007）

平成 23 年度 総括・分担研究報告書（平成 24 年 3 月）

発行責任者 主任研究者 佐藤 洋
発行 仙台市青葉区星陵町 2-1
東北大学大学院医学系研究科医科学専攻
社会医学講座環境保健医学分野
Tel 022-717-8105
Fax 022-717-8106

