

5J2**Kidney qi deficiency with water retention pattern^(TM)**腎氣虛水泛[停]證 - Shen qi xu shui fan [ting] zheng^(zh), Jin kikyō suihan (tei) sho^(ja),
Sinheosubeomjeung^(ko)

A pattern characterized by swelling more severe in lower limbs, decreased urine output, aching and weakness of back and knees, pale enlarged tongue with white and greasy coat, weak pulse. It may be explained by deficiency of kidney qi that affect kidney function to transform qi and fluid metabolism leading to water retention and flooding.

5J3**Kidney qi insecurity pattern^(TM)**腎氣不固證 - Shen qi bu gu zheng^(zh), Jinki fuko sho^(ja)

A pattern characterized by frequent urination, dribbling of urine after voiding, incontinence of urine or feces, nocturnal emission or premature ejaculation in men, continuous dribbling of menstrual discharge or high risk of abortion in women, aching back and knees, and weak pulse. It may be explained by impaired zangfu kidney qi holding function.

5J4**Kidney yin deficiency pattern^(TM)**腎陰虛證 - Shen yin xu zheng^(zh), Jin in kyo sho^(ja), Sineumheojeung^(ko)

A pattern characterized by back pain, lethargy, dizziness, ringing in the ears, nocturnal emission in men and infrequent or light menstruation in women, emaciation, dry throat, thirst, flushed cheeks, hot sensation in the palms and soles, afternoon fever, night sweating, reddened tongue with little or no coat, and rapid fine pulse. It may be explained by deficiency of kidney yin that leads to interior disturbance of fire originated from yin deficiency.

5J5**Kidney yin-yang deficiency pattern**腎陰陽兩虛證 - Shen yin yang liang xu zheng^(zh), Jin inyo ryo kyo sho^(ja),
Sineumyangyangheojeung^(ko)

A pattern characterized by vertigo, tinnitus, soreness and pain of the lower back and knees, heat in the palms and chest, night sweats, nocturnal emissions, cold extremities, and spontaneous sweating. It may be explained by both deficient yin and deficient yang of the kidney.

5J6**Kidney deficiency with marrow depletion pattern^(TM)**腎虛髓虧證 - Shen xu sui kui zheng^(zh), Jinkyō zuiki sho^(ja), Sinheosuhyujeung^(ko)

A pattern characterized by growth retardation, long term disunion of a bone fracture, painful lumbar region, soft bones, dizziness, ringing in the ears, forgetfulness, dementia. It may be explained by deficiency of kidney essence that leads to insufficiency of marrow.

5J7**Kidney essence insufficiency pattern^(TM)**腎精虧虛證 - Shen jing kui xu zheng^(zh), Jinsei fusoku sho^(ja), Sinjeongbujokjeung^(ko)

A pattern characterized by growth retardation in children; in adults, premature senility, decreased reproductive function, tinnitus, loosening of teeth, loss of hair and forgetfulness. It may be explained by deficiency of kidney essence for development.

5J8**Kidney yang deficiency pattern^(TM)**腎陽虛證 - Shen yang xu zheng^(zh), Jin yo kyo sho^(ja), Sinyangheojeung^(ko)

A pattern characterized by aversion to cold, cold limbs, listlessness, weakness and soreness of the loins and knees, premature ejaculation or impotence in men and frigidity or infertility in women, nocturia, whitish tongue coating and weak pulse at cubit (chi) section. It may be explained by deficiency of kidney yang that fails to warm the body.

5J9**Fear damaging the kidney pattern^(TM)**驚恐傷腎證 - Jing kong shang shen zheng^(zh), Kyokyo shojin sho^(ja), GyeonggongSangsinjeung^(ko)

A pattern characterized by panic, impotence, spermatorrhea, urinary or fecal incontinence. It may be explained by great terror and fear that impair kidney qi or by a somatization of an emotional state.

5K0**Kidney yang deficiency with water flooding pattern^(TM)**腎陽虛水泛[停]證 - Shen yang xu shui fan [ting] zheng^(zh), Jin yokyo suihan (tei) sho^(ja), Sinheosubeomjeung^(ko)

A pattern characterized by aversion to cold, cold extremities, edema, abdominal distension, back pain, decreased urine output, white, greasy tongue coating, a tongue which may be pale and enlarged, or a deep, slow pulse. It may be associated with the weather factor of dampness associated with a decreased amount of kidney yang.

5K1**Blood and heat accumulation in the uterus pattern^(TM)**胞宮血[積]熱證 - Bao gong xue [ji] re zheng^(zh), Hokyu ketsu (seki) netsu sho^(ja), Pogunghyeolyeoljeung^(ko)

A pattern characterized by a burning sensation and pain in the lower abdomen, advanced profuse menstruation in bright red color, or thick yellowish vaginal discharge with foul smell, reddish tongue with yellow coat, rapid pulse. It may be explained by accumulation of heat in the uterus.

5K2**Phlegm obstructing the uterus pattern^(TM)**痰凝[阻]胞宮證 - Tan ning [zu] bao gong zheng^(zh), Tangyo (so) hokyu sho^(ja), Damjopogungjeung^(ko)

A pattern characterized by profuse white vaginal discharge, or lack of menstruation, or infertility, obesity, decreased movement, pale tongue with white and greasy coating, slippery or soggy and slow pulse. It may be explained by stagnation of phlegm in the uterus, obstructing blood or qi flow.

5K3**Dampness and heat in the uterus pattern^(TM)**胞宮濕熱證 - Bao gong shi re zheng^(zh), Hokyu shitsunetsu sho^(ja), Pogungseupyeoljeung^(ko)

A pattern characterized by profuse thick and yellowish vaginal discharge with foul smell, itchy skin and erosion of the external genitalia, reddish tongue with yellow and greasy coat, slippery and rapid pulse. It may be explained by the weather factors of dampness and heat that accumulate in the uterus.

5K4**Dampness and wet obstructing the uterus pattern^(TM)**痰濕阻胞證 - Tan shi zu bao zheng^(zh), Tanshitsu soho sho^(ja), Damseupjopojeung^(ko)

5K5**Cold stagnation in the uterus pattern^(TM)**

寒凝胞宮證 [寒滯胞宮證] - Han ning bao gong zheng [Han zhi bao gong zheng]^(zh), Kangyo hokyu sho (Kangyo hokyu sho)^(ja), Haneungpogungjeung^(ko)

A pattern characterized by cold pain of lower abdomen, or pain in the lower abdomen or lumbosacral region during menstruation, with preference for warmth, delayed menstrual cycle, dark purple menstrual blood, or clear thin whitish vaginal discharge, white tongue coat, deep and tight pulse. It may be explained by accumulation of cold in the uterus that blocks the flow of blood or qi.

5K6**Uterine deficiency and cold pattern^(TM)**

胞宮虛寒[陽虛]證 - Bao gong xu han [yang xu] zheng^(zh), Hokyu kyokan (yokyo) sho^(ja), Pogunghoehanjeung^(ko)

A pattern characterized by aversion to cold, cold limbs, vague pain of lower abdomen, with preference for warmth and oppression, thin menstrual blood in light color, clear thin vaginal discharge, infertility, abortion, whitish complexion, pale tongue with white coat. It may be explained by deficiency of yang qi that fails to warm the uterus.

5K7**Blood accumulation in the bladder pattern^(TM)**

膀胱蓄血證 - Pang guang xu xue zheng^(zh), Boko chikuketsu sho^(ja), Banggwangchughyeoljeung^(ko)

A pattern characterized by distension and sharp pain of lower abdomen, difficulty and pain in urination, purplish tongue or tongue with spots, wiry and unsmooth pulse. It may be explained by injury of the lower abdomen or invasion of heat, leading to blood retention in the bladder.

5K8**Bladder heat accumulation pattern^(TM)**

膀胱蘊[實][積][蓄]熱證 - Pang guang yun [shi] [ji] [xu] re zheng^(zh), Boko un (jitsu) (seki) (chiku) netsu sho^(ja), Banggwangchugyeoljeung^(ko)

A pattern characterized by distension of lower abdomen, burning sensation and pain in urination, fever, thirst, reddish tongue with yellow coat, strong and rapid pulse. It may be explained by accumulation of heat in the bladder.

5K9**Bladder dampness and heat pattern^(TM)**

膀胱濕熱證 - Pang guang shi re zheng^(zh), Boko shitsunetsu sho^(ja), Banggwangseupyeoljeung^(ko)

A pattern characterized by urgent, frequent painful urination, tongue with greasy yellow coat towards the root and slippery pulse. It may be explained by accumulation of dampness and heat in bladder.

5L0**Water accumulation in the bladder pattern^(TM)**

膀胱蓄水證 - Pang guang xu shui zheng^(zh), Boko chikusui sho^(ja), Banggwangchugsujeung^(ko)

A pattern characterized by distension and pain of lower abdomen, and difficulty with urination. It may be explained by the failure of qi transformation in the bladder, leading to water retention in the bladder.

5L1

Bladder deficiency cold pattern^(TM)

膀胱虛寒證 - Pang guang xu han zheng^(zh), Boko kyokan sho^(ja), Banggwangheohanjeung^(ko)

A pattern characterized by pain and profuse clear urination. It may be explained by consumption of kidney yang, causing a deficiency of qi.

DRAFT

Environmental Factor Patterns^(TM)

環境證 Huan jing zheng_(zh)
Kankyo sho_(ja)

Wind Patterns^(TM)

風淫證 Feng yin zheng_(zh)
Fu'in sho_(ja)

A group of patterns with a shared explanation related to the weather factor of wind.

Cold patterns^(TM)

寒淫證 Han yin zheng_(zh)
Kan'in sho_(ja)

A group of patterns with a shared explanation related to the weather factor of cold.

Dampness Patterns^(TM)

濕淫證 Shi yin zheng_(zh)
Shitsuin sho_(ja)

A group of patterns with a shared explanation related to the weather factor of dampness.

Dryness Patterns^(TM)

燥淫證 Zao yin zheng_(zh)
So'in sho_(ja)

A group of patterns with a shared explanation related to the weather factor of dryness.

Fire heat patterns^(TM)

火熱淫證 Huo re yin zheng_(zh)
Kanetsuin sho_(ja)

A group of patterns with a shared explanation related to the weather factor of fire or heat.

Summer-heat patterns^(TM)

暑熱淫證 Shu re yin zheng_(zh)
Shonetsuin sho_(ja)

A group of patterns with a shared explanation related to the weather factor of summerheat.

Severe pathogenic patterns^(TM)

疫疔證 Yi li zheng_(zh)
Ekirei sho_(ja)

A group of patterns with a shared explanation related to the presence of pathogens, parasites, or toxins.

Meridian Patterns^(TM)

經絡證 Jing luo zheng^(zh)
Keiraku sho^(ja)
Gyeongrakbyeongjeung^(ko)

5M0

Lung meridian pattern^(TM)

手太陰肺經 是動病證 - Shou tai yin fei jing shi dong bing zheng^(zh), Tetainhaikei zedobyosho^(ja)

A pattern characterized by feeling of distention of the lungs, shortness of breath, coughing, pain in the supraclavicular fossa; in extreme cases, the patient crosses his/her arms, writhes in agony, and shivers.

5M1

Large intestine meridian pattern^(TM)

手陽明大腸經 是動病證 - Shou yang ming da chang jing shi dong bing zheng^(zh), Teyomeidaichokei zedobyosho^(ja)

A pattern characterized by toothache and swollen neck.

5M2

Stomach meridian pattern^(TM)

足陽明胃經 是動病證 - Zu yang ming wei jing shi dong bing zheng^(zh), Ashiyomeiikei zedobyosho^(ja)

A pattern characterized by shivering with chills often accompanied by moaning or stretching and yawning, dark face; in serious cases, the patient hates to see people or fire, fears wood clapping sound or is frightened when he/she hears the sound, has mood swings, closes the gate and windows, and wishes to be alone in the room; in extreme cases, the patient climbs up to high a place and sings or takes off his/her clothes and runs; abdominal distention.

5M3

Spleen meridian pattern^(TM)

足太陰脾經 是動病證 - Zu tai yin pi jing shi dong bing zheng^(zh), Ashitainhikei zedobyosho^(ja)

A pattern characterized by stiff tongue root, vomiting immediately after eating accompanied by stomachache, abdominal distention with frequent belching, feeling of comfort or relief after bowel movement or passing of flatus, heaviness of the whole body.

5M4

Heart meridian pattern^(TM)

手少陰心經 是動病證 - Shou shao yin xin jing shi dong bing zheng^(zh), Teshoinshinkei zedobyosho^(ja)

A pattern characterized by chest pain, thirst, and desire to drink to heal the thirst.

5M5

Small intestine meridian pattern^(TM)

手太陽小腸經 是動病證 - Shou tai yang xiao chang jing shi dong bing zheng^(zh), Tetayoshochokei zedobyosho^(ja)

A pattern characterized by throat pain, swollen jaws, and inability to turn the head around to look back, feeling of dislocated shoulders or fractured upper arms.

5M6**Bladder meridian pattern^(TM)**

足太陽膀胱經 是動病證 - Zu tai yang pang guang jing shi dong bing zheng^(zh),
Ashitaiyobokokei zedobyō sho^(ja)

A pattern characterized by severe headache and feeling that the eyeballs and the nape are falling out; pain in the spine and a feeling of bent waist; inability to bend legs; stiffness in the popliteal regions; feeling of calves being torn apart.

5M7**Kidney meridian pattern^(TM)**

足少陰腎經 是動病證 - Zu shao yin shen jing shi dong bing zheng^(zh), Ashishoinjinkei zedobyō sho^(ja)

A pattern characterized by feeling of hunger but no appetite; dark and non-lustrous face, blood containing spittle accompanying cough, hoarse voice and shortness of breath, lightheadedness, mental instability; when qi is insufficient, the patient becomes fearful and feels as if someone is trying to catch him/her.

5M8**Pericardium meridian pattern^(TM)**

手厥陰心包經 是動病證 - Shou jue yin xin bao jing shi dong bing zheng^(zh),
Teketsuinshinbokei zedobyō sho^(ja)

A pattern characterized by heat sensation in the palms, spasm in the forearms and elbows, axillary swelling, in extreme cases, distention in the subcostal region, feeling of anxiety and great confusion, red face, yellowish eyes, frequent persistent laughing.

5M9**Triple energizer meridian pattern^(TM)**

手少陽三焦經 是動病證 - Shou shao yang san jiao jing shi dong bing zheng^(zh), Te no shoyosanshokei zedobyō sho^(ja)

A pattern characterized by hearing impairment, perception of sound of rapid water flow, swollen throat, swell and pain in the larynx.

5N0**Gallbladder meridian pattern^(TM)**

足少陽膽經 是動病證 - Zu shao yang dan jing shi dong bing zheng^(zh), ashishoyotankei zedobyō sho^(ja)

A pattern characterized by bitter taste in the mouth, frequent sighs, pain in the subcostal region, inability to turn around the body; in extreme cases; dusted and dark complexion and non-lustrous body, valgus and hot feet.

5N1**Liver meridian pattern^(TM)**

足厥陰肝經 是動病證 - Zu jue yin gan jing shi dong bing zheng^(zh), Ashiketsuinkankei zedobyō sho^(ja)

A pattern characterized by low back pain and difficulty in moving the body, swelling and pain in the scrota in men and swelling in the lower abdomen in women; in extreme cases, thirst and pale and non-lustrous complexion as if the face is dusted.

5N2**Main Meridian Patterns**

-

5N3**Governor vessel pattern^(TM)**

督脈病證 - Du mai bing zheng^(zh), Tokumyakubyō sho^(ja)

A pattern characterized by stiffness of the spine, fainting, chest pain coming from the lower abdomen, inability to defecate or urinate, infertility in women, urine obstruction, hemorrhoid, urinary incontinence, thirst.

5N4

Conception vessel pattern^(TM)

任脈病證 - Ren mai bing zheng^(zh), Ninmyakubyo sho^(ja)

A pattern characterized by colic in men and vaginal discharge and abdominal lumps in women.

5N5

Yin heel vessel pattern^(TM)

陰蹻脈病證 - Yin qiao mai bing zheng^(zh), Inkyomyakubyo sho^(ja)

A pattern characterized by flaccid state in the regions belonging to yang and tense state in the regions belonging to yin.

5N6

Yang heel vessel pattern^(TM)

陽蹻脈病證 - Yang qiao mai bing zheng^(zh), Yokyomyakubyo sho^(ja)

A pattern characterized by flaccid state in the regions belonging to yin and tense state in the regions belonging to yang.

5N7

Yin link vessel pattern^(TM)

陰維脈病證 - Yin wei mai bing zheng^(zh), In'imyakubyo sho^(ja)

A pattern characterized by heart pain.

5N8

Yang link vessel pattern^(TM)

陽維脈病證 - Yang wei mai bing zheng^(zh), Yoimyakubyo sho^(ja)

A pattern characterized by chills and fever.

5N9

Thoroughfare vessel pattern^(TM)

衝脈病證 - Chong mai bing zheng^(zh), Shomyakubyo sho^(ja)

A pattern characterized by hot flushes and cramping pain in the whole abdomen.

5P0

Belt vessel pattern^(TM)

帶脈病證 - Dai mai bing zheng^(zh), Taimyakubyo sho^(ja)

A pattern characterized by abdominal distention and a relaxed and weak lumber region with a feeling of sitting in the water.

5P1

Extra Meridian Patterns

-

Six stage Patterns^(TM)

六經證 Liu jing zheng_(zh)
Rikubyoi_(ja)
Yukgyeongbyeonjeung_(ko)

Early Yang stage Patterns^(TM)

Tai yang bing zheng_(zh)
Taiyo byo sho_(ja)
Taeyangbyeongjeung_(ko)

A group of patterns which manifest at the onset stage of febrile state. They are characterized by cold sensitivity accompanied by hot sensation, headache, painful joints, neck stiffness, Floating pulse^(TM). They may be explained by

reactions to pathogens at exterior layer of the body. (Alternative definition - Ja)

Middle Yang stage Patterns^(TM)

陽明病證 Yang ming bing zheng_(zh)
Yomei byo sho_(ja)
Yangmyeongbyeongjeung_(ko)

A group of patterns which manifest several days after the onset of febrile state. They are characterized by abdominal distension, constipation, Tidal fever^(TM) (generalized excess sweating with high fever repeating regularly like tide), delirium-like condition. They may be explained by Reactions to pathogens at the interior layer of the body.

Late Yang stage Patterns^(TM)

少陽病證 Shao yang bing zheng_(zh)
Shoyo byo sho_(ja)
Soyangbyeongjeung_(ko)

A group of patterns which usually manifest several days after the onset of febrile state. They are characterized by alternating chills and Fever^(TM), mild spontaneous sweating, appetite loss, bitter taste in mouth, dry throat, occasional dizziness, cough with sputum, Sunken and string-like pulse^(TM), hypochondrium resistance and discomfort. They may be explained by reactions to pathogens in the layer between exterior and interior of the body.

Early Yin stage Patterns^(TM)

太陰病證 Tai yin bing zheng_(zh)
Taiin byo sho_(ja)
Taeumbyeongjeung_(ko)

A group of patterns which manifest at the stage of onset or sometime along the course of febrile state. They are characterized by abdominal fullness, abdominal pain, diarrhea, decreased intake of the food, nausea, vomiting. They may be explained by mild cold at the interior layer of the body.

Middle Yin stage Patterns^(TM)

少陰病證 Shao yin bing zheng^(zh)
 Shoin byo sho^(ja)
 Soeumbyeongjeung^(ko)

A group of patterns which manifest at the onset stage or along the course of febrile state. They are characterized by desire to lie down or to have a rest, discomfort feeling in the chest, thirst, diarrhea, pain and cold sensation in various parts of the body. sunken weak pulse (occasionally sunken tension pulse). They may be explained by moderate cold at the interior layer of the body.

Late Yin stage Patterns^(TM)

證厥陰病 Jue yin bing zheng^(zh)
 Ketsuin byo sho^(ja)
 Gwoleumbyeongjeung^(ko)

A group of patterns which manifest at the end stage of febrile state. They are characterized by severe malaise, extremely cold limbs, spastic muscles, excessive sweating (occasionally), palpitation with paradoxical hot feeling and discomfort in the chest, inability to eat despite being hungry, vomiting after eating, diarrhea of undigested meal. They may be explained by extreme cold at the interior layer of the body. (Alternative definition - Ja)

Triple Energizer Stage Patterns^(TM)

三焦證 San jiao zheng^(zh)
 Sansho sho^(ja)
 Samchobyeongjeung^(ko)

Upper energizer stage patterns^(TM)

上焦證 Shang jiao zheng^(zh)
 Josho sho^(ja)
 Sangchojeung^(ko)

5Q0**Upper energizer dryness and heat pattern^(TM)**

上焦燥熱證 - Shang jiao zao re zheng^(zh), Josho sonetsu sho^(ja), SangchoJoyeoljeung^(ko)

5Q1**Dampness and heat in the upper energizer pattern^(TM)**

上焦濕熱證 - Shang jiao shi re zheng^(zh), Josho shitsunetsu sho^(ja), SangchoSeupyeoljeung^(ko)

A pattern characterized by fever, aversion to cold, heaviness of the head and body, coughing, chest distress, anhidrosis, yellow and white tongue coating, or soggy, moderate pulse. It may be explained by weather factors of dampness or heat.

5Q2**Toxin congesting the upper energizer pattern^(TM)**

毒壅上焦證 - Du yong shang jiao zheng^(zh), Dokuyo josho sho^(ja), Dokongsangchojeung^(ko)

A pattern characterized by chills and fever at the onset, with flushed, swollen head and face, painful, scratchy throat, followed by high fever, thirst, skin eruptions, anxiety, throat inflammation, coughing or dyspnea. It may be explained by accumulation of the weather factor of fire or heat in the upper sanjiao.

Middle energizer stage patterns^(TM)

中焦證 Zhong jiao zheng^(zh)
Chusho sho^(ja)
Jungchojeung^(ko)

5R0

Summerheat and dampness affecting the middle energizer pattern^(TM)

暑濕困阻中焦證 - Shu shi kun zu zhong jiao zheng^(zh), Shoshitsu konso chusho sho^(ja),
Seoseupgonjojungchojeung^(ko)

A pattern characterized by a fever, thirst, profuse sweating, scanty urine, epigastric stuffiness, a sensation of heaviness of the body or a large, surging pulse. It may be explained by a combination of the weather factors of summerheat and dampness adversely affecting the zangfu spleen and zangfu stomach.

5R1

Dampness and heat in the middle energizer pattern^(TM)

中焦濕熱證 - Zhong jiao shi re zheng^(zh), Chusho shitsunetsu sho^(ja), JungchoSeupyeoljeung^(ko)

A pattern characterized by dull fever which becomes severe in the afternoon, stuffiness and distension of the epigastrium and abdomen, vomiting, nausea, anorexia, thirst, brownish urine or loose stool. It may be explained by the weather factors of dampness and fire or heat entering into the zangfu spleen and zangfu stomach.

5R2

Phlegm and dampness obstruction in the middle energizer pattern^(TM)

痰濕中阻證 [痰濁中阻證] [痰飲中阻證] - Tan shi zhong zu zheng [tan zhuo zhong zu zheng] [tan yin zhong zu zheng]^(zh), Tanshitsu chuso sho (Tandoku chuso sho) (Tan'in chuso sho)^(ja),
Damseupjungjojeung[Damtakjungjojeung][Dameumjungjojeung]^(ko)

A pattern characterized by a greasy taste in the mouth, anorexia, nausea, vomiting, stuffiness and distension of the epigastrium and abdomen, increased bowel sounds, watery stool, pale enlarged tongue with greasy, white coating, or soggy, moderate pulse. It may be explained by a build up of dampness or phlegm which obstructs the zangfu stomach or intestine.

Lower energizer patterns^(TM)

下焦證 Xia jiao zheng^(zh)
Gescho sho^(ja)
Hachobyeongjeung^(ko)

5S0

Lower energizer dampness and heat pattern^(TM)

下焦濕熱證 - Xia jiao shi re zheng^(zh), Gescho shitsunetsu sho^(ja), Hachoseupyeoljeung^(ko)

A pattern characterized by dribbling urination, burning pain with urination or urinary retention, loose stool, vaginal discharge that is yellow or white with a fishy odor, constipation, distending pain of the lower abdomen, fever, thirst, a reddish tongue with greasy, yellow coating, or a slippery, rapid pulse. It may be explained by the weather factors of dampness or heat entering into the zangfu large intestine, bladder or other organs in the lower sanjiao region.

5S1

Stasis obstructing the lower energizer pattern^(TM)

瘀阻下焦證 - Yu zu xia jiao zheng^(zh), Oso ge shosho^(ja), EojoHachojeung^(ko)

A pattern characterized by tenderness with pricking distending pain in the lower abdomen, palpable mass in the lower abdomen, painful, bloody urination and defecation, dark purplish tongue or tongue with spots, or a wiry, choppy pulse. It may be explained by stagnation of blood in the intestinal tract, bladder or uterus.

5S2

Deficiency of lower energizer pattern^(TM)

下焦虛證 - Xia jiao xu zheng^(zh), Gescho kyo sho^(ja)

A pattern characterized by dysfunctions of the urogenital system. It may be explained by weakness in the lower part of the body.

Mixed energizer patterns^(TM)

三焦夾雜證 San jiao jia za zheng^(zh)
Sansho kyo zatsu sho^(ja)
SamchoHyeopjapjeung^(ko)

5T0

Dampness and heat in all energizer pattern^(TM)

濕熱彌漫三焦證 - Shi re mi man san jiao zheng^(zh), Shitsunetsu biman sansho sho^(ja),
Seupyeolmimānsamchojeung^(ko)

A pattern characterized by fever, thirst, cough, chest pain, abdominal distension, vomiting, nausea, incontinence of loose stool, decreased urine output, urinary retention, reddish tongue with a greasy, yellow coating, or a soggy, rapid or slippery pulse. It may be explained by the weather factors of dampness and fire or heat affecting the upper, middle and lower sanjiao.

Four Phase Patterns^(TM)

衛氣營血證 Wei qi ying xue zheng^(zh)
Eikieiketsu sho^(ja)
Wigiyeonghyeolbyeongjeung^(ko)

A group of patterns characterized by their relationship to the four aspects^(TM), including the outer defense aspect, the inner defense aspect, the nutrient aspect, and the blood aspect.

Defense phase patterns^(TM)

衛分證 Wei fen zheng^(zh)
Eibun sho^(ja)
Wibunjeung^(ko)

A group of patterns characterized by their association with the outer defense aspect of the body.

5U0

Dampness obstructing the defense yang pattern^(TM)

濕遏衛陽證 - Shi e wei yang zheng^(zh), Shokatsu eiyo sho^(ja), SeupalWiyangjeung^(ko)

A pattern characterized by aversion to cold, decrease or lack of sweat production, fever, headache, motor dysfunction, a sensation of pressure in the chest, loss of appetite, absence of thirst, white, slimy tongue coating or soggy, moderate or relaxed pulse. It may be explained by a build up of dampness in the defense aspect and obstruct the defense qi.

5U1

Heat attacking the lung defense pattern^(TM)

溫邪侵襲肺衛證 - Wen xie qin xi fei wei zheng^(zh), Sutsuja shinshu hai ei sho^(ja),
Onsachimseuppyewijeung^(ko)

Qi phase patterns^(TM)

氣分證 Qi fen zheng^(zh)
Kibun sho^(ja)
Gibunjeung^(ko)

5V0

Heat entering the qi phase pattern^(TM)

熱入氣分證 - Re ru qi fen zheng^(zh), Netsunyu kibun sho^(ja), Yeolipgibunjeung^(ko)

A pattern characterized by fever, excessive thirst, reddish urine, constipation, reddish tongue with a yellow coating, or a surging or rapid pulse. It may be explained by the weather factor of fire or heat entering the qi aspect or imbalance between the fire or heat and healthy qi.

5V1

Qi phase dampness and heat pattern^(TM)

氣分濕熱證 - Qi fen shi re zheng^(zh), Kibun shitsunetsu sho^(ja), Gibunseubyeoljeung^(ko)

A pattern characterized by fever, chest pain, abdominal distension, yellow complexion, lethargy, vomiting, nausea, a reddish tongue with a yellow, greasy coating, and a soggy, rapid or slippery pulse. It may be explained by the weather factors of dampness and heat entering the qi aspect.

5V2

Dampness obstructing the qi phase pattern^(TM)

濕阻氣分證 - Shi zu qi fen zheng^(zh), Shitsuso ki bun sho^(ja), Seupjogibunjeung^(ko)

A pattern characterized by fever, headache, decreased mental acuity, a generalized feeling of heaviness or pressure in the chest, bone and joint pain, anorexia, abdominal fullness, diarrhea, slimy tongue coating, or soggy, relaxed pulse. It may be explained by the weather factors of dampness and heat entering the qi aspect.

Nutrient phase patterns^(TM)

營分證 Ying fen zheng^(zh)
Eibun sho^(ja)
Yeongbunjeung^(ko)

5W0

Nutrient qi and defense qi disharmony pattern^(TM)

營衛不和證 - Ying wei bu he zheng^(zh), Eie fuwa sho^(ja), Yeongbunbulwhajeung^(ko)

A pattern characterized by mild fever, slight aversion to wind, sweating, or slow pulse. It may be explained by an imbalance of nutrient and defense qi.

5W1

Heat in the nutrient phase pattern^(TM)

熱入營分證 - Re ru ying fen zheng^(zh), Netsunyu eibun sho^(ja), Yeolipyeongbunjeung^(ko)

A pattern characterized by fever which is more severe at night, agitation, restlessness, delirium, insomnia, skin rash, or red or purple tongue. It may be explained by the weather factor of fire or heat entering the nutrient aspect or disturbing the zangfu heart or mind.

5W2

Heat entering the nutrient and blood phase pattern^(TM)

熱入營血證 - Re ru ying xue zheng^(zh), Netsunyu eiketsu sho^(ja), Yeolipyeonghyeoljeung^(ko)

A pattern characterized by fever which increases at night, agitation, insomnia, coma, thirst, indistinct discolored spots of the skin, bleeding, constipation, a purplish tongue, or a thin, rapid pulse. It may be explained by the weather factor of fire or heat entering the nutrient and blood aspects, blood damage, or disturbance of the zangfu heart.

5W3

Severe heat entering the nutrient phase pattern^(TM)

熱毒入營證 [火毒陷營證] - Re du ru ying [huo du xian ying zheng]^(zh), Netsudoku nyuei sho (kadoku kan'ei sho)^(ja), Yeoldokipyongjeung^(ko)

A pattern characterized by fever which increases at night, indistinct discolored spots of the skin, coma, delirium, thirst, constipation, a purplish tongue, or a thin, rapid pulse. It may be explained by the weather factors of fire or heat entering the nutrient and blood aspects.

Blood phase patterns^(TM)

血分證 Xue fen zheng^(zh)
Ketsubun sho^(ja)
Hyeolbunjeung^(ko)

5X0

Blood phase pattern^(TM)

血分證 - Xue fen zheng^(zh), Ketsubun sho^(ja), Hyeolbunjeung^(ko)

A pattern characterized by fever, spasm of the hands and feet, coma, delirium, dark or purple macula, vomiting of blood, bleeding, or dark, purple tongue. It may be explained by the weather factors of fire or heat entering the blood aspect, deficiency of blood or yin fluid, or massive and sudden blood loss.

5X1

Heat entering the blood phase pattern^(TM)

熱入血分證 - Re ru xue fen zheng^(zh), Netsunyu ketsubun sho^(ja), Yeoliphyeolbunjeung^(ko)

A pattern characterized by profuse bleeding, including coughing up blood, nosebleeds, blood in urine and stool, high fever, coma, convulsions or deep crimson tongue. It may be explained by the weather factor of fire/heat entering the blood aspect or damage to the blood.

DRAFT

Four Constitution Medicine Patterns^(TM)

四象體質病證 Si xiang ti zhi bing zheng_(zh)
Shisho taishitsu byosho_(ja)
Sasangchejilbyeongjeung_(ko)

Large Yang Type Patterns^(TM)

太陽人病證 Tai yang ren bing zheng_(zh)
Taiyo jin byo sho_(ja)
Taeyangin byeongjeung_(ko)

A group of patterns which present more commonly in individuals who have the Large Yang Type Constitution

Large Yang type Exterior origin Lower Back pattern

太陽人外感腰脊病證 Tai yang ren wai gan yao ji bing zheng_(zh)
Taiyo jin gaikan yoseki byo sho_(ja)
Taeyangin Oegamyocheokbyeongjeung_(ko)

A pattern characterized by systemic heat, cold-intolerance, somatic pain in the mild stage and leg enervation (pseudo-paraparesis) in the advanced stage. It may be explained by: An excessiveness of the expirational dispersive energy of the Lung sector (Upper sector) and a weakening of the inspirational concentrative energy of the Liver sector (Mid-lower sector), which damages the lower back area (dorsal Mid-lower sector) that is associated with the Liver Sector.

Large Yang type Interior origin Small Intestine pattern

太陽人內觸小腸病證 Tai yang ren nei chu xiao chang bing zheng_(zh)
Taiyo jin naishoku shocho byo sho_(ja)
Taeyangin Naechoksojangbyeongjeung_(ko)

A pattern characterized by abdominal pain, borborygmus, diarrhea, dysentery in the mild stage and dysphagia or regurgitation in the advanced stage. It may be explained by a strengthening in the expanding and dispersive force of the energy-fluid of the Esophagus sector (Frontal Upper sector), and a weakening in the condensing and concentrative force of the energy-fluid of the Small Intestine sector (Frontal Mid-lower sector), producing the imbalance of the energy and fluid metabolism and subsequent damage of energy and fluid.

Large Yang type Exterior Interior combined pattern

太陽人表裏兼病證 Tai yang ren biao li jian bing zheng_(zh)
Taiyo jin hyori kenbyo sho_(ja)
Taeyangin Pyorigyeombyeongjeung_(ko)

A pattern characterized by exterior symptoms that include systemic heat, cold-intolerance, somatic pain, and leg enervation (pseudo-paraparesis); interior symptoms that include abdominal pain, borborygmus, diarrhea, dysentery, dysphagia or regurgitation at a same time.

Small Yang Type Patterns^(TM)

少陽人病證 Shao yang ren bing zheng_(zh)
Shoyo jin byosho_(ja)
Soyangin byeongjeung_(ko)

A group of patterns which present more commonly in individuals who have the Small Yang Type Constitution

Small Yang type Lesser Yang Wind Damage pattern

少陽人少陽傷風證 Shao yang ren shao yang shang feng zheng_(zh)
Shoyo jin shoyo shofu sho_(ja)
Soyangin Soyangsangpungjeung_(ko)

A pattern characterized by systemic heat, cold-intolerance, somatic pain, vexation, bitter taste in mouth, dry throat, dizziness, headache, deafness. It may be explained by the failure of the Yin energy of the Spleen sector(Mid-upper sector) to descend to the Kidney sector(Lower sector) due to pathogenic heat which results in Yin energy confinement to the Upper Back area(dorsal Mid-upper sector). There is no damage to the Yin energy of the Kidney sector(Lower sector).

5Y0

Small Yang type Lesser Yang Wind Damage pattern, NEC

少陽人少陽傷風證,他處未分類 - Shao yang ren shao yang shang feng zheng,ta chu wei fen lei_(zh), Shoyo jin shoyo shofu sho, hoka ni bunrui sarenai mono_(ja), Soyangin Soyangsangpungjeung, Tacheomibullyu_(ko)

A pattern characterized by systemic heat, cold-intolerance, somatic pain, vexation, bitter taste in mouth, dry throat, dizziness, headache, deafness. It may be explained by the subpattern which is not else classified in the Small Yang type Lesser Yang Wind Damage pattern

5Z0

Small Yang type Chest-binding pattern

少陽人結胸證 - Shao yang ren jie xiong zheng_(zh), Shoyo jin kekkyo sho_(ja), Soyangin Gyeolhyungjeung_(ko)

A pattern characterized by cold-intolerance, nausea and retching, vomiting when drinking water, shortness of breath, dyspnea, fullness in the chest and hypochondrium, dry thirst and delirious speech, headache, perspiration in head, numbness and coldness in joints in the Small Yang type Lesser Yang Wind Damage pattern. It may be explained by: The chronic state of the Yin energy of the Spleen sector(Mid-upper sector) failing to descend to the Kidney sector(Lower sector) due to intensive pathogenic heat which results in Yin energy confinement in the upper back area of the dorsal Mid-upper sector. The pathogenic heat of the Stomach sector (Frontal Mid-upper sector) is strongly strengthened.

Small Yang type Yin Depletion pattern

少陽人亡陰證 Shao yang zheng wang yin zheng^(zh)
 Shoyo jin boin sho^(ja)
 Soyangin Mangeumjeung^(ko)

A pattern characterized by diarrhea, often accompanied by either heat-related patterns with headache or cold-related patterns with stomachache. It may be explained by: The failure of the Yin energy of the Spleen sector(Mid-upper sector) to descend to the Kidney sector(Lower sector) due to pathogenic heat which eventually leads to damage of the Yin energy of the Kidney sector(Lower sector).

Small Yang type Chest Heat congested pattern

少陽人胸膈熱證 Shao yang ren xiong ge re zheng^(zh)
 Sho yo jin kyokaku netsu sho^(ja)
 Soyangin Hyunggyeokyeoljeung^(ko)

A pattern characterized by systemic heat, constipated bowel movement, and thirst. It may be explained by: The Clear-Yang of the Large Intestine sector(Frontal Lower sector) fails to ascend to the Stomach sector(Frontal Mid-upper sector), extremities and head specifically the face. Intense pathogenic heat is formed in the Stomach sector(Frontal Mid-upper sector).

5Z1**Small Yang type Yin Deficit pattern**

少陽人陰虛證 - Shao yang ren yin xu zheng^(zh), Shoyo jin inkyo sho^(ja), Soyangin Eumheojeung^(ko)

A pattern characterized by diurnal flaring-up of systemic heat, thirst, coldness in the dorsal region, and retching, emaciation of the legs, turbid urine. It may be explained by: The Clear-Yang of the Large Intestine sector(Frontal Lower sector) is weak eventually leading to a weakening of the Yin energy of the Kidney sector(Lower sector).

5Z2**Small Yang type Exterior Interior combined pattern**

少陽人表裏兼病證 - Shao yang ren biao li jian bing zheng^(zh), Shoyo jin hyori kenbyou sho^(ja), Soyangin Pyorigyeombyeongjeung^(ko)

A pattern characterized by exterior symptoms that include cold-intolerance, diarrhea, somatic pain, dizziness, headache, etc. ; interior symptoms that include heat intolerance, constipated bowel movement at a same time. It may be explained by: The Yin energy of the Spleen sector(Mid-upper sector) fails to descend and to connect to the Kidney sector(Lower sector), concurrently the Clear Yang(Clear ascending Yang energy) of the Large Intestine sector(Frontal Lower sector) is damaged by pathogenic heat.

Large Yin Type Patterns^(TM)

太陰人病證 Tai yin ren bing zheng_(zh)
Taiin jin byo sho_(ja)
Taeemin Byeongjeung_(ko)

Large Yin type Supraspinal Exterior pattern

太陰人背頤表病證 Tai yin ren bei chui biao bing zheng_(zh)
Taiin jin sekitsui hyobyu sho_(ja)
Taeemin Baechupyobyongjeung_(ko)

A pattern characterized by cold-intolerance (accompanied with the absence of perspiration), systemic heat, and dyspnea (labored breathing). It may be explained by: A decreased capability of the Esophagus sector (Frontal Upper sector) to expire and to disperse energy and fluid.

Large Yin type Esophagus Cold pattern

太陰人胃脘寒證 Tai yin ren wei wan han zheng_(zh)
Taiin jin ikan kan sho_(ja)
Taeemin Wiwanhanjeung_(ko)

A pattern characterized by post-prandial stuffiness and fullness and leg weakness, coughing, edema etc, which is based on symptoms of diarrhea, absence of perspiration, palpitation, dyspnea (labored breathing), plum-pit, pale complexion. It may be explained by: A weakening of the expirational dispersive energy of the Lung sector (Upper sector), in addition to a decreased capability of the Esophagus sector (Frontal Upper sector) to expire and to disperse energy and fluid.

Large Yin type Liver Heat pattern

太陰人肝熱證 Tai yin ren gan re zheng_(zh)
Taiin jin kannetsu sho_(ja)
Taeemin Ganyeoljeung_(ko)

A pattern characterized by ocular pain, dryness of nose, sleep disorder, tidal sweating, constipated bowel movement, abdominal fullness, thirst, delirium. It may be explained by: An excessive condensation and concentration of the energy-fluid of the Liver sector (Mid-lower sector) causing the stagnation of energy and fluid, followed by the production of pathogenic heat.

6A0

Large Yin type Dryness Heat pattern

太陰人燥熱證 - Tai yin ren zao re zheng_(zh), Taiin jin sonetsu sho_(ja), Taeemin Joyeoljeung_(ko)

A pattern characterized by black discoloration and parching of the fingertips and nummular erythematous patches and sores over the whole body, Constipation, frequent urination, thirst, consumptive overexertion, tinnitus, dim vision, weakened legs, and Lower back pain. It may be explained by: An excessiveness in the inspirational concentrative energy of the Liver sector (Mid-lower sector), called the Liver-heat state, in addition to the weakening of the expirational dispersive energy of the Lung sector (Upper sector), called the Lung-dryness state, producing an imbalance of energy and fluid metabolism, followed by the abnormal consumption of energy and fluid.

6A1

Large Yin type Exterior Interior combined pattern

太陰人 表裏兼病證 - Tai yin ren biao li jian bing zheng^(zh), Taiin jin hyori ken byo sho^(ja),
Taeemin Pyorigyeombyeongjeung^(ko)

A pattern characterized by exterior symptoms that include cold-intolerance (accompanied with the absence of perspiration), dyspnea (labored breathing), somatic pain, diarrhea; interior symptoms that include systemic heat, ocular pain, dryness of nose, sleep disorder, tidal sweating, constipated bowel movement, thirst at a same time. It may be explained by: the damage of the Esophagus sector (Frontal Upper sector) which expires and disperses energy and fluid, and concurrently an excessive condensation and concentration of the energy-fluid of the Liver sector (Mid-lower sector).

DRAFT