

No.157	2.40	50.23	2.11	0.60
No.158	7.32	50.23	2.11	10.84
No.159	2.26	50.23	2.11	0.32
No.160	1.97	50.23	2.11	-0.28

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制度(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料27

	A	B	C	抑制度(%)
mock	1.64			
ATF4	53.90			
DMSO 1	2.48	53.90	2.48	0.00
No.161	2.37	53.90	2.48	-0.21
No.162	2.11	53.90	2.48	-0.71
No.163	2.24	53.90	2.48	-0.47
No.164	2.18	53.90	2.48	-0.59
No.165	2.28	53.90	2.48	-0.39
No.166	2.59	53.90	2.48	0.22
No.167	4.55	53.90	2.48	4.03
No.168	2.20	53.90	2.48	-0.55
No.169	2.24	53.90	2.48	-0.46
No.170	2.38	53.90	2.48	-0.20
No.171	3.95	53.90	2.48	2.86
No.172	2.62	53.90	2.48	0.27
No.173	3.38	53.90	2.48	1.75
No.174	1.74	53.90	2.48	-1.45
No.175	2.01	53.90	2.48	-0.92
No.176	2.28	53.90	2.48	-0.38
No.177	2.68	53.90	2.48	0.38
No.178	2.93	53.90	2.48	0.88
No.179	2.18	53.90	2.48	-0.59
DMSO 2	2.31	53.90	2.31	0.00
No.180	2.28	53.90	2.31	-0.05
No.181	4.10	53.90	2.31	3.46
No.182	5.13	53.90	2.31	5.47
No.183	6.40	53.90	2.31	7.93
No.184	2.27	53.90	2.31	-0.07
No.185	4.17	53.90	2.31	3.60
No.186	12.63	53.90	2.31	19.99
No.187	2.32	53.90	2.31	0.01
No.188	2.26	53.90	2.31	-0.10
No.189	1.82	53.90	2.31	-0.96
No.190	2.38	53.90	2.31	0.14
No.191	2.18	53.90	2.31	-0.26
No.192	2.21	53.90	2.31	-0.20
No.193	3.33	53.90	2.31	1.98
No.194	3.00	53.90	2.31	1.33
No.195	2.17	53.90	2.31	-0.27

No.196	1.93	53.90	2.31	-0.74
No.197	3.46	53.90	2.31	2.22
No.198	4.96	53.90	2.31	5.13
No.199	2.27	53.90	2.31	-0.09
No.200	2.28	53.90	2.31	-0.06
No.201	1.64	53.90	2.31	-1.31
No.202	2.49	53.90	2.31	0.35
DMSO 3	2.20	53.90	2.20	0.00
No.203	2.85	53.90	2.20	1.25
No.204	1.58	53.90	2.20	-1.19
No.205	2.34	53.90	2.20	0.27
No.206	2.41	53.90	2.20	0.41
No.207	2.68	53.90	2.20	0.93
No.208	1.89	53.90	2.20	-0.59
No.209	1.99	53.90	2.20	-0.40
No.210	1.85	53.90	2.20	-0.67
No.211	2.12	53.90	2.20	-0.15
No.212	1.45	53.90	2.20	-1.45
No.213	1.75	53.90	2.20	-0.86
No.214	3.00	53.90	2.20	1.56
No.215	2.46	53.90	2.20	0.51
No.216	2.26	53.90	2.20	0.12
No.217	4.17	53.90	2.20	3.82
No.218	2.00	53.90	2.20	-0.37
No.219	2.38	53.90	2.20	0.36
No.220	1.91	53.90	2.20	-0.55
No.221	1.87	53.90	2.20	-0.63
No.222	2.47	53.90	2.20	0.53
No.223	2.12	53.90	2.20	-0.15
No.224	13.04	53.90	2.20	20.98
No.225	7.28	53.90	2.20	9.82
DMSO 4	2.20	53.90	2.20	0.00
No.226	2.22	53.90	2.20	0.04
No.227	2.86	53.90	2.20	1.27
No.228	6.24	53.90	2.20	7.82
No.229	2.19	53.90	2.20	-0.02
No.230	2.14	53.90	2.20	-0.12
No.231	2.31	53.90	2.20	0.21
No.232	3.06	53.90	2.20	1.65
No.233	2.09	53.90	2.20	-0.21
No.234	2.88	53.90	2.20	1.31
No.235	2.27	53.90	2.20	0.14
No.236	2.64	53.90	2.20	0.86

No.237	2.36	53.90	2.20	0.30
No.238	8.53	53.90	2.20	12.24
No.239	2.45	53.90	2.20	0.48
No.240	3.21	53.90	2.20	1.96

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制度(\%)} = 100 - \{ (B-A) / (B-C) \} \times 100 \}$$

小数点以下2桁まで表示

資料28

	A	B	C	抑制度(%)
mock	1.64			
ATF4	53.90			
DMSO 1	2.34	53.90	2.34	0.00
No.241	3.23	53.90	2.34	1.72
No.242	2.43	53.90	2.34	0.16
No.243	2.53	53.90	2.34	0.36
No.244	3.21	53.90	2.34	1.67
No.245	2.55	53.90	2.34	0.40
No.246	1.26	53.90	2.34	-2.11
No.247	5.56	53.90	2.34	6.24
No.248	2.16	53.90	2.34	-0.36
No.249	2.28	53.90	2.34	-0.12
No.250	2.27	53.90	2.34	-0.15
No.251	1.13	53.90	2.34	-2.36
No.252	2.12	53.90	2.34	-0.43
No.253	2.18	53.90	2.34	-0.32
No.254	1.43	53.90	2.34	-1.77
No.255	3.13	53.90	2.34	1.53
No.256	3.43	53.90	2.34	2.11
No.257	2.77	53.90	2.34	0.82
No.258	3.55	53.90	2.34	2.34
No.259	1.41	53.90	2.34	-1.81
DMSO 2	1.99	53.90	2.34	-0.68
No.260	2.75	53.90	2.34	0.78
No.261	2.29	53.90	2.34	-0.10
No.262	3.72	53.90	2.34	2.68
No.263	2.18	53.90	2.18	0.00
No.264	2.23	53.90	2.18	0.10
No.265	2.13	53.90	2.18	-0.09
No.266	3.16	53.90	2.18	1.89
No.267	1.26	53.90	2.18	-1.77
No.268	5.91	53.90	2.18	7.22
No.269	2.52	53.90	2.18	0.67
No.270	2.18	53.90	2.18	0.00
No.271	2.06	53.90	2.18	-0.23
No.272	2.83	53.90	2.18	1.25
No.273	2.22	53.90	2.18	0.07
No.274	3.37	53.90	2.18	2.30
No.275	2.55	53.90	2.18	0.71

No.276	2.28	53.90	2.18	0.19
No.277	2.50	53.90	2.18	0.62
No.278	2.40	53.90	2.18	0.43
No.279	2.14	53.90	2.18	-0.07
No.280	1.96	53.90	2.18	-0.43
No.281	2.01	53.90	2.18	-0.32
No.282	2.34	53.90	2.18	0.32
No.283	2.21	53.90	2.18	0.07
No.284	2.52	53.90	2.18	0.66
No.285	4.29	53.90	2.18	4.09
No.286	5.94	53.90	2.18	7.27
DMSO 3	2.27	53.90	2.27	0.00
No.287	2.29	53.90	2.27	0.04
No.288	2.24	53.90	2.27	-0.06
No.289	2.56	53.90	2.27	0.56
No.290	2.33	53.90	2.27	0.12
No.291	2.04	53.90	2.27	-0.45
No.292	2.31	53.90	2.27	0.09
No.293	9.73	53.90	2.27	14.44
No.294	1.99	53.90	2.27	-0.54
No.295	2.38	53.90	2.27	0.23
No.296	2.29	53.90	2.27	0.05
No.297	2.39	53.90	2.27	0.24
No.298	2.16	53.90	2.27	-0.20
No.299	2.80	53.90	2.27	1.03
No.300	2.14	53.90	2.27	-0.24
No.301	2.21	53.90	2.27	-0.10
No.302	4.59	53.90	2.27	4.49
No.303	0.82	53.90	2.27	-2.81
No.304	3.32	53.90	2.27	2.03
No.305	1.91	53.90	2.27	-0.70
No.306	2.79	53.90	2.27	1.01
No.307	3.06	53.90	2.27	1.53
No.308	2.41	53.90	2.27	0.27
No.309	2.31	53.90	2.27	0.08
DMSO 4	2.15	53.90	2.15	0.00
No.310	2.22	53.90	2.15	0.14
No.311	2.10	53.90	2.15	-0.09
No.312	2.30	53.90	2.15	0.30
No.313	2.37	53.90	2.15	0.43
No.314	3.19	53.90	2.15	2.02
No.315	1.77	53.90	2.15	-0.73
No.316	0.48	53.90	2.15	-3.22

No.317	2.26	53.90	2.15	0.22
No.318	2.05	53.90	2.15	-0.19
No.319	2.02	53.90	2.15	-0.24
No.320	4.16	53.90	2.15	3.89

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制率(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料29

	A	B	C	抑制度(%)
mock	2.06			
ATF4	60.77			
DMSO 1	2.83	60.77	2.83	0.00
No.321	2.46	60.77	2.83	-0.63
No.322	2.09	60.77	2.83	-1.27
No.323	2.29	60.77	2.83	-0.93
No.324	2.50	60.77	2.83	-0.57
No.325	2.51	60.77	2.83	-0.55
No.326	2.62	60.77	2.83	-0.37
No.327	2.69	60.77	2.83	-0.25
No.328	2.74	60.77	2.83	-0.15
No.329	2.38	60.77	2.83	-0.77
No.330	2.63	60.77	2.83	-0.34
No.331	2.89	60.77	2.83	0.11
No.332	2.82	60.77	2.83	-0.02
No.333	2.83	60.77	2.83	0.00
No.334	7.67	60.77	2.83	8.35
No.335	2.48	60.77	2.83	-0.61
No.336	2.85	60.77	2.83	0.03
No.337	2.66	60.77	2.83	-0.29
No.338	2.57	60.77	2.83	-0.45
No.339	3.04	60.77	2.83	0.36
DMSO 2	2.73	60.77	2.73	0.00
No.340	2.72	60.77	2.73	-0.03
No.341	2.81	60.77	2.73	0.14
No.342	2.75	60.77	2.73	0.04
No.343	2.72	60.77	2.73	-0.03
No.344	2.85	60.77	2.73	0.20
No.345	2.52	60.77	2.73	-0.36
No.346	2.52	60.77	2.73	-0.36
No.347	2.62	60.77	2.73	-0.20
No.348	2.51	60.77	2.73	-0.37
No.349	2.67	60.77	2.73	-0.10
No.350	2.74	60.77	2.73	0.01
No.351	2.69	60.77	2.73	-0.07
No.352	2.40	60.77	2.73	-0.57
No.353	1.79	60.77	2.73	-1.62
No.354	7.74	60.77	2.73	8.62
No.355	2.70	60.77	2.73	-0.05

No.356	3.17	60.77	2.73	0.76
No.357	2.34	60.77	2.73	-0.67
No.358	2.63	60.77	2.73	-0.18
No.359	2.72	60.77	2.73	-0.01
No.360	2.85	60.77	2.73	0.21
No.361	2.88	60.77	2.73	0.26
No.362	2.99	60.77	2.73	0.44
DMSO 3	2.90	60.77	2.90	0.00
No.363	2.52	60.77	2.90	-0.65
No.364	3.06	60.77	2.90	0.27
No.365	2.78	60.77	2.90	-0.20
No.366	6.05	60.77	2.90	5.44
No.367	3.08	60.77	2.90	0.31
No.368	1.89	60.77	2.90	-1.75
No.369	2.58	60.77	2.90	-0.56
No.370	2.82	60.77	2.90	-0.13
No.371	7.95	60.77	2.90	8.72
No.372	2.92	60.77	2.90	0.03
No.373	2.95	60.77	2.90	0.08
No.374	2.53	60.77	2.90	-0.64
No.375	2.63	60.77	2.90	-0.47
No.376	2.75	60.77	2.90	-0.25
No.377	2.85	60.77	2.90	-0.09
No.378	3.03	60.77	2.90	0.22
No.379	8.67	60.77	2.90	9.96
No.380	2.37	60.77	2.90	-0.92
No.381	2.50	60.77	2.90	-0.69
No.382	2.72	60.77	2.90	-0.32
No.383	2.97	60.77	2.90	0.12
No.384	5.66	60.77	2.90	4.76
No.385	8.36	60.77	2.90	9.43
DMSO 4	2.78	60.77	2.78	0.00
No.386	2.86	60.77	2.78	0.14
No.387	4.24	60.77	2.78	2.52
No.388	3.17	60.77	2.78	0.69
No.389	2.85	60.77	2.78	0.13
No.390	2.90	60.77	2.78	0.22
No.391	2.92	60.77	2.78	0.25
No.392	2.78	60.77	2.78	0.01
No.393	4.83	60.77	2.78	3.54
No.394	2.75	60.77	2.78	-0.04
No.395	2.94	60.77	2.78	0.29
No.396	3.08	60.77	2.78	0.52

No.397	3.64	60.77	2.78	1.49
No.398	2.97	60.77	2.78	0.33
No.399	2.57	60.77	2.78	-0.35
No.400	2.56	60.77	2.78	-0.38

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制度(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料30

	A	B	C	抑制度(%)
mock	2.06			
ATF4	60.77			
DMSO 1	2.92	60.77	2.92	0.00
No.401	3.54	60.77	2.92	1.07
No.402	2.57	60.77	2.92	-0.61
No.403	3.06	60.77	2.92	0.24
No.404	2.88	60.77	2.92	-0.07
No.405	3.68	60.77	2.92	1.30
No.406	2.42	60.77	2.92	-0.87
No.407	2.86	60.77	2.92	-0.12
No.408	2.63	60.77	2.92	-0.50
No.409	2.31	60.77	2.92	-1.06
No.410	3.48	60.77	2.92	0.96
No.411	3.22	60.77	2.92	0.51
No.412	2.54	60.77	2.92	-0.67
No.413	3.09	60.77	2.92	0.29
No.414	2.82	60.77	2.92	-0.17
No.415	3.14	60.77	2.92	0.38
No.416	2.72	60.77	2.92	-0.36
No.417	3.01	60.77	2.92	0.14
No.418	2.40	60.77	2.92	-0.90
No.419	2.54	60.77	2.92	-0.66
DMSO 2	2.76	60.77	2.92	-0.28
No.420	3.08	60.77	2.92	0.27
No.421	2.90	60.77	2.92	-0.05
No.422	6.38	60.77	2.92	5.97
No.423	2.91	60.77	2.91	0.00
No.424	2.91	60.77	2.91	0.00
No.425	2.59	60.77	2.91	-0.56
No.426	3.09	60.77	2.91	0.31
No.427	2.99	60.77	2.91	0.14
No.428	2.93	60.77	2.91	0.03
No.429	2.17	60.77	2.91	-1.28
No.430	2.58	60.77	2.91	-0.58
No.431	2.48	60.77	2.91	-0.74
No.432	2.72	60.77	2.91	-0.33
No.433	2.66	60.77	2.91	-0.44
No.434	2.78	60.77	2.91	-0.24
No.435	3.13	60.77	2.91	0.38

No.436	3.07	60.77	2.91	0.28
No.437	3.04	60.77	2.91	0.22
No.438	2.76	60.77	2.91	-0.26
No.439	2.77	60.77	2.91	-0.24
No.440	5.16	60.77	2.91	3.88
No.441	2.56	60.77	2.91	-0.60
No.442	1.38	60.77	2.91	-2.64
No.443	2.62	60.77	2.91	-0.51
No.444	3.38	60.77	2.91	0.81
No.445	3.22	60.77	2.91	0.53
No.446	3.09	60.77	2.91	0.30
DMSO 3	2.91	60.77	2.91	0.00
No.447	3.41	60.77	2.91	0.87
No.448	3.03	60.77	2.91	0.21
No.449	3.16	60.77	2.91	0.44
No.450	3.26	60.77	2.91	0.60
No.451	2.52	60.77	2.91	-0.67
No.452	2.38	60.77	2.91	-0.91
No.453	2.86	60.77	2.91	-0.09
No.454	2.59	60.77	2.91	-0.54
No.455	2.52	60.77	2.91	-0.67
No.456	2.91	60.77	2.91	0.00
No.457	3.25	60.77	2.91	0.58
No.458	2.97	60.77	2.91	0.11
No.459	2.46	60.77	2.91	-0.77
No.460	2.85	60.77	2.91	-0.11
No.461	2.83	60.77	2.91	-0.14
No.462	2.21	60.77	2.91	-1.20
No.463	2.94	60.77	2.91	0.05
No.464	6.39	60.77	2.91	6.02
No.465	2.69	60.77	2.91	-0.39
No.466	3.79	60.77	2.91	1.53
No.467	2.43	60.77	2.91	-0.83
No.468	2.95	60.77	2.91	0.07
No.469	3.10	60.77	2.91	0.33
DMSO 4	2.82	60.77	2.82	0.00
No.470	2.93	60.77	2.82	0.20
No.471	2.55	60.77	2.82	-0.46
No.472	2.91	60.77	2.82	0.16
No.473	5.74	60.77	2.82	5.04
No.474	3.16	60.77	2.82	0.59
No.475	2.22	60.77	2.82	-1.04
No.476	2.47	60.77	2.82	-0.61

No.477	2.59	60.77	2.82	-0.39
No.478	1.87	60.77	2.82	-1.63
No.479	3.03	60.77	2.82	0.37
No.480	3.04	60.77	2.82	0.38

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制率(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料31

	A	B	C	抑制度(%)
mock	1.92			
ATF4	67.14			
DMSO 1	2.74	67.14	2.74	0.00
No.481	3.76	67.14	2.74	1.60
No.482	3.15	67.14	2.74	0.65
No.483	2.44	67.14	2.74	-0.45
No.484	2.21	67.14	2.74	-0.81
No.485	2.50	67.14	2.74	-0.37
No.486	4.24	67.14	2.74	2.34
No.487	2.64	67.14	2.74	-0.14
No.488	2.35	67.14	2.74	-0.60
No.489	2.49	67.14	2.74	-0.38
No.490	3.97	67.14	2.74	1.92
No.491	4.90	67.14	2.74	3.36
No.492	5.26	67.14	2.74	3.92
No.493	2.88	67.14	2.74	0.22
No.494	2.31	67.14	2.74	-0.66
No.495	2.37	67.14	2.74	-0.57
No.496	2.55	67.14	2.74	-0.29
No.497	2.61	67.14	2.74	-0.20
No.498	3.28	67.14	2.74	0.84
No.499	2.87	67.14	2.74	0.21
DMSO 2	2.55	67.14	2.55	0.00
No.500	2.66	67.14	2.55	0.16
No.501	2.30	67.14	2.55	-0.39
No.502	2.56	67.14	2.55	0.00
No.503	3.07	67.14	2.55	0.80
No.504	2.47	67.14	2.55	-0.14
No.505	2.99	67.14	2.55	0.68
No.506	1.79	67.14	2.55	-1.19
No.507	3.19	67.14	2.55	0.99
No.508	2.85	67.14	2.55	0.46
No.509	2.70	67.14	2.55	0.22
No.510	2.59	67.14	2.55	0.05
No.511	2.47	67.14	2.55	-0.13
No.512	2.38	67.14	2.55	-0.27
No.513	2.57	67.14	2.55	0.02
No.514	2.96	67.14	2.55	0.63
No.515	2.14	67.14	2.55	-0.65

No.516	2.56	67.14	2.55	0.01
No.517	2.28	67.14	2.55	-0.43
No.518	2.29	67.14	2.55	-0.41
No.519	2.43	67.14	2.55	-0.20
No.520	2.01	67.14	2.55	-0.84
No.521	2.90	67.14	2.55	0.54
No.522	3.72	67.14	2.55	1.81
DMSO 3	2.80	67.14	2.80	0.00
No.523	2.82	67.14	2.80	0.04
No.524	3.01	67.14	2.80	0.34
No.525	2.93	67.14	2.80	0.20
No.526	2.94	67.14	2.80	0.23
No.527	3.36	67.14	2.80	0.88
No.528	2.16	67.14	2.80	-0.99
No.529	2.60	67.14	2.80	-0.30
No.530	2.43	67.14	2.80	-0.57
No.531	5.31	67.14	2.80	3.90
No.532	2.55	67.14	2.80	-0.39
No.533	2.70	67.14	2.80	-0.16
No.534	2.44	67.14	2.80	-0.55
No.535	2.48	67.14	2.80	-0.49
No.536	2.25	67.14	2.80	-0.86
No.537	2.61	67.14	2.80	-0.29
No.538	6.24	67.14	2.80	5.36
No.539	3.00	67.14	2.80	0.32
No.540	2.30	67.14	2.80	-0.77
No.541	3.45	67.14	2.80	1.01
No.542	3.33	67.14	2.80	0.82
No.543	2.60	67.14	2.80	-0.30
No.544	4.31	67.14	2.80	2.36
No.545	2.94	67.14	2.80	0.23
DMSO 4	2.54	67.14	2.54	0.00
No.546	3.34	67.14	2.54	1.24
No.547	2.18	67.14	2.54	-0.56
No.548	2.62	67.14	2.54	0.12
No.549	2.51	67.14	2.54	-0.04
No.550	2.86	67.14	2.54	0.50
No.551	2.24	67.14	2.54	-0.46
No.552	2.63	67.14	2.54	0.15
No.553	5.67	67.14	2.54	4.85
No.554	2.40	67.14	2.54	-0.22
No.555	2.45	67.14	2.54	-0.14
No.556	2.58	67.14	2.54	0.06

No.557	2.53	67.14	2.54	-0.01
No.558	3.28	67.14	2.54	1.15
No.559	3.83	67.14	2.54	2.01
No.560	3.10	67.14	2.54	0.86

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制度(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料32

	A	B	C	抑制度(%)
mock	1.92			
ATF4	67.14			
DMSO 1	2.72	67.14	2.72	0.00
No.561	2.71	67.14	2.72	-0.02
No.562	2.67	67.14	2.72	-0.09
No.563	2.91	67.14	2.72	0.29
No.564	1.87	67.14	2.72	-1.33
No.565	3.17	67.14	2.72	0.70
No.566	2.36	67.14	2.72	-0.57
No.567	2.51	67.14	2.72	-0.33
No.568	2.51	67.14	2.72	-0.34
No.569	3.11	67.14	2.72	0.60
No.570	2.79	67.14	2.72	0.10
No.571	2.48	67.14	2.72	-0.39
No.572	2.91	67.14	2.72	0.29
No.573	2.16	67.14	2.72	-0.88
No.574	2.35	67.14	2.72	-0.58
No.575	3.20	67.14	2.72	0.74
No.576	2.49	67.14	2.72	-0.36
No.577	2.39	67.14	2.72	-0.51
No.578	2.22	67.14	2.72	-0.78
No.579	2.43	67.14	2.72	-0.45
No.580	2.49	67.14	2.72	-0.37
No.581	2.93	67.14	2.72	0.32
No.582	2.41	67.14	2.72	-0.49
No.583	6.08	67.14	2.72	5.21
DMSO 2	2.64	67.14	2.64	0.00
No584	2.67	67.14	2.64	0.04
No585	2.44	67.14	2.64	-0.32
No586	2.66	67.14	2.64	0.03
No587	4.73	67.14	2.64	3.24
No588	2.83	67.14	2.64	0.30
No589	2.49	67.14	2.64	-0.23
No590	2.12	67.14	2.64	-0.81
No591	1.73	67.14	2.64	-1.42
No592	2.65	67.14	2.64	0.01
No593	4.90	67.14	2.64	3.50
No594	2.97	67.14	2.64	0.50
No595	2.41	67.14	2.64	-0.37

No596	2.39	67.14	2.64	-0.39
No597	2.41	67.14	2.64	-0.36
No598	2.36	67.14	2.64	-0.44
No599	6.76	67.14	2.64	6.38
No600	2.68	67.14	2.64	0.06
No601	2.40	67.14	2.64	-0.38
No602	2.32	67.14	2.64	-0.50
No.603	9.27	67.14	2.64	10.28
No.604	4.26	67.14	2.64	2.51
No.605	2.57	67.14	2.64	-0.11
No.606	2.77	67.14	2.64	0.20
DMSO 3	2.88	67.14	2.88	0.00
No.607	2.55	67.14	2.88	-0.50
No.608	2.74	67.14	2.88	-0.22
No.609	2.94	67.14	2.88	0.10
No.610	2.51	67.14	2.88	-0.57
No.611	2.95	67.14	2.88	0.11
No.612	2.36	67.14	2.88	-0.81
No.613	2.48	67.14	2.88	-0.62
No.614	4.35	67.14	2.88	2.28
No.615	3.83	67.14	2.88	1.48
No.616	3.62	67.14	2.88	1.15
No.617	2.71	67.14	2.88	-0.27
No.618	2.77	67.14	2.88	-0.16
No.619	2.83	67.14	2.88	-0.07
No.620	2.58	67.14	2.88	-0.47
No.621	2.77	67.14	2.88	-0.17
No.622	2.65	67.14	2.88	-0.35
No.623	2.80	67.14	2.88	-0.13
No.624	2.31	67.14	2.88	-0.88
No.625	1.96	67.14	2.88	-1.43
No.626	2.63	67.14	2.88	-0.38
No.627	2.60	67.14	2.88	-0.43
No.628	2.66	67.14	2.88	-0.34
No.629	2.67	67.14	2.88	-0.32
DMSO 4	2.74	67.14	2.74	0.00
No.630	6.55	67.14	2.74	5.91
No.631	2.57	67.14	2.74	-0.26
No.632	3.37	67.14	2.74	0.98
No.633	7.30	67.14	2.74	7.08
No.634	2.70	67.14	2.74	-0.06
No.635	1.55	67.14	2.74	-1.85
No.636	2.21	67.14	2.74	-0.82

No.637	2.09	67.14	2.74	-1.01
No.638	7.83	67.14	2.74	7.91
No.639	2.69	67.14	2.74	-0.08
No.640	2.82	67.14	2.74	0.13

A: ATF4転写活性

B: ATF4のみ発現させたときのATF4転写活性

C: ATF4とTRB3を発現させ、DMSOを加えたときのATF4転写活性

$$\text{抑制度(\%)} = 100 - \{ (B-A) / (B-C) \times 100 \}$$

小数点以下2桁まで表示

資料33

	A	B	C	抑制度(%)
mock	1.47			
ATF4	47.67			
DMSO 1	2.68	47.67	2.68	0.00
No.641	2.73	47.67	2.68	0.09
No.642	2.21	47.67	2.68	-1.06
No.643	2.33	47.67	2.68	-0.79
No.644	2.55	47.67	2.68	-0.30
No.645	2.52	47.67	2.68	-0.36
No.646	2.19	47.67	2.68	-1.10
No.647	2.75	47.67	2.68	0.14
No.648	4.10	47.67	2.68	3.14
No.649	1.73	47.67	2.68	-2.12
No.650	2.20	47.67	2.68	-1.09
No.651	2.40	47.67	2.68	-0.63
No.652	2.52	47.67	2.68	-0.36
No.653	2.89	47.67	2.68	0.46
No.654	1.93	47.67	2.68	-1.67
No.655	2.09	47.67	2.68	-1.33
No.656	2.53	47.67	2.68	-0.34
No.657	1.22	47.67	2.68	-3.26
No.658	2.63	47.67	2.68	-0.13
No.659	1.46	47.67	2.68	-2.73
DMSO 2	2.59	47.67	2.59	0.00
No.660	2.17	47.67	2.59	-0.92
No.661	4.31	47.67	2.59	3.82
No.662	2.65	47.67	2.59	0.13
No.663	2.58	47.67	2.59	-0.02
No.664	2.51	47.67	2.59	-0.17
No.665	2.34	47.67	2.59	-0.55
No.666	2.17	47.67	2.59	-0.92
No.667	2.01	47.67	2.59	-1.28
No.668	2.80	47.67	2.59	0.46
No.669	4.44	47.67	2.59	4.10
No.670	3.38	47.67	2.59	1.77
No.671	2.24	47.67	2.59	-0.77
No.672	2.09	47.67	2.59	-1.11
No.673	2.31	47.67	2.59	-0.61
No.674	1.77	47.67	2.59	-1.81
No.675	1.74	47.67	2.59	-1.88