

- Colgan, J., Yuan, H.E., Franke, E.K., and Luban, J. (1996). Binding of the human immunodeficiency virus type 1 Gag polyprotein to cyclophilin A is mediated by the central region of capsid and requires Gag dimerization. *Journal of virology* 70, 4299-4310.
- Cowan, S., Hatzioannou, T., Cunningham, T., Muesing, M.A., Gottlinger, H.G., and Bieniasz, P.D. (2002). Cellular inhibitors with Fv1-like activity restrict human and simian immunodeficiency virus tropism. *Proceedings of the National Academy of Sciences of the United States of America* 99, 11914-11919.
- Cullen, B.R. (2006). Role and mechanism of action of the APOBEC3 family of antiretroviral resistance factors. *Journal of virology* 80, 1067-1076.
- Dietrich, E.A., Jones-Engel, L., and Hu, S.L. (2010). Evolution of the antiretroviral restriction factor TRIMCyp in Old World primates. *PLoS One* 5, e14019.
- Doehle, B.P., Schafer, A., and Cullen, B.R. (2005). Human APOBEC3B is a potent inhibitor of HIV-1 infectivity and is resistant to HIV-1 Vif. *Virology* 339, 281-288.
- Dorfman, T., and Gottlinger, H.G. (1996). The human immunodeficiency virus type 1 capsid p2 domain confers sensitivity to the cyclophilin-binding drug SDZ NIM 811. *Journal of virology* 70, 5751-5757.
- Fan, L., and Peden, K. (1992). Cell-free transmission of Vif mutants of HIV-1. *Virology* 190, 19-29.
- Fischer, G., Wittmann-Liebold, B., Lang, K., Kiefhaber, T., and Schmid, F.X. (1989). Cyclophilin and peptidyl-prolyl cis-trans isomerase are probably identical proteins. *Nature* 337, 476-478.
- Fisher, A.G., Ensoli, B., Ivanoff, L., Chamberlain, M., Petteway, S., Ratner, L., Gallo, R.C., and Wong-Staal, F. (1987). The sor gene of HIV-1 is required for efficient virus transmission in vitro. *Science (New York, NY)* 237, 888-893.
- Franke, E.K., and Luban, J. (1996). Inhibition of HIV-1 replication by cyclosporine A or related compounds correlates with the ability to disrupt the Gag-cyclophilin A interaction. *Virology* 222, 279-282.
- Franke, E.K., Yuan, H.E., and Luban, J. (1994). Specific incorporation of cyclophilin A into HIV-1 virions. *Nature* 372, 359-362.
- Gabuzda, D.H., Lawrence, K., Langhoff, E., Terwilliger, E., Dorfman, T., Haseltine, W.A., and Sodroski, J. (1992). Role of vif in replication of human immunodeficiency virus type 1 in CD4+ T lymphocytes. *Journal of virology* 66, 6489-6495.
- Gamble, T.R., Vajdos, F.F., Yoo, S., Worthylake, D.K., Houseweart, M., Sundquist, W.I., and Hill, C.P. (1996). Crystal structure of human cyclophilin A bound to the amino-terminal domain of HIV-1 capsid. *Cell* 87, 1285-1294.
- Gardner, M.B., Rasheed, S., Pal, B.K., Estes, J.D., and O'Brien, S.J. (1980). Akvr-1, a dominant murine leukemia virus restriction gene, is polymorphic in leukemia-prone wild mice. *Proceedings of the National Academy of Sciences of the United States of America* 77, 531-535.
- Gautsch, J.W., Elder, J.H., Schindler, J., Jensen, F.C., and Lerner, R.A. (1978). Structural markers on core protein p30 of murine leukemia virus: functional correlation with Fv-1 tropism. *Proceedings of the National Academy of Sciences of the United States of America* 75, 4170-4174.
- Goff, S.P. (2004). Genetic control of retrovirus susceptibility in mammalian cells. *Annual review of genetics* 38, 61-85.

- Guo, F., Cen, S., Niu, M., Saadatmand, J., and Kleiman, L. (2006). Inhibition of formula-primed reverse transcription by human APOBEC3G during human immunodeficiency virus type 1 replication. *Journal of virology* 80, 11710-11722.
- Guo, F., Cen, S., Niu, M., Yang, Y., Gorelick, R.J., and Kleiman, L. (2007). The interaction of APOBEC3G with human immunodeficiency virus type 1 nucleocapsid inhibits tRNA<sup>3</sup>Lys annealing to viral RNA. *Journal of virology* 81, 11322-11331.
- Harris, R.S., Bishop, K.N., Sheehy, A.M., Craig, H.M., Petersen-Mahrt, S.K., Watt, I.N., Neuberger, M.S., and Malim, M.H. (2003). DNA deamination mediates innate immunity to retroviral infection. *Cell* 113, 803-809.
- Harris, R.S., and Liddament, M.T. (2004). Retroviral restriction by APOBEC proteins. *Nat Rev Immunol* 4, 868-877.
- Hartley, J.W., Rowe, W.P., and Huebner, R.J. (1970). Host-range restrictions of murine leukemia viruses in mouse embryo cell cultures. *Journal of virology* 5, 221-225.
- Hatzioannou, T., Cowan, S., Goff, S.P., Bieniasz, P.D., and Towers, G.J. (2003). Restriction of multiple divergent retroviruses by Lv1 and Ref1. *The EMBO journal* 22, 385-394.
- Hatzioannou, T., Cowan, S., Von Schwedler, U.K., Sundquist, W.I., and Bieniasz, P.D. (2004a). Species-specific tropism determinants in the human immunodeficiency virus type 1 capsid. *Journal of virology* 78, 6005-6012.
- Hatzioannou, T., Perez-Caballero, D., Cowan, S., and Bieniasz, P.D. (2005). Cyclophilin interactions with incoming human immunodeficiency virus type 1 capsids with opposing effects on infectivity in human cells. *Journal of virology* 79, 176-183.
- Hatzioannou, T., Perez-Caballero, D., Yang, A., Cowan, S., and Bieniasz, P.D. (2004b). Retrovirus resistance factors Ref1 and Lv1 are species-specific variants of TRIM5 $\alpha$ . *Proceedings of the National Academy of Sciences of the United States of America* 101, 10774-10779.
- Hatzioannou, T., Princiotta, M., Piatak, M., Jr., Yuan, F., Zhang, F., Lifson, J.D., and Bieniasz, P.D. (2006). Generation of simian-tropic HIV-1 by restriction factor evasion. *Science* (New York, NY) 314, 95.
- Himathongkham, S., and Luciw, P.A. (1996). Restriction of HIV-1 (subtype B) replication at the entry step in rhesus macaque cells. *Virology* 219, 485-488.
- Hofmann, W., Schubert, D., LaBonte, J., Munson, L., Gibson, S., Scammell, J., Ferrigno, P., and Sodroski, J. (1999). Species-specific, postentry barriers to primate immunodeficiency virus infection. *Journal of virology* 73, 10020-10028.
- Holmes, R.K., Koning, F.A., Bishop, K.N., and Malim, M.H. (2007). APOBEC3F can inhibit the accumulation of HIV-1 reverse transcription products in the absence of hypermutation. Comparisons with APOBEC3G. *The Journal of biological chemistry* 282, 2587-2595.
- Ikeda, Y., Ylinen, L.M., Kahar-Bador, M., and Towers, G.J. (2004). Influence of gag on human immunodeficiency virus type 1 species-specific tropism. *Journal of virology* 78, 11816-11822.
- Iwatani, Y., Chan, D.S., Wang, F., Maynard, K.S., Sugiura, W., Gronenborn, A.M., Rouzina, I., Williams, M.C., Musier-Forsyth, K., and Levin, J.G. (2007). Deaminase-independent inhibition of HIV-1 reverse transcription by APOBEC3G. *Nucleic Acids Res.*

- Iwatani, Y., Takeuchi, H., Strebel, K., and Levin, J.G. (2006). Biochemical activities of highly purified, catalytically active human APOBEC3G: correlation with antiviral effect. *Journal of virology* 80, 5992-6002.
- Javanbakht, H., Diaz-Griffero, F., Yuan, W., Yeung, D.F., Li, X., Song, B., and Sodroski, J. (2007). The ability of multimerized cyclophilin A to restrict retrovirus infection. *Virology* 367, 19-29.
- Kamada, K., Igarashi, T., Martin, M.A., Khamsri, B., Hatcho, K., Yamashita, T., Fujita, M., Uchiyama, T., and Adachi, A. (2006). Generation of HIV-1 derivatives that productively infect macaque monkey lymphoid cells. *Proceedings of the National Academy of Sciences of the United States of America* 103, 16959-16964.
- Keckesova, Z., Ylinen, L.M., and Towers, G.J. (2004). The human and African green monkey TRIM5alpha genes encode Ref1 and Lv1 retroviral restriction factor activities. *Proceedings of the National Academy of Sciences of the United States of America* 101, 10780-10785.
- Kootstra, N.A., Munk, C., Tonnu, N., Landau, N.R., and Verma, I.M. (2003). Abrogation of postentry restriction of HIV-1-based lentiviral vector transduction in simian cells. *Proceedings of the National Academy of Sciences of the United States of America* 100, 1298-1303.
- Kozak, C.A., and Chakraborti, A. (1996). Single amino acid changes in the murine leukemia virus capsid protein gene define the target of Fv1 resistance. *Virology* 225, 300-305.
- Lecossier, D., Bouchonnet, F., Clavel, F., and Hance, A.J. (2003). Hypermutation of HIV-1 DNA in the absence of the Vif protein. *Science (New York, NY)* 300, 1112.
- Li, X.Y., Guo, F., Zhang, L., Kleiman, L., and Cen, S. (2007). APOBEC3G inhibits DNA strand transfer during HIV-1 reverse transcription. *The Journal of biological chemistry* 282, 32065-32074.
- Liddament, M.T., Brown, W.L., Schumacher, A.J., and Harris, R.S. (2004). APOBEC3F properties and hypermutation preferences indicate activity against HIV-1 in vivo. *Curr Biol* 14, 1385-1391.
- Luban, J., Bossolt, K.L., Franke, E.K., Kalpana, G.V., and Goff, S.P. (1993). Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. *Cell* 73, 1067-1078.
- Luo, K., Wang, T., Liu, B., Tian, C., Xiao, Z., Kappes, J., and Yu, X.F. (2007). Cytidine deaminases APOBEC3G and APOBEC3F interact with human immunodeficiency virus type 1 integrase and inhibit proviral DNA formation. *Journal of virology* 81, 7238-7248.
- Mangeat, B., Turelli, P., Caron, G., Friedli, M., Perrin, L., and Trono, D. (2003). Broad antiretroviral defence by human APOBEC3G through lethal editing of nascent reverse transcripts. *Nature* 424, 99-103.
- Mangeat, B., Turelli, P., Liao, S., and Trono, D. (2004). A single amino acid determinant governs the species-specific sensitivity of APOBEC3G to Vif action. *The Journal of biological chemistry* 279, 14481-14483.
- Mariani, R., Chen, D., Schrofelbauer, B., Navarro, F., Konig, R., Bollman, B., Munk, C., Nymark-McMahon, H., and Landau, N.R. (2003). Species-specific exclusion of APOBEC3G from HIV-1 virions by Vif. *Cell* 114, 21-31.
- Mbisa, J.L., Barr, R., Thomas, J.A., Vandegraaff, N., Dorweiler, I.J., Svarovskaia, E.S., Brown, W.L., Mansky, L.M., Gorelick, R.J., Harris, R.S., et al. (2007). Human

- immunodeficiency virus type 1 cDNAs produced in the presence of APOBEC3G exhibit defects in plus-strand DNA transfer and integration. *Journal of virology* 81, 7099-7110.
- Miyagi, E., Opi, S., Takeuchi, H., Khan, M., Goila-Gaur, R., Kao, S., and Strebel, K. (2007). Enzymatically active APOBEC3G is required for efficient inhibition of human immunodeficiency virus type 1. *Journal of virology* 81, 13346-13353.
- Munk, C., Brandt, S.M., Lucero, G., and Landau, N.R. (2002). A dominant block to HIV-1 replication at reverse transcription in simian cells. *Proceedings of the National Academy of Sciences of the United States of America* 99, 13843-13848.
- Navarro, F., Bollman, B., Chen, H., Konig, R., Yu, Q., Chiles, K., and Landau, N.R. (2005). Complementary function of the two catalytic domains of APOBEC3G. *Virology* 333, 374-386.
- Newman, E.N., Holmes, R.K., Craig, H.M., Klein, K.C., Lingappa, J.R., Malim, M.H., and Sheehy, A.M. (2005). Antiviral function of APOBEC3G can be dissociated from cytidine deaminase activity. *Curr Biol* 15, 166-170.
- Nisole, S., Stoye, J.P., and Saib, A. (2005). TRIM family proteins: retroviral restriction and antiviral defence. *Nature reviews* 3, 799-808.
- Opi, S., Takeuchi, H., Kao, S., Khan, M.A., Miyagi, E., Goila-Gaur, R., Iwatani, Y., Levin, J.G., and Strebel, K. (2006). Monomeric APOBEC3G is catalytically active and has antiviral activity. *Journal of virology* 80, 4673-4682.
- Ott, D.E., Coren, L.V., Johnson, D.G., Sowder, R.C., 2nd, Arthur, L.O., and Henderson, L.E. (1995). Analysis and localization of cyclophilin A found in the virions of human immunodeficiency virus type 1 MN strain. *AIDS research and human retroviruses* 11, 1003-1006.
- Owens, C.M., Song, B., Perron, M.J., Yang, P.C., Stremlau, M., and Sodroski, J. (2004). Binding and susceptibility to postentry restriction factors in monkey cells are specified by distinct regions of the human immunodeficiency virus type 1 capsid. *Journal of virology* 78, 5423-5437.
- Owens, C.M., Yang, P.C., Gottlinger, H., and Sodroski, J. (2003). Human and simian immunodeficiency virus capsid proteins are major viral determinants of early, postentry replication blocks in simian cells. *Journal of virology* 77, 726-731.
- Pacheco, B., Finzi, A., McGee-Estrada, K., and Sodroski, J. (2010). Species-specific inhibition of foamy viruses from South American monkeys by New World Monkey TRIM5{alpha} proteins. *Journal of virology* 84, 4095-4099.
- Perron, M.J., Stremlau, M., Song, B., Ulm, W., Mulligan, R.C., and Sodroski, J. (2004). TRIM5{alpha} mediates the postentry block to N-tropic murine leukemia viruses in human cells. *Proceedings of the National Academy of Sciences of the United States of America* 101, 11827-11832.
- Pincus, T., Hartley, J.W., and Rowe, W.P. (1971). A major genetic locus affecting resistance to infection with murine leukemia viruses. I. Tissue culture studies of naturally occurring viruses. *The Journal of experimental medicine* 133, 1219-1233.
- Rasheed, S., and Gardner, M.B. (1983). Resistance to fibroblasts and hematopoietic cells to ecotropic murine leukemia virus infection; an Akvr-1R gene effect. *International journal of cancer* 31, 491-496.

- Rein, A., Kashmiri, S.V., Bassin, R.H., Gerwin, B.L., and Duran-Troise, G. (1976). Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *Cell* 7, 373-379.
- Reymond, A., Meroni, G., Fantozzi, A., Merla, G., Cairo, S., Luzi, L., Riganelli, D., Zanaria, E., Messali, S., Cainarca, S., *et al.* (2001). The tripartite motif family identifies cell compartments. *The EMBO journal* 20, 2140-2151.
- Rose, K.M., Marin, M., Kozak, S.L., and Kabat, D. (2005). Regulated production and anti-HIV type 1 activities of cytidine deaminases APOBEC3B, 3F, and 3G. *AIDS research and human retroviruses* 21, 611-619.
- Sakai, H., Shibata, R., Sakuragi, J., Sakuragi, S., Kawamura, M., and Adachi, A. (1993). Cell-dependent requirement of human immunodeficiency virus type 1 Vif protein for maturation of virus particles. *Journal of virology* 67, 1663-1666.
- Sakuma, R., Noser, J.A., Ohmine, S., and Ikeda, Y. (2007). Rhesus monkey TRIM5alpha restricts HIV-1 production through rapid degradation of viral Gag polyproteins. *Nature medicine* 13, 631-635.
- Sakuma, R., Ohmine, S., and Ikeda, Y. (2010). Determinants for the rhesus monkey TRIM5alpha-mediated block of the late phase of HIV-1 replication. *The Journal of biological chemistry* 285, 3784-3793.
- Sayah, D.M., Sokolskaja, E., Berthoux, L., and Luban, J. (2004). Cyclophilin A retrotransposition into TRIM5 explains owl monkey resistance to HIV-1. *Nature* 430, 569-573.
- Schrofelbauer, B., Chen, D., and Landau, N.R. (2004). A single amino acid of APOBEC3G controls its species-specific interaction with virion infectivity factor (Vif). *Proceedings of the National Academy of Sciences of the United States of America* 101, 3927-3932.
- Shibata, R., Kawamura, M., Sakai, H., Hayami, M., Ishimoto, A., and Adachi, A. (1991). Generation of a chimeric human and simian immunodeficiency virus infectious to monkey peripheral blood mononuclear cells. *Journal of virology* 65, 3514-3520.
- Shibata, R., Sakai, H., Kawamura, M., Tokunaga, K., and Adachi, A. (1995). Early replication block of human immunodeficiency virus type 1 in monkey cells. *The Journal of general virology* 76 ( Pt 11), 2723-2730.
- Shindo, K., Takaori-Kondo, A., Kobayashi, M., Abudu, A., Fukunaga, K., and Uchiyama, T. (2003). The enzymatic activity of CEM15/Apobec-3G is essential for the regulation of the infectivity of HIV-1 virion but not a sole determinant of its antiviral activity. *The Journal of biological chemistry* 278, 44412-44416.
- Si, Z., Vandegraaff, N., O'Huigin, C., Song, B., Yuan, W., Xu, C., Perron, M., Li, X., Marasco, W.A., Engelman, A., *et al.* (2006). Evolution of a cytoplasmic tripartite motif (TRIM) protein in cows that restricts retroviral infection. *Proceedings of the National Academy of Sciences of the United States of America* 103, 7454-7459.
- Simon, J.H., Miller, D.L., Fouchier, R.A., Soares, M.A., Peden, K.W., and Malim, M.H. (1998). The regulation of primate immunodeficiency virus infectivity by Vif is cell species restricted: a role for Vif in determining virus host range and cross-species transmission. *The EMBO journal* 17, 1259-1267.
- Sokolskaja, E., Sayah, D.M., and Luban, J. (2004). Target cell cyclophilin A modulates human immunodeficiency virus type 1 infectivity. *Journal of virology* 78, 12800-12808.

- Song, B., Javanbakht, H., Perron, M., Park, D.H., Stremlau, M., and Sodroski, J. (2005). Retrovirus restriction by TRIM5alpha variants from Old World and New World primates. *Journal of virology* 79, 3930-3937.
- Strebel, K., Daugherty, D., Clouse, K., Cohen, D., Folks, T., and Martin, M.A. (1987). The HIV 'A' (sor) gene product is essential for virus infectivity. *Nature* 328, 728-730.
- Stremlau, M., Owens, C.M., Perron, M.J., Kiessling, M., Autissier, P., and Sodroski, J. (2004). The cytoplasmic body component TRIM5alpha restricts HIV-1 infection in Old World monkeys. *Nature* 427, 848-853.
- Stremlau, M., Perron, M., Lee, M., Li, Y., Song, B., Javanbakht, H., Diaz-Griffero, F., Anderson, D.J., Sundquist, W.I., and Sodroski, J. (2006). Specific recognition and accelerated uncoating of retroviral capsids by the TRIM5alpha restriction factor. *Proceedings of the National Academy of Sciences of the United States of America* 103, 5514-5519.
- Suzuki, S. (1975). FV-4: a new gene affecting the splenomegaly induction by Friend leukemia virus. *The Japanese journal of experimental medicine* 45, 473-478.
- Takahashi, N., Hayano, T., and Suzuki, M. (1989). Peptidyl-prolyl cis-trans isomerase is the cyclosporin A-binding protein cyclophilin. *Nature* 337, 473-475.
- Takeda, A., and Matano, T. (2007). Inhibition of infectious murine leukemia virus production by Fv-4 env gene products exerting dominant negative effect on viral envelope glycoprotein. *Microbes Infect.*
- Takeuchi, H., Buckler-White, A., Goila-Gaur, R., Miyagi, E., Khan, M.A., Opi, S., Kao, S., Sokolskaja, E., Pertel, T., Luban, J., et al. (2007). Vif counteracts a cyclophilin A-imposed inhibition of simian immunodeficiency viruses in human cells. *Journal of virology* 81, 8080-8090.
- Takeuchi, H., Kao, S., Miyagi, E., Khan, M.A., Buckler-White, A., Plishka, R., and Strebel, K. (2005). Production of infectious SIVagm from human cells requires functional inactivation but not viral exclusion of human APOBEC3G. *The Journal of biological chemistry* 280, 375-382.
- Thali, M., Bukovsky, A., Kondo, E., Rosenwirth, B., Walsh, C.T., Sodroski, J., and Gottlinger, H.G. (1994). Functional association of cyclophilin A with HIV-1 virions. *Nature* 372, 363-365.
- Towers, G., Bock, M., Martin, S., Takeuchi, Y., Stoye, J.P., and Danos, O. (2000). A conserved mechanism of retrovirus restriction in mammals. *Proceedings of the National Academy of Sciences of the United States of America* 97, 12295-12299.
- Towers, G.J., Hatziioannou, T., Cowan, S., Goff, S.P., Luban, J., and Bieniasz, P.D. (2003). Cyclophilin A modulates the sensitivity of HIV-1 to host restriction factors. *Nature medicine* 9, 1138-1143.
- van Manen, D., Rits, M.A., Beugeling, C., van Dort, K., Schuitemaker, H., and Kootstra, N.A. (2008). The effect of Trim5 polymorphisms on the clinical course of HIV-1 infection. *PLoS Pathog* 4, e18.
- von Schwedler, U., Song, J., Aiken, C., and Trono, D. (1993). Vif is crucial for human immunodeficiency virus type 1 proviral DNA synthesis in infected cells. *Journal of virology* 67, 4945-4955.
- Wiegand, H.L., Doehle, B.P., Bogerd, H.P., and Cullen, B.R. (2004). A second human antiretroviral factor, APOBEC3F, is suppressed by the HIV-1 and HIV-2 Vif proteins. *The EMBO journal* 23, 2451-2458.

- Wilson, S.J., Webb, B.L., Ylinen, L.M., Verschoor, E., Heeney, J.L., and Towers, G.J. (2008). Independent evolution of an antiviral TRIMCyp in rhesus macaques. *Proceedings of the National Academy of Sciences of the United States of America* 105, 3557-3562.
- Wu, X., Anderson, J.L., Campbell, E.M., Joseph, A.M., and Hope, T.J. (2006). Proteasome inhibitors uncouple rhesus TRIM5alpha restriction of HIV-1 reverse transcription and infection. *Proceedings of the National Academy of Sciences of the United States of America* 103, 7465-7470.
- Xu, H., Svarovskaia, E.S., Barr, R., Zhang, Y., Khan, M.A., Strebel, K., and Pathak, V.K. (2004). A single amino acid substitution in human APOBEC3G antiretroviral enzyme confers resistance to HIV-1 virion infectivity factor-induced depletion. *Proceedings of the National Academy of Sciences of the United States of America* 101, 5652-5657.
- Yap, M.W., Nisole, S., Lynch, C., and Stoye, J.P. (2004). Trim5alpha protein restricts both HIV-1 and murine leukemia virus. *Proceedings of the National Academy of Sciences of the United States of America* 101, 10786-10791.
- Ylinen, L.M., Keckesova, Z., Wilson, S.J., Ranasinghe, S., and Towers, G.J. (2005). Differential restriction of human immunodeficiency virus type 2 and simian immunodeficiency virus SIVmac by TRIM5alpha alleles. *Journal of virology* 79, 11580-11587.
- Yu, Q., Konig, R., Pillai, S., Chiles, K., Kearney, M., Palmer, S., Richman, D., Coffin, J.M., and Landau, N.R. (2004). Single-strand specificity of APOBEC3G accounts for minus-strand deamination of the HIV genome. *Nature structural & molecular biology* 11, 435-442.
- Yu, X., Yu, Y., Liu, B., Luo, K., Kong, W., Mao, P., and Yu, X.F. (2003). Induction of APOBEC3G ubiquitination and degradation by an HIV-1 Vif-Cul5-SCF complex. *Science (New York, NY)* 302, 1056-1060.
- Zhang, F., Perez-Caballero, D., Hatzioannou, T., and Bieniasz, P.D. (2008). No effect of endogenous TRIM5alpha on HIV-1 production. *Nature medicine* 14, 235-236; *author reply* 236-238.
- Zhang, H., Yang, B., Pomerantz, R.J., Zhang, C., Arunachalam, S.C., and Gao, L. (2003). The cytidine deaminase CEM15 induces hypermutation in newly synthesized HIV-1 DNA. *Nature* 424, 94-98.
- Zhao, Y., Chen, Y., Schutkowski, M., Fischer, G., and Ke, H. (1997). Cyclophilin A complexed with a fragment of HIV-1 gag protein: insights into HIV-1 infectious activity. *Structure* 5, 139-146.
- Zheng, Y.H., Irwin, D., Kurosu, T., Tokunaga, K., Sata, T., and Peterlin, B.M. (2004). Human APOBEC3F is another host factor that blocks human immunodeficiency virus type 1 replication. *Journal of virology* 78, 6073-6076.

