

平成22年度の研究成果の刊行に関する一覧

研究代表者：中林哲夫

1. ○中林哲夫: 向精神薬の臨床試験. in press
2. ○中林哲夫: プラセボ効果. in press
3. ○中林哲夫: Escitalopram と他の抗うつ薬との有効性の比較. in press
4. ○中林哲夫: Escitalopram と他の抗うつ薬との安全性の比較. in press
5. ○中林哲夫, 山田光彦: Star*D の意味するもの. in press
6. ○中林哲夫: 抗うつ薬の課題と未来. 医学のあゆみ. 236(10): 916-922, 2011
7. ○中林哲夫: 向精神薬の治験の進め方 -抗うつ薬の臨床試験を中心に-. 樋口輝彦・不安・抗うつ臨床研究会編. 向精神薬開発の現状と課題. 東京. 41-52, 2010
8. Hashimoto R, Noguchi H, Hori H, Nakabayashi T, Suzuki T, Iwata N, Ozaki N, Kosuga A, Tatsumi M, Kamijima K, Harada S, Takeda M, Saitoh O, Kunugi H: A genetic variation in the dysbindin gene (DTNBP1) is associated with memory performance in healthy controls. *World J Biol Psychiatry*. Mar;11(2 Pt 2):431-8, 2010
9. ○中林哲夫, 中村治雅, 岡本長久: 本邦における国際共同治験の現状と課題 -抗うつ薬開発の最近の動向-, *臨床精神神経薬理*. 13: 255-263, 2010
10. 津野良子, 玉浦明美, 山岸美奈子, ○中林哲夫: 精神・神経関連の治験における中止理由に関する傾向分析. *臨床薬理*. 41: Suppl. S202, 2010
11. 奥村泰之, 三澤史斉, ○中林哲夫, 伊藤弘人: 統合失調症患者への非定型抗精神病薬の糖尿病のリスク メタ分析. *国立精神・神経センター精神保健研究所年報*. 23: 269, 2010
12. 奥村泰之, 三澤史斉, ○中林哲夫, 伊藤弘人: 統合失調症患者への非定型抗精神病薬の糖尿病のリスク メタ分析. *臨床精神薬理*. 13 (2), 317-325, 2010
13. ○中林哲夫, 一丸勝彦, 宇山佳明: うつ病研究における海外の動向 -抗うつ薬開発の国内外の動向-. *Depression Frontier*. 7(1), 82-89, 2009
14. Hashimoto R, Mori T, Nemoto K, Moriguchi Y, Noguchi H, Nakabayashi T, Hori H, Harada S, Kunugi H, Saitoh O, Ohnishi T : Abnormal microstructures of the basal ganglia in schizophrenia revealed by diffusion tensor imaging. *World J Biol Psychiatry*. 10(1):65-9, 2009
15. 木村卓, 八木深, 岩永英之, ○中林哲夫, 吉住昭: 精神科医療における入院評価尺度実用化の試み-「精神疾患および依存症のためのケアレベル活用システム」(LOCUS)日本語版評定者間信頼性の検討-. *精神神経学雑誌*. 110(1), 22-29, 2008
16. Hori H, Noguchi H, Hashimoto R, Nakabayashi T, Saitoh O, Murray RM, Okabe S, Kunugi H: Personality in schizophrenia assessed with the Temperament and Character Inventory (TCI). *Psychiatry Res*. 160(2): 175-83, 2008 Aug 15. Epub 2008 Jul 7

研究分担者：武田伸一

1. Shin, J.H, Nitahara-Kasahara, Y, Hayashita-Kinoh, H, Ohshima, S, Kinoshita, K, Chiyo T, Okada, H, Okada, T, ○Takeda S: Improvement of cardiac fibrosis in dystrophic mice by rAAV9-mediated microdystrophin transduction, *Gene Ther*, in press
2. Nakamura A, ○Takeda S: Mammalian models of duchenne muscular dystrophy: pathological characteristics and therapeutic applications, *J Biomed Biotechnol*, in press
3. Fukaya M, Kamata A, Hara Y, Tamaki H, Katsumata O, Ito N, ○Takeda S, Hata Y, Suzuki T, Watanabe M, Harvey RJ, Sakagami H: SynArfGEF is a guanine nucleotide exchange factor for Arf6 and localizes preferentially at post-synaptic specializations of inhibitory synapses, *J Neurochem*, in press
4. Shimizu N, Yoshikawa N, Ito N, Maruyama T, Suzuki Y, ○Takeda S, Nakae J, Tagata Y, Nishitani S, Takehana K, Sano M, Fukuda K, Suematsu M, Morimoto C, Tanaka H: Crosstalk between Glucocorticoid Receptor and Nutritional Sensor mTOR in Skeletal Muscle, *Cell Metab*, 13, 170-82, 2011
5. Lu QL, Yokota T, ○Takeda S, Garcia L, Muntoni F, Partridge T: The status of exon skipping as a therapeutic approach to duchenne muscular dystrophy, *Mol Ther*, 19, 9-15, 2011
6. Yokota T, Hoffman E, ○Takeda S: Antisense oligo-mediated multiple exon skipping in a dog model of duchenne muscular dystrophy, *Methods Mol Biol*, 709, 299-312, 2011
7. Miyagoe-Suzuki Y, ○Takeda S: Gene therapy for muscle disease, *Exp Cell Res*, 316, 3087-3092, 2010
8. Aoki Y, Nakamura A, Yokota T, Saito T, Okazawa H, Nagata T, ○Takeda S: In-frame dystrophin following exon 51-skipping improves muscle pathology and function in the exon 52-deficient mdx mouse, *Mol Ther*, 18, 1995-2005, 2010
9. Kanagawa M, Omori Y, Sato S, Kobayashi K, Miyagoe-Suzuki Y, ○Takeda S, Endo T, Furukawa T, Toda T: Post-translational Maturation of Dystroglycan Is Necessary for Pikachurin Binding and Ribbon Synaptic Localization, *J Biol Chem*, 285, 31208-31216, 2010
10. Suzuki N, Mizuno H, Warita H, ○Takeda S, Itoyama Y, Aoki M: Neuronal NOS is dislocated during muscle atrophy in amyotrophic lateral sclerosis, *J Neurol Sci*, 294, 95-101, 2010
11. Sugita H, ○Takeda S: Progress in muscular dystrophy research with special emphasis on gene therapy, *Proc Jpn Acad Ser B Phys Biol Sci*, 86, 748-56, 2010
12. Saito T, Nakamura A, Aoki Y, Yokota T, Okada T, Osawa M, ○Takeda S: Antisense PMO Found in Dystrophic Dog Model Was Effective in Cells from Exon 7-Deleted DMD Patient, *PLoS One*, 5(8), pii: e12239, 2010
13. Masamizu Y, Okada T, Ishibashi H, ○Takeda S, Yuasa S, Nakahara K: Efficient gene transfer into neurons in monkey brain by adeno-associated virus 8, *Neuroreport*, 21, 447-451, 2010
14. Yajima H, Motohashi N, Ono Y, Sato S, Ikeda K, Masuda S, Yada E, Kanesaki H,

- Miyagoe-Suzuki Y, Takeda S, Kawakami K: Six family genes control the proliferation and differentiation of muscle satellite cells, *Exp Cell Res*, 316, 2932-2944, 2010
15. Fukada S, Morikawa D, Yamamoto Y, Yoshida T, Sumie N, Yamaguchi M, Ito T, Miyagoe-Suzuki Y, Takeda S, Tsujikawa K, Yamamoto H: Genetic background affects properties of satellite cells and mdx phenotypes, *Am J Pathol*, 176, 2414-2424, 2010
 16. Okada T, Takeda S: Advances in molecular therapy research on dystrophin-deficient muscular dystrophy. In, *Gene Therapy and Regulation* (ed. by Roger Bertolotti), World Scientific, NJ, 2010, 5(1), 113-123
 17. Miyagoe-Suzuki Y, Takeda S: Mechanobiology in skeletal muscle: conversion of mechanical information into molecular signal. *Mechanosensing Biology* (ed. Masaki Noda), Springer Japan, 1-219, 2010

研究分担者：山田光彦

1. 山田光彦：特集-大規模臨床研究の意義と限界-, *分子精神医学*, 10 (4), 261, 2010
2. 中川敦夫, 山田光彦：特集-大規模臨床研究の意義と限界-うつ病治療における大規模臨床研究の意義と課題, *分子精神医学*, 10 (4), 262-268, 2010
3. 大槻露華, 稲垣正俊, 山田光彦：特集-大規模臨床研究の意義と限界-大規模臨床研究を利用した遺伝子解析研究の意義と限界, *分子精神医学*, 10 (4), 291-298, 2010

研究分担者：伊藤弘人

1. Kobayashi M, Ito H, Okumura Y, Mayahara K, Matsumoto Y, Hirakawa J: Hospital readmission and first-time admitted patients with schizophrenia: Smoking patients had higher hospital readmission rate than non-smoking patients, *International Journal of Psychiatry in Medicine*, 40, 247-257, 2010
2. Sawamura K, Ito H, Koyama A, Tajima M, Higuchi T.: The effect of an educational leaflet on depressive patients' attitudes toward treatment, *Psychiatry Research*, 177, 184-187, 2010
3. Miyamoto Y, Tachimori H, Ito H: Formal Caregiver Burden in Dementia: Impact of Behavioral and Psychological Symptoms of Dementia and Activities of Daily Living, *Geriatr Nurs*, 31, 246-253, 2010
4. Okumura Y, Ito H, Kobayashi M, Mayahara K, Matsumoto Y, Hirakawa J: Prevalence of diabetes and antipsychotic prescription patterns in patients with schizophrenia: A nationwide retrospective cohort study, *Schizophrenia Research*, 119 (1-3), 145-152, 2010
5. Misawa F, Shimizu K, Fujii Y, Miyata R, Koshiishi F, Kobayashi M, Shida H, Oguchi Y, Okumura Y, Ito H, Kayama M, Kashima H: Is antipsychotic polypharmacy associated with metabolic syndrome even after adjustment for lifestyle effects? : a cross-sectional study, *BMC Psychiatry*, in press

6. ○Ito H, Setoya Y, Suzuki Y: Lessons learned in developing community mental health care in East and South East Asia, *World Psychiatry*, in press
7. Thornicroft G, Alem A, Dos Santos RA, Barley E, Drake RE, Gregorio G, Hanlon C, ○Ito H, Latimer E, Law A, Mari J, McGeorge J, Padmavati R, Razzouk D, Semrau M, Setoya Y, Thara R, Wondimagegn D : WPA guidance on steps, obstacles and mistakes to avoid in the implementation of community mental health care, *World Psychiatry*, 9, 67-77, 2010
8. Spaeth-Rublee B, Pincus HA, Huynh PT, Brown B, Rosen A, Durbin J, Goldbloom D, Lin E, Wiebe P, Griffiths H, Gaebel W, Zielasek J, Janssen B, Sommerlad K, Brogan C, Rogan M, Daly I, ○Ito H, Spronken P, Tromp J, Witte G, de Beer J, Chaplow D, McGeorge P, Silvestri F, Ruud T, Coia D, Cheng JJ, Adams N, Everett A, Parks J, Stuart P, Pincus H, Thompson K, Carroll C: Measuring quality of mental health care: a review of initiatives and programs in selected countries, *Can J Psychiatry*, 55, 539–548, 2010

研究分担者：中村治雅

1. ○中村治雅, 川井充：筋ジストロフィーの治療薬開発に向けて、患者登録データベース (Remudy) の現状, *神経内科*, in press
2. ○H Nakamura, I Nishino, H Komaki, et al: REMUDY—DMD/BMD patient registry in Japan, 15th World Muscle Society Congress, 15 Oct 2010, Kumamoto
3. ○中村治雅, 小牧宏文, 森まどか, ほか：筋ジストロフィー患者登録の構築と現状 REMUD, 第 51 回日本神経学会学術会議, 2010 年 5 月 21 日, 東京

研究分担者：後藤雄一

1. 池上弥生, 中川栄二, ○後藤雄一: 国立精神・神経医療研究センターにおける発症前診断及び出生前診断の現状と方向性, 第 34 回日本遺伝カウンセリング学会, 東京, 5.29, 2010

研究分担者：功刀浩

1. ○功刀浩, 千葉秀一, 堀弘明, 沼川忠広：うつ病研究紹介-治療抵抗性うつ病に対するドパミン受容体作動薬の有用性に関する検討, *Depression Frontier*, 8(2), 85-90, 2010
2. Shuichi Chiba, Tadahiro Numakawa, Midori Ninomiya, Hyung Shin Yoon, ○Hiroshi Kunugi: Cabergoline, a dopamine receptor agonist, has an antidepressant-like property and enhances brain-derived neurotrophic factor signaling, *Psychopharmacology*, 211, 291-301, 2010

研究分担者：川寄弘詔

1. Leo Gotch, Hiroshi Mitsuyasu, Yuki Kobayashi, Naoya Oribe, Atsushi Takata, Hideaki Ninomiya, Vincent P. Stanton Jr, Gregory M. Springett, ○Hiroaki Kawasaki and Shigenobu Karba: Association

- analysis of adenosine A1 receptor gene (ADORA1) polymorphisms with schizophrenia in a Japanese population, *Psychiatr Genet*, 19 (6) , 328-35, 2009 Dec
2. 光安博志, ○川寄弘詔, 神庭重信: うつ病の初診時に注意すべきこと, *精神科*, 14(4), 285-291, 2009.4
 3. 臼杵理人, 光安博志, 後藤玲央, ○川寄弘詔, 神庭重信: 双極性障害と注意障害, 専門医のための精神科臨床リュミエール 10, 114-122, 2009.5
 4. ○川寄弘詔: ストレスと精神疾患における遺伝子発現, *ストレス科学*, 24(1), 44-54, 2009.7
 5. 光安博志, 後藤玲央, ○川寄弘詔: うつ病のチーム医療, *臨床栄養*, 115(7), 783-789, 2009.12
 6. ○川寄弘詔: DSM-V に向けての取り組み, *Psychiatry Today*, 23;6-8, 2009.12
 7. ○川寄弘詔: 精神障害の診断と分類における公衆衛生学的側面: DSM-V 研究に関する討議事項, *Psychiatry Today*, 23, 9-11, 2009.12
 8. ○川寄弘詔: パーソナリティ障害に関する縦断的共同研究(CLPS): DSM-V に対する示唆的意義, *Psychiatry Today*, 23, 12-13, 2009.12
 9. ○川寄弘詔: 九州大学病院リエゾン・コンサルテーションにおける思春期青年期症例の特徴, *思春期青年期精神医学*, 20(2), 118-125, 2010.12

研究分担者: 米本直裕

1. ○米本直裕, 稲垣正俊, 山田光彦: 12 の抗うつ薬はどれも同じか? —マルチプルトリートメントアナリシスが開く新しいエビデンス—, *臨床精神薬*, 13(10), 1975—86, 2010

研究分担者: 山岸美奈子、玉浦明美

1. ○山岸美奈子: ドラッグラグに挑む～医療機関の取り組みと CRC の役割～, 第 40 回日本病院薬剤師会関東ブロック学術大会, TOC 有明コンベンションホール, 2010 Aug 29
2. 塚本祥子, 鈴木亜紀, 太幡真紀, ○玉浦明美, ○山岸美奈子, 中林哲夫, 三松真, 秋林法美, 福原清隆, 佐藤典子: 複雑な MRI 撮像設定の治験を経験して—放射線部・依頼者との関わりを振り返って—, 第 10 回 CRC と臨床試験のあり方を考える会議, 別府, 2010 Oct 1-3
3. 津野良子, 太幡真紀, ○玉浦明美, ○山岸美奈子, 中林哲夫: 精神・神経関連の治験における中止理由に関する傾向分析, *臨床薬理学会*, 京都, 2010 Dec 1-3
4. ○山岸美奈子: 治験のいろは, 第 14 回国立病院機構新任薬剤師研修会, 国立病院機構東京医療センター, 2010 Jun 5
5. ○山岸美奈子: 「統合失調症の理解を深める」専門研修-CRC の立場から-, *日本 SMO 協会*, 第 13 回 CRC 継続研修, 第一ホテル東京シーフォート, 2010 Sep 11
6. ○玉浦明美: CRC を知ってもらうために! —関連部署との連携のために心がけていること—, 第 10 回 CRC と臨床試験のあり方を考える会議, 別府, 2010 Oct 3

7. ○山岸美奈子: 国際共同治験の今後-国際共同治験を考える-CRC の立場から, 第 13 回日本病院薬剤師会 CRC 養成フォローアップ研修会, 日本青年館国際ホール, 2011 Mar 5
8. 藪崎 栄, ○山岸 美奈子, ○玉浦 明美, 永瀬 香, 掛井 基徳, 中林 哲夫: 臨床研究の実施体制に関する整備-研究倫理審査に関する電子システムの開発-, 臨床試験研究会第 2 回学術集会総会, 大阪, 2011 Feb 4-5

研究分担者: 松岡豊

1. ○Matsuoka Y, Nishi D, Yonemoto N, Hamazaki K, Hashimoto K, Hamazaki T: Omega-3 fatty acids for the secondary prevention of posttraumatic stress disorder after an accidental injury: an open-label pilot study, *J Clin Psychopharmacology*, 30(2), 217-219, 2010
2. Nishi D, ○Matsuoka Y, Yonemoto N, Noguchi H, Kim Y, Kanba S: The Peritraumatic Distress Inventory as a predictor for the subsequent posttraumatic stress disorder after a severe motor vehicle accident, *Psychiatry Clin Neurosci*, 64(2), 149-156, 2010
3. Nishi D, ○Matsuoka Y, Kim Y: Posttraumatic growth, posttraumatic stress disorder and resilience of motor vehicle accident survivors, *Biopsychosocial Medicine* 4, 7, 2010 Jun 24
4. Nishi D, Uehara R, Kondo M, ○Matsuoka Y: Reliability and validity of the Japanese version of the Resilience Scale and its short version, *BMC Research Notes*, 3(1), 310, 2010 Nov 17
5. ○Matsuoka Y: Clearance of fear memory from the hippocampus through neurogenesis by omega-3 fatty acids: A novel preventive strategy for posttraumatic stress disorder?, *Biopsychosocial Medicine*, 5, 3, 2011 Feb 8
6. ○Matsuoka Y, Nishi D, Yonemoto N, Hamazaki K, Hamazaki T, Hashimoto K: Potential role of BDNF in the omega-3 fatty acid supplementation to prevent posttraumatic distress after accidental injury: An open-label pilot study, *Psychother Psychosom*, in press
7. Hamazaki T, Itomura M, Hamazaki K, ○Matsuoka Y: The safety of fish oils for those whose risk of injury is high -Effects of n-3 fatty acids on mood and behavior, *Prostaglandins Leukot Essent Fatty Acids*, in press
8. 西大輔, ○松岡豊: PTSD の病態理解から考える予防および治療介入—身体外傷患者の場合を中心に—, *臨床精神医学*, 39(4), 431-437, 2010
9. 浜崎景, ○松岡豊, 浜崎智仁, 稲寺秀邦: ω3 系多価不飽和脂肪酸の精神への影響, *精神科*, 17(5), 520-527, 2010
10. 西大輔, ○松岡豊: 精神科臨床と伝統・相補・代替療法(TCAM), *総合病院精神医学*, 22(2), 162-169, 2010
11. ○松岡豊: オメガ 3 系脂肪酸などのサプリメントはうつ病に効果がありますか?, *こころのりんしょう a-la-carte*, 29(4), 463, 2010
12. ○松岡豊: 第 20 回国際心身医学会総会に参加して, *総合病院精神医学*, 22(3), 2010
13. ○Matsuoka Y, Nishi D, Yonemoto N, Hamazaki K, Hashimoto K, Hamazaki T: Omega-3 fatty

acids for secondary prevention of posttraumatic stress disorder following accidental injury: an open-label pilot study, 9th Conference of the International Society for the Study of Fatty Acids and Lipids, Maastricht, the Netherland, 2010 May 29- Jun 2

14. ○Matsuoka Y, Nishi D, Yonemoto N, Hamazaki K, Matsumura K, Hashimoto K, Hamazaki T: Potential role of BDNF in the omega-3 fatty acid supplementation to prevent posttraumatic distress, 69th Annual Scientific Meeting of the American Psychosomatic Society, San Antonio, USA, 2010 Mar 9-12
15. Matsumura K, ○Matsuoka Y: Cardiovascular activities during mental stress among fish eaters, 69th Annual Scientific Meeting of the American Psychosomatic Society, San Antonio, USA, 2010 Mar 9-12
16. ○松岡豊, 西大輔, 中島聡美, 金吉晴: 事故後 PTSD の有病率が各国で異なる理由についての考察—乳児死亡率との相関—, 第 106 回日本精神神経学会総会, 広島, 2010 May 20-22
17. ○松岡豊: 魚油による心的外傷後ストレス障害予防への可能性, シンポジウム「脳栄養学・精神栄養学の最前線」, 第 64 回日本栄養・食糧学会大会, 徳島, 2010 May 21-23
18. ○松岡豊: オメガ 3 系脂肪酸による心的外傷後ストレス障害の予防介入試験, 大塚賞受賞記念講演, 日本脂質栄養学会第 19 回大会, 犬山, 2010 Sep 3
19. ○松岡豊: 魚油による PTSD 予防への挑戦, 第 11 回八ヶ岳シンポジウム, 蓼科, 2010 Sep 25-26
20. ○松岡豊: 日本総合病院精神医学会における「論文投稿および学会発表におけるプライバシー保護に関する倫理指針」, 倫理検討委員会セミナー, 第 51 回日本児童青年精神医学会総会, 前橋, 2010 Oct 29
21. 西大輔, 上原里程, 近藤真木, ○松岡豊: Resilience Scale 日本語版の信頼性と妥当性, 第 21 回日本疫学会学術総会, 札幌, 2011 Jan 21-22

研究分担者：中川敦夫

1. 大野裕, ○中川敦夫: うつ病治療ハンドブック-大野裕編, 金剛出版, 192-200, 東京, 2011
2. ○中川敦夫: 心と社会特集現在のうつ病論, 日本精神衛生会, 19-23, 東京, 2010
3. 上島国利, ○中川敦夫: うつ病薬物治療のエクセレンス, アルタ出版, 76-80, 東京, 2010

研究分担者：橋本亮太

1. Hayashi N, Kazui H, Kamino K, Tokunaga H, Takaya M, Yokokoji M, Kimura R, Kito Y, Wada T, Nomura K, Sugiyama H, Yamamoto D, Yoshida T, Currais A, Soriano S, Hamasaki T, Yamamoto M, Yasuda Y, ○Hashimoto R, Tanimukai H, Tagami S, Okochi M, Tanaka T, Kudo T, Morihara T, Takeda M: KIBRA genetic polymorphism influences episodic memory in

- Alzheimer's disease, but does not show association with disease in a Japanese cohort, *Dement Geriatr Cogn Disord*, 30(4), 302-8, 2010
2. Delawary M, Tezuka T, Kiyama Y, Yokoyama K, Inoue T, Hattori S, OHashimoto R, Umemori H, Manabe T, Yamamoto T, Nakazawa T: NMDAR2B tyrosine phosphorylation regulates anxiety-like behavior and CRF expression in the amygdale, *Mol Brain*, 3(1), 37, 2010
 3. Takeda M, Martínez R, Kudo T, Tanaka T, Okochi M, Tagami S, Morihara T, OHashimoto R, Cacabelos R: Apolipoprotein E and central nervous system disorders: reviews of clinical findings, *Psychiatry Clin Neurosci*, 64(6), 592-607, 2010
 4. OHashimoto R, Ohi K, Yasuda Y, Fukumoto M, Iwase M, Iike N, Azechi M, Ikezawa K, Takaya M, Takahashi H, Yamamori H, Okochi T, Tanimukai H, Tagami S, Morihara T, Okochi M, Tanaka T, Kudo T, Kazui H, Iwata N, Takeda M: The Impact of a Genome-Wide Supported Psychosis Variant in the *ZNF804A* Gene on Memory Function in Schizophrenia, *Am J Med Genet B Neuropsychiatr Genet*, 153B(8), 1459-64, 2010
 5. Yasuda Y, OHashimoto R, Ohi K, Fukumoto M, Takamura H, Iike N, Kiribayashi M, Yoshida T, Hayashi N, Takahashi H, Yamamori H, Morihara T, Tagami S, Okochi M, Tanaka T, Kudo T, Kamino K, Ishii R, Iwase M, Kazui H, Takeda M: Association study of *KIBRA* gene with memory performance in a Japanese population, *The World Journal of Biological Psychiatry*, 11(7), 852-7, 2010.10
 6. Takebayashi M, OHashimoto R, Hisaoka K, Tsuchioka M, Kunugi H, Plasma levels of vascular endothelial growth factor (VEGF) and fibroblast growth factor 2 (FGF-2) in patients with major depressive disorders, *J Neural Transm*. 117(9), 1119-22, 2010.9
 7. Mori K, Okochi M, Tagami S, Nakayama T, Yanagida K, Kodama T, Tatsumi S, Fujii K, Tanimukai H, OHashimoto R, Morihara T, Tanaka T, Kudo T, Funamoto S, Ihara Y, Takeda M: The production ratios of AICD ϵ 51 and A β 42 by intramembrane proteolysis of β AAPP do not always change in parallel, *Psychogeriatrics*, 10(3), 117-23, 2010.9
 8. Numata S, Nakataki M, Iga J, Tanahashi T, Nakadoi Y, Ohi K, OHashimoto R, Takeda M, Itakura M, Ueno S, Ohmori T: Association study between the pericentrin (PCNT) gene and schizophrenia, *NeuroMolecular Medicine*, 12(3), 243-7, 2010.9
 9. Takahashi H, Iwase M, Canuet L, Yasuda Y, Ohi K, Fukumoto M, Iike N, Nakahachi T, Ikezawa K, Azechi M, Kurimoto R, Ishii R, Yoshida T, Kazui H, OHashimoto R, Takeda M: Relationship between prepulse inhibition of acoustic startle response and schizotypy in healthy Japanese subjects, *Psychophysiology*, 47(5), 831-7, 2010.9
 10. Koide T, Aleksic B, Ito Y, Usui H, Yoshimi A, Inada T, Suzuki M, OHashimoto R, Takeda M, Iwata N, Ozaki N: A two-stage case-control association study of the dihydropyrimidinase-like 2 gene (*DPYSL2*) with schizophrenia in Japanese subjects, *J Hum Genet*, 55(7), 469-72, 2010.7
 11. Takeda M, OHashimoto R, Kudo T, Okochi M, Tagami S, Morihara T, Sadick G, Tanaka T: Laughter and humor as complementary and alternative medicines to dementia patients, *BMC*

- Complement Altern Med, 10(1), 28, 2010.6
12. Schulze T, Alda M, Adli M, Akula N, Arda R, Chillotti C, Cichon S, Czerski P, Zompo M, SDetera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicki S, Kelsoe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, Reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young T, Yoshikawa T, Bauer M, McMahon F: The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment, *Neuropsychobiology*, 62(1), 72-78, 2010.5
 13. Hashimoto R, Fukuda S, Ohi K, Yamaguti K, Nakatomi Y, Yasuda Y, Kamino K, Takeda M, Tajima S, Kuratsune H, Nishizawa Y, Watanabe Y, A functional polymorphism in the disrupted-in schizophrenia 1 gene is associated with chronic fatigue syndrome, *Life Sci*, 86(19-20), 722-725, 2010.5
 14. Munesue T, Yokoyama S, Nakamura K, Anitha A, Yamada K, Hayashi K, Asaka T, Liu HX, Jin D, Koizumi K, Islam MS, Huang JJ, Ma WJ, Kim UH, Kim SJ, Park K, Kim D, Kikuchi M, Ono Y, Nakatani H, Suda S, Miyachi T, Hirai H, Salmina A, Pichugina YA, Soumarokov AA, Takei N, Mori N, Tsujii M, Sugiyama T, Yagi K, Yamagishi M, Sasaki T, Yamasue H, Kato N, Hashimoto R, Taniike M, Hayashi Y, Hamada J, Suzuki S, Ooi A, Noda M, Kamiyama Y, Kido MA, Lopatina O, Hashii M, Amina S, Malavasi F, Huang EJ, Zhang J, Shimizu N, Yoshikawa T, Matsushima A, Minabe Y, Higashida H: Two genetic variants of CD38 in subjects with autism spectrum disorder and controls, *Neurosci Res*, 67,181-191, 2010.4
 15. Amagane H, Watanabe Y, Kaneko N, Nunokawa A, Muratake T, Ishiguro H, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Sasaki T, Hashimoto R, Itokawa M, Ozaki N, Someya T: Failure to find an association between myosin heavy chain 9, non-muscle (MYH9) and schizophrenia: a three-stage case-control association study, *Schizophr Res*, 118(1-3), 106-12, 2010.5
 16. Ohnuma T, Shibata N, Baba H, Ohi K, Yasuda Y, Nakamura Y, Okochi T, Naitoh H, Hashimoto R, Iwata N, Ozaki N, Takeda M, Arai H: No association between DAO and schizophrenia in a Japanese patient population: A multicenter replication study, *Schizophr Res*, 118(1-3), 300-2, 2010.5
 17. Aleksic B, Kushima I, Ito Y, Nakamura Y, Ujike H, Suzuki M, Inada T, Hashimoto R, Takeda M, Iwata N, Ozaki N: Genetic association study of KREMEN1 and DKK1 and schizophrenia in Japanese population, *Schizophr Res*, 118(1-3), 113-7, 2010.5
 18. Hashimoto H, Meltzer HY, Hashimoto R, Jayathilake K, Takano-Hayata A, Ogata K, Shintani N, Takeda M, Baba A: Possible implication of pituitary adenylate cyclase-activating polypeptide (PACAP) in schizophrenia: regulation of spine formation and genetic association, The 49th ACNP (American College of Neuropsychopharmacology) Annual Meeting, Miami Beach, Florida, USA, Dec 5-9(7), 2010, poster
 19. Hashimoto R, Ohi K, Yasuda Y, Fukumoto M, Iwase M, Iike N, Azechi M, Ikezawa K, Takaya M, Takahashi H, Yamamori H, Okochi T, Tanimukai H, Tagami S, Morihara T, Okochi M, Tanaka T, Kudo T, Kazui H, Iwata N, Takeda M: The Impact of a Genome-Wide Supported

- Psychosis Variant in the ZNF804A Gene on Memory Function in Schizophrenia, The 49th ACNP (American College of Neuropsychopharmacology) Annual Meeting, Miami Beach, Florida, USA, Dec 5-9(7), 2010, poster
20. Nakae A, OHashimoto R, Maeda S, Oku T, Fukumoto M, Ohi K, Yasuda Y, Yamamori H, Sakai N, Sakaue G, Ishigaki S, Kamide H, Hagihira S, Takeda M, Shibata M, Mashimo T: Pain sensitivity changes in patients with schizophrenia, Neuroscience 2010, San Diego, Nov 13-17(16) 2010, poster
 21. Iwase M, Azechi M, Ikezawa K, Ishii R, Takahashi H, Nakahachi T, Canuet L, Aoki Y, Kurimoto R, Kazui H, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, OHashimoto R, Takeda M: Two-channel near infrared spectroscopy (NIRS) activation curves of oxyhemoglobin during frontal lobe tasks in schizophrenia, Neuroscience 2010, San Diego, Nov 13-17(16) 2010, poster
 22. Ikeda M, Tomita Y, Mouri A, Koga M, Okouchi O, Yoshimura R, Yamanouchi Y, Kinoshita Y, OHashimoto R, Williams H, Takeda M, Nakamura J, Nabeshima T, Owen MJ, O'Donovan MC, Honda H, Arinami T, Ozaki N, Iwata N: Identification of novel candidate genes for treatment response to risperidone and susceptibility for schizophrenia: integrated analysis among pharmacogenomics, mouse expression and genetic case-control association approaches, The 18th International Society of Psychiatric Genetics(ISPG), Athens, Greece, Oct 3-7.2010, poster
 23. OHashimoto R, Takeda M: Schizophrenia and Dysbindin, a Susceptibility Gene, The 25th Anniversary Conference, Korean Society of Biological Psychiatry, Seoul, Korea, Oct 1, 2010, Oral
 24. OHashimoto R, Yasuda Y, Ohi K, Fukumoto M, Yamamori H, Takeda M: Translational Research For Schizophrenia: Genes, Intermediate Phenotypes, and Function, 11th Australasian Schizophrenia Conferwnce , Sydney, Australia, Sep 22-24, 2010,invited speaker
 25. Iwase M, Azechi M, Ikezawa K, Ishii R, Takahashi H, Nakahachi T, Canuet L, Kurimoto R, Kazui K, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, OHashimoto R, Takeda M: Frontal lobe dysfunction and regional hemodynamic changes in major depression: A near infrared spectroscopy study, ICCN2010, Kobe, Japan.Oct 28-Nov 1(31), 2010, poster
 26. Azechi M, Iwase M, Ishii R, Ikezawa K, Canuet L, Kurimoto R, Takahashi H, Nakahachi T, Fukumoto M, Ohi K, Yamamori H, Yasuda Y, OHashimoto R, Takeda M: Two-channel NIRS activation curves of oxyhemoglobin during frontal lobe tasks in schizophrenia, ICCN2010 , Kobe, Japan, Oct 28-Nov 1(29),2010, poster
 27. Sakai N, Nakae A, OHashimoto R, Takashina M, Mashimo T: The less sensitivity to pain in patients with schizophrenia in a post operative period, The 13th Asian Australasian Congress of Anesthesiologists, Fukuoka, Japan, June 1-5(3),2010, poster
 28. OHashimoto R, Ohi K, Yasuda Y, Fukumoto M, Iwase M, Iike N, Azechi M, Ikezawa K, Takaya M, Takahashi H, Yamamori H, Ishii R, Kazui H, Iwata N, Takeda M: The Impact of a Genome-Wide Supported Psychosis Variant in the *ZNF804A* Gene on Memory Function in Schizophrenia, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(11), 2010, poster
 29. Yamamori H, OHashimoto R, Takamura H, Verral L, Yasuda Y, Ohi K, Fukumoto M, Ito A,

- Takeda M: Dysbindin1 and NRG genes expressions in immortalized lymphocytes from patients with schizophrenia, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(13), 2010, poster
30. Ohi K, Hashimoto R, Yasuda Y, Fukumoto M, Iike N, Yamamori H, Tanimukai H, Tagami S, Morihara T, Okochi M, Tanaka T, Kudo T, Iwase M, Kazui H, Takeda M: Personality traits and schizophrenia: evidence from a case-control study and meta-analysis, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(12), 2010, poster
 31. Yasuda Y, Hashimoto R, Takamura H, Ohi K, Fukumoto M, Nemoto K, Ohnishi T, Yamamori H, Takahashi H, Iike N, Kamino K, Yoshida T, Ishii R, Iwase M, Kazui H, Takeda M: AKT1 gene is associated with attention and brain morphology in patients with schizophrenia, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(13), 2010, poster
 32. Iwase M, Azechi M, Ikezawa K, Ishii R, Takahashi H, Nakahachi T, Canuet L, Kurimoto R, Kazui H, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Hashimoto R, Takeda M: Two-channel near infrared spectroscopy (NIRS) activation timing curves of oxyhemoglobin during frontal tasks in schizophrenia, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(12), 2010, poster
 33. Canuet L, Ishii R, Iwase M, Ikezawa K, Kurimoto R, Takahashi H, Azechi M, Currais A, Nakahachi T, Ohi K, Yasuda Y, Yamamori H, Fukumoto M, Hashimoto R, Takeda M: Cortical dysfunction during visual working memory in schizophrenia and schizophrenia-like psychosis of epilepsy: A magnetoencephalography study, 2nd Biennial Schizophrenia International Research Society Conference, Florence, Italy, April 10-14(11), 2010, poster
 34. 橋本亮太, 安田由華, 大井一高, 福本素由己, 山森英長, 岩瀬真生, 数井裕光, 武田雅俊: 統合失調症の中間表現型解析—その現状と展望, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(9), 2010, シンポジウム
 35. 池田匡志, Branko Aleksic, 稲田俊也, 鈴木道雄, 橋本亮太, 氏家寛, 武田雅俊, Nick Craddock, 貝淵弘三, Mike Owen, 尾崎紀夫, Michael C O'Donovan, 岩田仲生: 日本人統合失調症の Genome-wide 関連解析, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, 講演
 36. 渡部雄一郎, 天金秀樹, 金子尚史, 布川綾子, 村竹辰之, 石黒浩毅, 有波忠雄, 氏家寛, 稲田俊也, 岩田仲生, 功刀浩, 佐々木司, 橋本亮太, 糸川昌成, 尾崎紀夫, 染矢俊幸: ミオシン重鎖 9 遺伝子は統合失調症と関連しない, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
 37. 布川綾子, 渡部雄一郎, 金子尚史, 須貝拓朗, 矢崎沙織, 有波忠雄, 氏家寛, 稲田俊也,

- 岩田仲生, 功刀浩, 佐々木司, 糸川昌成, 尾崎紀夫, 橋本亮太, 染矢俊幸: ドパミン D3 受容体遺伝子と統合失調症のリスク, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
38. 大沼徹, 柴田展人, 馬場元, 大井一高, 安田由華, 中村由嘉子, 大河内智, 内藤宏, ○橋本亮太, 岩田仲生, 尾崎紀夫, 武田雅俊, 新井平伊: 日本人統合失調症患者におけるグリシンおよびセリン関連遺伝子の症例対照研究, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
 39. 新井誠, 市川智恵, 宮下光弘, 西田淳志, 新井麻友美, 小幡菜々子, 野原泉, 岡崎祐士, 大西哲生, 豊田倫子, 吉川武男, 有波忠雄, 氏家寛, 久島周, 尾崎紀夫, 福本素由乙, ○橋本亮太, 小池進介, 滝沢龍, 笠井清登, 宮田敏男, 渡邊琢夫, 山本寛, 糸川昌成: カルボニルストレスを呈する統合失調症の代謝制御に関する研究, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
 40. 山森英長, ○橋本亮太, 高村明孝, Louise Verrall, 安田由華, 大井一高, 福本素由己, 伊藤彰, 武田雅俊: 統合失調症患者由来のリンパ芽球における統合失調症関連遺伝子 *Dysbindin1* と *NRG1* の発現解析, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
 41. 椎野智子, アレクシッチ ブランコ, 久島周, 伊藤圭人, 中村由嘉子, 氏家寛, 鈴木道雄, 稲田俊也, ○橋本亮太, 武田雅俊, 岩田仲生, 尾崎紀夫: *KREMEN1* および *DKK1* を候補遺伝子とした日本人統合失調症の関連研究: 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(8), 2010, ポスター
 42. 大井一高, ○橋本亮太, 安田由華, 福本素由己, 山森英長, 紙野晃人, 池澤浩二, 疇地道代, 岩瀬真生, 数井裕光, 笠井清登, 武田雅俊: *SIDMAR1* 遺伝子の *Gln2Pro* 多型は統合失調症のリスク及び前頭前皮質の賦活化と関連する, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(9), 2010. ポスター
 43. 太田深秀, 藤井崇, 根本清貴, 大西隆, 守口善也, ○橋本亮太, 佐藤典子, 功刀浩: 統合失調症発症リスク及び疾患に伴う大脳形態変化と *ABCA1* 遺伝子多型との関連解析, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(9), 2010, ポスター
 44. 安田由華, ○橋本亮太, 山森英長, 大井一高, 福本素由己, 高村明孝, 毛利育子, 谷池雅子, 武田雅俊: 広汎性発達障害におけるリンパ芽球を用いた mRNA 発現定量解析についての検討, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(9), 2010, ポスター
 45. 福本素由己, ○橋本亮太, 安田由華, 大井一高, 山森英長, 井池直美, 岩瀬真生, 数井裕光, 武田雅俊: 統合失調症における Remission の研究, 第 32 回日本生物学的精神医学会, 福岡, 10.7-9(9), 2010, ポスター
 46. ○橋本亮太: 統合失調症の新しい理解に向けて, 日本心理学会第 74 回大会, 大阪, 9.20-22(21), 2010. 招待講演
 47. ○橋本亮太, オーガナイザー, スタディーグループ 4: 「発達障害治療薬の現状と展望」,

第 20 回日本臨床精神神経薬理学会・第 40 回日本神経精神薬理学会合同年会, 仙台, 9.14-16(15), 2010

48. Yamamori H, Ohashimoto R, Takamura H, Verrall L, Yasuda Y, Ohi K, Fukumoto M, Ito A, Takeda M: Dysbindin1 and NRG1 genes expression in immortalized lymphocytes from patients with schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010
49. Ohashimoto R: 統合失調症の認知機能障害に対する遺伝子研究はどこまで到達したか?, シンポジウム「統合失調症の認知機能障害のメカニズム-その到達点と将来の展望」, 神戸, Neuro2010, 9.2-4(4), 2010, 招待講演
50. Yamamori H, Ohashimoto R, Takamura H, Verrall Louise, Yamada Y, Ohi K, Fukumoto M, Ito A, Takeda M, Iwase M, Azechi M, Ikezawa K, Ishii R, Takahashi H, Nakahachi T, Canuet L, Y Aoki, Kurimoto R, Kazui H, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター
51. Katsunori Kobayashi, Hironori Takamura, Masatoshi Takeda, Hidenori Suzuki, O Ryota Hashimoto: Correlated changes in serotonergic and dopaminergic synaptic modulations in mice lacking the schizophrenia susceptibility gene dysbindin, Neuro2010, 神戸, 9.2-4(3), 2010. 口演
52. Iwase M, Azechi M, Ikezawa K, Ishii R, Takahashi H, Nakahachi T, Canuet L, Y Aoki, Kurimoto R, Kazui H, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター
53. Ohashimoto R: 統合失調症 精神医学研修コース「ここまでわかった精神疾患の脳内メカニズム」, 第 106 回日本精神神経学会, 広島, 5.20-22(22), 2010, 招待
54. Ohashimoto R, Yamamori H, Yamada Y, Ohi K, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター
55. Yamada Y, Ohashimoto R, Yamamori H, Yamada Y, Ohi K, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター
56. Yamada Y, Ohashimoto R, Yamamori H, Yamada Y, Ohi K, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター

研究分担者：大森崇

1. Ohashimoto R, Yamamori H, Yamada Y, Ohi K, Fukumoto M, Iike N, Ohi K, Yamamori H, Yasuda Y, Ohashimoto R, Takeda M: Two-channel near infrared spectroscopy activation curves of oxyhemoglobin during frontal tasks in schizophrenia, Neuro2010, 神戸, 9.2-4(3), 2010, ポスター

2. Nitta.H, Yamazaki. S, ○Omori.T and Sato.T: An introduction to epidemiologic and statistical methods useful in environmental epidemiology, *Journal of Exposure Science & Environmental Epidemiology*, 20, 117-184, 2010
3. Noma.H, Matsui.S, ○Omori.T, and Sato. T: Bayesian ranking and selection methods using hierarchical mixture models in microarray studies,*Biostatistics*,11,281-289,2010
4. Kojima.H, Takeyoshi.M, Sozu.T, Awogi.T, Arima.K, Idehara.K, Ikarashi.Y, Kanazawa.Y, Maki.E, ○Omori.T, Yuasa.A and Yoshimura.I: Inter-laboratory validation of the modified murine local lymph node assay based on 5-bromo-2'-deoxyuridine incorporation, *Journal of Applied Toxicology*, 31, 63-74,2010
5. ○Omori.T: Prediction of the toxicity score by in vitro test: An application of Bayesian statistical calibration, *East Asia Regional Biometric Conference 2010*, Manipal University, Karnataka, India, February12-13, 2010
6. ○Omori.T: The validation studies conducted by JSAAE, *The 7th International Congress of KSAAE*, Seoul, Korea, August 27th, 2010
7. 音泉卓, ○大森崇: バリデーション研究に関する統計的支援について, 日本動物実験代替法学会 23 回大会, 東京 (北里大学薬学部 1 号館・コンベンションホール), 2010 Dec 4
8. ○大森崇: バリデーション研究における感度, 特異度, 一致度の統計的モデルを用いたアプローチ, 日本動物実験代替法学会 23 回大会, 東京 (北里大学薬学部 1 号館・コンベンションホール), 2010 Dec 4
9. ○大森崇: 代替法バリデーション研究におけるデータサイエンス～統計家としての経験から～, 日本動物実験代替法学会 23 回大会, 東京 (北里大学薬学部 1 号館・コンベンションホール) , 2010 Dec 4 [本講演は, 当初予定されていた特別講演の代わりに行われたため, 学会の抄録には記載されていない. しかし後日発行された AATEX vol. 15, Supplement として英文アブストラクトが掲載されている]

研究代表者：中込 和幸

1. Roberts DL, Penn DL, Combs DR. 「社会認知ならびに対人関係のトレーニング (SCIT Social Cognition and Interaction Training)」治療マニュアル (○中込和幸, 兼子幸一, 最上多美子監訳), 星和書店, 東京, 2011. (著書)
2. 石郷岡純, 宇都宮一典, 小山司, 田中逸, ○中込和幸. 糖代謝異常のみられない統合失調患者を対象とした aripiprazole の糖代謝能に及ぼす影響. 臨床精神薬理, 14(8): 1371-1386, 2011.
3. Ikezawa S, Mogami T, Hayami Y, Sato I, Kato T, Kimura I, Pu S, Kaneko K, ○Nakagome K. The pilot study of a Neuropsychological Educational Approach to Cognitive Remediation for patients with schizophrenia in Japan. Psychiatry Res. 2011 Aug 1. [Epub ahead of print]
4. 中野和歌子, 藤井千太, 新福尚隆, 館農勝, 正宗弥生, 秋山剛, 佐藤創一郎, ○中込和幸, 黒木俊秀, Yang Shu-yu, Tan Chay-Hoon, 吉村玲児, 中村純. 統合失調症入院患者に対する抗精神病薬処方の変化. -東アジアにおける国際共同処方調査 (REAP) の結果から-. 臨床精神薬理, 14: 1397-1411, 2011.
5. Pu S, Yamada T, Yokoyama K, Matsumura H, Kobayashi H, Sasaki N, Mitani H, Adachi A, Kaneko K, ○Nakagome K. A multi-channel near-infrared spectroscopy study of prefrontal cortex activation during working memory task in major depressive disorder. Neurosci Res. 70(1): 91-97, 2011.
6. 最上多美子, 池澤聰, 長田泉美, 木村一朗, 岡純子, 速水淑子, 廣江ゆう, 安井いづみ, 片山征爾, 河野倫子, 加藤明孝, 足立典子, 兼子幸一, ○中込和幸. 内発的動機づけの役割に焦点化した認知機能リハビリテーション NEAR. 精神医学, 53(1): 49-55, 2011.
7. ○中込和幸. 4. 思考, C. 精神医学を理解するための認知行動科学, 1. 精神医学を学ぶための基本的な知識と態度, 山内俊雄, 小島卓也, 倉知正佳, 鹿島晴雄編, 専門医をめざす人の精神医学第3版, 医学書院, 東京, pp.64-68, 2011.
8. 長田泉美, ○中込和幸. 5. 統合失調症維持期と再発予防に向けた治療ストラテジー. Part 2 統合失調症治療のストラテジー. 石郷岡純, 岡崎祐士, 樋口輝彦編, 統合失調症治療の新たなストラテジー—非定型抗精神病薬によるアプローチ—, 先端医学社, 東京, pp.95-99, 2011.
9. 亀島信也, 最上多美子, ○中込和幸, 西元直美, 高岸治人著. 進化とところの科学で学ぶ人間関係の心理学. 亀島信也編, 福村出版, 東京, 2011.
10. ○中込和幸. 第6章 統合失調症に併発したうつ病への対応. 精神科臨床エキスパート 多様化したうつ病をどう診るか. 野村総一郎編, 医学書院, 東京, pp.152-173, 2011.
11. ○中込和幸. 妄想. 脳科学研究. IX章 幻覚妄想研究の最前線. 第6巻 幻覚と妄想,

脳とこころのプライマリケア. 堀口淳編, 日野原重明, 宮岡等監修, シナジー (株), 東京, pp. 504-513, 2011.

12. ○中込和幸. 2. 病相期に応じた統合失調症の薬物療法～薬物療法アルゴリズムを日常臨床に用いる～. 特集 統合失調症治療における薬物療法の位置づけ. 医薬ジャーナル, 47(1), 73-80, 2011.
13. 最上多美子, ○中込和幸. 統合失調症—最近の話題—SCIT (社会認知・対人関係のトレーニング). 精神科, 18(1), 44-48, 2011.
14. 最上多美子, ○中込和幸. 認知矯正療法による予後改善—NEAR を中心に. 特集・統合失調症の予後改善に向けての新たな戦略. 精神医学, 53(2), 143-149, 2011.
15. 最上多美子, 池澤聡, 山崎泰史, ○中込和幸. 対人コミュニケーションが困難な統合失調症. Schizophrenia Frontier, 11(4), 29-33, 2011.
16. ○中込和幸. 第 12 回 感情・行動・認知研究会 シンポジウム II 「うつ病の最新疫学と臨床」 うつ病の認知機能と NIRS・脳機能画像. 分子精神医学, 11(3), 83-85, 2011.
17. v 中込和幸. 認知リハビリテーションに情動の視点を加える. 特集 精神療法における認知・行動・情動. 精神神経学雑誌, 113(11), 1102-1108, 2011.
18. Iwata M, Shirayama Y, Ishida H, Hazama GI, ○Nakagome K. Hippocampal astrocytes are necessary for antidepressant treatment of learned helplessness rats. Hippocampus, 21(8): 877-884, 2011.

研究分担者：武田 伸一

1. Mizuno H, Nakamura A, Aoki Y, Ito N, Kishi S, Yamamoto K, Sekiguchi M, ○Takeda S, Hashido K : Identification of Muscle-Specific MicroRNAs in Serum of Muscular Dystrophy Animal Models: Promising Novel Blood-Based Markers for Muscular Dystrophy. PLoS One. 30; 6(3):e18388, 2011
2. Takahashi H, Kanasaki H, Igarashi T, Kameya S, Yamaki K, Mizota A, Kudo A, Miyagoe-Suzuki Y, ○Takeda S, Takahashi H: Reactive gliosis of astrocytes and Müller glial cells in retina of POMGnT1-deficient mice. Mol Cell Neurosci. 47: 119-130, 2011
3. Pichavant C, Aartsma-Rus A, Clemens PR, Davies KE, Dickson G, ○Takeda S, Wilton SD, Wolff JA, Wooddell CI, Xiao X, Tremblay JP: Current status of pharmaceutical and genetic therapeutic approaches to treat DMD. Mol Ther. 19: 830-840, 2011
4. Hoffman EP, Bronson A, Levin AA, ○Takeda S, Yokota T, Baudy AR, Connor EM : Restoring dystrophin expression in duchenne muscular dystrophy muscle progress in exon skipping and stop codon read through. Am J Pathol. 179:12-22, 2011
5. Shin JH, Nitahara-Kasahara Y, Hayashita-Kinoh H, Ohshima-Hosoyama S, Kinoshita K, Chiyo T, Okada H, Okada T, ○Takeda S: Improvement of cardiac fibrosis in dystrophic mice by rAAV9-mediated microdystrophin transduction. Gene Ther. 18:910-919, 2011

6. Taniguchi-Ikeda M, Kobayashi K, Kanagawa M, Yu CC, Mori K, Oda T, Kuga A, Kurahashi H, Akman HO, DiMauro S, Kaji R, Yokota T, ○Takeda S, Toda T : Pathogenic exon-trapping by SVA retrotransposon and rescue in Fukuyama muscular dystrophy. *Nature*. 478:127-131, 2011
7. Fukada S, Yamaguchi M, Kokubo H, Ogawa R, Uezumi A, Yoneda T, Matev MM, Motohashi N, Ito T, Zolkiewska A, Johnson RL, Saga Y, Miyagoe-Suzuki Y, Tsujikawa K, ○Takeda S, Yamamoto H: Hesr1 and Hesr3 are essential to generate undifferentiated quiescent satellite cells and to maintain satellite cell numbers. *Development*. 138:4609-4619, 2011
8. Wang B, Miyagoe-Suzuki Y, Yada E, Ito N, Nishiyama T, Nakamura M, Ono Y, Motohashi N, Segawa M, Masuda S, ○Takeda S: Reprogramming efficiency and quality of induced Pluripotent Stem Cells (iPSCs) generated from muscle-derived fibroblasts of mdx mice at different ages. *PLoS Curr*. 10.1371/currents.RRN1274, 2011
9. Uezumi A, Ito T, Morikawa D, Shimizu N, Yoneda T, Segawa M, Yamaguchi M, Ogawa R, Matev MM, Miyagoe-Suzuki Y, ○Takeda S, Tsujikawa K, Tsuchida K, Yamamoto H, Fukada S: Fibrosis and adipogenesis originate from a common mesenchymal progenitor in skeletal muscle. *J Cell Sci*, 124(Pt 21):3654-3664, 2011
10. Koo T, Okada T, Athanasopoulos T, Foster H, ○Takeda S, Dickson G: Long-term functional adeno-associated virus-microdystrophin expression in the dystrophic CXMDj dog. *J Gene Med*. 13:497-506, 2011
11. Nitahara-Kasahara Y, Hayashita-Kinoh H, Ohshima-Hosoyama S, Okada H, Wada-Maeda M, Nakamura A, Okada T, ○Takeda S: Long-term engraftment of multipotent mesenchymal stromal cells that differentiate to form myogenic cells in dogs with Duchenne muscular dystrophy. *Mol Ther*. 20:168-177, 2011
12. Ono Y, Masuda S, Nam H, Benzera R, Miyagoe-Suzuki Y, ○Takeda S: Slow-dividing satellite cells retain long-term self-renewal ability in adult muscle. *J Cell Sci*. 2012 (in press)

研究分担者：山田光彦

1. Saitoh A, Sugiyama A, Nemoto T, Fujii H, Wada K, Oka J, Nagase H, ○Yamada M. The novel δ opioid receptor agonist KNT-127 produces antidepressant-like and antinociceptive effects in mice without producing convulsions. *Behav Brain Res*. 223: 271-9, 2011.
2. Kishi T, Fukuo Y, Okochi T, Kitajima T, Ujike H, Inada T, ○Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Correll CU, Iwata N. No significant association between SIRT1 gene and methamphetamine-induced psychosis in the Japanese population. *Hum Psychopharmacol*. doi: 10.1002/hup.1223, 2011.
3. Kodaka M, Postuvan V, Inagaki M, ○Yamada M. A systematic review of scales that measure attitudes toward suicide. *Int J Soc Psychiatry*. 57: 338-61, 2011.
4. Kishi T, Okochi T, Kitajima T, Ujike H, Inada T, ○Yamada M, Uchimura N, Sora I, Iyo M,

- Ozaki N, Correll CU, Iwata N. Lack of association between translin-associated factor X gene (TSNAX) and methamphetamine dependence in the Japanese population. *Prog Neuropsychopharmacol Biol Psychiatry*. 35: 1618-22, 2011.
5. Furukawa TA, Akechi T, Shimodera S, Yamada M, Miki K, Watanabe N, Inagaki M, Yonemoto N. Strategic use of new generation antidepressants for depression: SUN(^_^)D study protocol. *Trials*. 12:116, 2011.
 6. Yoshimura T, Usui H, Takahashi N, Yoshimi A, Saito S, Aleksic B, Ujike H, Inada T, Yamada M, Uchimura N, Iwata N, Sora I, Iyo M, Ozaki N. Association analysis of the GDNF gene with methamphetamine use disorder in a Japanese population. *Prog Neuropsychopharmacol Biol Psychiatry*. 35: 1268-72, 2011.
 7. Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Ujike H. Association between the Regulator of G-protein Signaling 9 Gene and Patients with Methamphetamine Use Disorder and Schizophrenia. *Curr Neuropharmacol*. 9: 190-4, 2011.
 8. Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Ujike H. Association Study of Two Cannabinoid Receptor Genes, CNR1 and CNR2, with Methamphetamine Dependence. *Curr Neuropharmacol*. 9: 183-9, 2011.
 9. Kobayashi H, Ujike H, Iwata N, Inada T, Yamada M, Sekine Y, Uchimura N, Iyo M, Ozaki N, Itokawa M, Sora I. Association analysis of the tryptophan hydroxylase 2 gene polymorphisms in patients with methamphetamine dependence/psychosis. *Curr Neuropharmacol*. 9: 176-82, 2011.
 10. Yokobayashi E, Ujike H, Kotaka T, Okahisa Y, Takaki M, Kodama M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Kuroda S. Association study of serine racemase gene with methamphetamine psychosis. *Curr Neuropharmacol*. 9: 169-75, 2011.
 11. Ujike H, Kishimoto M, Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N. Association Between 5HT1b Receptor Gene and Methamphetamine Dependence. *Curr Neuropharmacol*. 9: 163-8, 2011.
 12. Tsunoka T, Kishi T, Ikeda M, Kitajima T, Yamanouchi Y, Kinoshita Y, Kawashima K, Okochi T, Okumura T, Inada T, Ujike H, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. No Association Between GRM3 and Japanese Methamphetamine-Induced Psychosis. *Curr Neuropharmacol*. 9: 160-2, 2011.
 13. Okumura T, Okochi T, Kishi T, Ikeda M, Kitajima T, Kinoshita Y, Kawashima K, Tsunoka T, Fukuo Y, Inada T, Yamada M, Uchimura N, Iyo M, Sora I, Ozaki N, Ujike H, Iwata N. Genetic Association Analysis of NOS1 and Methamphetamine-Induced Psychosis Among Japanese. *Curr Neuropharmacol*. 9: 155-9, 2011.
 14. Okochi T, Kishi T, Ikeda M, Kitajima T, Kinoshita Y, Kawashima K, Okumura T, Tsunoka T,

- Fukuo Y, Inada T, Yamada M, Uchimura N, Iyo M, Sora I, Ozaki N, Ujike H, Iwata N. Genetic association analysis of NOS3 and methamphetamine-induced psychosis among Japanese. *Curr Neuropharmacol*. 9: 151-4, 2011.
15. Kobayashi H, Ujike H, Iwata N, Inada T, Yamada M, Sekine Y, Uchimura N, Iyo M, Ozaki N, Itokawa M, Sora I. Association analysis of the adenosine A1 receptor gene polymorphisms in patients with methamphetamine dependence/psychosis. *Curr Neuropharmacol*. 9: 137-42, 2011.
 16. Kishi T, Kitajima T, Tsunoka T, Okumura T, Kawashima K, Okochi T, Yamanouchi Y, Kinoshita Y, Ujike H, Inada T, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. Lack of association between prokineticin 2 gene and Japanese methamphetamine dependence. *Curr Neuropharmacol*. 9: 133-6, 2011.
 17. Kishi T, Kitajima T, Kawashima K, Okochi T, Yamanouchi Y, Kinoshita Y, Ujike H, Inada T, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. Association Analysis of Nuclear Receptor Rev-erb Alpha Gene (NR1D1) and Japanese Methamphetamine Dependence. *Curr Neuropharmacol*. 9: 129-32, 2011.
 18. Kishi T, Fukuo Y, Okochi T, Kitajima T, Kawashima K, Naitoh H, Ujike H, Inada T, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. Serotonin 6 receptor gene is associated with methamphetamine-induced psychosis in a Japanese population. *Drug Alcohol Depend*. 113: 1-7, 2011.
 19. Takahashi K, Murasawa H, Yamaguchi K, Yamada M, Nakatani A, Yoshida M, Iwai T, Inagaki M, Yamada M, Saitoh A. Riluzole rapidly attenuates hyperemotional responses in olfactory bulbectomized rats, an animal model of depression. *Behav Brain Res*. 216: 46-52, 2011.
 20. 樋口輝彦, 山田光彦 監訳：ロンドン大学精神医学研究所に学ぶー精神科臨床試験の実践, 医学書院, 東京, 2011.
 21. 山田光彦, 稲垣正俊, 米本直裕：向精神薬と自殺予防. *臨床精神薬理* 14(12):1919-1924, 2011.
 22. 山田光彦：抗うつ薬の開発. *こころの科学* 158 : 86-90, 2011.
 23. 山田光彦：アルギニンバソプレシン, 現代精神医学事典. 加藤敏, 神庭重信, 中谷陽二, 武田雅俊, 鹿島晴雄, 狩野力八郎, 市川宏伸編, 弘文堂, 東京, 2011.
 24. 中林哲夫, 山田光彦：大うつ病性障害ーSTAR*Dの結果の意味するもの, 2011-2012 EBM 精神疾患の治療. 上島国利, 三村将, 中込和幸, 平島奈津子編：中外医学社, 東京, 2011.
 25. 山田光彦：自殺の予防, 今日の治療指針 (2011 年度版). 山口徹, 北原光夫, 福井次矢編, 医学書院, 東京, 2011.
 26. 山田光彦：自殺の予防, 今日の治療指針 (2011 年度縮刷版) 山口徹, 北原光夫, 福

井次矢編, 医学書院, 東京, 2011.

研究分担者：伊藤弘人

1. Misawa F, Shimizu K, Fujii Y, Miyata R, Koshiishi F, Kobayashi M, Shida H, Oguchi Y, Okumura Y, ○Ito H, Kayama M, Kashima H: Is antipsychotic polypharmacy associated with metabolic syndrome even after adjustment for lifestyle effects? : a cross-sectional study. BMC Psychiatry 11:118,2011.
2. A. Hoittinen, M. Välimäki, E. Sailas, H. Putokonen, G. Joffe, T. Noda, N. Lindberg: Attitudes towards different containment measures: a questionnaire survey in Finnish adolescent psychiatry. Journal of Psychiatric and Mental Health Nursing (in press).
3. T. Noda, H. Nijman, N. Sugiyama, K. Tsujiwaki, H. Putkonen, E. Sailas, R. Kontio, H. ○Ito, G. Joffe: Factors Affecting Assessment of Severity of Aggressive Incidents: Using the Staff Observation Aggression Scale-Revised (SOAS-R) in Japan. Journal of Psychiatric and Mental Health Nursing (in press).
4. 藤田純一, 西田敦志, 高橋雄一, 新井 卓, ○伊藤弘人, 岡崎祐士：児童思春期精神科治療施設の初回エピソード精神病に対するサービス調査. 精神医学 53(9):891-897, 2011.
5. 坂田 睦, 野田幸裕, 藤田純一, 西田淳志, 三澤史斉, 野田寿恵, ○伊藤弘人：抗精神病薬の散剤処方による抗精神病薬の投与量・剤数への影響. 臨床精神薬理 14:1839-1844, 2011.
6. 野田寿恵, 杉山直也, 松本佳子, 辻脇邦彦, 長谷川利夫, ○伊藤弘人：エッセン精神科病棟風土 評価スキーマ 日本語版 (EssenCES-JPN) の心理測定額的特徴の検討. 精神医学 54 (2) : 211-217, 2012.
7. 野田寿恵, 安齋達彦, 杉山直也, 平田豊明, ○伊藤弘人：精神保健福祉資料 (630 調査) を用いた隔離・身体拘束施行者数の分析. 精神医学 (in press)(3 月号掲載予定)
8. 野田寿恵, 吉浜文洋, 仲野 栄, 柿島有子, 木葉三奈, ○伊藤弘人：行動制限最小化看護研修 受講後における隔離・身体拘束施行量. 精神医学 (in press)(6 月号掲載予定)

研究分担者：村田美穂

1. Furusawa Y, Mukai Y, Kobayashi Y, Sakamoto T, ○Murata M. Role of the external oblique muscle in upper camptocormia for patients with Parkinson's disease. Mov.Dis. 2012 Jan 30, Epub ahead of print
2. Yamamoto T, Ikeda K, Usui H, Miyamoto M, ○Murata M. Validation of the Japanese translation of the Swallowing Disturbance Questionnaire in parkinson's disease patients. Qual Life Res 2011 Oct 5, Epub ahead of print.
3. Furusawa Y, Mori-Yoshimura M, Yamamoto T, Sakamoto C, Wakita M, Kobayashi Y, Fukumoto Y, Oya Y, Fukuda T, Sugie H, Hayashi Y K, , Nishino I, Nonaka I, ○ Murata M. Effects of