

佐々木誠人、水野真理、岡庭紀子、川村百合加、高田真由子、 <u>春日井邦夫</u>	炎症性腸疾患一病因解明と診断・治療の最新知見一	日本臨牀	70(1)	266-69	2011
<u>Naito, Y.</u> , Hang, LP., Uchiyama, K., Akagiri, S., Mizushima, K., Yoshikawa, T.	Regular exercise prevents high-sucrose diet-induced fatty liver via improvement of hepatic lipid metabolism	Biochem. Biophys. Res. Commun.	413	330-5	2011
Harusato, A., <u>Naito, Y.</u> , Takagi, T., Uchiyama, K., Mizushima, K., Hirai, Y., Yamada, S., Tuji, T., Yoriki, H., Horie, R., Inoue, K., Fukumoto, K., Handa, O., Ishikawa, T., Kokura, S., Minamiyama, Y., Ichikawa, H., Muto, A., Igarashi, K., Yoshikawa, T.	Suppression of indomethacin-induced apoptosis in the small intestine due to Bach1 deficiency	Free Radic. Res.	45	717-27	2011
Hirata, I., <u>Naito, Y.</u> , Takagi, T., Mizushima, K., Suzuki, T., Omatsu, T., Handa, O., Ichikawa, H., Ueda, H., Yoshikawa, T.	Endogenous hydrogen sulfide Is an anti-inflammatory molecule in dextran sodium sulfate-induced colitis in mice.	Dig. Dis. Sci.	56	1379-86	2011
Inoue, K., <u>Naito, Y.</u> , Takagi, T., Hayashi, N., Hirai, Y., Mizushima, K., Horie, R., Fukumoto, K., Yamada, S., Harusato, A., Hirata, I., Omatsu, T., Yoshida, M., Uchiyama, K., Ishikawa, T., Handa, O., Konishi, H., Wakabayashi, N., Yagi, N., Ichikawa, H., Kokura, S., Yoshikawa, T.	Daikenchuto, a Kampo medicine, regulates intestinal fibrosis by inhibiting heat shock protein 47 expression in a rat colitis model	Biol. Pharm. Bull.	34	1659-1665	2011
<u>Naito, Y.</u> , Takagi, T., Katada, K., Tomatsuri, N., Mizushima, K., Handa, O., Kokura, S., Yagi, N., Ichikawa, H., Yoshikawa, T.	Gastric peroxisome proliferator activator receptor gamma expression and cytoprotective actions of its ligands against ischemia-reperfusion injury in rats	J. Clin. Biochem. Nutr.	48(2)	170-7	2011

Kishimoto, E., <u>Naito</u> , Y., Handa, O., Okada, H., Mizushima, K., Hirai, Y., Nakabe, N., Uchiyama, K., Ishikawa, T., Takagi, T., Yagi, N., Kokura, S., Yoshida, N., Yoshikawa, T.	Oxidative stress-induced posttranslational modification of TRPV1 expressed in esophageal epithelial cells.	Am. J. Physiol. Gastrointest. Liver Physiol.	301	G230-8	2011
<u>Naito</u> , Y., Takagi, T., Uchiyama, K., Yoshikawa, T.	Heme oxygenase-1: a novel therapeutic target for gastrointestinal diseases	J. Clin. Biochem. Nutr.	48	126-133	2011
Oya-Ito, T., <u>Naito</u> , Y., Takagi, T., Handa, O., Matsui, H., Yamada, M., Shima, K., Yoshikawa, T.	Heat-shock protein 27 (Hsp27) as a target of methylglyoxal in gastrointestinal cancer	Biochimica et Biophysica Acta	1812	769-81	2011
Qin, Y., <u>Naito</u> , Y., Handa, O., Hayashi, N., Kuki, A., Mizushima, K., Omatsu, T., Tanimura, Y., Morita, M., Adachi, S., Fukui, A., Hirata, I., Kishimoto, E., Nishikawa, T., Uchiyama, K., Ishikawa, T., Takagi, T., Yagi, N., Kokura, S., Yoshikawa, T.	Heat shock protein 70-dependent protective effect of polaprezinc on acetylsalicylic acid-induced apoptosis of rat intestinal epithelial cells	J. Clin. Biochem. Nutr.	49(3)	174-81	2011
Takagi, T., <u>Naito</u> , Y., Uchiyama, K., Okuda, T., Mizushima, K., Suzuki, T., Handa, O., Ishikawa, T., Yagi, N., Kokura, S., Ichikawa, H., Yoshikawa, T.	Rebamipide promotes the healing of colonic ulceration through enhanced restitution of intestinal epithelial cells	World J. Gastroenterol.	17	3802-3809	2011
Takagi, T., <u>Naito</u> , Y., Uchiyama, K., Suzuki, T., Hirata, I., Mizushima, K., Tsuboi, H., Hayashi, N., Handa, O., Ishikawa, T., Yagi, N., Kokura, S., Ichikawa, H., Yoshikawa, T.	Carbon monoxide liberated from carbon monoxide-releasing molecule exerts an anti-inflammatory effect on dextran sulfate sodium-induced colitis in mice	Dig. Dis. Sci.	56	1663-71	2011
Uchiyama, K., <u>Naito</u> , Y., Takagi, T., Mizushima, K., Hayashi, N., Handa, O., Ishikawa, T., Yagi, N., Kokura, S., Yoshikawa, T.	FGF19 protects colonic epithelial cells against hydrogen peroxide	Digestion	83	180-183	2011

<u>Yamada, S., Naito, Y.,</u> Takagi, T., Mizushima, K., Hirai, Y., Horie, R., Fukumoto, K., Inoue, K., Harusato, A., Yoshida, N., Uchiyama, K., Handa, O., Ishikawa, T., Konishi, H., Wakabayashi, N., Yagi, N., Kokura, S., Kita, M., Yoshikawa, T.	Reduced small-intestinal injury induced by indomethacin in interleukin-17A-deficient mice	J. Gastroenterol. Hepatol.	26	398-404	2011
Takagi, T., <u>Naito, Y.,</u> Okada, H., Okayama, T., Mizushima, K., Yamada, S., Fukumoto, K., Inoue, K., Ishikawa, T., Handa, O., Kokura, S., Yagi, N., Ichikawa, H., Osawa, T., Uchida, K., Kato, Y., Yoshikawa, T.	Identification of dihalogenated-modified proteins involved in the pathogenesis of indomethacin-induced intestinal injuries in rats	J. Clin. Biochem. Nutr.	48	In press	2011
<u>Uchiyama, K., Naito, Y.,</u> Takagi, T., Mizushima, K., Hayashi, N., Handa, O., Ishikawa, T., Yagi, N., Kokura, S., Yoshikawa, T.	FGF19 protects colonic epithelial cells against hydrogen peroxide	Digestion	83	180-183	2011
Inoue, K., <u>Naito, Y.,</u> Takagi, T., Hayashi, N., Hirai, Y., Mizushima, K., Horie, R., Fukumoto, K., Yamada, S., Harusato, A., Hirata, I., Omatsu, T., Yoshida, M., Uchiyama, K., Ishikawa, T., Handa, O., Konishi, H., Wakabayashi, N., Yagi, N., Ichikawa, H., Kokura, S., Yoshikawa, T.	Daikenchuto, a Kampo medicine, regulates intestinal fibrosis by inhibiting heat shock protein 47 expression in a rat colitis model	Biol. Pharm. Bull.	34	1659-1665	2011
西澤俊宏, 西澤優子	過敏性腸症候群の薬物療法	治療	94(3)		2012
西澤俊宏	IBS の治療薬の最新情報	GI research	19(2)	50-53	2012
Koizumi, M., Hosoya, Y., Dezaki, K., Yada, T., <u>Hosoda, H.,</u> Kangawa, K., Nagai, H., Lefor, AT., Sata, N., Yasuda, Y.	Postoperative weight loss does not resolve after esophagectomy despite normal serum ghrelin levels.	Ann. Thorac. Surg.	91(4)	1032-7	2011

Iwakura, H., Ariyasu, H., Hosoda, H. , Yamada, G., Hosoda, K., Nakao, K., Kangawa, K., Akamizu, T.	Oxytocin and dopamine stimulate ghrelin secretion by the ghrelin-producing cell line, MGN3-1 in vitro.	Endocrinology	152(7)	2619-25	2011
Shimizu, S., Akiyama, T., Kawada, T., Sonobe, T., Kamiya, A., Shishido, T., Tokudome, T., Hosoda, H. , Shirai, M., Kangawa, K., Sugimachi, M.	Centrally administered ghrelin activates cardiac vagal nerve in anesthetized rabbits.	Auton. Neurosci.	162(1-2)	60-5	2011
Cao, Y., Nakata, M., Okamoto, S., Takano, E., Yada, T., Minokoshi, Y., Hirata, Y., Nakajima, K., Iskandar, K., Hayashi, Y., Ogawa, W., Barsh, GS., Hosoda, H. , Kangawa, K., Itoh, H., Noda, T., Kasuga, M., Nakae, J.	PDK1-Foxo1 in agouti-related peptide neurons regulates energy homeostasis by modulating food intake and energy expenditure.	PLoS One	6(4)	e18324	2011
Hara, M., Nishi, Y., Yamashita, Y., Yoh, J., Takahashi, S., Nagamitsu, S., Kakuma, T., Hosoda, H. , Kangawa, K., Kojima, M., Matsuishi, T.	Ghrelin levels are reduced in Rett syndrome patients with eating difficulties.	Int. J. Dev. Neurosci.	29(8)	899-902	2011
Ikeda, K., Chiba, T., Sugai, T., Kangawa, K., Hosoda, H. , Suzuki, K.	Correlation between plasma or mucosal ghrelin levels and chronic gastritis.	Hepato-gastroenterology	58(110-111)	1622-7	2011
Akamizu, T., Sakura, N., Shigematsu, Y., Tajima, G., Ohtake, A., Hosoda, H. , Iwakura, H., Ariyasu, H., Kangawa, K.	Analysis of plasma ghrelin in patients with medium-chain acyl-CoA dehydrogenase deficiency and glutaric aciduria type II.	Eur. J. Endocrinol.	166(2)	235-40	2012
Bando, M., Iwakura, H., Ariyasu, H., Hosoda, H. , Yamada, G., Hosoda, K., Adachi, S., Nakao, K., Kangawa, K., Akamizu, T.	Transgenic overexpression of intraislet ghrelin does not affect insulin secretion or glucose metabolism in vivo.	Am. J. Physiol. Endocrinol. Metab.	302(4)	E403-8	2012
Kishimoto, I., Tokudome, T., Hosoda, H. , Miyazato, M., Kangawa, K.	Ghrelin and cardiovascular diseases.	J. Cardiol.	59(1)	8-13	2012
Suzuki, H. , Nishizawa, T., Tsugawa, H., Mogami, S., Hibi, T.	Roles of oxidative stress in stomach disorders.	J. Clin. Biochem. Nutr.	50(1)	35-39	2012.
Iwasaki, E., Suzuki, H. , Masaoka, T., Nishizawa, T., Hosoda, H., Kangawa, K., Hibi, T.	Enhanced gastric ghrelin production and secretion in rats with gastric outlet obstruction.	Dig. Dis. Sci.	57(4)	858-864	2012

Mogami, S., Suzuki, H. , Fukuhara, S., Matsuzaki, J., Kangawa, K., Hibi, T.	Reduced ghrelin production induced anorexia after rat gastric ischemia and reperfusion.	Am. J. Physiol. Gastrointest. Liver Physiol.	302(3)	G359-64	2012
Nishizawa, T., Suzuki, H. , Suzuki, M., Takahashi, M., Hibi, T. et al.	PPI-amoxicillin-clarithromycin versus PPI-amoxicillin-metronidazole as first-line <i>Helicobacter pylori</i> eradication therapy.	J. Clin. Biochem. Nutr.	51(2)	114-6	2012
Matsuzaki, J., Suzuki, H. , Nishizawa, T., Hirata, K., Tsugawa, H., Saito, Y., Okada, S., Fukuhara, S., Hibi, T.	Efficacy of sitafloxacin-based rescue therapy for <i>Helicobacter pylori</i> after failures of first- and second-line therapies.	Antimicrob. Agent Chemother.	56(3)	1643-45	2012
Kobayashi, S., Okamura, Y., Suzuki, H. , Taniki, N., Uehara, J., Ojiro, K., Teramoto, K., Kurinoki, M., Chigusa, Y., Shiwaku, K., Hibi, T.	Capsule endoscopy assists in the complete deworming of parasites.	J. Gastroenterol. Hepatol.	27	1253	2012
Matsuzaki, J., Suzuki, H. , Asakura, K., Fukushima, Y., Inadomi, J.M., Takebayashi, T., Hibi, T.	Classification of functional dyspepsia based on concomitant bowel symptoms.	Neuro-gastroenterol. Motil.	24(4)	325-e164	2012
sugawa, H., Suzuki, H. , Matsuzaki, J., Hirata, K., Hibi, T.	FecA1, a bacterial iron transporter, determines the survival of <i>Helicobacter pylori</i> in the stomach.	Free Radic. Biol. Med.	52(6)	1013-1010	2012
Asano, T., Tanaka, K., Sueemasu, S., Ishihara, T., Tahara, K., Suzuki, T., Suzuki, H. , Fukudo, S., Mizushima, T.	Effects of β -(1,3-1,6)-D-glucan on irritable bowel syndrome-related colonic hypersensitivity.	Biochem. Biophys. Res. Com.	420(2)	444-9	2012
Nishizawa, T., Suzuki, H. , Maekawa, T., Harada, N., Toyokawa, T., Kuwai, T., Ohara, M., Suzuki, T., Kawanishi, M., Noguchi, K., Yoshio, T., Katsushima, S., Tsuruta, H., Eiji Masuda, E., Tanaka, M., Katayama, S., Kawamura, N., Nishizawa, Y., Hibi, T., Takahashi, M.	Dual therapy for third-line <i>H. pylori</i> eradication and urea breath test prediction.	World J. Gastroenterol.	18(21)	2735-2738	2012
Fukushima, Y., Suzuki, H. , Matsuzaki, J., Kiyosue, A., Hibi, T.	Efficacy of solifenacin on irritable bowel syndrome with diarrhea (IBS-D): open-label prospective pilot trial.	J. Neuro-gastroenterol. Motil.	18(3)	317-323	2012

Matsuzaki, J., <u>Suzuki, H.</u> , Fukushima, Y., Hirata, K., Fukuhara, S., Okada, S., Hibi, T.	High frequency of overlap between functional dyspepsia and overactive bladder.	Neuro-gastroenterol. Motil.	24(9)	821-7	2012
Nakamizo, H., <u>Suzuki, H.</u> , Miura, S., Mogami, S., Kishikawa, H., Yoshiida, H., Matsui, H., Hibi, T.	Transmural pressure loading enhances gastric mucosal proliferation.	Dig. Dis. Sci.	57(10)	2545-2554	2012
Naito, Y., Uchiyama, K., Kinoshita, Y., Fukudo, S., Joh, T., <u>Suzuki, H.</u> , Takahashi, S., Ueno, F., Fujiwara, Y., Arakawa, T., Matsumoto, T., Hahm, K.B., Kachintorn, U., Syam A.F., Rani, A.A., Sollano, J.D., Zhu, Q.	A Questionnaire-Based Survey on Screening for gastric and colorectal cancer by physicians in East Asian countries in 2010.	Digestion	86(2)	94-106	2012
Ishimura, N., Amano, Y., Sollano, J.D., Zhu, Q., Kachintorn, U., Rani, A.A., Hahm, K-B., Takahashi, S., Arakawa, T., Joh, T., Matsumoto, T., Naito, Y., <u>Suzuki, H.</u> , Ueno, F., Fukudo, S., Fujiwara, Y., Kamiya, T., Uchiyama, K., Kinoshita, Y., The IGICS Study Group.	Questionnaire-based survey conducted in 2011 concerning endoscopic management of Barrett's esophagus in East Asian countries.	Digestion	86(2)	136-146	2012
Yahiro, K., Satoh, M., Nakano, M., Hisatune, J., I somoto, H., Sap, J., <u>Suzuki, H.</u> , Nomura, F., Noda, M., Moss, J., Hirayama, T.	Low-density lipoprotein receptor-related protein -1 (LRP-1) mediates autophagy and apoptosis caused by <i>Helicobacter pylori</i> VacA.	J. Biol. Chem.	287(37)	31104-15	2012
Nakashita, M., <u>Suzuki, H.</u> , Miura, S., Taki, T., Uehara, K., Mizushima, T., Nagata, H., Hibi, T.	Attenuation of acetic acid-induced gastric ulcer formation in rats by glucosylceramide synthase inhibitors.	Dig. Dis. Sci.	58(2)	354-62	2013
Saito, Y., <u>Suzuki, H.</u> , Taya, T., Nishizawa, M., Tsubugawa, H., Matsuzaki, J., Hirata, K., Saito, H., Hibi, T.	Development of a novel <i>microRNA</i> promoter microarray for ChIP-on-chip assay to identify epigenetically regulated microRNAs.	Biochem. Biophys. Res. Com.	426(1)	33-37	2012
<u>Suzuki, H.</u> , Matsuzaki, J.	Are solifenacin and ramosetron really ideal to treat irritable bowel syndrome?: Author's Reply.	J. Neuro-gastroenterol. Motil.	18(4)	459	2012

Saito, Y., <u>Suzuki, H.</u> , Imaeda, H., Matsuzaki, J., Hirata, K., Tsugawa, H., Hibino, S., Kanai, Y., Saito, H., Hibi, T.	The tumor suppressor <i>microRNA-29c</i> is downregulated and restored by celecoxib in human gastric cancer cells.	Int. J. Cancer	132(8)	1751-60	2013
Saito, Y., <u>Suzuki, H.</u> , Tsugawa, H., Imaeda, H., Matsuzaki, J., Hirata, K., Hosoe, N., Nakamura, M., Hosoe, N., Saito, H., Hibi, T.	Overexpression of <i>miR-142-5p</i> and <i>miR-155</i> in gastric mucosa-associated lymphoid tissue (MALT) lymphoma resistant to <i>Helicobacter pylori</i> eradication.	PLoS One	7(11)	e47396	2012
Suemasu, S., Yamakawa, N., Ishihara, T., Asano, T., Tahara, K., Tanaka, K., Matsui, H., Okamoto, Y., Otsuka, M., Takeuchi, K., <u>Suzuki, H.</u> , Mizushima, T.	Identification of unique NSAID, fluoro-loxoprofen with gastroprotective activity.	Biochem. Pharmacol.	84(11)	1470-81	2012
Hirano, Y., Takeuchi, H., Oyama, T., Saikawa, Y., Niihara, M., Sako, H., Omagari, K., Nishi, T., <u>Suzuki, H.</u> , Hibi, T., Kitagawa, Y.	Minimally invasive surgery for esophageal epiphrenic diverticulum – the results of our experience and 133 patients in 25 published series.	Surgery Today	43(1)	1-7	2013
<u>Suzuki, H.</u> , Nishizawa, T., Tsugawa, H., Hibi, T.	Molecular approaches and modern clinical strategies for the management of <i>Helicobacter pylori</i> infection in Japan.	Keio J. Med.	61(4)	109-119	2012
Iwasaki, E., <u>Suzuki, H.</u> , Mogami, S., Hibi, T. Enhanced gastric ghrelin induced c-kit protein expression in rats with gastric outlet obstruction.	Enhanced gastric ghrelin induced c-kit protein expression in rats with gastric outlet obstruction.	Dig. Dis. Sci.	57(12)	3308-3309	2012
Nishizawa, T., <u>Suzuki, H.</u> , Takahashi, M., Kaneko, H., Suzuki, M., Hibi, T.	Effect of ursodeoxycholic acid and endoscopic sphincterotomy in long-term stenting for common bile duct stones.	J. Gastroenterol. Hepatol.	28(1)	63-7	2013
Tsugawa, H., <u>Suzuki, H.</u> , Saya, H., Hatakeyama, M., Hirayama, T., Hirata, K., Nagano, O., Matsuzaki, J., Hibi, T.	<i>Helicobacter pylori</i> Cag A degradation by reactive oxygen species-mediated autophagy is escaped in CD44 variant-expressing cancer stem-like cells.	Cell Host & Microbe	12(6)	764-777	2012

Fujii, Y., Yoshihashi, K., Suzuki, H. , Tsutsumi, S., Mutoh, H., Maeda, S., Aburatani, H., Hatakeyama, M.	CDX1 confers intestinal phenotype on gastric epithelial cells via induction of stemness-associated reprogramming factors SALL4 and KLF5.	Proc. Natl. Acad. Sci. USA	109(50)	20584-20589	2012
Suzuki, H. , Moayyedi, P.	<i>Helicobacter pylori</i> infection in functional dyspepsia.	Nat. Rev. Gastroenterol. Hepatol.	10(3)	168-74	2013
Hirata, K., Suzuki, H. , Matsuzaki, J., Masaoka, M., Saito, Y., Nishizawa, T., Iwasaki, E., Fukuhara, S., Okada, S., Hibi, T.	Improvement of reflux symptom related quality of life after <i>Helicobacter pylori</i> eradication therapy.	J. Clin. Biochem. Nutri.	52(2)	172-178	2013
Matsuzaki, J., Suzuki, H. , Okuda, S., Tanimoto, A., Asakura, K., Fukuhara, S., Okada, S., Hirata, K., Mori, H., Masaoka, T., Higuchi, H., Hozawa, S., Kurabayashi, S., Takabayashi, T., Hibi, T.	Biliary findings assist in predicting enlargement of intraductal papillary mucinous neoplasms of the pancreas.	Clin. Gastroenterol. Hepatol.	11(5)	548-54	2013
Takahashi, T., Suzuki, H. , Imai, T., Shibata, S., Tabuchi, Y., Tsuchimoto, K., Okano, H., Hibi, T.	Musashi-1 post-transcriptionally enhances phosphotyrosine-binding domain-containing m-Numb protein expression in regenerating gastric mucosa.	PLoS One	8(1)	e53540	2013
Mogami, S., Suzuki, H. , Tsugawa, H., Fukuhara, S., Hibi, T.	Impaired heme oxygenase-1 induction in the gastric antrum induces disruption of the interstitial cells of Cajal network in a rat model of streptozotocin-induced diabetes.	Neuro-gastroenterol. Motil.	in press	in press	2013
Suzuki, H. , Matsuzaki, J., Okada, S., Fukuhara, S., Hirata, K., Hibi, T.	Validation of the Gerd Q questionnaire for the management of gastroesophageal reflux disease in Japan.	United European Gastroenterology Journal	in press	in press	2013
Mizuno, S., Yamagishi, Y., Ebinuma, H., Nakamoto, N., Katahira, M., Sasaki, A., Sakamoto, M., Suzuki, H. , Kanai, T., Hibi, T.	Progressive liver failure induced by everolimus for renal cell carcinoma in a 58-year-old male hepatitis B virus carrier.	Clin. Gastroenterol. J.	6(2)	188-192	2013
Nishizawa, T., Suzuki, H.	The role of microRNA in gastric malignancy.	Int. J. Mol. Sci.	14(5)	9487-9496	2013

Nishizawa, T., <u>Suzuki, H.</u> , Takahashi, M., Suzuki, M., Hibi, T.	Delay of second-line eradication therapy for <i>H. pylori</i> can increase eradication failure.	J. Gastroenterol. Hepatol.	in press	in press	2013
Asaoka, D., Nagahara, A., Matsuhisa, T., Takahashi, S., Tokunaga, K., Kawai, T., <u>Suzuki, H.</u> , Suzuki, M., Nishizawa, T., Kurihara, N., Ito, M.,asaki, H., Omata, F., Mizuno, S., Torii, A., Ohkusa, T., Mine, T., Sakaki, N.	Trends of second-line eradication therapy for <i>Helicobacter pylori</i> in Japan: A Multicenter Study in the Tokyo Metropolitan Area.	Helicobacter	in press	in press	2013
Miyoshi, J., Yajima, T., Shimamura, K., Matsuoka, K., Okamoto, S., Higuchi, H., Funakoshi, S., Takaishi, H., <u>Hibi, T.</u>	5-aminosalicylic acid mediates expression of cyclooxygenase-2 and 15-hydroxyprostaglandin dehydrogenase to suppress colorectal tumorigenesis.	Anticancer. Res.	32(4)	1193-202	2012
Takaishi, H., Kanai, T., Nakazawa, A., Sugata, F., Nikai, A., Yoshizawa, S., Hamamoto, Y., Funakoshi, S., Yajima, T., Iwao, Y., Takemura, M., Ozaki, S., <u>Hibi, T.</u>	Anti-high mobility group box 1 and box 2 non-histone chromosomal proteins (HMGB1/HMG B2) antibodies and anti-Saccharomyces cerevisiae antibodies (ASCA): accuracy in differentially diagnosing UC and CD and correlation with inflammatory bowel disease phenotype.	J. Gastroenterol.	47(9)	969-77	2012
Hosoe, N., Nakashita, M., Imaeda, H., Sujino, T., Bessho, R., Ichikawa, R., Inoue, N., Kanai, T., <u>Hibi, T.</u> , Ogata, H.	Comparison of patient acceptance of sodium phosphate versus polyethylene glycol plus sodium picosulfate for colon cleansing in Japanese.	J. Gastroenterol. Hepatol.	27(10)	1617-22	2012
Mizukami, T., Kanai, T., Mikami, Y., Hayashi, A., Doi, T., Handa, T., Matsumoto, A., Jun, L., Matsuoka, K., Sato, T., Hisamatsu, T., <u>Hibi T.</u>	CCR9+ macrophages are required for eradication of peritoneal bacterial infections and prevention of polymicrobial sepsis.	Immunol. Lett.	147(1-2)	75-9	2012
Hisamatsu, T., Kanai, T., Mikami, Y., Yoneno, K., Matsuoka, K., <u>Hibi, T.</u>	Immune aspects of the pathogenesis of inflammatory bowel disease.	Pharmacol. Ther.	137(3)	283-97	2013

Takahashi, T., Suzuki, H., Imai, T., Shibata, S., Tabuchi, Y., Tsuchimoto, K., Okano, H., <u>Hibi, T.</u>	Musashi-1 post-transcriptionally enhances phosphotyrosine-binding domain-containing m-Numb protein expression in regenerating gastric mucosa.	PLoS One.	8(1)	e53540	2013
Arai, T., Yuasa, S., Miya ta, H., Kawamura, A., Maekawa, Y., Ishikawa, S., Noma, S., Inoue, S., <u>Sato, Y.</u> , Kohsaka, S., Fukuda, K.	Incidence of periprocedural myocardial infarction and cardiac biomarker testing after percutaneous coronary intervention in Japan: results from a multicenter registry.	Heart. Vessels.	Epub ahead of print	Epub ahead of print	2012
Numasawa, Y., Kohsaka, S., Miyata, H., Kawamura, A., Noma, S., Suzuki, M., Nakagawa, S., Momiyama, Y., <u>Sato, Y.</u> , Fukuda, K.	Safety of transradial approach for percutaneous coronary intervention in relation to body mass index: a report from a Japanese multicenter registry.	Cardiovasc. Interv. Ther.	28(2)	148-56	2013
Kuwahara, E., Asakura, K., Nishiwaki, Y., Inoue, N., Watanabe, M., Hibi, T., <u>Takebayashi, T.</u>	Effects of family history on inflammatory bowel disease characteristics in Japanese patients.	J. Gastroenterol.	47(9)	961-8	2012
Yamada, M., Nishiwaki, Y., Michikawa, T., <u>Takebayashi, T.</u>	Self-reported hearing loss in older adults is associated with future decline in instrumental activities of daily living but not in social participation.	J. Am. Geriatr. Soc.	60(7)	1304-9	2012
Inamasu, T., Sudo, K., Kato, S., Deguchi, H., Ichikawa, M., Shimizu, T., Maeda, T., Fujimoto, S., <u>Takebayashi, T.</u> , Saito, T.	Pandemic influenza virus surveillance, Izu-Oshima Island, Japan.	Emerg. Infect. Dis.	18(11)	1882-5	2012
Iwase, T., <u>Takebayashi, T.</u> , Tanimoto, K., Terashima, Y., Miyakawa, T., Kobayashi, T., Tohse, N., Yamashita, T.	Sympathectomy attenuates excitability of dorsal root ganglion neurons and pain behaviour in a lumbar radiculopathy model.	Bone Joint Res.	1(9)	198-204	2012
Michikawa, T., Nishiwaki, Y., Asakura, K., Hillebrand, G., Miyamoto, K., Ono, M., Kinjo, Y., Akiba, S., <u>Takebayashi, T.</u>	Sunlight exposure may be a risk factor of hearing impairment: a community-based study in Japanese older men and women.	J. Gerontol. A. Biol. Sci. Med. Sci.	68(1)	96-103	2013

<u>Takebayashi, T.</u> , Yoshimoto, M., Ida, K., Tsuda, H., Terashima, Y., Yamashita, T.	Minimum invasive posterior decompression for cervical spondylotic amyotrophy.	J. Orthop. Sci.	18(2)	205-7	2013
Mizutani, N., Kawato, H., Maeda, Y., <u>Takebayashi, T.</u> , Miyamoto, K., Horiochi, T.	Multiple-type dynamic culture of highly oriented fiber scaffold for ligament regeneration.	J. Artif. Organs.	16(1)	49-58	2013
Nishiwaki, Y., Michikawa, T., <u>Takebayashi, T.</u> , Nitta, H., Iso, H., Inoue, M., Tsugane, S.; Japan Public Health Center-based Prospective Study Group.	Long-term exposure to particulate matter in relation to mortality and incidence of cardiovascular disease: the JPHC Study.	J. Atheroscler. Thromb.	20(3)	296-309	2013
<u>Takebayashi, T.</u> , Horii, T., Denno, H., Nakamachi, N., Otomo, K., Kitamura, S., Miyamoto, K., Horiochi, T., Ohta, Y.	Human mesenchymal stem cells differentiate to epithelial cells when cultured on thick collagen gel.	Biomed. Mater. Eng.	23(1-2)	143-53	2013
Michikawa, T., Nishiwaki, Y., Nakano, M., Iwasa, S., Yamada, M., Asakura, K., Yoshioka, N., Kuwahara, E., <u>Takebayashi, T.</u>	Higher Serum Dehydroepiandrosterone Sulfate Levels Are Protective Associated With Depressive Symptoms in Men, But Not in Women: A Community-Based Cohort Study of Older Japanese.	Am. J. Geriatr. Psychiatry.	S1064-7481(13)	00059-6	2013
Nakashima, H., Omae, K., Nomiyama, T., Yama no, Y., <u>Takebayashi, T.</u> , Sakurai, Y.	Beta-3-adrenergic receptor Trp64Arg polymorphism: does it modulate the relationship between exercise and percentage of body fat in young adult Japanese males?	Environ. Health. Prev. Med.	Epub ahead of print	Epub ahead of print	2013
Kamitani, K., Michikawa, T., Iwasawa, S., Eto, N., Tanaka, T., <u>Takebayashi, T.</u> , Nishiwaki, Y.	Spinal Posture in the Sagittal Plane Is Associated With Future Dependence in Activities of Daily Living: A Community-Based Cohort Study of Older Adults in Japan.	J. Gerontol. A. Biol. Sci. Med. Sci.	Epub ahead of print	Epub ahead of print	2013
Yoshimoto, M., Iwase, T., <u>Takebayashi, T.</u> , Ida, K., Yamashita, T.	Microendoscopic Disectomy for Far Lateral Lumbar Disc Herniation: Less Surgical Invasiveness and Minimum Two-Year Follow-Up Results.	J. Spinal. Disord. Tech.	Epub ahead of print	Epub ahead of print	2013

Hokari, R., Kurihara, C., Nagata, N., Aritake, K., Okada, Y., Watanabe, C., Komoto, S., Nakamura, M., Kawaguchi, A., Nagao, S., Urade, Y., <u>Miura, S.</u>	Increased expression of lipocalin-type-prostaglandin D synthase in ulcerative colitis and exacerbating role in murine colitis.	Am. J. Physiol., Gastrointest. Liver Physiol.	302 (3)	G401-8	2011
Kishikawa, H., Nishida, J., Ichikawa, H., Kaida, S., Matsukubo, T., <u>Miura, S.</u> , Morishita, T., Hibi, T.	Serum nitrate/nitrite concentration correlates with gastric juice nitrate/nitrite: a possible marker for mutagenesis of the proximal stomach.	Digestion.	84 (1)	62-9	2011
Matsunaga, H., Hokari, R., Ueda, T., Kurihara, C., Hozumi, H., Higashiyama, M., Okada, Y., Watanabe, C., Komoto, S., Nakamura, M., Kawaguchi, A., Nagao, S., Sekiyama, A., <u>Miura, S.</u>	Physiological stress exacerbates murine colitis by enhancing proinflammatory cytokine expression that is dependent on IL-18.	Am. J. Physiol. Gastrointest. Liver Physiol.	301 (3)	G555-64	2011
<u>Miura, S.</u> , Sugano, K., Kinoshita, Y., Fock, K. M., Goh, K.L., Gibson, P.; Asian-Pacific Topic Conference organized by Japanese Society of Gastroenterology and Asian Pacific Association of Gastroenterology.	Diagnosis and treatment of functional gastrointestinal disorders in the Asia-Pacific region: a survey of current practices.	J. Gastroenterol. Hepatol.	26 Suppl 3	2-11	2011
Kishikawa, H., Nishida, J., Ichikawa, H., Kaida, S., Takarabe, S., Matsukubo, T., <u>Miura, S.</u> , Morishita T., Hibi T.	Fasting Gastric pH of Japanese Subjects Stratified by IgG Concentration Against <i>Helicobacter pylori</i> and Pepsinogen Status.	Helicobacter.	16(6)	427-33	2011
Miwa, H., Ghoshal, U.C., Fock, K.M., Gonlachanvit, S., Gwee, K.A., Ang, T.L., Chang, F.Y., Hongo, M., Hou, X., Kachintorn, U., Ke, M., Lai, K.H., Lee, K.J., Lu, C.L., Mahadeva, S., <u>Miura, S.</u> , Park, H., Rhee, P.L., Sugano, K., Vilaichone, R.K., Wong, B.C., Bak, Y.T.	Asian Consensus Report on Functional Dyspepsia.	J. Gastroenterol. Hepatol.	27 (4)	626-41	2012
<u>Miura, S.</u> , Hokari, R.	Seeking an optimal eradication therapy for <i>Helicobacter pylori</i> infection.	J. Gastroenterol. Hepatol.	27 (1)	7-9	2012

Higashiyama, M., Hokari, R., Hozumi, H., Kurihara, C., Ueda, T., Watanabe, C., Tomita, K., Nakamura, M., Komoto, S., Okada, Y., Kawaguchi, A., Nagao, S., Suematsu, M., Goda, N., Miura, S.	HIF-1 in T cells ameliorated dextran sodium sulfate-induced murine colitis.	J. Leukoc. Biol.	91(6)	901-909	2012
Miwa, H., Ghoshal, U.C., Gonlachanvit, S., Gwee, K.A., Ang, T.L., Chang, F.Y., Fock, K.M., Hong o, M., Hou, X., Kachintorn, U., Ke, M., Lai, K. H., Lee, K.J., Lu, C.L., Mahadeva, S., Miura, S. , Park, H., Rhee, P.L., Sugano, K., Vilachone, R. K., Wong, B.C., Bak, Y. T.	Asian Consensus Report on Functional Dyspepsia.	J. Neuro-gastroenterol. Motil.	18 (2)	150-68	2012
Miura, S. , Hokari, R., Suzuki, Y.	Mucosal immunity in gut and lymphoid cell trafficking.	Annals of Vascular Diseases.	5(1)	275-281	2012
Nakamizo, H., Suzuki, H., Miura, S. , Mogami, S., Kishikawa, H., Yoshi da, H., Matsui, H., Hibi, T.	Transmural pressure loading enhances gastric mucosal cell proliferation.	Dig. Dis. Sci.	57 (10)	2545-2554	2012
Tsujimoto, H., Ogata, S., Yaguchi, Y., Kumano, I., Takahata, Ra., Ono, S., Yamamoto, J., Nagao, S., Miura, S. , Hase, K.	Predictive value of the pathological extent of tumor invasion in endoscopic resection margin is positive for residual tumor cells in surgically resected specimens of early gastric cancer.	Exp. Ther. Med.	4(3)	507-513	2012
Higashiyama, M., Hokari, R., Kurihara, C., Ueda, T., Watanabe, C., Tomita, K., Komoto, S., Okada, Y., Kawaguchi, A., Nagao, S., Miura S.	Indomethacin-induced small intestinal injury is ameliorated by cilostazol, a specific PDE-3 inhibitor.	Scand. J. Gastroenterol.	8-9 (47)	993-1002	2012
Nakashita, M., Suzuki, H., Miura, S. , Taki, T., Uehara, K., Mizushima, T., Nagata, H., Hibi, T.	Attenuation of acetic acid-induced gastric ulcer formation in rats by glucosylceramide synthase inhibitors.	Dig. Dis. Sci.	58	354-362	2013

Sato, S., Hokari, R., Kurihara, C., Sato, H., Narimatsu, K., Hozumi, H., Ueda, T., Higashiyama, M., Okada, Y., Watanabe, C., Komoto, S., Tomita, K., Kawaguchi, A., Nagaoka, S., <u>Miura, S.</u>	Dietary lipids and sweeteners regulate glucagon-like peptide-2 secretion.	Am. J. Physiol. Gastrointest. Liver. Physiol.	304(8)	G708-714	2013
Hozumi, H., Hokari, R., Kurihara, C., Narimatsu, K., Sato, H., Sato, S., Ueda, T., Higashiyama, M., Okada, Y., Watanabe, C., Komoto, S., Tomita, K., Kawaguchi, A., Nagaoka, S., <u>Miura, S.</u>	Endoscopic finding of spontaneous hemorrhage correlates with tumor necrosis factor alpha expression in colonic mucosa of patients with ulcerative colitis.	Int. J. Colorectal Dis.	Epub ahead of print	Epub ahead of print	2013
Hozumi, H., Hokari, R., Kurihara, C., Narimatsu, K., Sato, H., Sato, S., Ueda, T., Higashiyama, M., Okada, Y., Watanabe, C., Komoto, S., Tomita, K., Kawaguchi, A., Nagaoka, S., <u>Miura, S.</u>	Involvement of autotaxin/lysophospholipase D expression in intestinal vessels in aggravation of intestinal damage through lymphocyte migration.	Lab. Invest.	Epub ahead of print	Epub ahead of print	2013
穂苅量太、 <u>三浦総一郎</u> .	III 最近の話題 消化管の恒常性維持と病態解明、1. 消化・吸収機能からのアプローチ、特集:小腸疾患:診断と治療の進歩	日本内科学会雑誌	100	126-132	2011
佐藤伸悟、穂苅量太、 <u>三浦総一郎</u> .	小腸のプログルカゴン由来ホルモン分泌における各種脂肪酸摂取の影響	消化と吸収	33	246-250	2011
三浦総一郎、高本俊介、渡辺知佳子、穂苅量太、川口淳	下部消化管疾患の治療ガイドラインと高齢者への適応	日本高齢消化器病学会誌	13	7-12	2011
安武優一、 <u>三浦総一郎</u> .	ローマ基準の意義とその概要	Modern Physician	31	289-91	2011
佐藤伸悟、 <u>三浦総一郎</u> .	Glucagon-like peptide 2 (GLP-2)と小腸の消化・吸収	日本消化器病学会雑誌	108	564-74	2011
<u>三浦総一郎</u> .	慢性胃炎と機能性ディスペプシアの治療戦略—両疾患の相違点を踏まえて—	Physicians' Therapy Manual (PTM) 最新の疾患別治療マニュアル	3 (1)	1-2	2011
渡辺知佳子、 <u>三浦総一郎</u> .	アミノ酸、ペプチド輸送体、消化管の輸送体	G.I. Research	19	418-425	2011

三浦総一郎、高本俊介、渡辺知佳子、穂苅量太	高齢者潰瘍性大腸炎の内科治療 潰瘍性大腸炎診療の進展II内科治療	日本大腸肛門会誌	64	825-28	2011
三浦総一郎	蛋白漏出性胃腸症	2012今日の治療指針		438	2012
三浦総一郎、岡田義清、上田俊秀、八月朔日秀明、穂苅量太	Microscopic colitisの病態の解明にむけて一疾患モデル確立の試み	大腸疾患NOW2012		58-62	2012
高本俊介、三浦総一郎	高齢者の便通異常—憩室症や虚血性大腸炎との関連も含め	medicina(メディチーナ)	49	286-289	2012
八月朔日秀明、三浦総一郎	炎症性腸疾患の免疫学的要因 リンパ球ホーミング、接着分子の関与	日本臨牀	70 (増刊号)	101-105	2012
八月朔日秀明、穂苅量太、佐藤伸悟、上田俊秀、東山正明、岡田義清、栗原千枝、渡辺知佳子、高本俊介、中村光康、富田謙吾、川口淳、永尾重昭、三浦総一郎	腸管粘膜の微小血管におけるautotaxin/lysophospholipase Dの発現とリンパ球マイグレーションに伴なう腸管障害との関連	消化器と免疫	48	116-119	2012
永尾重昭、清水基規、高城健、丸田紘史、成松和幸、佐藤宏和、川口淳、三浦総一郎	赤外線内視鏡	Frontiers in Gastroenterology	17 (2)	147-152	2012
成松和幸、三浦総一郎	吸收不良症候群	ビジュアル栄養療法		12-18	2012
穂苅量太、三浦総一郎	蛋白漏出性胃腸症、吸収不良症候群	日本医師会雑誌	141 (特別号)	188-190	2012
三浦総一郎	慢性下痢、成人	新臨牀栄養学第2版		520-528	2012
Kamiya, T., Joh, T., Sollano, JD., Zhu, Q., Kachi, ntorn, U., Aziz Rani, A., Hahm, KB., Takahashi, S., Kinoshita, Y., Matsu moto, T., Naito, Y., Takeuchi, K., Arakawa, T., Terano, A.	Consensus of the present and prospects on endoscopic diagnosis and treatment in East Asian countries.	Diagn. Ther. Endosc.	in press	in press	2012
Quach, DT., Le, HM., Nguyen, OT., Nguyen, TS., Uemura, N.	The severity of endoscopic gastric atrophy could help to predict Operative Link on Gastritis Assessment gastritis stage.	J. Gastroenterol. Hepatol.	26	281-5	2011

Nagata, N., Kobayakawa, M., Shimbo, T., Hoshimoto, K., Yada, T., Gotoda, T., Akiyama, J., Oka, S., <u>Uemura, N.</u>	Diagnostic value of antigenemia assay for cytomegalovirus gastrointestinal disease in immuno compromised patients.	World Gastroenterol. J.	17	1185-91	2011
Kinoshita, Y., Ashida, K., Hongo, M.; Japan Rabeprazole Study Group for NERD.	Randomised clinical trial: a multicentre, double-blind, placebo-controlled study on the efficacy and safety of rabeprazole 5 mg or 10 mg once daily in patients with non-erosive reflux disease.	Aliment. Pharmacol. Ther.	33(2)	213-24	2011
Hijikata, Y., Ogasawara, N., Sasaki, M., Mizuno, M., Masui, R., Kondo, Y., Izawa, S., Ito, Y., Noda, H., <u>Kasugai, K.</u>	Endoscopic Submucosal Dissection with Sheath-Assisted Counter Tract Ion Using a Novel Sheath for Early Gastric Cancers.	Hepato-gastroenterology	59	353-356	2012
Sasaki, M., Imaeda, K., Okayama, N., Mizuno, T., Kataoka, H., Kamiya, T., Kubota, E., Ogasawara, N., Funaki, Y., Mizuno, M., Iida, A., Goto, C., Koikeda, S., <u>Kasugai, K.</u> , Joh, T.	Effects of transglucosidase on diabetes, cardiovascular risk factors and hepatic biomarkers in patients with type 2 diabetes: a 12-week, randomized, double-blind, placebo-controlled trial.	Diabetes. Obes. Metab.	14(4)	379-82	2012
Kawamura, Y., Ogasawara, N., Yamamoto, S., Sasaki, M., Kawamura, N., Izawa, S., Kobayashi, Y., Kamei, S., Miyachi, M., <u>Kasugai, K.</u>	Gossypiboma mimicking gastrointestinal stromal tumor causing intestinal obstruction: a case report.	Case. Rep. Gastroenterol.	6(2)	23-27	2012
Iida, A., Kaneko, H., Konagaya, T., Funaki, Y., Tokudome, K., Izawa, S., Tamura, Y., Mizuno, M., Ogasawara, N., Sasaki, M., <u>Kasugai, K.</u>	Inhibition of gastric perception of mild distension by omeprazole in volunteers.	World. Gastroenterol. J.	18(39)	5576-80	2012
Tokudome, K., Funaki, Y., Sasaki, M., Izawa, S., Tamura, Y., zida, A., Ogasawara, N., Konagaya, T., Tokura, Y., <u>Kasugai, K.</u>	Efficacy of endoluminal gastroplication in Japanese patients with proton pump inhibitor-resistant, non-erosive esophagitis.	World. Gastroenterol. J.	18(41)	5940-7	2012
佐々木誠人、水野真理、岡庭紀子、川村百合加、高田真由子、 <u>春日井邦夫</u> 。	【炎症性腸疾患-病因解明と診断・治療の最新知見-】炎症性腸疾患の検査・診断 高齢者炎症性腸疾患の臨床的特徴	日本臨牀	70(1)	266-269	2012
篠原孝幸、岩堀祐之、福井真二、 <u>春日井邦夫</u>	ヘシアンフィルタを用いた内視鏡画像からのポリープ自動検出	電子情報通信学会 医用画像研究技術報告	111(389)	305-10	2012

足立和規、田中創始、小林佑次、林伸彦、石井紀光、金澤太茂、佐々木誠人、中尾春壽、 <u>春日井邦夫</u> 、米田政志	若年者に発症した石灰乳胆汁による閉塞性黄疸に対し、EPBDが奏功した1例	Gastro-enterological. Endoscopy.	54(3)	466-473	2012
佐々木誠人、伊藤義紹、舟木康、小笠原尚高、水野真理、飯田章人、河村直彦、徳留健太郎、土方康孝、井澤晋也、増井竜太、近藤好博、田村泰弘、野田久嗣、岡庭紀子、吉峰崇、杉山智哉、野口誠司、川村百合加、高田真由美、新村哲也、小松原利典、 <u>春日井邦夫</u>	ジクロフェナクによる小腸粘膜傷害に対する予防	Ulcer Research.	39(2)	168-171	2012
<u>春日井邦夫</u> 、舟木康、飯田章人	【機能性消化管障害の診断と治療】NERDの病態(解説/特集)	Medical Science Digest.	38(12)	523-525	2012
木下芳一、三輪洋人、 <u>春日井邦夫</u> 、	逆流性食道炎初期治療に対するエソメプラズールの有効性の検討 一オメプラズールを対照とした無作為化二重盲検比較試験一	日消誌	110(2)	32-40	2013
Ando, T., Mizuno, S., Is hida, T., Kondo, Y., Mik i, I., Yoshida, M., Azum a, T., Ishikawa, T., Taka gi, T., Yagi, N., Kokura, S., <u>Naito, Y.</u> , Yoshikaw a, T., Asakawa, A., Inui, A.	Plasma ghrelin isoforms and gastric ghrelin O-acyltransferase expressi on are influenced by <i>H elicobacter pylori</i> status.	Nutrition.	28	967-972	2012
Inoue, K., Wakabayashi, N., Fukumoto, K., Yama da, S., Bito, N., Yoshida, N., Katada, K., Uchiya ma, K., Ishikawa, T., Ha nda, O., Takagi, T., Koni shi, H., Yagi, N., Kokur a, S., Kishimoto, M., Ya nagisawa, A., <u>Naito, Y.</u>	Toxic Megacolon Asso ciated with Cytomegalo virus Infection in a Pat ient with Steroid-naive Ulcerative Colitis.	Intern. Med.	51	2739-2743	2012
Ogawa, K., Omatsu, T., Matsumoto, C., Tsuchiya, N., Yamamoto, M., <u>Nait o, Y.</u> , Yoshikawa, T.	Protective effect of the Japanese traditional m edicine juzentaihoto on myelosuppression indu ced by the anticancer d rug TS-1 and identifica tion of a potential bio marker of this effect.	BMC Complement. Altern. Med.	12	118	2012

Senmaru, T., Fukui, M., Tanaka, M., Kuroda, M., Yamazaki, M., Oda, Y., Naito, Y. , Hasegawa, G., Toda, H., Yoshikawa, T., Nakamura, N.	Atrophic gastritis is associated with coronary artery disease.	J. Clin. Biochem. Nutr.	51	39-41	2012
Tanaka, M., Fukui, M., Kuroda, M., Yamazaki, M., Hasegawa, G., Oda, Y., Naito, Y. , Toda, H., Yoshikawa, T., Nakamura, N.	Pepsinogen I/II ratio is related to glucose, triglycerol, and uric acid levels.	Nutrition.	28	418-421	2012
Ando, T., Ishikawa, T., Takagi, T., Imamoto, E., Kishimoto, E., Okajima, A., Uchiyama, K., Handa, O., Yagi, N., Kokura, S., Naito, Y. , Mizuno, S., Asakawa, A., Inui, A., Yoshikawa, T.	Impact of <i>Helicobacter pylori</i> Eradication on Circulating Adiponectin in Humans.	Helicobacter.	18	158-164	2013
Nishizawa, T. , Suzuki, H., Maekawa, T., Harada, N., Toyokawa, T., Kuwai, T., Ohara, M., Suzuki, T., Kawanishi, M., Noguchi, K., Yoshio, T., Katsumi, S., Tsuruta, H., Masuda, E., Tanaka, M., Katayama, S., Kawamura, N., Hibi, T., Takahashi, M.	Dual therapy as third-line regimen for <i>H. pylori</i> eradication and prediction by urea breath test.	World Gastroenterol. J.	18(21)	2735-38	2012
Suzuki, H., Nishizawa, T. , Tsugawa, H., et al.	Molecular approaches and modern clinical strategies for the management of <i>H. pylori</i> infection in Japan.	Keio J. Med.	61(4)	109-19	2012
Nishizawa, T. , Suzuki, H., Suzuki, M., Takahashi, M., Hibi, T.	Proton pump inhibitor amoxicillin clarithromycin versus proton pump inhibitor amoxicillin metronidazole as first-line <i>Helicobacter pylori</i> eradication therapy.	J. Clin. Biochem. Nutr.	51(2)	114-6	2012
Suzuki, H., Nishizawa, T. , Tsugawa, H., et al.	Roles of oxidative stress in stomach disorders.	J. Clin. Biochem. Nutr.	50(1)	35-9	2012
Matsuzaki, J., Suzuki, H., Nishizawa, T. , et al.	Efficacy of sitafloxacin-based rescue therapy for <i>Helicobacter pylori</i> after failures of first- and second-line therapies.	Antimicrob. Agents. Chemother.	56(3)	1643-5	2012
Iwasaki, E., Suzuki, H., Masaoka, T., Nishizawa, T. , et al.	Enhanced Gastric Ghrelin in Production and Secretion in Rats with Gastric Outlet Obstruction.	Dig. Dis. Sci.	57(4)	858-64	2012

<u>Nishizawa, T.</u> , Suzuki, H., Takahashi, M., Kaneko, H., Suzuki, M., Hibi, T.	Effect of ursodeoxycholic acid and endoscopic sphincterotomy in long-term stenting for common bile duct stones.	J. Gastroenterol. Hepatol.	28(1)	63-7	2013
Hirata, K., Suzuki, H., Matsuzaki, J., Masaoka, T., Saito, Y., <u>Nishizawa, T.</u> , et al.	Improvement of reflux symptom related quality of life after <i>H. pylori</i> eradication therapy.	J. Clin. Biochem. Nutr.	52(2)	172-8	2013
西澤俊宏, 鈴木秀和.	<i>H. pylori</i> 除菌治療によって何が変わるのがか? 分子生物学からみた変化	胃と腸	47(11)	1678-83	2013
高橋正彦、関佐知子、作野隆、木下聰、岩畔慶太、 <u>西澤俊宏</u> 、藤山洋一、水森美佐、金子博、海老沼浩利、日比紀文.	肝硬変患者における呼気ガス分析計および体成分分析計を用いた安静時、基礎エネルギー消費量の測定	消化と吸収	34(3)	242-246	2012
西澤俊宏, 鈴木秀和, 高橋正彦.	大腸癌スクリーニング法の理想と限界:大腸内視鏡熟練度による病変検出率への影響	消化器内科	54(4)	435-437	2012
永原章仁, 水野滋章, 松久威史, 徳永健吾, 伊藤慎芳, 鈴木雅之, 浅岡大介, 鈴木秀和, <u>西澤俊宏</u> , 他.	<i>H. pylori</i> 除菌後胃癌について・除菌後10年以上経過後に診断された胃癌例の検討-東京都内多施設共同調査-	日本ヘリコバクター学会誌	14(1)	2-6	2012
西澤俊宏, 鈴木秀和, 高橋正彦, 他.	<i>H. pylori</i> 除菌不成功によるアモキシリン耐性化とPBP1遺伝子変異	日本ヘリコバクター学会誌	13(2)	47-49	2012
西澤俊宏, 西澤優子.	過敏性腸症候群の診かた:薬物療法	治療	94(3)	369 -73	2012
鈴木秀和、 <u>西澤俊宏</u> 、日比紀文.	<i>H. pylori</i> と胃癌の基礎と臨床, <i>H. pylori</i> 病原機序、薬剤耐性機構	消化器内科	54(3)	290-295	2012
鈴木秀和, <u>西澤俊宏</u> , 日比紀文.	機能性ディスペプシア・代表的疾患の診療の現況と将来展望	日本内科学会雑誌	102(1)	63-69	2013
西澤俊宏, 木下聰, 岩畔慶太, 作野隆, 藤山洋一, 菊池美穂, 金子博, 鈴木秀和, 高橋正彦.	bevacizumabを併用したXELOXおよびIRIS療法により病勢がコントロールできた著明な肝転移を伴う大腸癌の一例	癌と化学療法	in press	in press	in press
<u>Hosoda, H.</u> , Kangawa, K.	Standard sample collections for blood ghrelin measurements.	Methods. Enzymol.	514	113-26	2012
Kaiya, H., <u>Hosoda, H.</u> , Kangawa, K., Miyazato, M.	Determination of nonmammalian ghrelin.	Methods. Enzymol.	514	75-87	2012

Kojima, M., <u>Hosoda, H.</u> , Kangawa, K.	Purification of rat and human ghrelin.	Methods. Enzymol.	514	45-61	2012
Mao, Y., Tokudome, T., Otani, K., Kishimoto, I., Nakanishi, M., <u>Hosoda, H.</u> , Miyazato, M., Kangawa, K.	Ghrelin prevents incidence of malignant arrhythmia after acute myocardial infarction through vagal afferent nerves.	Endocrinology.	153(7)	3426-34	2012
Hamada, N., Nishi, Y., Tajiri, Y., Setoyama, K., Kamimura, R., Miyahara, K., Nuruki, N., <u>Hosoda, H.</u> , Kangawa, K., Kojima, M., Mifune, H.	Disrupted regulation of ghrelin production under antihypertensive treatment in spontaneously hypertensive rats.	Circ. J.	76(6)	1423-9	2012
Suzuki, K., Murata, M., Yasuda, R., Tsuruta, H., <u>To motsugu, N.</u> , Abe, T., Iwanaga, S., Akaishi, M., Fukuda, K.	Effect of lesional differences in prolapsed leaflets on clinical outcomes in patients with mitral valve prolapse.	Am. J. Cardiovasc. Dis.	2(3)	152-9	2012