

22(1):64-71.2012

- 235) Oki E, Emi Y, Akagi Y, Tokunaga S, Sadanaga N, Tanaka T, Ogata Y, Saeki H, Kakeji Y, Baba H, Nishimaki T, Natsugoe S, Shirouzu K, Maehara Y. Phase II Trial of Alternating mFOLFOX6 and FOLFIRI Regimens in the First-Line Treatment for Unresectable or Metastatic Colorectal Cancer (KSCC0701). *Oncology*. 84(4): 233-9,2013
- 236) Ikeguchi M, Kader A, Takaya S, Fukumoto Y, Osaki T, Saito H, Tatebe S, Wakatsuki T. Treatment of Patients with Stage I V Gastric Cancer. *J Gastrointest Cancer*. Epub ahead of print.2012
- 237) Ikeguchi M, Kader A, Yoshimoto M, Takaya S, Watanabe J, Fukumoto Y, Osaki T, Saito H, Tatebe S, Wakatsuki T. Usefulness of palliative prognostic score in the treatment of patients with non-resectable gastric cancer. *Molecular and Clinical Oncology*. 1: 253-256,2013
- 238) Hatata T, Higashi K, Tatebe S, Shomori K, Ikeguchi M. Immunohistochemical study of nuclear factor- κ B expression in esophageal squamous cell carcinoma: prognostic significance and sensitivity to treatment with 5-FU. *Dis Esophagus*. 25: 716-722,2012
- 239) Saito H, Takaya S, Fukumoto Y, Osaki T, Tatebe S, Ikeguchi M. Clinicopathological characteristics and prognosis of gastric cancer in young patients. *Yonago Acta medica*. 55: 57-61,2012
- 240) Saito H, Takaya S, Osaki T, Ikeguchi M. Increased apoptosis and elevated Fas expression in circulating natural killer cells in gastric cancer patients. *Gastric Cancer*. DOI 10.1007/s10120-012-0210-1,2012
- 241) Sawayama H, Hayashi N, Watanabe M, Takamori H, Beppu T, Baba H. The central vein access port and catheter in outpatient chemotherapy for colorectal cancer. A retrospective study of 101 patients. *Surg Today*. 42 (1) : 29-34,2012
- 242) Nishikawa K, Morita S, Matsui T, Kobayashi M, Takeuchi Y, Takahashi I, Sato S, Miyashita Y, Tsuburaya A, Sakamoto J, Kakeji Y, Baba H. A randomized phase-II trial comparing sequential and concurrent paclitaxel with oral or parenteral fluorinated pyrimidines for advanced or metastatic gastric cancer. *Gastric Cancer*. 15 (4) :
- 363-9,2012
- 243) Kato T, Muro K, Yamaguchi K, Bando H, Hazama S, Amagai K, Baba H, Endo T, Shi X, Fukase K, Sakamoto J, Mishima H. Cediranib in combination with mFOLFOX6 in Japanese patients with metastatic colorectal cancer: Results from the randomized Phase II part of a Phase I/II study. *Ann Oncol*. 23(4): 933-41,2012
- 244) Baba H, Watanabe M, Okabe H, Miyamoto Y, Sakamoto Y, Baba Y, Iwatsuki M, Chikamoto A, Beppu T. Upregulation of ERCC1 and DPD expressions after oxaliplatin based first-line chemotherapy for metastatic colorectal cancer. *Br J Cancer* 107(12):1950-55,2012
- 245) 馬場祥史、渡邊雅之、馬場秀夫. 抗癌剤【消化管】消化器外科学レビュー. 2012;209-215,2012
- 246) 宮本裕士、坂本快郎、尾崎宣之、石本崇胤、岩槻政晃、馬場祥史、岩上志朗、吉田直矢、渡邊雅之、馬場秀夫. 大腸癌における抗がん剤の効果判定と変更のタイミング. 癌と化学療法. 39(9):1326-1329,2012
- 247) 坂本快郎、別府透、今井克憲、林洋光、宮本裕士、近本亮、渡邊雅之、馬場秀夫. 切除可能な大腸癌肝転移に対する治療方針. 癌と化学療法. 39 (9) : 1628-1631,2012
- 248) Sakamoto Y, Beppu T, Miyamoto Y, Okabe H, Ida S, Imai K, Chikamoto A, Watanabe M, Baba H. Feasibility and short-term outcome of adjuvant FOLFOX after resection of colorectal liver metastases. *J Hepatobiliary Pancreat Sci*. 20(3): 307-312,2013
- 249) Oki E, Emi Y, Akagi Y, Tokunaga S, Sadanaga N, Tanaka T, Ogata Y, Saeki H, Kakeji Y, Baba H, Nishimaki T, Natsugoe S, Shirouzu K, Maehara Y. Phase II trial of alternating mFOLFOX6 and FOLFIRI (FIREFOX) regimens in the first-line treatment of advanced colorectal cancer. *Oncology*. 84(4):233-239,2013
- 250) Nitta H, Beppu T, Imai K, Hayashi H, Chikamoto A, Baba H. Adjuvant hepatic arterial infusion chemotherapy after hepatic resection of hepatocellular carcinoma with macroscopic vascular invasion. *World J Surg*. Publish Online (Doi: 10.1007/s00268-013-1957-1)
- 251) Saito S, Hayashi N, Sato N, Iwatsuki M, Baba Y, Sakamoto Y, Miyamoto Y, Watanabe M, Yoshida M, Sakai K, Katsumori T,

- Katafuchi S, Shigaki N, Yamada K, Kimura M, Tanigawa T, Kamano S, Kuramoto M, Baba H. Chemotherapy with bevacizumab for metastatic colorectal cancer: a retrospective review of 181 Japanese patients. *Int J Clin Oncol.* Published Online (Doi: 10.1007/s10147-012-0426-4).
- 252) Ueno H, Ioka T, Ikeda M, Ohkawa S, Yanagimoto H, Boku N, Fukutomi A, Sugimori A, Baba H, Yamao K, Shimamura T, Sho M, Kitano M, Cheng AL, Mizumoto K, Chen JS, Furuse J, Funakoshi A, Hatori T, Yamaguchi T, Egawa S, Sato A, Ohashi Y, Okusaka T. Randomized Phase III study of gemcitabine plus S-1(GS) or only S-1 versus gemcitabine in patients with advanced pancreatic cancer in Japan and Taiwan: GEST study. *Br J Cancer*, in press
- 253) Mochizuki I, Takiuchi H, Ikejiri K, Nakamoto Y, Kinugasa Y, Takagane A, Endo T, Shinozaki H, Takii Y, Takahashi Y, Mochizuki H, Kotake K, Kameoka S, Takahashi K, Watanabe T, Watanabe M, Boku N, Tomita N, Matsubara Y, Sugihara K. Safety of UFT/LV and S-1 as adjuvant therapy for stage III colon cancer in phase III trial : ACTS-CC trial. *British Journal of Cancer*. 106(7):1268-1273,2012
- 254) Ishiguro M, Mochizuki H, Tomita N, Shima da Y, Mochizuki H, Takahashi K, Kotake K, Watanabe M, Kanemitsu Y, Ueno H, Ishikawa T, Uetake H, Matsui S, Teramukai S, Sugihara K. Sutdy Protocol of the SACURA trial : a randomized phase III trial of efficacy and safety of UFT as adjuvant chemotherapy for stage II colon cancer. *BMC Cancer*. 12:281,2012
- 255) Shitara K, Yatabe Y, Yokota T, Takahashi D, Shibata T, Ura T, Satoh Y, Kodera Y, Muro K. Trastuzumab for a Patient With Heavily Pretreated Gastric Cancer Plus Massive Ascites and Ovarian Metastasis. *Gastrointest Cancer Research*. 5(3):97-99,2012
- 256) 小寺泰弘. 腹膜播種病変に対する腹腔内化学療法—臨床における効果—. *SURGERY FRONTIER*. 19(2):41-45,2012
- 257) Kodera Y, Ito S, Mochizuki Y, Ohashi N, Tanaka C, Kobayashi D, Kojima H, Matsui T, KKondo K, Fujiwara M.. Long-term follow up of patients who were positive for peritoneal lavage cytology: final report from the CCOG0301 study. *Gastric Cancer*. 15(3):335-337,2012
- 258) Tsuburaya A, Morita S, Kodera Y, Kobayashi M, Shitara K, Yamaguchi K, Yoshikawa T, KYoshida K, Yoshino S, Sakamoto J. A randomized phase II trial to elucidate the efficacy of capecitabine plus cisplatin (XP) and S-1 plus cisplatin (SP) as a first-line treatment for advanced gastric cancer: XP ascertainment vs. SP randomized PII trial (XParTS II). *BMC Cancer*. 12(307):1471-2407,2012
- 259) Deguchi T, Shikano T, Kasuya H, Nawa A, Fujiwara S, Takeda S, Gewen T, Sahin T, Yamada S, Kanzaki A, Yamamura K, Fujii T, Sujimoto H, Nomoto S, Fukuda S, Nishikawa Y, Kodera Y, Nakao A. Combination of the Tumor Angiogenesis Inhibitor Bevacizumab and Intratumoral Oncolytic Herpes Virus Injections as a Treatment Strategy for Human Gastric Cancers. *Hepatogastroenterology*. 59(118-119) : 1844-1850,2012
- 260) Nakayama G, Uehara K, Ishigure K, Yokoyama H, Ishiyama A, Eguchi T, Tsuboi K, Ohashi N, Fujii T, Sugimoto H, Koike M, Fujiwara M, Ando Y, Kodera Y. The Efficacy and safety of bevacizumab beyond first progression in patients treated with first-line mFOLFOX6 followed by second-line FOLFIRI in advanced colorectal cancer: a multicenter, single-arm, phase II trial (CCOG-0801). *Cancer Chemother Pharmacol*. 70(4) : 575-581,2012
- 261) Nishi T, Iwasaki, K, Ohashi N, Tanaka C, Kobayashi D, Nakayama G, Koike M, Fujiwara A, Kobayashi T, Kodera Y. Phosphorylation of 4E-BP1 predicts sensitivity to everolimus in gastric cancer cells. *Cancer Letters*. 331(2):220-229,2013
- 262) Okuda K, Kawai M, Ueda K, Kodera Y, Nagano H, Murakami Y, Morita S, Sakamoto J, Yamaue H, The JAPAN-PD Investigators. Effect of Daikenchuto (TJ-100) on Postoperative Bowel Motility and on Prevention of Paralytic Ileus after Pancreaticoduodenectomy. *Japanese Journal of Clinical Oncology*. In print,2013
- 263) Uchiyama C, Kato T. Fatal hypermagnesemia induced by preoperative colon preparation in an elderly woman: Report of a case. *CLIJGASTRO*. 1: Onlin,2013
- 264) 佐藤武郎, 内藤正規, 池田篤, 小倉直人, 三浦啓壽, 筒井敦子, 中村隆俊, 渡邊昌彦. 術前化学療法の新展開 大腸癌に対する術前

- 化学療法. 癌と化学療法. 39 (6) :871-875,2012
- 265) 佐藤武郎, 池田篤, 内藤正規, 小倉直人, 三浦啓壽, 筒井敦子, 中村隆俊, 渡邊昌彦. 進行下部直腸癌に対する術前化学放射線療法の予後. 癌の臨床. 58 (6) :397-401,2012
- 266) Ishigami S, Arigami T, Okubo K, Sasaki K, Kurahara H, Uenosono Y, Okumura H, Owaki T, Kijima Y, Ueno S, Natsugoe S. Successful treatment of advanced gastric adenocarcinoma with portal tumor thrombosis by total gastrectomy following CDDP and S-1 therapy. Clin J Gastroenterol. 5: 230-233,2012
- 267) Shinchi H, Maemura K, Mataki Y, Kurahara H, Sakoda M, Ueno S, Hiraki Y, Nakajo M, Natsugoe S, Takao S. A phase II study of oral S-1 with concurrent radiotherapy followed by chemotherapy with S-1 alone for locally advanced pancreatic cancer. J Hepatobiliary Pancreat Sci. 19(2):152-158,2012
- 268) 蔵原弘、新地洋之、前村公成、又木雄弘、迫田雅彦、飯野聰、上野真一、平木嘉幸、高尾尊身、夏越祥次. 脾癌同時性肝転移に対して抗癌剤感受性試験に基づく化学療法と定位体幹放射線治療を用いた集学的治療により良好な腫瘍制御効果が得られた1例. 癌と化学療法. 39 (3) :481-483,2012
- 269) 石神純也, 有上貴明, 内門泰斗, 奥村浩, 上之園芳一, 夏越祥次. 特集 「切除困難例」への化学療法後の手術-根治切除はどこまで可能か 胃癌に対する化学療法後の手術. 臨床外科.67:26-30,2012
- 270) Fujishima Y, Goi T, Kimura Y, Hiroto Y, Katayama K, Yamaguchi A. MUC2 protein expression status is useful in assessing the effects of hyperthermic intraperitoneal chemotherapy or peritoneal dissemination of colon cancer. International Journal of Oncology(Int J Oncol). 40(4):960-964,2012
- 271) 木村俊久, 澤井利次, 戸川保, 石田誠, 上田順彦, 澤敏治, 山口明夫, 佐藤保則. 術後の Imatanib mesylate 投与が有効と考えられた,腹膜播種を伴う小腸 GIST の 1 切除症例. 日本消化器外科学会雑誌(日消外会誌). 45(5):530-536,2012
- 272) 片山寛次, 廣野靖夫, 五井孝憲, 飯田敦, 山口明夫. 2.胃癌・大腸癌播種性病変に対する腹腔内温熱化学療法. SURGERY FRONTIER. 19(2):27-33,2012
- 273) 木村洋平, 五井孝憲, 澤井利次, 飯田敦, 片山寛次, 山口明夫. 直腸癌術後多発肝転移再発,門脈腫瘍塞栓に対し三次治療としてPanitumumabが著効した1例. 癌と化学療法. 39(6): 967-969,2012
- 274) Satoh Y, Goi T, Nakajima T, Kimura Y, Hiroto Y, Katayama K, Yamaguchi A. Polysaccharide K suppresses angiogenesis in colon cancer cells. EXPERIMENTAL AND THERAPEUTIC MEDICINE. 4(3):370-374,2012
- 275) Goi T, Nakazawa T, Kimura Y, Sawai K, Morikawa M, Katayama K, Momota A, Kubo H, Watanabe K, Masada M, Yamaguchi A. Retrospective Analysis of Chemotherapy-Induced Nausea and Vomiting(CINV)in Colorectal Cancer Patients Treated with Antiemetics. Journal of Palliative Care & Medicine (J Palliative Care Med). 2012
- 276) 中澤俊之, 五井孝憲, 森川充洋, 小練研司, 村上真, 廣野靖夫, 飯田敦, 片山寛次, 山口明夫, 村井アトム. HIPEC を含む集学的治療により長期生存が得られた腹膜播種(P3)を伴う横行結腸癌の 1 例. 日本外科系連合学会誌(日外科系連会誌). 37(6):1136-1141,2012
- 277) 木村俊久, 田畠信輔, 戸川保, 恩地英年, 山口明夫, 佐藤保則. 術前化学療法で 5 年生存した大動脈周囲リンパ節転移胃癌の 1 例. 日本臨床外科学会雑誌(日臨外会誌). 74(1):75-80,2013
- 278) Kobayashi M, Hazama S, Takahashi K, Oba K, Okayama N, Nishioka M, Hinoda Y, Oka M, Okamoto K, Maeda H, Nakamura D, Sakamoto J, Mishima H. Is there diversity among UGTA1 polymorphism in Japan? World J Gastrointest Oncol. 4(7): 170-175,2012
- 279) 小山基、村田暁彦、坂本義之、諸橋一、赤坂治枝、横山拓史、畠山佳臣、川口英夫、袴田健一. 直腸癌局所再発に対する集学的治療の現況と治療成績. 癌と化学療法. 39(12):1911-1913,2012
- 280) 横山拓史、赤坂治枝、諸橋一、坂本義之、小山基、村田暁彦、袴田健一. T4直腸癌に対する術前化学療法で病理学的完全奏功が得られた 1 例. 癌と化学療法. 39(12):1954-1956,2012
- 281) 坂本義之、村田暁彦、小山基、諸橋一、櫻庭伸悟、袴田健一. 直腸扁平上皮癌と考えられた 1 例. 日本臨床外科学会雑誌. 73(4): 936-41,2012
- 282) 斎田芳久、高橋慶一、長谷川博俊、安野正

- 道、猪股雅史、山口茂樹、赤木由人、浅野道雄、岩本慈能、加藤健志、金澤旭宣、小山 基、佐村博徳、福永 瞳、船橋公彦、山本浩文、榎本俊行. 本邦における直腸癌術後の縫合不全に関する全国アンケート調査（第35回大腸疾患外科療法研究会アンケート調査結果. 日本大腸肛門病学会雑誌. 65(7) : 355-62,2012
- 283) 村田 晓彦、小山 基、坂本 義之、諸橋 一、神 寛之、長瀬 勇人、袴田 健一. 直腸癌の集学的治療における放射線照射の効果. 癌の臨床. 58(6):367-73,2012
- 284) 櫻庭伸悟、諸橋 一、坂本義之、小山 基、村田曉彦、袴田健一. Crohn病に合併した痔瘻癌の2例. 臨床外科. 68(1):109-113,2013
- 285) 山田 岳史. Qxaliplatinによる末梢神経障害に対する桂枝加朮附湯と附子の効果. 癌と化学療法. 39: 1687-1691,2012
- 286) 山田 岳史. Success Rate of Collagen Gel Droplet-embedded Culture Drug Sensitivity Test in Colorectal Cancer: Are Antibiotics a Prerequisite for Specimen Irrigation ?J Nippon Med Sch.79:163-165,2012
- 287) Tomojiro Ono. Outcome in disappearing colorectal cancer liver metastases during oxaliplatin-based chemotherapy. Oncol Lett.4:905-909,2012
- 288) 石橋敬一郎. KÖhne's Index を用いた切除不能大腸癌肝転移に対する二次治療 FOLFIRI療法の効果予測. 癌と化学療法. 39 (12) :2182-2184,2012
- 289) 岡田典倫. KÖhne's Index による切除不能・再発大腸癌肝転移に対する一次治療 mFOLFOX療法の効果予測. 癌と化学療法. 39 (12) :2182-2184,2012
- 290) 幡野 哲. 大腸癌同時性・異時性転移切除後の補助化学療法としてのmFOLFOX6療法. 癌と化学療法. 癌と化学療法. 39 (12) : 2192-2194,2012
- 291) 今泉英子. K-Ras野生型切除不能再発大腸癌における一次治療Bevacizumab併用 Oxaliplatinベース化学療法の治療成績. 癌と化学療法. 39 (12) : 2185-2188,2012
- 292) 田島雄介. 大腸癌肝転移・腹膜播種に対して集学的治療を行い長期生存中の1例. 癌と化学療法. 39 (12) :2240-2242,2012
- 293) 高橋孝夫. 大腸がんのレジメンFOLFIRI ± BVおよびFOLFOX±BV. 消化器外科NURSING. 17:46-57,2012
- 294) 高橋孝夫. 大腸癌術後サーバイランス. カレントテラピー.30:49-56,2012
- 295) 高橋孝夫. 大腸癌に対するチーム医療で行う外来化学療法・術後補助化学療法を中心に- 外来癌化学療法.4:31-37,2013
- 296) Shitara K, Ikeda J, Kondo C, Takahashi D, Ura T, Muro K, Matsuo K. Reporting patient characteristics and stratification factors in randomized trials of systemic chemotherapy for advanced gastric cancer. Gastric Cancer. 15(2): 137-43,2012
- 297) Shitara K, Yuki S, Yoshida M, Takahashi D, Utsunomiya S, Yokota T, Sato Y, Inaba Y, Tajika M, Kawai H, Yamaura H, Kato M, Yamazaki K, Komatsu Y, Muro K. Phase II study of combination chemotherapy with biweekly cetuximab and irinotecan for wild-type KRAS metastatic colorectal cancer refractory to irinotecan, oxaliplatin, and fluoropyrimidines. Invest New Drugs. 30(2):787-93,2012
- 298) Shitara K, Yatabe Y, Yokota T, Takahashi D, Shibata T, Ura T, Satoh Y, Koderai Y, Muro K. Trastuzumab for a patient with heavily pretreated gastric cancer plus massive ascites and ovarian metastasis. Gastrointest Cancer Res. 5(3):97-99,2012
- 299) Shitara K, Ikeda J, Yokota T, Takahashi D, Ura T, Muro K, Matsuo K. Progression-free survival and time to progression as surrogate markers of overall survival in patients with advanced gastric cancer: a analysis of 36 randomized trials. Invest New Drugs. 30(3): 1224-31,2012
- 300) Sato Y, Hayakawa Y, Tatematsu M, Muro K, Noma H, Okamoto H. Antiemetic effect of palonosetron in advanced colorectal cancer patients receiving mFOLFOX6 and FOLFIRI: a retrospective survey. 癌と化学療法. 39(8):1215-1219,2012
- 301) Tsuji Y, Satoh T, Tsuji A, Muro K, Yoshida M, Nishina T, Nagase M, Komatsu Y, Kato T, Miyata Y, Mizutani N, Hashigaki S, Lechuga MJ, Denda T. First-line sunitinib plus FOLFIRI in Japanese patients with unresectable/metastatic colorectal cancer: a phase II study. Cancer Sci. 103(8):1502-1507,2012
- 302) Kondoh C, Takahashi D, Shitara K, Mizota A, Nomura M, Yokota T, Ura T, Ito S, Kawai H, Sawaki A, Muro K. Efficacy of docetaxel in patients with paclitaxel-resistant advanced gastric cancer. 癌と化学療法. 39 (10) :1511-1515,2012
- 303) Yoshino T, Mizunuma N, Yamazaki K, Nishina T, Komatsu Y, Baba H, Tsuji A, Yamaguchi K, Muro K, Sugimoto N, Tsuji Y, Moriwaki T, Esaki T, Hamada C, Tanase T, Ohtsu A. TAS-102 monotherapy for pretreated metastatic colorectal cancer: a double-blind, randomised, placebo-controlled phase 2 trial. Lancet Oncol. 13(10):993-1001,2012

- 304) Kim YH, Muro K, Yasui H, Chen JS, Ryu MH, Park SH, Chu KM, Choo SP, Sanchez T, Delacruz C, Mukhopadhyay P, Lainas I, Li CP. A phase II trial of ixabepilone in Asian patients with advanced gastrointestinal cancer previously treated with fluoropyrimidine-based chemotherapy. *Cancer Chemother Pharmacol.* 70(4):583-590,2012
- 305) Shitara K, Mizota A, Matsuo K, Sato Y, Kondo C, Takahari D, Ura T, Tajika M, Muro K. Fluoropyrimidine plus cisplatin for patients with advanced or recurrent gastric cancer with peritoneal metastasis. *Gastric Cancer.* 16(1):48-55,2013
- 306) Shitara K, Sawaki A, Matsuo K, Kondo C, Takahari D, Ura T, Tajika M, Niwa Y, Muro K. A retrospective comparison of S-1 plus cisplatin and capecitabine plus cisplatin for patients with advanced or recurrent gastric cancer. *Int J Clin Oncol.* 2012
- 307) Shitara K, Yatabe Y, Matsuo K, Sugano M, Kondo C, Takahari D, Ura T, Tajika M, Ito S, Muro K. Prognosis of patients with advanced gastric cancer by HER2 status and trastuzumab treatment. *Gastric Cancer.* 2012
- 308) Yamamoto N, Murakami H, Nishina T, Hirashima T, Sugio K, Muro K, Takahashi T, Naito T, Yasui H, Akinaga S, Koh Y, Boku N. The effect of CYP2C19 polymorphism on the safety, tolerability, and pharmacokinetics of tivantinib(ARQ 197): results from a phase I trial in advanced solid tumors. *Annals of Oncology.* 2013
- 309) 室圭. 大腸癌治療における分子標的治療薬の位置づけ. *月刊カレントテラピー別冊.* 30(5):81-86,2012
- 310) 室圭. ベバシズマブ 3)大腸がん治療におけるベバシズマブを含むregimenと期待される血管新生阻害薬. *腫瘍内科.* 9(5):495-501, 2012
- 311) 谷口浩也、室圭. 胃癌. *最新医学.* 67巻9月増刊号:2144-2157,2012
- 312) 室圭. 消化器疾患診療のすべて. *日本医師会雑誌.* 141(2):148-151,2012
- 313) Shimomura M, Hinoi T, Ikeda S, Adachi T, Kawaguchi Y, Tokunaga M, Sasada T, Egi H, Tanabe K, Okajima M, Ohdan H. Preservation of peritoneal fibrinolysis owing to decreased transcription of plasminogen activator inhibitor-1 in peritoneal mesothelial cells suppresses postoperative adhesion formation in laparoscopic surgery. *Surgery.* 153(3):344-356,2013
- 314) Egi H, Hattori M, Hinoi T, Takakura Y, Kawaguchi Y, Shimomura M, Tokunaga M, Adachi T, Urushihara T, Itamoto T, Ohdan H. Single-port laparoscopic colectomy versus conventional laparoscopic colectomy for colon cancer: a comparison of surgical results. *World J Surg Oncol.* 10:61, 2012
- 315) Shimomura M, Okajima M, Hinoi T, Egi H, Takakura Y, Kawaguchi Y, Tokunaga M, Adachi T, Tashiro H, Ohdan H. Identification of patients likely to benefit from metastasectomy in stage IV colorectal cancer. *Int J Colorectal Dis.* 27(10):1339-1346,2012
- 316) Sakai H, Egi H, Hinoi T, Tokunaga M, Kawaguchi Y, Shinomura M, Adachi T, Arihiro K, Ohdan H. Primary lung cancer presenting with metastasis to the colon: a case report. *World J Surg Oncol.* 11:127,2012
- 317) T.Onishi, T.Kosaka, E.Morioka, D.Kaida, Y.Tomita, Y.Ono, M.Noguchi, H.Funaki, S.Kinami, K.Omote, Y.Nakano, N.Ueda. Low preoperative total cholesterol level predicts poor survival following curative resection in gastric cancer. *J. Kanazawa. Med. Univ.* 37:127-131,2012
- 318) 大西敏雄, 木南伸一, 森岡絵美, 甲斐田大資, 大野由夏子, 富田泰斗, 野口美樹, 舟木洋, 表和彦, 中野泰治, 上田順彦, 小坂健夫. 大動脈周囲リンパ節再発に対しCPT-11+CD DP療法が奏効した胃原発神経内分泌細胞癌の1例. *癌と化療.* 39: 2384-2386,2012
- 319) 上田順彦, 森岡絵美, 甲斐田大資, 富田泰斗, 大西敏雄, 大野由夏子, 野口美樹, 舟木洋, 木南伸一, 表和彦, 中野泰治, 小坂健夫, 中田聰子, 湯宏, 高村博之. 薬剤耐性再発GISTに対して肝・横隔膜合併腫瘍切除した1例. *癌と化療.* 39: 2438-2440,2012
- 320) 森岡絵美, 大野由夏子, 野口美樹, 中野泰治, 野口昌邦, 小坂健夫, 高仲強. 局所療法(外科的切除とSBRT)と全身療法により長期生存が得られた乳癌再発症例. *癌と化療.* 39: 1942-1944,2012
- 321) 富田泰斗, 森岡絵美, 甲斐田大資, 大西敏雄, 大野由夏子, 野口美樹, 舟木洋, 木南伸一, 表和彦, 中野泰治, 上田順彦, 野口昌邦, 小坂健夫. 盲腸癌肺転移術後の胸腔鏡ポートサイト再発を切除した1例. *癌と化療.* 39: 1923-1925,2012
- 322) 江口英利. 局所放射線治療と化学療法を併用した膀胱癌集学的術前治療法の確立(多施設共同臨床試験) —臨床第I/II相試験、進捗報告—. *がん治療のあゆみ.* 1-6,2012
- 323) 宮田博志、山崎誠、田中晃司、本告正明、矢野雅彦、白石治、彭英峰、安田卓司、森正樹、土岐祐一郎. 特集「がん治療患者に対する栄養療法—治療完遂をめざした新しい栄養支持療法」食道癌術前化学療法における経腸栄養剤の抗がん剤毒性発現抑制効果の検討.

- 324) 宮田博志、山崎誠、土岐祐一郎.特集 術前補助化学療法をめぐって 1 術前補助化学療法の適応と実際—2) 食道がんに対する術前補助化学(放射線)療法が適応となる症例と期待される効果.臨床腫瘍プラクティス.8 (2) : 16-119,2012
- 325) 黒川幸典、森正樹、土岐祐一郎.特集 術前補助化学療法をめぐって2.術前補助化学療法の意義と有用性をめぐって3.GISTに対する術前補助化学療法の意義は?臨床腫瘍プラクティス.8 (2) : 145-147,2012
- 326) 烟泰司、川西賢秀. 進行再発大腸癌治療におけるBevacizumabの有用性. 日本外科系連合学会誌. 37(2): 72(144)-73(145),2012
- 327) 和田浩志、丸橋繁、小林省吾、川本弘一、江口英利、種村匡弘、梅下浩司、土岐祐一郎、森正樹、永野浩昭.「第5回日本肺がん分子標的治療研究会」優秀演題論文集 Session5進行肝細胞癌に対するソラフェニブ初回減量投与による治療成績.The LIVER CANCER JOURNAL.4(2):72(144)-73(145),2012
- 328) 西川晋平、佐藤太郎、今野雅允、原口直紹、加納義浩、福角隆仁、太田勝也、尾崎みゆ希、野口裕子、工藤敏啓、坂井大介、土岐祐一郎、森正樹、石井秀始. 消化器がんの抗がん剤感受性を増感する新技術. がん分子標的治療. 10 (3): 46(210)-51(215),2012
- 329) Shitara K,Morita S,Fujitani K,Shigenori K,Takiguchi N,Hirabayashi N,Takahashi M, Takagi M, Tokunaga Y, Fukushima R, Munakata Y,Nishikawa K, Takagane A ,Tanaka T , Sekishita Y, Sakamoto J,Tsuburaya A. Combination chemotherapy with S-1 plus cisplatin for gastric cancer that recurs after adjuvant chemotherapy with S-1: multi-institutional retrospective analysis. Gastric Cancer.15:245-251,2012
- 330) Kono T, Kaneko A, Omiya Y, Ohbuchi K, Ohno N, Yamamoto M. Epithelial transient receptor potential ankyrin 1 (TRPA1)-dependent adrenomedullin upregulates blood flow in rat small intestine. Am J Physiol Gastrointest Liver Physiol.304:G428-436,2013
- 331) 河野 透. 消化器疾患に対する漢方医療の実際 イレウス. 臨床消化器内科.28:189-196, 2012
- 332) 河野 透,上園 保二腸管血流からみた大建中湯の役割 アメリカ臨床治験薬 TU-100 になった理由 . 医学のあゆみ .241: 163-169,2012
- 333) 伊藤竜哉、沖田憲司、西館敏彦、古畑智久、山下健太郎、篠村恭久、佐藤康史、加藤淳二、平田公一. 局所進行大腸癌のdown stagingを目的としたneo-adjuvant therapy.外科. 74 (9) : 932-936,2012
- 334) Ueno H,Ioka T,Ikeda M,Ohkawa S,Yanagimoto H,Boku N,Fukutomi A,Sugimori K,Baba H,Yamao K,Shimamura T,Sho M, Kitao M,Cheng AL,Mizumoto K,Chen JS, Furuse J,Funakoshi A,Hatori T,Yamaguchi T,Egawa S,Sato A,Ohashi Y,Okusaka T, Tanaka M. Randomized Phase III Study of Gemcitabine Plus S-1, S-1 Alone, or Gemcitabine Alone in Patients With Locally Advanced and Metastatic Pancreatic Cancer in Japan and Taiwan: GEST Study. J Clin Oncol doi.2013
- 335) Yamada M, Kaibori M, Tanaka H, Habara K, Hijikawa T, Tanaka Y, Oishi M, Okumura T, Nishizawa M, Kwon AH. Alpha-lipoic acid prevents the induction of iNOS gene expression through destabilization of its mRNA in proinflammatory cytokine-stimulated hepatocytes. Dig Dis Sci. 57(4) : 943-951,2012
- 336) Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Kamata M, Ohe C, Sakaida N, Uemura Y, Kitade H, Tanigawa N, Inoue K, Matsui Y, Kwon AH. Neo-adjuvant chemoradiation therapy using S-1 followed by surgical resection in patients with pancreatic cancer. Journal of Gastrointestinal Surgery. 16(4) : 784-792,2012
- 337) Yamao J, Toyokawa H, Kim S, Yamaki S, Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Matsui Y, Kwon AH. Activation of alpha-smooth muscle actin-positive myofibroblast-like cells after chemotherapy with gemcitabine in a rat orthotopic pancreatic cancer model. J Hepatobiliary Pancreatic Sci. 20(2) : 206-213,2013
- 338) Yamamoto D, Iwase S, Tsubota Y, Sueoka N, Yamamoto C, Kitamura K, Odagiri H, Nagumo Y. Bevacizumab in the treatment of five patients with breast cancer and brain metastases: Japan Breast Cancer Research Network-07 trial. Onco Targets Ther.5 : 185-189,2012
- 339) Kaibori M, Tanigawa N, Kariya S, Ikeda H, Nakahashi Y, Hirohara J, Koreeda C, Seki T, Sawada S, Okazaki K, Kwon AH. A prospective randomized controlled trial of preoperative whole-liver chemolipiodolization for hepatocellular carcinoma. Dig Dis Sci. 57(5) : 1404-1412,2012
- 340) 海堀 昌樹、岩本 慶能、石崎 守彦、松井 康輔、岡崎 智、神原 達也、井上 健太郎、徳原 克治、吉岡 和彦、權 雅憲. 大腸癌肝転移に対する肝切除術を考慮した術前化学療法. 日本外科系連合学会誌. 37(4) : 696-701,2012
- 341) 海堀 昌樹、石崎 守彦、松井 康輔、權 雅憲. ソラフェニブ投与進行肝細胞癌患者に対する人參養榮湯の併用効果の検討. 医学と薬学. 67(3) : 445-447,2012

- 342) 吉田 良, 松浦 節, 肱川 健, 柳田英佐, 北出浩章, 高田秀穂, 権 雅憲. Panitumumab併用FOLFIRI療法により治療可能となった切除不能上行結腸癌多発肝転移の1例. 癌と化学療法. 1575-1577,2012
- 343) 石崎守彦, 海堀昌樹, 松井康輔, 中竹利知、松島英之, 坂口達馬, 権 雅憲. 動注化学療法後に門脈腫瘍栓が縮小し切除した肝細胞癌の1例. 癌と化学療法. 39(12):1991-1993,2012
- 344) Hiroyuki Kato,Masanobu Nakajima. The Efficacy of FDG-PET for the Management of Esophageal Cancer: Review Article. Annals of Thoracic Cardiovacular Surgery. 18 (5):412-419,2012
- 345) Fukuchi M, Tsukagoshi R, Sakurai S, Suzuki M, Naitoh H, Yamauchi H, Tabe Y, Fukasawa T, Kiriyama S, Kuwano H. Adult Intussusception Caused by Descending Colon Cancer during Chemotherapy of Stomach Cancer Recurrence. Case Rep Gastroenterol. 6(1):88-93,2012
- 346) Kobayashi T, Suzuki H, Kubo N, Watanabe A, Sasaki S, Wada W, Araki K, Shimura T, Kuwano H. A Case of Hepatocellular Carcinoma With Portal Vein Tumor Thrombosis Successfully Treated by a Combination of Intra-Arterial Infusion 5-Fluorouracil, Cisplatin, and Systemic Interferon- α Therapies. Int Surg. 97(3):230-234,2012
- 347) Mochiki E, Ogata K, Ohno T, Toyomasu Y, Haga N, Fukai Y, Aihara R, Ando H, Uchida N, Asao T, Kuwano H. Phase II multi-institutional prospective randomized trial comparing S-1+paclitaxel with S-1+cisplatin in patients with unresectable and/or recurrent advanced gastric cancer. Br J Cancer. 107(1):31-36,2012
- 348) Tsutsumi S, Fukasawa T, Fujii T, Tabe Y, Kigure W, Asao T, Kuwano H. Central venous port system-related complications in outpatient chemotherapy for colorectal cancer. Hepatogastroenterology. 59(116): 1079-80,2012
- 349) 桑野博行. 特集 グレリインと六君子湯臨床研究:胃癌化学療法に対する検討「S-1+CDDP併用療法の食欲不振に対する六君子湯の効果」. 漢方医学.Vol36, No3:194-197
- 350) 持木彌人、桑野博行. 高齢者の上部消化管術後の消化管運動障害と対策. 『Geriatric Medicine(老年医学)』. Vol.50 N.8.933,2012
- 351) 浅尾高行、桑野博行. 医薬品副作用学(第2版) 一薬剤の安全使用アップデート— III.副作用各論—重大な副作用— 皮膚 手足症候群. 『日本臨牀』 Vol.70, No.6:511-515,2012
- 352) 猪瀬崇徳、宮崎達也、酒井 真、小澤大悟、鈴木茂正、田中成岳、横堀武彦、宗田 真、桑野博行. 特集 消化器癌に対するneo-adjuvant therapyの最新情報 「2.頸部食道癌に対する機能温存目的のneo-adjuvant therapy」 . 『外科』 Vol.74, No.9:921-925,2012
- 353) Yanai M, Mochiki E, Ogawa A, Morita H, Toyomasu Y, Ogata K, Tabe Y, Ando H, Ohno T, Asao T, Aomori T, Fujita Y, Kuwano H. Intragastric administration of rikunshito stimulates upper gastrointestinal motility and gastric emptying in conscious dogs. J Gastroenterol. Published online, 2012
- 354) Miyazaki T, Sohda M, Tanaka N, Suzuki S, Ieta K, Sakai M, Sano A, Yokobori T, Inose T, Nakajima M, Fukuchi M, Ojima H, Kato H, Kuwano H. Phase I dose-escalation study of docetaxel, nedaplatin and 5-fluorouracil combination chemotherapy in patients with advanced esophageal cancer. Cancer Chemother Pharmacol. 71:853-857,2013
- 355) Kobayashi T, Suzuki H, Kubo N, Watanabe A, Sasaki S, Wada W, Araki K, Shimura T, Kuwano H. Portal Vein Tumor Thrombosis Successfully Treated by a Combination of Intra-Arterial Infusion 5-Fluorouracil, Cisplatin, and Systemic Interferon- α Therapies. Int Surg. 97(3):230-234,2012
- 356) Tsutsumi S, Ishibashi K, Uchida N, Ojima H, Hosouchi Y, Yashuda N, Kigure W, Yamauchi S, Asao T, Ishida H, Kuwano H. Phase II trial of chemotherapy plus bevacizumab as second-line therapy for patients with metastatic colorectal cancer that progressed on bevacizumab with chemotherapy: the Gunma Clinical Oncology Group (GCOG) trial 001 SILK study. Oncology. 83(3):151-157,2012
- 357) Oki E, Emi Y, Akagi Y, Tokunaga S, Sadanaga N, Tanaka T, Ogata Y, Saeki H, Kakeji Y, Baba H, Nishimaki T, Natsugoe S, Shirouzu K, Maehara Y. Phase II Trial of Alternating mFOLFOX6 and FOLFIRI Regimens in the First-Line Treatment for Unresectable or Metastatic Colorectal Cancer(KSCC0701). Oncology. 84(4):233-239, 2013
- 358) 沖 英次, 前原 喜彦. 臨床現場が知りたい 大腸がん薬物治療】 効果的な治療法の選択 専門医からのアドバイス ファーストラインからベーシズマブを使用していくか? 臨床腫瘍プラクティス(1880-3083). 8巻4号:350-354
- 359) Saeki H, Toh Y, Morita M, Sugiyama M, Morita K, Sakamoto Y, Soejima Y, Minami K, Sakaguchi Y, Higaki Y, Uehara S, Okamura T, Maehara Y. The treatment outcomes of synchronous and metachronous esophageal squamous cell carcinoma and head and neck squamous cell carcinoma. Eso

研究成果の刊行に関する一覧表レイアウト（参考）

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----------------------|---------------------------------|------------------------------------|-----------------------------------|-------|-----|------|---------|
| 松原長秀、富田尚裕 | 大腸がん | 松田暉 萩原俊男 難波光義 鈴木久美 林直子 | 看護学 テキストNiCE 疾病と治療Ⅱ | 南江堂 | 東京 | 2010 | 83-89 |
| 高橋孝夫 吉田和弘 | 消化器癌に対する分子標的治療 | 菅野健太郎 上西紀夫 井廻道夫 | 消化器疾患最新の治療 | 南江堂 | 東京 | 2011 | 12-16 |
| 高橋孝夫 吉田和弘 | 抗癌剤（消化管） | 渡邊昌彦 國土典宏 土岐雄一郎 | 消化器外科学レビュー2011—最新主要文献と | 総合医学社 | 東京 | 2011 | 201-207 |
| 山口和也 吉田和弘 田中善宏 | タキサン | 大村健二 瀧内比呂也 | 消化器癌化学療法 | 南山堂 | 東京 | 2011 | 39-45 |
| 並川努 小林道也 | I-4癌におけるThymidine phosphorylase | 日本臨床分子形態学会 | 病気の分子形態学 | 学際企画 | | 2011 | 88-90 |
| 野田雅史 外賀真 富田尚裕 | 神経毒性 | 大村健二 瀧内比呂也 | オンコロジークリニカルガイド 消化器癌化学療法 改訂3版 | 南山堂 | 東京 | 2011 | 318-323 |
| 富田尚裕 | IV. 消化器外科 4. 大腸癌肝転移の治療戦略 | 林紀夫 日比紀文 上西紀夫 下瀬川徹 | Annual Review 消化器 | 中外医学社 | | 2011 | 320-331 |
| 松原長秀 富田尚裕 | 直腸進行癌 | 菅野健太郎 上西紀夫 井廻道夫 | 消化器疾患最新の治療 2011-2012 | 南光堂 | 東京 | 2011 | 232-235 |
| 佐藤武郎 渡邊昌彦 | 切除不能・再発大腸癌における化学療法 | 大村健二, 瀧内比呂也 | オンコロジークリニカルガイド 消化器癌化学療法 第3版 | 南山堂 | 東京 | 2011 | 253-261 |

| | | | | | | | |
|--|----------------------|--------------|------------------------------|-----------|----|------|-------------|
| 高松泰、相羽恵介、照井康仁、大曲貴夫、神田善伸、齋藤博、吉田稔、秋山暢、木村俊一、草場仁志、坂尻さら、高田徹、高橋孝輔、原田壯平、藤田浩之、塩野哲也、矢野真吾、室圭 | | 日本臨床腫瘍学会 | 発熱性好中球減少症(FN)診療ガイドライン | 南江堂 | 日本 | 2012 | iv・x v、2~70 |
| 小坂健夫 | がん診療の現状:大腸癌 | 泉孝英 | 今日の診療のために ガイドライン 外来診療2013 | 日経メディカル開発 | 東京 | 2013 | 563-567 |
| 河野 透 | 今日のがん治療を支える漢方薬のエビデンス | 今津嘉宏 | がん漢方 | 南山堂 | 東京 | 2012 | 16-25 |
| 掛地吉弘 河野 透 | EBMによるがん領域の漢方の使い方 | 掛地吉弘 河野 透 | EBMによるがん領域の漢方の使い方 | ライフサイエンス | 東京 | 2012 | 1-49 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-----------------|--------|-----------|------|
| Kakeji Y,Morita M, Maehara Y. | Strategies for treating liver metastasis from gastric cancer. | Surg Today | 40(4) | 287-294 | 2010 |
| Zhao Y,Oki E,Ando K,Morita M,Kakeji Y,Mae hara Y. | The impact of a high-frequency metacentric satellite instability phenotype on the tumor location-related genetic differences in colorectal cancer. | Cancer Genetics | 196(2) | 133-139 | 2010 |
| Ando K,Kakeji Y,Kitao H,Iimori M,Zhao Y,Yoshida R,Oki E,Yoshinaga K,Matsu moto T,Morita M,Sakaguchi Y,Mae hara Y. | High expression of BUBRI is one of the factor for inducing DNA aneuploidy and progress in gastric cancer. | Cancer Sci | 101(3) | 639-645 | 2010 |
| Saeki H,Masuda T,Okada S,Ando K,Sugiyama M,Yoshinaga K,Endo K,Sanaga N,Emi Y,Kakeji Y,M orita M,Yamashita N,Mae hara Y. | Impact of perioperative peripheral blood values on postoperative complications after esophageal surgery. | Surg Today | 40(7) | 626-631 | 2010 |
| Saeki H,Morita M,Hara da N,Harada N,Harimoto N,Nagata S,Miyazaki M,Koga T,Oki E,Kakeji Y, Maehara Y. | A survey of the effects of sivelestat sodium administration on patients with postoperative respiratory dysfunction. | Surg Today | 40(11) | 1034-1039 | 2010 |
| Shibahara K,Orita H,Koga T,Kohno H,Sakata H,Kakeji Y,Mae hara Y. | Curative surgery improves the survival of patients with perforating colorectal cancer. | Surg Today | 40(11) | 1046-1049 | 2010 |
| Egashira N,Hirakawa S,Kawashiri T,Yano T,Ikesue H,Oishi R. | Mexiletine reverses oxaliplatin-induced neuropathic pain in rats. | J Pharmacol Sci | 112(4) | 473-476 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---|---------|-----------|------|
| Mihara Y,Hirakawa S,Kawashiri T,Yano T,Ikesue H,Oishi R. | Involvement of spinal NR2B-containing NMDA receptors in oxaliplatin-induced mechanical allodynia in rats. | Mol pain | 7(1) | 8(1-7) | 2011 |
| Mochiki E, Yanai M,Ohno T, <u>Kuwano H.</u> | The effect of traditional Japanese medicine(Kampo)on gastrointestinal function. | Surg Today | 40(12) | 1105-1111 | 2010 |
| 持木彌人、矢内充洋、小川敦、森田廣樹、豊増嘉高、大野哲郎、桑野博行 | 抗がん剤治療の副作用に対する漢方治療 | 外科治療 | 103 (6) | 590-596 | 2010 |
| 矢内充洋、持木彌人、小川敦、森田廣樹、豊増嘉高、大野哲郎、桑野博行 | 消化器外科における漢方の役割 | 消化器外科 | 33 (10) | 1615-1622 | 2010 |
| 持木彌人、矢内充洋、桑野博行 | 消化管運動と漢方 | G.I.Research | 18(4) | 276-282 | 2010 |
| Kono T,Satomi M,C hisato N,Ebisawa Y, Suno M,Asama T,K arasaki H,Matsubar a K,Furusawa H. | Topical application of hangeshashicol onto(TJ-14)in the treatment of chemotherapy-induced oral mucositis. | World J Oncol | 1(6) | 232-235 | 2010 |
| Kono T,Kaneko A,H ira Y,Suzuki T,Chis ato N,Ohtake N,Miu ra N,Watanabe T. | Anti-colitis and adhesion effects of daikenchuto via endogenous adrenomedullin enhancement in Crohn's disease mouse model. | J Crohns Colitis | 4(2) | 161-170 | 2010 |
| Kono T,Mamiya N,C hisato N, Ebisawa Y,Yamazaki H,Wata ri J,Yamamoto Y,Suzuki S,Asama T,Kamiya K. | Efficacy of Goshajinkigan for Peripheral Neurotoxicity of Oxaliplatin in Patients with Advanced or Recurrent Colorectal Cancer. | Evidence Based Complementary and Alternative Medicine | 2011 | 1-8 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--|---------|-----------|------|
| Kono T. | Edogenous cal citonin gene-related peptide and adrenomedullin are target peptide for Daikenchuto (Da-Jian-Zhong-Tang), an extracted traditional Japanese medicine .New possibility for Crohn's disease management- | Basics of Evidence-Based Harbal medicine | 2010 | 1323-138 | 2010 |
| 河野 透 | 消化管血流と漢方 | G.I Research | 18 (4) | 264-275 | 2010 |
| 河野 透 | 外科臨床に取り入れたい漢方治療とエビデンス | 外科治療 | 103 (6) | 539-544 | 2010 |
| Kodera Y,Ishiyama A,Yoshikawa T,Kinoshita T,Ito H,Tsubuyaya A,Sakamoto J,Nakao A. | A feasibility study of postoperative chemotherapy with S-① and cisplatin (CDDP)for gastric carcinoma(COGO703) | Gastric Cancer | 13 (3) | 197-203 | 2010 |
| Ito S,Kodera Y,Mochizuki Y,Kojima T,Nakanishi H,Yamamoto S-1 monotherapy for gastric cancer patients with free intraperitoneal cancer cells detected by real-time RT-PCR. | Phase II clinical trial of postoperative S-1 monotherapy for gastric cancer patients with free intraperitoneal cancer cells detected by real-time RT-PCR. | World Journal of Surgery | 34(9) | 2083-2089 | 2010 |
| Nishioka M,Shimada M,Iwata T,Morimoto S,Yoshikawa K,Higashijima J,Miyatani T,Nakao T. | The Kampo medicine, Goshajinkiga, prevents neuropathy in patients treated by FOLF OX regimen. | International Journal of Clinical Oncology | | Equb | 2011 |
| Kurita N,Shimada M,Iwata T,Nishioka M,Morimoto S,Yoshikawa K,Higashijima J,Miyatani T,nakao T. | Intraperitoneal infusion of paclitaxel with S-1 for peritoneal metastasis of advanced gastric cancer phase I study. | Journal of Medical Investigation | 58(1-2) | 106-109 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|------------------|---------|-----------|------|
| Iwahashi S,Ishibashi H,Utsunomiya T,Morine Y,Lkhaguva Ochir T,Hanaoka J,Mori H,Ikemoto T,Iacil mura S, <u>Shimada M.</u> | Effect of histone deacetylase inhibitor in combination with 5-fluorouracil on pancreas cancer and cholangiocarcinoma cell lines. | J Med Invest | 58(1-2) | 106-109 | 2011 |
| Nishi M, <u>Shimada M</u> ,Utsunomiya T,Morine Y,Imura S,Ikemoto T,Mori H,Han aoka J,Bando Y. | Role of dihydropyrimidine dehydrogenase and thymidylate synthase expression in immunohistochemistry of intrahepatic cholangiocarcinoma. | Hepatol Res | 41(1) | 64-70 | 2011 |
| 宇都宮徹、島田光生、森根裕二、居村暁、三宅秀則、栗田信浩 | 術後障害に対する外科治療 漢方治療 | 外科治療 漢方治療 | 103 (6) | 576-583 | 2010 |
| 森 大樹、島田光生、森根裕二、居村 暁、古川幸造、宇都宮 徹 | 肝・胆・脾手術と漢方 | G.I.Researc h | 18 (4) | 313-320 | 2010 |
| Sawayama H,Hayashi n,Baba Y,Toyama E,Watanabe M,Takamori H,Beppu T,Baba H. | Treatment results of FOLFOX chemotherapy before surgery for lymph node metastasis of advanced colorectal cancer with synchronous liver metastasis:the status of LN metastasis and vessel invasions at the primary site in patients who responded to FOLFOX. | Int J Clin Oncol | 15(1) | 70-76 | 2010 |
| Beppu T,Hayashi N,Masuda T,Komori H,Horino K,Hayashita H,Okabe H,Baba Y,Kinoshita K,Chikamoto A,Watanabe M,Takamori H,Baba H. | FOLFOX enables high respectability and excellent prognosis for initially unresectable colorectal liver metastases. | Anticancer Res | 30(3) | 1015-1020 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-------------------------------|-------|---------|----------|
| Komori H,Beppu T,Baba Y,Horino K,Imamura C,Masuda T,hyashi H,Okabe H,Ootao R,Watanabe M,Takemori H,Iyama k, <u>Baba H.</u> | Histological liver injury and surgical outcome after FOLFOX followed by a hepatectomy for colorectal liver metastases in Japanese patients. | Int J Clin Oncol | 15(3) | 263-270 | 2010 |
| Sawaki A,Yamada Y,Komatsu Y,Kanda T,Doi T,Koseki M, <u>Baba H</u> ,Sun YN,Murakami K,Nishida T. | Phase II study of motesanib in Japanese patients with advanced gastrointestinal stromal tumors with prior exposure to imatinib mesylate. | Cancer Chemotherapy Pharmacol | 65(5) | 961-967 | 2010 |
| Muro K,Boku n,Shimada Y,Tsuji A,Suematsu S,Baba H,Meshima S, <u>Baba H</u> ,Satoh T,Denda T,Inai K,Nishina T,Yamaguchi K,Takiguchi H,Esaki T,Tokunaga S,Kuwano H,Komasu Y,Watanabe M,Hayashi I,Morita S,Sugihara K. | Irinotecan plus S-1(IRIS)versus fluorouracil and folinic acid plus irinotecan (FOLFIRI) as second-line chemotherapy for metastatic colorectal cancer:a randomized phase 2/3 non-inferiority study (FIRIS study). | Lancet Oncol | 11(9) | 853-860 | 2010 |
| Baba H,Hayashi N,Emi Y,Kakeji Y,Egashira A,Oki E,Shirabe K,Toyama T,Ohgawa T,Yamamoto M. | A multicenter phase II clinical study of oxaliplatin, fluorouracil and 5-fluorouracil combination chemotherapy as firstline treatment for advanced colorectal cancer:a japanese experience. | Surg Today | | | in press |
| Yoshikawa T,Omura K,Kobayashi O,Nashimoto A,Takahashi A,Yamada T,Yamaue H,Fujii M,Yamaguchi T,Nakajima T. | A phase II study of preoperative chemotherapy with S-1plus cisplatin followed by D2/D3 gastrectomy for clinically serosa-positive gastric cancer.(JACCRO GC-01 study) | Eur J Surg Oncol | 36(6) | 546-551 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|------------|---------|-----------|------|
| Fujii M,Kochi M,Takayama T. | Recent advances in chemotherapy for advanced gastric cancer in Japan. | Surg Today | 40(4) | 295-300 | 2010 |
| Ikeguchi M,Yamamoto M,Arai Y,Maeta Y,Ashida K,Katanoak,Miki Y,Kimura. | Fucoidan reduces the toxicities of chemotherapy for patients with unresectable advanced or recurrent colorectal cancer. | Oncol Lett | 2 (2) | 319-322 | 2011 |
| 木村 修、山本 修、久光和則、山根成之、濱副隆一 | イマチニブの少量長期投与により著明なPRが得られている直腸、胃GISTの2例 | 癌と化学療法 | 37 (12) | 2285-2287 | 2010 |
| 三代雅明、飯島正平、間狩洋一、山口充洋、加藤 文、阪本卓也、土井貴司、星美奈子、三宅泰裕、大島 聰、加藤健志、黒川英司、吉川宜輝、小島 治 | 胃癌化学療法中に発症したニューモシスチス肺炎の1例 | 癌と化学療法 | 37 (12) | 2412-2414 | 2010 |
| 大島 聰、間狩洋一、飯島正平、 <u>加藤健志</u> 、三宅泰裕、星 美奈子、土井貴司、三代雅明、阪本卓也、加藤 文、黒川英司、吉川宜輝 | 残胃癌術後リンパ節再発に対して、CPT-11+CDDP併用療法が奏功した1例 | 癌と化学療法 | 37 (12) | 2455-2457 | 2010 |
| 富田尚弘、野田雅史、松原長秀、外賀 真、塙本 潔、久野隆史、山岸大介 | 切除不能・再発癌に対する分子標的治療と最新化学療法 | 消化器外科 | 33 (2) | 243-256 | 2010 |
| 富田尚弘、野田雅史、松原長秀、外賀 真、塙本 潔、久野隆史、山岸大介 | 肺切除後の補助化學療法 | 外科 | 72 (2) | 139-147 | 2010 |
| 佐々木一晃、大野敬祐、佐々木寿誉、染谷 哲史、古畑智久、平田 公一 | 癌化学療法や放射線療法に併用する漢方薬治療 | 外科治療 | 103 (6) | 584-589 | 2010 |
| 古畑智久、沖田憲司、西館敏彦、久木田和晴、山口洋志、木村康利、水口 徹、平田公一 | 原発巣切除versus非切除・根治切除不能StageIV大腸癌に対する治療方針 | 北海道外科雑誌 | 55 (1) | 12-16 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|------------------------|---------|-----------|------|
| 小山 基、村田暁彦、木村 寛、坂本義之、諸橋 一、木村憲央、賀佐富二彦、佐藤淳也、照井一史、栗津朱美、 <u>袴田健一</u> | 切除不能進行・再発大腸癌に対する二次治療としてのBevacizumab併用化療法 | 癌と化学療法 | 37 (6) | 1069-1073 | 2010 |
| Akasaka H,Sato F,Morohashi S,Wu Y,Liu Y,Kondo J,Odagiri H,Hakamada K,Kijima H. | Anti-apoptotic effect of claudin-1 in tamoxifen-treated human breast cancer MCF-7 cells. | BMC Cancer | 10 | 548(1-13) | 2010 |
| 木村洋平、五井孝憲、藤岡雅子、小練研司、永野秀樹、村上 真、廣野靖夫、飯田 敦、片山寛次、 <u>山口明夫</u> | 直腸癌術後肺転移再発、癌性胸水に対しbevacizumabが著効した1例 | 日本外科学会誌 | 35 (5) | 750-753 | 2010 |
| Goi T,Kimura Y,Sawai K,Morikawa M,Katayama K,Yamaguchi A. | Response to Modified TEGAFIRI na Patient with Synchronous Multiple liver Metastases of Colon Cancer. | Case Rep Gastroenterol | 5(1) | 95-99 | 2011 |
| 石橋敬一郎、岡田典倫、石畠 亨、桑原公亀、大澤智徳、横山勝、限元謙介、芳賀紀裕、森 隆、山田博文、三浦一郎、田丸淳一、糸山進次、 <u>石田秀行</u> | 切除不能・再発大腸癌における一次治療mFOLFOX6療法の治療効果とTS/ERCC-1蛋白発現の検討 | 癌と化学療法 | 37 (12) | 2532-2535 | 2010 |
| 岡田典倫、石橋敬一郎、大澤智徳、傍島潤、桑原公亀、石畠 亨、天野邦彦、幡野哲、外間尚子、田島雄介、石井正嗣、横山洋三、山本 梓、限元謙介、芳賀紀裕、 <u>石田秀行</u> | 減量・休薬基準を明記したmFOLFOX6療法の試み | 癌と化学療法 | 37 (12) | 2588-2590 | 2010 |
| 山本 梓、石橋敬一郎、田島雄介、幡野哲、石畠 亨、大澤智徳、岡田典倫、限元謙介、横山 勝、芳賀紀裕、 <u>石田秀行</u> | S状結腸癌術後孤立性腹膜外転移を切除し得た1例 | 癌と化学療法 | 37 (12) | 2644-2646 | 2010 |
| <u>滝口伸浩</u> | 胃癌術後障害 (QOL) の定量的測定による術式評価と六君子湯の効果 | 漢方医学 | 34 (3) | 242-243 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|----------------|--------|-----------|------|
| Takakura Y, Hinoi T, Oue N, Sasada T, Kawaguchi Y, Okajima M, Akyol A, Fearon ER, Yasui W, Ohnishi H. | CDX2 Regulates Multidrug Resistance Gene Expression in Malignant Intestinal Epithelium. | Cancer Res | 70(17) | 6767-6778 | 2010 |
| 江頭 明典、大賀 丈史、森田 勝、掛地 吉弘、前原喜彦 | Stage IV胃癌に対するtaxane/S-1併用療法の意義 | 消化器外科 | 34(5) | 569-573 | 2011 |
| 掛地 吉弘、脇 啓一郎、前原喜彦 | 術前・術後の補助化學療法について教えて下さい Answer | 胃がんperspective | 4(3) | 40-41 | 2011 |
| Baba H, Hayashi N, Emi Y, Kakeji Y, Egashira A, Oki E, Shirabe K, Toyama T, Ohga T, Yamamoto M, Hasegawa H, Kohakura F, Higashi H, Niwa K, Fujita F, Ogata Y, Kohnoe S, Inomata M, Samura H, Tokunaga S, Maehara Y; Kyushu Study Group of Clinical Cancer (KSCC). | A multicenter phase II clinical study of oxaliplatin, folinic acid, and 5-fluorouracil combination chemotherapy as first-line treatment for advanced colorectal cancer: a Japanese experience. | Surg Today | 41(12) | 1610-1616 | 2011 |
| 掛地吉弘、江藤弘二郎、園田英人、江頭明典、大賀丈史、江見泰徳、森田勝、辻谷俊一、鴻江俊治、前原喜彦 | 進行胃癌におけるS-1+Docetaxelによる集学的治療戦略 | 消化器内科 | 52(1) | 55-60 | 2011 |
| Kawashiri T, Egashira N, Watanabe H, Ikegami, Y, Hirakawa S, Mihara Y, Yano T, Ikesue H, Oishi R. | Prevention of oxaliplatin-induced mechanical allodynia by neurodegeneration by neurotropin in the rat model. | Eur. J. Pain | 15(4) | 344-350 | 2011 |
| Kawashiri T, Egashira N, Kurobe K, Yamashita Y, Tsutsumi K, Yano T, Ikesue H, Oishi R. | Role of L/T type Ca ²⁺ channels/NFAT/TRPM8 pathway in oxaliplatin-induced cold hyperalgesia in rats. | Mol Pain | 8 | 7 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--|---------|-----------|-----------------------|
| Ohno T, Yanai M, Ando H, Toyomasu Y, Ogawa A, Morita H, Ogata K, Mochiki E, Asao T, <u>Kuwano H.</u> | Rikkunshito, a traditional Japanese medicine, suppresses cisplatin-induced anorexia in humans. | Clinical and Experimental Gastroenterology | 2011(4) | 291-296 | 2011 |
| Ushio S, Egashira N, Sada H, Kawashiri T, Shirahama M. | Goshajinkigan reduces oxaliplatin-induced peripheral neuropathy without affecting anti-tumor efficacy in rodents. | Eur J Cancer | | | 2011 Sep 8. [Epub] |
| Masuguchi K, Yano T, <u>Oishi R.</u> | | | | | ahead of print] |
| Tsutsumi S, Watanabe R, Tabe Y, Fujii T, Morita H, Kigure W, Kato T, Yamauchi H, Asao T, <u>Kuwano H.</u> | Scheduled Prospective Tri-Weekly Modified FOLFOX6 Maintenance chemotherapy in the Treatment of Metastatic Colorectal Cancer. | Hepatogastroenterology. | 58(112) | 1930-1932 | 2011 |
| Tsutsumi S, Tabe Y, Fujii T, Yamaguchi S, Suto T, Yajima R, Morita H, Kato T, Shioya M, Saito J, Asao T, Nakano T, <u>Kuwano H.</u> | Tumor response and negative distal resection margins of rectal cancer after hyperthermic chemoradiation therapy. | Anticancer Res. | 31(11) | 3963-3967 | 2011 |
| 田中成岳、宮崎達也、小澤大悟、鈴木茂正、横堀武彦、猪瀬崇徳、宗田 真、桑野博行 | 臓器別薬物療法「食道癌 ②術後補助療法」 | 臨床外科 | 66(11) | 91-94 | 2011 |
| 木村明春、平松聖史、櫻川忠之、土屋智敬、尾辻英彦、前田隆雄、田中 寛、吉田カツ江、待木雄一、桑野博行 | メシル酸イマチニブによる術前化学療法を施行しpCRが得られた胃原発GIST局所再発の1切除例 | 日本消化器外科学会雑誌 | 44(9) | 1105-1110 | 2011 |
| 田中成岳、宮崎達也、小澤大悟、鈴木茂正、横堀武彦、猪瀬崇徳、桑野博行 | 特集：「切除困難例」への化学療法後の手術—根治切除はどこまで可能か「食道癌に対する化学療法後の手術」 | 臨床外科 | 67(1) | 18-24 | 2012 |
| Kono T, Satomi M, Suno M, Kimura N, Yamazaki, Furukawa H, Matsubara K. | Oxaliplatin-induced neurotoxicity involves TRPM8 in the mechanism of acute hypersensitivity to cold se | Brain and Behavior | 2(1) | 68-73 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--|-------------|-----------|------|
| Kono T, Omiya Y, Hira Y, Kaneko A, Chiba S, Suzuki T, Noguchi M, Watanabe T. | Daikenchuto (TUG-100) ameliorates colon microvascular dysfunction via endogenous adrenomedullin in Crohn's disease rat model. | J Gastroenterol. | 46(10) | 1187-1196 | 2011 |
| 河野 透 | 今日のがん治療を支える漢方薬のエビデンス | 薬局 | 62(11) | 3449-3455 | 2011 |
| 河野 透 | 漢方のCAMからの脱出：大建中湯を中心に | 日本薬理学雑誌 | 137 | 13-17 | 2011 |
| Kodera Y, Ito Y, Ohashi N, Nakayama G, Koike M, Fujiwara M, Nakao A. | Impact of Clinical Response to First-Line Chemotherapy on Gastric Cancer Patients Treated with Second-Line and Third-Line Chemotherapy | Hepato-Gastroenterology | 58(107-108) | 1041-1045 | 2011 |
| Nakayama G, Kodera Y, Yokoyama H, Okuda N, Watanabe T, Tanaka C, Iwata N, Ohashi N, Koike M, Fujiwara M, Nakao A. | Modified FOLFOX6 with oxaliplatin stop-and-go strategy and oral S-1 maintenance therapy in advanced colorectal cancer: CCOG-0704 study | International Journal of Clinical Oncology | 16(5) | 506-511 | 2011 |
| Kodera Y, Imano M, Yoshikawa Y, Takahashi N, Tsuburaya A, Miyashita Y, Morita S, Nakao A, Sakamoto J, Sasako M. | A Randomized Phase II Trial to test the Efficacy of Intra-peritoneal Paclitaxel for Gastric Cancer with High Risk for the Peritoneal Metastasis (INPACT Trial) | Japanese Journal of Clinical Oncology | 41(2) | 283-286 | 2011 |
| 小寺泰弘、大橋紀文、中山吾郎、小池聖彦、藤原道隆、坂本純一、中尾昭公 | 胃切除後の化学療法における課題 | 消化器内科 | 52(1) | 48-54 | 2011 |
| 小寺泰弘 | 腹膜播種陽性胃癌に対する化学療法 | 癌と化学療法 | 38(9) | 1433-1437 | 2011 |