

Kurosawa H, Ito K, Nikura H, Takano T, Nagase S, Utsunomiya H , Otsuki T, Toyoshima M, Nagai T, Tanaka S, Watanabe M, Yaegashi N.	Hysteroscopic inspection and total curettage are insufficient for discriminating endometrial cancer from atypical endometrial hyperplasia.	Tohoku J Exp Med.	228	365-70	2012
Ogawa M, Nagao D, Mori, K, Sato M, Sato A, Shimizu D, Terada Y	Elastography for differentiation of subchorionic hematoma and placenta previa.	Ultrasound Obstet Gynecol	39	112-114	2012
Kubo S, Shirasawa H, Fujimoto T, Sato, N, Shimizu D, Satoh A, Nanjo H, Tanaka T, Terada Y	Post-Hysterectomy Ovarian Cancer : Histological Characteristics and a Prediction of Occurrence of Ovarian Cancer by Immunohistological Inspections for Specimens in Initial Operations.	Akita J. Med.,	38	121-129	2012
Sato N, Terada Y	Temporal expression of functional low density lipoprotein receptors and catalytic enzymes in steroid hormone synthesis of mouse preimplantation embryos	Akita J. Med.,	39	1-12	2012
Makino K, Kawamura K, Sato W, Kawamura N, Fujimoto T, Terada, Y.	Inhibition of Uterine Sarcoma Cell Growth through Suppression of Endogenous Tyrosine Kinase B Signaling	PLoS One.	7	e41049	2012
Kawamura K, Kawamura N, Kawagoe Y, Kumagai J, Fujimoto T, Terada, Y	Suppression of hydatidiform molar growth by inhibiting endogenous brain-derived neurotrophic factor / tyrosine kinase B signaling.	Endocrinology	153	3972-81	2012
Kumasako Y, Goto K, Koike M, Araki Y, Abe H , Utsunomiya T.	Respiration activity of single blastocysts measured by scanning electrochemical microscopy: The relationship between pre-freezing and post-warming	Journal of Mammalian Ova Research	In press		2013
横尾正樹、阿部宏之	電気化学的計測技術を用いた卵子の呼吸活性解析	Journal of Mammalian Ova Research	Vol.29, No. 4	170-174	2012
阿部宏之	細胞呼吸計測技術を応用した胚品質評価システムの開発	日本胚移植学雑誌	印刷中		2013

