

問10_付問1.薬を飲む際の問題

	全体	粉薬が飲みにくい が薬が飲みにくく、 時間 薬が喉にからんだり、 時々むせたりする																
		38	25	4	14													
全体	100	65.8	10.5	36.8														
性×年代別																		
男性65-69歳	21	1	0	1														
男性70-74歳	100	50.0	0.0	50.0														
男性75-79歳	1	1	0	0														
男性80歳以上	100	100.0	0.0	0.0														
女性65-69歳	2	1	0	1														
女性70-74歳	100	50.0	0.0	50.0														
女性75-79歳	5	2	0	3														
女性80歳以上	100	40.0	0.0	60.0														
男性前期高齢者(65-74歳)	7	5	2	2														
男性後期高齢者(75歳以上)	100	71.4	28.6	28.6														
女性前期高齢者(65-74歳)	11	9	1	2														
女性後期高齢者(75歳以上)	100	81.8	9.1	18.2														
男性前期高齢者(65-74歳)	3	1	1	1														
男性後期高齢者(75歳以上)	100	33.3	33.3	33.3														
女性前期高齢者(65-74歳)	7	5	0	4														
女性後期高齢者(75歳以上)	100	71.4	0.0	57.1														
男性前期高齢者(65-74歳)	3	2	0	1														
男性後期高齢者(75歳以上)	100	66.7	0.0	33.3														
女性前期高齢者(65-74歳)	7	3	0	4														
女性後期高齢者(75歳以上)	100	42.9	0.0	57.1														
男性前期高齢者(65-74歳)	18	14	3	4														
男性後期高齢者(75歳以上)	100	77.8	16.7	22.2														
女性前期高齢者(65-74歳)	10	6	1	5														
女性後期高齢者(75歳以上)	100	60.0	10.0	50.0														

問12.同居家族の有無

	全体	はい														
		はい	いえ													
全体	2044	1818	226													
	100	88.9	11.1													
性×年代別																
男性65-69歳	308	295	13													
男性70-74歳	100	95.8	4.2													
男性75-79歳	328	311	17													
男性80歳以上	100	94.8	5.2													
女性65-69歳	227	210	17													
女性70-74歳	100	92.5	7.5													
女性75-79歳	151	139	12													
女性80歳以上	100	92.1	7.9													
男性前期高齢者(65-74歳)	342	309	33													
男性後期高齢者(75歳以上)	100	90.4	9.6													
女性前期高齢者(65-74歳)	321	277	44													
女性後期高齢者(75歳以上)	100	86.3	13.7													
男性前期高齢者(65-74歳)	228	179	49													
男性後期高齢者(75歳以上)	100	78.5	21.5													
女性前期高齢者(65-74歳)	139	98	41													
女性後期高齢者(75歳以上)	100	70.5	29.5													
男性前期高齢者(65-74歳)	636	606	30													
男性後期高齢者(75歳以上)	100	95.3	4.7													
女性前期高齢者(65-74歳)	378	349	29													
女性後期高齢者(75歳以上)	100	92.3	7.7													
男性前期高齢者(65-74歳)	603	566	37													
男性後期高齢者(75歳以上)	100	88.4	11.6													
女性前期高齢者(65-74歳)	367	277	90													
女性後期高齢者(75歳以上)	100	75.5	24.5													

【事前】問12_付問2.同居者

	全体	配偶者	あなた又は配偶者の親	子	子の配偶者	孫	兄弟姉妹	その他親族	親族以外													
										1817	1582	25	774	158	222	11	4	2				
全体	100	87.1	1.4	42.6	8.7	12.2	0.6	0.2	0.1													
性×年代別																						
男性65-69歳	295	282	11	118	14	19	4	0	0													
男性70-74歳	100	95.6	3.7	40.0	4.7	6.4	1.4	0.0	0.0													
男性75-79歳	310	296	2	116	24	34	1	2	0													
男性80歳以上	100	95.5	0.6	37.4	7.7	11.0	0.3	0.6	0.0													
女性65-69歳	210	198	1	76	14	20	0	0	1													
女性70-74歳	100	94.3	0.5	36.2	6.7	9.5	0.0	0.0	0.5													
女性75-79歳	139	127	0	49	19	23	0	0	1													
女性80歳以上	100	91.4	0.0	35.3	13.7	16.5	0.0	0.0	0.7													
男性前期高齢者(65-74歳)	309	273	6	136	12	24	2	0	0													
男性後期高齢者(75歳以上)	100	88.3	1.9	44.0	3.9	7.8	0.6	0.0	0.0													
女性前期高齢者(65-74歳)	277	224	2	133	22	40	2	0	0													
女性後期高齢者(75歳以上)	100	80.9	0.7	48.0	7.9	14.4	0.7	0.0	0.0													
男性前期高齢者(65-74歳)	179	137	2	81	24	31	1	1	0													
男性後期高齢者(75歳以上)	100	76.5	1.1	45.3	13.4	17.3	0.6	0.6	0.0													
女性前期高齢者(65-74歳)	98	45	1	65	29	31	1	1	0													
女性後期高齢者(75歳以上)	100	45.9	1.0	66.3	29.6	31.6	1.0	1.0	0.0													
男性前期高齢者(65-74歳)	605	578	13	234	38	53	5	2	0													
男性後期高齢者(75歳以上)	100	95.5	2.1	38.7	6.3	8.8	0.8	0.3	0.0													
女性前期高齢者(65-74歳)	349	325	1	125	33	43	0	0	2													
女性後期高齢者(75歳以上)	100	93.1	0.3	35.8	9.5	12.3	0.0	0.0	0.6													
男性前期高齢者(65-74歳)	586	497	8	269	34	64	4	0	0													
男性後期高齢者(75歳以上)	100	84.8	1.4	45.9	5.8	10.9	0.7	0.0	0.0													
女性前期高齢者(65-74歳)	277	182	3	146	53	62	2	2	0													
女性後期高齢者(75歳以上)	100	65.7	1.1	52.7	19.1	22.4	0.7	0.7	0.0													

事前記入

		あなたご自身		代理の方															
		数	割合	数	割合														
全体		2043	2030	13															
		100	99.4	0.6															
性×年代別	男性65-69歳	308	308	0															
		100	100.0	0.0															
	男性70-74歳	328	327	1															
		100	99.7	0.3															
	男性75-79歳	227	223	4															
		100	98.2	1.8															
	男性80歳以上	151	150	1															
		100	99.3	0.7															
	女性65-69歳	342	342	0															
		100	100.0	0.0															
	女性70-74歳	321	319	2															
		100	99.4	0.6															
	女性75-79歳	228	226	2															
		100	99.1	0.9															
女性80歳以上	138	135	3																
	100	97.8	2.2																
男性前期高齢者(65-74歳)	636	635	1																
	100	99.8	0.2																
男性後期高齢者(75歳以上)	378	373	5																
	100	98.7	1.3																
女性前期高齢者(65-74歳)	663	661	2																
	100	99.7	0.3																
女性後期高齢者(75歳以上)	366	361	5																
	100	98.6	1.4																

性別

		男性		女性															
		数	割合	数	割合														
全体		2044	1014	1030															
		100	49.6	50.4															
性×年代別	男性65-69歳	308	308	0															
		100	100.0	0.0															
	男性70-74歳	328	328	0															
		100	100.0	0.0															
	男性75-79歳	227	227	0															
		100	100.0	0.0															
	男性80歳以上	151	151	0															
		100	100.0	0.0															
	女性65-69歳	342	0	342															
		100	0.0	100.0															
	女性70-74歳	321	0	321															
		100	0.0	100.0															
	女性75-79歳	228	0	228															
		100	0.0	100.0															
女性80歳以上	139	0	139																
	100	0.0	100.0																
男性前期高齢者(65-74歳)	636	636	0																
	100	100.0	0.0																
男性後期高齢者(75歳以上)	378	378	0																
	100	100.0	0.0																
女性前期高齢者(65-74歳)	663	0	663																
	100	0.0	100.0																
女性後期高齢者(75歳以上)	367	0	367																
	100	0.0	100.0																

ステップ2-①.問診・血圧1.確認事項/ペースメーカー使用有無

		無		有															
		数	割合	数	割合														
全体		2041	2026	15															
		100	99.3	0.7															
性×年代別	男性65-69歳	307	305	2															
		100	99.3	0.7															
	男性70-74歳	327	327	0															
		100	100.0	0.0															
	男性75-79歳	227	224	3															
		100	98.7	1.3															
	男性80歳以上	150	146	4															
		100	97.3	2.7															
	女性65-69歳	342	340	2															
		100	99.4	0.6															
	女性70-74歳	321	320	1															
		100	99.7	0.3															
	女性75-79歳	228	227	1															
		100	99.6	0.4															
女性80歳以上	139	137	2																
	100	98.6	1.4																
男性前期高齢者(65-74歳)	634	632	2																
	100	99.7	0.3																
男性後期高齢者(75歳以上)	377	370	7																
	100	98.1	1.9																
女性前期高齢者(65-74歳)	663	660	3																
	100	99.5	0.5																
女性後期高齢者(75歳以上)	367	364	3																
	100	99.2	0.8																

ステップ2-①.問診・血圧_1.確認事項/抗凝固薬内服有無

	無		有	
	人数	割合	人数	割合
全体	2041	1976	65	
	100	96.8	3.2	
性×年代別				
男性65-69歳	307	296	11	
	100	96.4	3.6	
男性70-74歳	326	314	12	
	100	96.3	3.7	
男性75-79歳	227	217	10	
	100	95.6	4.4	
男性80歳以上	151	140	11	
	100	92.7	7.3	
女性65-69歳	342	338	4	
	100	98.8	1.2	
女性70-74歳	321	318	3	
	100	99.1	0.9	
女性75-79歳	228	222	6	
	100	97.4	2.6	
女性80歳以上	139	131	8	
	100	94.2	5.8	
男性前期高齢者(65-74歳)	633	610	23	
	100	96.4	3.6	
男性後期高齢者(75歳以上)	378	357	21	
	100	94.4	5.6	
女性前期高齢者(65-74歳)	663	656	7	
	100	98.9	1.1	
女性後期高齢者(75歳以上)	367	353	14	
	100	96.2	3.8	

ステップ2-①.問診・血圧_1.確認事項/抗血小板薬内服有無

	無		有	
	人数	割合	人数	割合
全体	2042	1709	333	
	100	83.7	16.3	
性×年代別				
男性65-69歳	307	266	41	
	100	86.6	13.4	
男性70-74歳	327	274	53	
	100	83.8	16.2	
男性75-79歳	227	173	54	
	100	76.2	23.8	
男性80歳以上	151	93	58	
	100	61.6	38.4	
女性65-69歳	342	316	26	
	100	92.4	7.6	
女性70-74歳	321	288	33	
	100	89.7	10.3	
女性75-79歳	228	183	45	
	100	80.3	19.7	
女性80歳以上	139	116	23	
	100	83.5	16.5	
男性前期高齢者(65-74歳)	634	540	94	
	100	85.2	14.8	
男性後期高齢者(75歳以上)	378	266	112	
	100	70.4	29.6	
女性前期高齢者(65-74歳)	663	604	59	
	100	91.1	8.9	
女性後期高齢者(75歳以上)	367	299	68	
	100	81.5	18.5	

ステップ2-①.問診・血圧_2.既往歴/①高血圧

	無		有	
	人数	割合	人数	割合
全体	2044	1144	900	
	100	56.0	44.0	
性×年代別				
男性65-69歳	308	176	132	
	100	57.1	42.9	
男性70-74歳	328	175	153	
	100	53.4	46.6	
男性75-79歳	227	112	115	
	100	49.3	50.7	
男性80歳以上	151	65	86	
	100	43.0	57.0	
女性65-69歳	342	233	109	
	100	68.1	31.9	
女性70-74歳	321	204	117	
	100	63.6	36.4	
女性75-79歳	228	127	101	
	100	55.7	44.3	
女性80歳以上	139	52	87	
	100	37.4	62.6	
男性前期高齢者(65-74歳)	636	351	285	
	100	55.2	44.8	
男性後期高齢者(75歳以上)	378	177	201	
	100	46.8	53.2	
女性前期高齢者(65-74歳)	663	437	226	
	100	65.9	34.1	
女性後期高齢者(75歳以上)	367	179	188	
	100	48.8	51.2	

ステップ2-①.問診・血圧 2.既往歴/①高血圧状況・対処

		高血圧状況・対処				
		治療中	管理中	治療中	放置・中断	
全体	885	806	53	10	16	
	100	91.1	6.0	1.1	1.8	
性×年代別	男性65-69歳	131	113	11	2	5
	100	86.3	8.4	1.5	3.8	
	男性70-74歳	149	134	8	4	3
	100	89.9	5.4	2.7	2.0	
	男性75-79歳	112	105	7	0	0
	100	93.8	6.3	0.0	0.0	
	男性80歳以上	85	79	5	0	1
	100	92.9	5.9	0.0	1.2	
	女性65-69歳	108	94	9	2	3
	100	87.0	8.3	1.9	2.8	
	女性70-74歳	116	111	4	1	0
	100	95.7	3.4	0.9	0.0	
	女性75-79歳	100	92	5	1	2
	100	92.0	5.0	1.0	2.0	
	女性80歳以上	84	78	4	0	2
	100	92.9	4.8	0.0	2.4	
	男性前期高齢者(65-74歳)	280	247	19	6	8
	100	88.2	6.8	2.1	2.9	
	男性後期高齢者(75歳以上)	197	184	12	0	1
	100	93.4	6.1	0.0	0.5	
	女性前期高齢者(65-74歳)	224	205	13	3	3
	100	91.5	5.8	1.3	1.3	
	女性後期高齢者(75歳以上)	184	170	9	1	4
	100	92.4	4.9	0.5	2.2	

ステップ2-①.問診・血圧 2.既往歴/②脳卒中

		脳卒中		
		無	有	
全体	2041	1914	127	
	100	93.8	6.2	
性×年代別	男性65-69歳	307	289	18
	100	94.1	5.9	
	男性70-74歳	326	311	15
	100	95.4	4.6	
	男性75-79歳	227	207	20
	100	91.2	8.8	
	男性80歳以上	151	127	24
	100	84.1	15.9	
	女性65-69歳	342	331	11
	100	96.8	3.2	
	女性70-74歳	321	307	14
	100	95.6	4.4	
	女性75-79歳	228	212	16
	100	93.0	7.0	
	女性80歳以上	139	130	9
	100	93.5	6.5	
	男性前期高齢者(65-74歳)	633	600	33
	100	94.8	5.2	
	男性後期高齢者(75歳以上)	378	334	44
	100	88.4	11.6	
	女性前期高齢者(65-74歳)	663	638	25
	100	96.2	3.8	
	女性後期高齢者(75歳以上)	367	342	25
	100	93.2	6.8	

ステップ2-①.問診・血圧 2.既往歴/②脳卒中状況・対処

		脳卒中状況・対処				
		治療中	管理中	治療中	放置・中断	
全体	110	62	28	14	6	
	100	56.4	25.5	12.7	5.5	
性×年代別	男性65-69歳	15	9	3	2	1
	100	60.0	20.0	13.3	6.7	
	男性70-74歳	13	11	2	0	0
	100	84.6	15.4	0.0	0.0	
	男性75-79歳	16	11	2	2	1
	100	68.8	12.5	12.5	6.3	
	男性80歳以上	19	11	5	1	2
	100	57.9	26.3	5.3	10.5	
	女性65-69歳	11	4	4	1	2
	100	36.4	36.4	9.1	18.2	
	女性70-74歳	13	5	6	2	0
	100	38.5	46.2	15.4	0.0	
	女性75-79歳	15	7	4	4	0
	100	46.7	26.7	26.7	0.0	
	女性80歳以上	8	4	2	2	0
	100	50.0	25.0	25.0	0.0	
	男性前期高齢者(65-74歳)	28	20	5	2	1
	100	71.4	17.9	7.1	3.6	
	男性後期高齢者(75歳以上)	35	22	7	3	3
	100	62.9	20.0	8.6	8.6	
	女性前期高齢者(65-74歳)	24	9	10	3	2
	100	37.5	41.7	12.5	8.3	
	女性後期高齢者(75歳以上)	23	11	6	6	0
	100	47.8	26.1	26.1	0.0	

ステップ2-①.問診・血圧 2. 既往歴/②脳卒中病型

	全体	脳出血	脳梗塞	くも膜下出血	その他の脳卒中
全体	123	18	79	9	17
	100	14.6	64.2	7.3	13.8
性×年代別					
男性65-69歳	18	4	7	4	3
	100	22.2	38.9	22.2	16.7
男性70-74歳	15	3	11	0	1
	100	20.0	73.3	0.0	6.7
男性75-79歳	20	3	16	0	1
	100	15.0	80.0	0.0	5.0
男性80歳以上	22	2	14	0	6
	100	9.1	63.6	0.0	27.3
女性65-69歳	11	1	8	2	0
	100	9.1	72.7	18.2	0.0
女性70-74歳	13	2	9	2	0
	100	15.4	69.2	15.4	0.0
女性75-79歳	16	3	10	0	3
	100	18.8	62.5	0.0	18.8
女性80歳以上	8	0	4	1	3
	100	0.0	50.0	12.5	37.5
男性前期高齢者(65-74歳)	33	7	18	4	4
	100	21.2	54.5	12.1	12.1
男性後期高齢者(75歳以上)	42	5	30	0	7
	100	11.9	71.4	0.0	16.7
女性前期高齢者(65-74歳)	24	3	17	4	0
	100	12.5	70.8	16.7	0.0
女性後期高齢者(75歳以上)	24	3	14	1	6
	100	12.5	58.3	4.2	25.0

ステップ2-①.問診・血圧 2. 既往歴/③糖尿病

	全体	無	有
全体	2043	1796	247
	100	87.9	12.1
性×年代別			
男性65-69歳	307	260	47
	100	84.7	15.3
男性70-74歳	328	285	43
	100	86.9	13.1
男性75-79歳	227	189	38
	100	83.3	16.7
男性80歳以上	151	122	29
	100	80.8	19.2
女性65-69歳	342	311	31
	100	90.9	9.1
女性70-74歳	321	294	27
	100	91.6	8.4
女性75-79歳	228	212	16
	100	93.0	7.0
女性80歳以上	139	123	16
	100	88.5	11.5
男性前期高齢者(65-74歳)	635	545	90
	100	85.8	14.2
男性後期高齢者(75歳以上)	378	311	67
	100	82.3	17.7
女性前期高齢者(65-74歳)	663	605	58
	100	91.3	8.7
女性後期高齢者(75歳以上)	367	335	32
	100	91.3	8.7

ステップ2-①.問診・血圧 2. 既往歴/③糖尿病状況・対処

	全体	治療中	管理中	治療	放置・中断
全体	241	177	53	5	6
	100	73.4	22.0	2.1	2.5
性×年代別					
男性65-69歳	46	33	11	1	1
	100	71.7	23.9	2.2	2.2
男性70-74歳	40	23	15	1	1
	100	57.5	37.5	2.5	2.5
男性75-79歳	37	26	8	0	3
	100	70.3	21.6	0.0	8.1
男性80歳以上	28	21	5	1	1
	100	75.0	17.9	3.6	3.6
女性65-69歳	31	25	5	1	0
	100	80.6	16.1	3.2	0.0
女性70-74歳	26	22	3	1	0
	100	84.6	11.5	3.8	0.0
女性75-79歳	16	16	0	0	0
	100	100.0	0.0	0.0	0.0
女性80歳以上	17	11	6	0	0
	100	64.7	35.3	0.0	0.0
男性前期高齢者(65-74歳)	86	56	26	2	2
	100	65.1	30.2	2.3	2.3
男性後期高齢者(75歳以上)	65	47	13	1	4
	100	72.3	20.0	1.5	6.2
女性前期高齢者(65-74歳)	57	47	8	2	0
	100	82.5	14.0	3.5	0.0
女性後期高齢者(75歳以上)	33	27	6	0	0
	100	81.8	18.2	0.0	0.0

ステップ2-①.問診・血圧 2.既往歴/④高脂血症

		無		有													
		人数	割合	人数	割合												
全体		2044	1264	780													
		100	61.8	38.2													
性×年代別	男性65-69歳	308	218	90													
		100	70.8	29.2													
	男性70-74歳	328	235	93													
		100	71.6	28.4													
	男性75-79歳	227	159	68													
		100	70.0	30.0													
	男性80歳以上	151	102	49													
		100	67.5	32.5													
	女性65-69歳	342	193	149													
		100	56.4	43.6													
	女性70-74歳	321	176	145													
		100	54.8	45.2													
	女性75-79歳	228	113	115													
		100	49.6	50.4													
	女性80歳以上	139	68	71													
		100	48.9	51.1													
	男性前期高齢者(65-74歳)	636	453	183													
	100	71.2	28.8														
男性後期高齢者(75歳以上)	378	261	117														
	100	69.0	31.0														
女性前期高齢者(65-74歳)	663	369	294														
	100	55.7	44.3														
女性後期高齢者(75歳以上)	367	181	186														
	100	49.3	50.7														

ステップ2-①.問診・血圧 2.既往歴/④高脂血症状況・対処

		治療中		治療 放置・中断														
		人数	割合	人数	割合													
全体		752	474	216	24	38												
		100	63.0	28.7	3.2	5.1												
性×年代別	男性65-69歳	87	42	38	3	4												
		100	48.3	43.7	3.4	4.6												
	男性70-74歳	89	51	23	5	10												
		100	57.3	25.8	5.6	11.2												
	男性75-79歳	64	41	20	3	0												
		100	64.1	31.3	4.7	0.0												
	男性80歳以上	47	29	13	0	5												
		100	61.7	27.7	0.0	10.6												
	女性65-69歳	146	91	45	4	6												
		100	62.3	30.8	2.7	4.1												
	女性70-74歳	142	95	37	2	8												
		100	66.9	26.1	1.4	5.6												
	女性75-79歳	109	72	29	4	4												
		100	66.1	26.6	3.7	3.7												
	女性80歳以上	68	53	11	3	1												
		100	77.9	16.2	4.4	1.5												
	男性前期高齢者(65-74歳)	176	93	61	8	14												
	100	52.8	34.7	4.5	8.0													
男性後期高齢者(75歳以上)	111	70	33	3	5													
	100	63.1	29.7	2.7	4.5													
女性前期高齢者(65-74歳)	288	186	92	6	14													
	100	64.6	28.5	2.1	4.9													
女性後期高齢者(75歳以上)	177	125	40	7	5													
	100	70.6	22.6	4.0	2.8													

ステップ2-①.問診・血圧 2.既往歴/⑤骨粗鬆症

		無		有													
		人数	割合	人数	割合												
全体		2039	1812	227													
		100	88.9	11.1													
性×年代別	男性65-69歳	308	305	3													
		100	99.0	1.0													
	男性70-74歳	328	325	3													
		100	99.1	0.9													
	男性75-79歳	226	222	4													
		100	98.2	1.8													
	男性80歳以上	150	141	9													
		100	94.0	6.0													
	女性65-69歳	340	304	36													
		100	89.4	10.6													
	女性70-74歳	320	257	63													
		100	80.3	19.7													
	女性75-79歳	228	168	60													
		100	73.7	26.3													
	女性80歳以上	139	90	49													
		100	64.7	35.3													
	男性前期高齢者(65-74歳)	636	630	6													
	100	99.1	0.9														
男性後期高齢者(75歳以上)	376	363	13														
	100	96.5	3.5														
女性前期高齢者(65-74歳)	660	561	99														
	100	85.0	15.0														
女性後期高齢者(75歳以上)	367	258	109														
	100	70.3	29.7														

ステップ2-①.問診・血圧 2.既往歴/⑤骨粗鬆症状況・対処

		治療中	管理中	治療	放置・中断	
全体		224	148	40	4	32
		100	66.1	17.9	1.8	14.3
性×年代別	男性65-69歳	3	1	1	0	1
		100	33.3	33.3	0.0	33.3
	男性70-74歳	3	1	2	0	0
		100	33.3	66.7	0.0	0.0
	男性75-79歳	4	2	1	0	1
		100	50.0	25.0	0.0	25.0
	男性80歳以上	9	8	0	0	1
		100	88.9	0.0	0.0	11.1
	女性65-69歳	36	22	9	1	4
		100	61.1	25.0	2.8	11.1
	女性70-74歳	62	43	6	0	13
		100	69.4	9.7	0.0	21.0
	女性75-79歳	38	37	10	2	9
		100	63.8	17.2	3.4	15.5
	女性80歳以上	49	34	11	1	3
		100	69.4	22.4	2.0	6.1
	男性前期高齢者(65-74歳)	6	2	3	0	1
	100	33.3	50.0	0.0	16.7	
男性後期高齢者(75歳以上)	13	10	1	0	2	
	100	76.9	7.7	0.0	15.4	
女性前期高齢者(65-74歳)	98	65	15	1	17	
	100	66.3	15.3	1.0	17.3	
女性後期高齢者(75歳以上)	107	71	21	3	12	
	100	66.4	19.6	2.8	11.2	

ステップ2-①.問診・血圧 2.既往歴/⑥慢性腎不全

		無	有	
全体		2041	2026	15
		100	99.3	0.7
性×年代別	男性65-69歳	307	307	0
		100	100.0	0.0
	男性70-74歳	328	327	1
		100	99.7	0.3
	男性75-79歳	227	221	6
		100	97.4	2.6
	男性80歳以上	151	149	2
		100	98.7	1.3
	女性65-69歳	343	340	2
		100	99.4	0.6
	女性70-74歳	320	317	3
		100	99.1	0.9
	女性75-79歳	227	226	1
		100	99.6	0.4
	女性80歳以上	139	139	0
		100	100.0	0.0
	男性前期高齢者(65-74歳)	635	634	1
	100	99.8	0.2	
男性後期高齢者(75歳以上)	378	370	8	
	100	97.9	2.1	
女性前期高齢者(65-74歳)	662	657	5	
	100	99.2	0.8	
女性後期高齢者(75歳以上)	366	365	1	
	100	99.7	0.3	

ステップ2-①.問診・血圧 2.既往歴/⑥慢性腎不全状況・対処

		治療中	管理中	治療	放置・中断	
全体		14	6	3	5	0
		100	42.9	21.4	35.7	0.0
性×年代別	男性65-69歳	0	0	0	0	0
		0	0.0	0.0	0.0	0.0
	男性70-74歳	1	0	0	1	0
		100	0.0	0.0	100.0	0.0
	男性75-79歳	6	4	1	1	0
		100	66.7	16.7	16.7	0.0
	男性80歳以上	2	2	0	0	0
		100	100.0	0.0	0.0	0.0
	女性65-69歳	2	0	2	0	0
		100	0.0	100.0	0.0	0.0
	女性70-74歳	2	0	0	2	0
		100	0.0	0.0	100.0	0.0
	女性75-79歳	1	0	0	1	0
		100	0.0	0.0	100.0	0.0
	女性80歳以上	0	0	0	0	0
		0	0.0	0.0	0.0	0.0
	男性前期高齢者(65-74歳)	1	0	0	1	0
	100	0.0	0.0	100.0	0.0	
男性後期高齢者(75歳以上)	8	6	1	1	0	
	100	75.0	12.5	12.5	0.0	
女性前期高齢者(65-74歳)	4	0	2	2	0	
	100	0.0	50.0	50.0	0.0	
女性後期高齢者(75歳以上)	1	0	0	1	0	
	100	0.0	0.0	100.0	0.0	

ステップ2-①.問診・血圧 2.既往歴/⑥慢性腎不全透析有無

	無		有	
	人数	割合	人数	割合
全体	9	6	3	
	100	66.7	33.3	
性×年代別				
男性65-69歳	0	0	0	
男性70-74歳	1	1	0	
男性75-79歳	4	2	2	
男性80歳以上	100	50.0	50.0	
女性65-69歳	1	1	0	
女性70-74歳	100	100.0	0.0	
女性75-79歳	1	1	0	
女性80歳以上	0	0	0	
男性前期高齢者(65-74歳)	1	1	0	
男性後期高齢者(75歳以上)	100	100.0	0.0	
女性前期高齢者(65-74歳)	5	2	3	
女性後期高齢者(75歳以上)	100	40.0	60.0	
	2	2	0	
	100	100.0	0.0	
	1	1	0	
	100	100.0	0.0	

ステップ2-①.問診・血圧 2.既往歴/⑦60歳以降の骨折歴A

	無		有	
	人数	割合	人数	割合
全体	2043	1794	249	
	100	87.8	12.2	
性×年代別				
男性65-69歳	308	300	8	
男性70-74歳	100	97.4	2.6	
男性75-79歳	328	312	16	
男性80歳以上	100	95.1	4.9	
女性65-69歳	227	216	11	
女性70-74歳	100	95.2	4.8	
女性75-79歳	150	129	21	
女性80歳以上	100	86.0	14.0	
男性前期高齢者(65-74歳)	342	302	40	
男性後期高齢者(75歳以上)	100	88.3	11.7	
女性前期高齢者(65-74歳)	321	262	59	
女性後期高齢者(75歳以上)	100	81.6	18.4	
	228	174	54	
	100	76.3	23.7	
	139	99	40	
	100	71.2	28.8	
	636	612	24	
	100	96.2	3.8	
	377	345	32	
	100	91.5	8.5	
	659	564	94	
	100	85.1	14.9	
	367	273	94	
	100	74.4	25.6	

ステップ2-①.問診・血圧 2.既往歴/⑦60歳以降の骨折部位A

	大脚部 頸部 (股関節)	その他の 大脚	部位								
			下腿	足	背	腰	胸	腕	手	その他	
全体	244	12	2	4	47	10	19	26	19	64	61
	100	4.9	0.8	1.6	19.3	4.1	7.8	10.7	7.8	26.2	25.0
性×年代別											
男性65-69歳	8	0	0	0	4	0	0	2	1	0	1
男性70-74歳	100	0.0	0.0	0.0	50.0	0.0	0.0	25.0	12.5	0.0	12.5
男性75-79歳	16	0	0	0	2	1	0	4	1	2	8
男性80歳以上	100	0.0	0.0	0.0	12.5	6.3	0.0	25.0	6.3	12.5	50.0
女性65-69歳	10	0	0	0	3	0	0	1	1	2	3
女性70-74歳	100	0.0	0.0	0.0	30.0	0.0	0.0	10.0	10.0	20.0	30.0
女性75-79歳	21	1	0	1	4	0	3	2	1	2	8
女性80歳以上	100	4.8	0.0	4.8	19.0	0.0	14.3	9.5	4.8	9.5	38.1
男性前期高齢者(65-74歳)	40	2	1	0	9	0	2	8	0	9	11
男性後期高齢者(75歳以上)	100	5.0	2.5	0.0	22.5	0.0	5.0	20.0	0.0	22.5	27.5
女性前期高齢者(65-74歳)	57	1	0	1	13	2	2	6	5	17	17
女性後期高齢者(75歳以上)	100	1.8	0.0	1.8	22.8	3.5	3.5	10.5	8.8	29.8	29.8
	53	2	0	2	7	5	8	3	5	19	8
	100	3.8	0.0	3.8	13.2	9.4	15.1	5.7	9.4	35.8	15.1
	39	6	1	0	5	2	4	0	5	13	5
	100	15.4	2.6	0.0	12.8	5.1	10.3	0.0	12.8	33.3	12.8
	24	0	0	0	6	1	0	6	2	2	9
	100	0.0	0.0	0.0	25.0	4.2	0.0	25.0	8.3	8.3	37.5
	31	1	0	1	7	0	3	3	2	4	11
	100	3.2	0.0	3.2	22.6	0.0	9.7	9.7	6.5	12.9	35.5
	97	3	1	1	22	2	4	14	5	26	28
	100	3.1	1.0	1.0	22.7	2.1	4.1	14.4	5.2	26.8	28.9
	92	8	1	2	12	7	12	3	10	32	13
	100	8.7	1.1	2.2	13.0	7.6	13.0	3.3	10.9	34.8	14.1

ステップ2-①.問診・血圧 4.健診の確認事項/脈拍50回/分未満もしくは120回/分以上

		無	有																	
		全体																		
全体		2040	2014	26																
		100	98.7	1.3																
性×年代別	男性65-69歳	306	304	2																
	男性70-74歳	100	99.3	0.7																
	男性75-79歳	327	322	5																
	男性80歳以上	100	98.5	1.5																
	女性65-69歳	227	219	8																
	女性70-74歳	100	96.5	3.5																
	女性75-79歳	151	147	4																
	女性80歳以上	100	97.4	2.6																
	男性前期高齢者(65-74歳)	342	342	0																
	男性後期高齢者(75歳以上)	100	100.0	0.0																
	女性前期高齢者(65-74歳)	321	317	4																
	女性後期高齢者(75歳以上)	100	98.8	1.2																
		227	224	3																
		100	98.7	1.3																
		139	139	0																
	100	100.0	0.0																	
	633	626	7																	
	100	98.9	1.1																	
	378	366	12																	
	100	96.8	3.2																	
	663	659	4																	
	100	99.4	0.6																	
	366	363	3																	
	100	99.2	0.8																	

ステップ2-①.問診・血圧 4.健診の確認事項/医師より運動が止められている

		無	有																	
		全体																		
全体		2039	1982	57																
		100	97.2	2.8																
性×年代別	男性65-69歳	306	298	8																
	男性70-74歳	100	97.4	2.6																
	男性75-79歳	327	318	9																
	男性80歳以上	100	97.2	2.8																
	女性65-69歳	227	223	4																
	女性70-74歳	100	98.2	1.8																
	女性75-79歳	150	146	4																
	女性80歳以上	100	97.3	2.7																
	男性前期高齢者(65-74歳)	342	327	15																
	男性後期高齢者(75歳以上)	100	95.6	4.4																
	女性前期高齢者(65-74歳)	321	312	9																
	女性後期高齢者(75歳以上)	100	97.2	2.8																
		228	223	5																
		100	97.8	2.2																
		138	135	3																
	100	97.8	2.2																	
	633	616	17																	
	100	97.3	2.7																	
	377	369	8																	
	100	97.9	2.1																	
	663	639	24																	
	100	96.4	3.6																	
	366	358	8																	
	100	97.8	2.2																	

ステップ2-①.問診・血圧 4.健診の確認事項/自覚症状で下記の項目にあてはまる

		無	有																	
		全体																		
全体		2040	1883	157																
		100	92.3	7.7																
性×年代別	男性65-69歳	307	290	17																
	男性70-74歳	100	94.5	5.5																
	男性75-79歳	327	305	22																
	男性80歳以上	100	93.3	6.7																
	女性65-69歳	226	207	19																
	女性70-74歳	100	91.6	8.4																
	女性75-79歳	151	133	18																
	女性80歳以上	100	88.1	11.9																
	男性前期高齢者(65-74歳)	341	318	23																
	男性後期高齢者(75歳以上)	100	93.3	6.7																
	女性前期高齢者(65-74歳)	321	298	23																
	女性後期高齢者(75歳以上)	100	92.8	7.2																
		228	209	19																
		100	91.7	8.3																
		139	123	16																
	100	88.5	11.5																	
	634	595	39																	
	100	93.8	6.2																	
	377	340	37																	
	100	90.2	9.8																	
	662	616	46																	
	100	93.1	6.9																	
	367	332	35																	
	100	90.5	9.5																	

ステップ2-①.問診・血圧 4.健診の確認事項/自覚症状

		発熱	嘔気	下痢	その他体調不良	
全体		162	0	1	0	161
		100	0.0	0.6	0.0	99.4
性×年代別	男性65-69歳	18	0	0	0	18
		100	0.0	0.0	0.0	100.0
	男性70-74歳	21	0	1	0	20
		100	0.0	4.8	0.0	95.2
	男性75-79歳	21	0	0	0	21
		100	0.0	0.0	0.0	100.0
	男性80歳以上	20	0	0	0	20
		100	0.0	0.0	0.0	100.0
	女性65-69歳	25	0	0	0	25
		100	0.0	0.0	0.0	100.0
	女性70-74歳	22	0	0	0	22
		100	0.0	0.0	0.0	100.0
	女性75-79歳	19	0	0	0	19
		100	0.0	0.0	0.0	100.0
	女性80歳以上	16	0	0	0	16
		100	0.0	0.0	0.0	100.0
	男性前期高齢者(65-74歳)	39	0	1	0	38
		100	0.0	2.6	0.0	97.4
男性後期高齢者(75歳以上)	41	0	0	0	41	
	100	0.0	0.0	0.0	100.0	
女性前期高齢者(65-74歳)	47	0	0	0	47	
	100	0.0	0.0	0.0	100.0	
女性後期高齢者(75歳以上)	35	0	0	0	35	
	100	0.0	0.0	0.0	100.0	

総合判定/看護師判定

		可	要注意	
全体		2028	1191	837
		100	58.7	41.3
性×年代別	男性65-69歳	306	189	117
		100	61.8	38.2
	男性70-74歳	322	182	140
		100	56.5	43.5
	男性75-79歳	227	105	122
		100	46.3	53.7
	男性80歳以上	149	50	99
		100	33.5	66.4
	女性65-69歳	340	239	101
		100	70.3	29.7
	女性70-74歳	320	224	96
		100	70.0	30.0
	女性75-79歳	226	131	95
		100	58.0	42.0
	女性80歳以上	138	71	67
		100	51.4	48.6
	男性前期高齢者(65-74歳)	628	371	257
		100	59.1	40.9
男性後期高齢者(75歳以上)	376	155	221	
	100	41.2	58.8	
女性前期高齢者(65-74歳)	660	463	197	
	100	70.2	29.8	
女性後期高齢者(75歳以上)	364	202	162	
	100	55.5	44.5	

総合判定/医師判定

		可	要注意	不可	
全体		864	690	172	2
		100	79.9	19.9	0.2
性×年代別	男性65-69歳	118	102	16	0
		100	86.4	13.6	0.0
	男性70-74歳	147	131	16	0
		100	89.1	10.9	0.0
	男性75-79歳	126	108	18	0
		100	85.7	14.3	0.0
	男性80歳以上	101	68	33	0
		100	67.3	32.7	0.0
	女性65-69歳	105	77	27	1
		100	73.3	25.7	1.0
	女性70-74歳	100	83	17	0
		100	83.0	17.0	0.0
	女性75-79歳	99	73	25	1
		100	73.7	25.3	1.0
	女性80歳以上	68	48	20	0
		100	70.6	29.4	0.0
	男性前期高齢者(65-74歳)	265	233	32	0
		100	87.9	12.1	0.0
男性後期高齢者(75歳以上)	227	176	51	0	
	100	77.5	22.5	0.0	
女性前期高齢者(65-74歳)	205	160	44	1	
	100	78.0	21.5	0.5	
女性後期高齢者(75歳以上)	167	121	45	1	
	100	72.5	26.9	0.6	

ステップ2-②.採血 1.食後時間

		空腹	食後																	
全体		2040	1848	192																
		100	90.6	9.4																
性×年代別	男性65-69歳	306	278	28																
		100	90.8	9.2																
	男性70-74歳	327	284	43																
		100	86.9	13.1																
	男性75-79歳	227	205	22																
		100	90.3	9.7																
	男性80歳以上	151	128	23																
		100	84.8	15.2																
	女性65-69歳	341	315	26																
		100	92.4	7.6																
	女性70-74歳	321	290	31																
		100	90.3	9.7																
	女性75-79歳	228	218	10																
		100	95.6	4.4																
	女性80歳以上	139	130	9																
	100	93.5	6.5																	
男性前期高齢者(65-74歳)	633	562	71																	
	100	88.8	11.2																	
男性後期高齢者(75歳以上)	378	333	45																	
	100	88.1	11.9																	
女性前期高齢者(65-74歳)	662	605	57																	
	100	91.4	8.6																	
女性後期高齢者(75歳以上)	367	348	19																	
	100	94.8	5.2																	

ステップ3.口腔検査①(湿潤・清潔度) 3.吸光度/①対象者による測定

		A : ○ 2 個	B : ○ 1 個	C : ○ なし	不 能 : セ ル 容 器 の ○ 判 定																	
全体		612	176	308	96	32																
		100	28.8	50.3	15.7	5.2																
性×年代別	男性65-69歳	82	28	45	7	2																
		100	34.1	54.9	8.5	2.4																
	男性70-74歳	100	29	51	14	6																
		100	29.0	51.0	14.0	6.0																
	男性75-79歳	66	26	30	7	3																
		100	39.4	45.5	10.5	4.5																
	男性80歳以上	42	10	15	13	4																
		100	23.8	35.7	31.0	9.5																
	女性65-69歳	112	32	57	17	6																
		100	28.6	50.9	15.2	5.4																
	女性70-74歳	98	25	53	14	6																
		100	25.5	54.1	14.3	6.1																
	女性75-79歳	65	12	37	13	3																
		100	18.5	56.9	20.0	4.6																
	女性80歳以上	47	14	20	11	2																
	100	29.8	42.6	23.4	4.3																	
男性前期高齢者(65-74歳)	182	57	96	21	8																	
	100	31.3	52.7	11.5	4.4																	
男性後期高齢者(75歳以上)	108	36	45	20	7																	
	100	33.3	41.7	18.5	6.5																	
女性前期高齢者(65-74歳)	210	57	110	31	12																	
	100	27.1	52.4	14.8	5.7																	
女性後期高齢者(75歳以上)	112	26	57	24	5																	
	100	23.2	50.9	21.4	4.5																	

ステップ3.口腔検査①(湿潤・清潔度) 3.吸光度/②検査者による測定

		A : ○ 2 個	B : ○ 1 個	C : ○ なし																	
全体		2037	509	1211	317																
		100	25.0	59.5	15.6																
性×年代別	男性65-69歳	306	86	190	30																
		100	28.1	62.1	9.8																
	男性70-74歳	328	87	201	40																
		100	26.5	61.3	12.2																
	男性75-79歳	227	62	135	30																
		100	27.3	59.5	13.2																
	男性80歳以上	150	33	85	32																
		100	22.0	56.7	21.3																
	女性65-69歳	340	95	198	47																
		100	27.9	58.2	13.8																
	女性70-74歳	321	72	194	55																
		100	22.4	60.4	17.1																
	女性75-79歳	226	48	132	46																
		100	21.2	58.4	20.4																
	女性80歳以上	139	26	76	37																
	100	18.7	54.7	26.6																	
男性前期高齢者(65-74歳)	634	173	391	70																	
	100	27.3	61.7	11.0																	
男性後期高齢者(75歳以上)	377	95	220	62																	
	100	25.2	58.4	16.4																	
女性前期高齢者(65-74歳)	661	167	392	102																	
	100	25.3	59.3	15.4																	
女性後期高齢者(75歳以上)	365	74	208	83																	
	100	20.3	57.0	22.7																	

ステップ3.口腔検査①(湿潤・清潔度) 4.RSST/60秒で嚥下なし

		60秒で嚥下あり	60秒で嚥下なし																	
全体		2044	2003	41																
		100	100.0	100.0																
性×年代別	男性65-69歳	308	305	3																
	男性70-74歳	15.07	15.2	7.3																
	男性75-79歳	328	325	3																
	男性75-79歳	16.05	16.2	7.3																
	男性80歳以上	227	226	1																
	男性80歳以上	11.11	11.3	2.4																
	女性65-69歳	151	151	0																
	女性65-69歳	7.387	7.5	0.0																
	女性70-74歳	342	333	9																
	女性70-74歳	16.73	16.6	22.0																
	女性75-79歳	321	307	14																
	女性75-79歳	15.7	15.3	34.1																
	女性80歳以上	228	218	10																
	女性80歳以上	11.15	10.9	24.4																
	男性前期高齢者(65-74歳)	139	138	1																
	男性前期高齢者(65-74歳)	6.8	6.9	2.4																
男性後期高齢者(75歳以上)	636	630	6																	
男性後期高齢者(75歳以上)	31.12	31.5	14.6																	
女性前期高齢者(65-74歳)	378	377	1																	
女性前期高齢者(65-74歳)	18.49	18.8	2.4																	
女性後期高齢者(75歳以上)	663	640	23																	
女性後期高齢者(75歳以上)	32.44	32.0	56.1																	
女性後期高齢者(75歳以上)	367	356	11																	
女性後期高齢者(75歳以上)	17.95	17.8	26.8																	

ステップ4.身体測定①(身長・InBody) 3.InBody[心臓ペースメーカー使用]

		なし(測定可)	あり(測定不可)																	
全体		2029	2022	7																
		100	99.7	0.3																
性×年代別	男性65-69歳	304	303	1																
	男性70-74歳	100	99.7	0.3																
	男性75-79歳	328	328	0																
	男性75-79歳	100	100.0	0.0																
	男性80歳以上	223	222	1																
	男性80歳以上	100	99.6	0.4																
	女性65-69歳	148	145	3																
	女性65-69歳	100	98.0	2.0																
	女性70-74歳	342	341	1																
	女性70-74歳	100	99.7	0.3																
	女性75-79歳	320	320	0																
	女性75-79歳	100	100.0	0.0																
	女性80歳以上	227	226	1																
	女性80歳以上	100	99.6	0.4																
	男性前期高齢者(65-74歳)	137	137	0																
	男性前期高齢者(65-74歳)	100	100.0	0.0																
男性後期高齢者(75歳以上)	632	631	1																	
男性後期高齢者(75歳以上)	100	99.8	0.2																	
女性前期高齢者(65-74歳)	371	367	4																	
女性前期高齢者(65-74歳)	100	98.9	1.1																	
女性後期高齢者(75歳以上)	663	661	2																	
女性後期高齢者(75歳以上)	100	99.8	0.2																	
女性後期高齢者(75歳以上)	364	363	1																	
女性後期高齢者(75歳以上)	100	99.7	0.3																	

ステップ5.身体測定②(腹囲・指むっか) 4.下腿周囲長(利き足の逆)/浮腫の有無

		あり	なし																	
全体		1871	100	1771																
		100	5.3	94.7																
性×年代別	男性65-69歳	284	7	277																
	男性70-74歳	100	2.5	97.5																
	男性75-79歳	299	4	295																
	男性75-79歳	100	1.3	98.7																
	男性80歳以上	204	4	200																
	男性80歳以上	100	2.0	98.0																
	女性65-69歳	127	8	119																
	女性65-69歳	100	6.3	93.7																
	女性70-74歳	317	22	295																
	女性70-74歳	100	6.9	93.1																
	女性75-79歳	292	23	269																
	女性75-79歳	100	7.9	92.1																
	女性80歳以上	213	18	195																
	女性80歳以上	100	8.5	91.5																
	男性前期高齢者(65-74歳)	135	14	121																
	男性前期高齢者(65-74歳)	100	10.4	89.6																
男性後期高齢者(75歳以上)	583	11	572																	
男性後期高齢者(75歳以上)	100	1.9	98.1																	
女性前期高齢者(65-74歳)	331	12	319																	
女性前期高齢者(65-74歳)	100	3.6	96.4																	
女性後期高齢者(75歳以上)	609	45	564																	
女性後期高齢者(75歳以上)	100	7.4	92.6																	
女性後期高齢者(75歳以上)	348	32	316																	
女性後期高齢者(75歳以上)	100	9.2	90.8																	

ステップ5.身体測定②(腹囲・指わっか) 5.指輪っか:下腿(利き足の逆) / 人差し指

	全体	隙間がある	ちようど開める	開めない													
					100	14.3	32.5	53.2									
全体	2036	292	661	1083													
性×年代別	100	14.3	32.5	53.2													
男性65-69歳	306	32	101	173													
男性70-74歳	100	10.5	33.0	56.5													
男性75-79歳	327	28	104	195													
男性80歳以上	100	8.6	31.8	59.6													
女性65-69歳	227	40	80	107													
女性70-74歳	100	17.6	35.2	47.1													
女性75-79歳	149	42	53	54													
女性80歳以上	100	28.2	35.6	36.2													
男性前期高齢者(65-74歳)	342	37	97	209													
男性後期高齢者(75歳以上)	100	10.8	28.4	60.8													
女性前期高齢者(65-74歳)	321	50	110	161													
女性後期高齢者(75歳以上)	100	15.6	34.3	50.2													
男性前期高齢者(65-74歳)	228	35	72	121													
男性後期高齢者(75歳以上)	100	15.4	31.6	53.1													
女性前期高齢者(65-74歳)	136	28	44	64													
女性後期高齢者(75歳以上)	100	20.6	32.4	47.1													
男性前期高齢者(65-74歳)	633	60	205	368													
男性後期高齢者(75歳以上)	100	9.5	32.4	58.1													
女性前期高齢者(65-74歳)	376	82	133	161													
女性後期高齢者(75歳以上)	100	21.8	35.4	42.8													
男性前期高齢者(65-74歳)	663	87	207	369													
男性後期高齢者(75歳以上)	100	13.1	31.2	55.7													
女性前期高齢者(65-74歳)	364	63	116	185													
女性後期高齢者(75歳以上)	100	17.3	31.9	50.8													

ステップ5.身体測定②(腹囲・指わっか) 5.指輪っか:下腿(利き足の逆) / 中指

	全体	隙間がある	ちようど開める	開めない													
					100	45.6	32.8	21.6									
全体	2038	929	668	441													
性×年代別	100	45.6	32.8	21.6													
男性65-69歳	308	130	100	78													
男性70-74歳	100	42.2	32.5	25.3													
男性75-79歳	327	126	121	80													
男性80歳以上	100	38.5	37.0	24.5													
女性65-69歳	227	115	62	50													
女性70-74歳	100	50.7	27.3	22.0													
女性75-79歳	149	92	38	18													
女性80歳以上	100	62.2	25.7	12.2													
男性前期高齢者(65-74歳)	342	132	128	82													
男性後期高齢者(75歳以上)	100	38.6	37.4	24.0													
女性前期高齢者(65-74歳)	320	157	99	64													
女性後期高齢者(75歳以上)	100	49.1	30.9	20.0													
男性前期高齢者(65-74歳)	228	108	73	47													
男性後期高齢者(75歳以上)	100	47.4	32.0	20.6													
女性前期高齢者(65-74歳)	138	69	47	22													
女性後期高齢者(75歳以上)	100	50.0	34.1	15.9													
男性前期高齢者(65-74歳)	635	256	221	158													
男性後期高齢者(75歳以上)	100	40.3	34.8	24.9													
女性前期高齢者(65-74歳)	375	207	100	68													
女性後期高齢者(75歳以上)	100	55.2	26.7	18.1													
男性前期高齢者(65-74歳)	662	289	227	146													
男性後期高齢者(75歳以上)	100	43.7	34.3	22.1													
女性前期高齢者(65-74歳)	366	177	120	69													
女性後期高齢者(75歳以上)	100	48.4	32.8	18.9													

ステップ5.身体測定②(腹囲・指わっか) 8.上腕三頭筋皮下脂肪厚(利き手の逆) / 浮腫の有無

	全体	あり	なし													
				100	0.2	99.8										
全体	1955	4	1951													
性×年代別	100	0.2	99.8													
男性65-69歳	296	0	296													
男性70-74歳	100	0.0	100.0													
男性75-79歳	311	0	311													
男性80歳以上	100	0.0	100.0													
女性65-69歳	214	0	214													
女性70-74歳	100	0.0	100.0													
女性75-79歳	137	0	137													
女性80歳以上	100	0.0	100.0													
男性前期高齢者(65-74歳)	332	2	330													
男性後期高齢者(75歳以上)	100	0.6	99.4													
女性前期高齢者(65-74歳)	313	2	311													
女性後期高齢者(75歳以上)	100	0.6	99.4													
男性前期高齢者(65-74歳)	220	0	220													
男性後期高齢者(75歳以上)	100	0.0	100.0													
女性前期高齢者(65-74歳)	132	0	132													
女性後期高齢者(75歳以上)	100	0.0	100.0													
男性前期高齢者(65-74歳)	607	0	607													
男性後期高齢者(75歳以上)	100	0.0	100.0													
女性前期高齢者(65-74歳)	351	0	351													
女性後期高齢者(75歳以上)	100	0.0	100.0													
男性前期高齢者(65-74歳)	645	4	641													
男性後期高齢者(75歳以上)	100	0.6	99.4													
女性前期高齢者(65-74歳)	352	0	352													
女性後期高齢者(75歳以上)	100	0.0	100.0													

ステップ8.運動機能_1.握力/1回目(利き腕)部位

		右 手	左 手																	
		全 体																		
全体		2015	1856	159																
		100	92.1	7.9																
性×年代別	男性65-69歳	306	277	29																
		100	90.5	9.5																
	男性70-74歳	325	297	28																
		100	91.4	8.6																
	男性75-79歳	225	202	23																
		100	89.8	10.2																
	男性80歳以上	144	127	17																
		100	88.2	11.8																
	女性65-69歳	340	315	25																
		100	92.6	7.4																
	女性70-74歳	317	299	18																
		100	94.3	5.7																
	女性75-79歳	222	217	5																
		100	97.7	2.3																
	女性80歳以上	136	122	14																
		100	89.7	10.3																
	男性前期高齢者(65-74歳)	631	574	57																
		100	91.0	9.0																
	男性後期高齢者(75歳以上)	369	329	40																
		100	89.2	10.8																
	女性前期高齢者(65-74歳)	657	614	43																
		100	93.5	6.5																
	女性後期高齢者(75歳以上)	358	339	19																
		100	94.7	5.3																

ステップ8.運動機能_1.握力/2回目(利き腕)部位

		右 手	左 手																	
		全 体																		
全体		2007	1840	167																
		100	91.7	8.3																
性×年代別	男性65-69歳	305	275	30																
		100	90.2	9.8																
	男性70-74歳	325	296	29																
		100	91.1	8.9																
	男性75-79歳	225	200	25																
		100	88.9	11.1																
	男性80歳以上	143	127	16																
		100	88.8	11.2																
	女性65-69歳	338	312	26																
		100	92.3	7.7																
	女性70-74歳	315	294	21																
		100	93.3	6.7																
	女性75-79歳	221	214	7																
		100	96.8	3.2																
	女性80歳以上	135	122	13																
		100	90.4	9.6																
	男性前期高齢者(65-74歳)	630	571	59																
		100	90.6	9.4																
	男性後期高齢者(75歳以上)	368	327	41																
		100	88.9	11.1																
	女性前期高齢者(65-74歳)	653	606	47																
		100	92.8	7.2																
	女性後期高齢者(75歳以上)	356	336	20																
		100	94.4	5.6																

ステップ8.運動機能_2.ピンチ力/1回目(利き腕)部位

		右 手	左 手																	
		全 体																		
全体		2037	1897	140																
		100	93.1	6.9																
性×年代別	男性65-69歳	307	281	26																
		100	91.5	8.5																
	男性70-74歳	327	300	27																
		100	91.7	8.3																
	男性75-79歳	227	209	18																
		100	92.1	7.9																
	男性80歳以上	149	132	17																
		100	88.6	11.4																
	女性65-69歳	341	321	20																
		100	94.1	5.9																
	女性70-74歳	321	305	16																
		100	95.0	5.0																
	女性75-79歳	227	219	8																
		100	96.5	3.5																
	女性80歳以上	138	130	8																
		100	94.2	5.8																
	男性前期高齢者(65-74歳)	634	581	53																
		100	91.6	8.4																
	男性後期高齢者(75歳以上)	376	341	35																
		100	90.7	9.3																
	女性前期高齢者(65-74歳)	662	626	36																
		100	94.6	5.4																
	女性後期高齢者(75歳以上)	365	349	16																
		100	95.6	4.4																

ステップ8.運動機能2.ピンチ力/2回目(利き腕)部位

		右 手	左 手																	
全体		2024	1882	142																
		100	93.0	7.0																
性×年代別	男性65-69歳	305	279	26																
	男性70-74歳	100	91.5	8.5																
	男性75-79歳	224	207	17																
	男性80歳以上	100	92.4	7.6																
	女性65-69歳	149	132	17																
	女性70-74歳	100	88.6	11.4																
	女性75-79歳	338	318	20																
	女性80歳以上	100	94.1	5.9																
	男性前期高齢者(65-74歳)	320	304	16																
	男性後期高齢者(75歳以上)	100	95.0	5.0																
	女性前期高齢者(65-74歳)	227	218	9																
	女性後期高齢者(75歳以上)	100	96.0	4.0																
		136	127	9																
		100	93.4	6.6																
		630	576	54																
		100	91.4	8.6																
	373	339	34																	
	100	90.9	9.1																	
	658	622	36																	
	100	94.5	5.5																	
	363	345	18																	
	100	95.0	5.0																	

ステップ8.運動機能3.平衡性/開眼片足立ち時間2回目

		全 体																
全体		1063																
		100																
性×年代別	男性65-69歳	103																
	男性70-74歳	9.7																
	男性75-79歳	149																
	男性80歳以上	14																
	女性65-69歳	144																
	女性70-74歳	13.5																
	女性75-79歳	120																
	女性80歳以上	11.3																
	男性前期高齢者(65-74歳)	119																
	男性後期高齢者(75歳以上)	11.2																
	女性前期高齢者(65-74歳)	152																
	女性後期高齢者(75歳以上)	14.3																
		163																
		15.3																
		113																
		10.6																
	252																	
	23.7																	
	204																	
	24.8																	
	271																	
	25.5																	
	276																	
	26																	

ステップ8.運動機能3.平衡性/杖の使用有無

		あ り																	
全体		9	9																
		100	100.0																
性×年代別	男性65-69歳	0	0																
	男性70-74歳	0	0.0																
	男性75-79歳	0	0.0																
	男性80歳以上	0	0.0																
	女性65-69歳	1	1																
	女性70-74歳	100	100.0																
	女性75-79歳	0	0																
	女性80歳以上	0	0.0																
	男性前期高齢者(65-74歳)	0	0																
	男性後期高齢者(75歳以上)	0	0.0																
	女性前期高齢者(65-74歳)	1	1																
	女性後期高齢者(75歳以上)	100	100.0																
		0	0																
		0	0.0																
		8	8																
		100	100.0																

ステップ8.運動機能 6.膝伸展力/部位

		右 脚	左 脚																	
		全 体																		
全体		2006	1783	223																
		100	88.9	11.1																
性×年代別	男性65-69歳	306	275	31																
	男性70-74歳	100	89.9	10.1																
	男性75-79歳	221	197	24																
	男性80歳以上	142	122	20																
	女性65-69歳	340	306	34																
	女性70-74歳	100	90.0	10.0																
	女性75-79歳	221	204	17																
	女性80歳以上	100	92.3	7.7																
	男性前期高齢者(65-74歳)	629	557	72																
	男性後期高齢者(75歳以上)	100	88.6	11.4																
	女性前期高齢者(65-74歳)	657	581	76																
	女性後期高齢者(75歳以上)	357	326	31																
		100	91.3	8.7																

ステップ8.運動機能 7.椅子立ち上がりテスト/プレテスト

		可	不 可																	
		全 体																		
全体		2028	2008	20																
		100	99.0	1.0																
性×年代別	男性65-69歳	308	308	0																
	男性70-74歳	100	100.0	0.0																
	男性75-79歳	227	223	4																
	男性80歳以上	148	146	2																
	女性65-69歳	342	341	1																
	女性70-74歳	100	99.7	0.3																
	女性75-79歳	227	222	5																
	女性80歳以上	100	97.8	2.2																
	男性前期高齢者(65-74歳)	632	631	1																
	男性後期高齢者(75歳以上)	100	99.8	0.2																
	女性前期高齢者(65-74歳)	660	656	4																
	女性後期高齢者(75歳以上)	361	352	9																
		100	97.5	2.5																

ステップ10.口腔検査②(口腔機能) 4.ペリオスクリーン

		陰 性	陽 性	実 施 し て い な い																	
		全 体																			
全体		2019	429	1589	1																
		100	21.2	78.7	0.0																
性×年代別	男性65-69歳	305	61	244	0																
	男性70-74歳	100	20.0	80.0	0.0																
	男性75-79歳	225	45	180	0																
	男性80歳以上	149	24	125	0																
	女性65-69歳	333	68	264	1																
	女性70-74歳	100	20.4	79.3	0.3																
	女性75-79歳	227	86	235	0																
	女性80歳以上	100	26.8	73.2	0.0																
	男性前期高齢者(65-74歳)	632	122	510	0																
	男性後期高齢者(75歳以上)	100	19.3	80.7	0.0																
	女性前期高齢者(65-74歳)	654	154	499	1																
	女性後期高齢者(75歳以上)	359	84	275	0																
		100	23.4	76.6	0.0																