

通学年数

		2年	3年	4年	5年	6年	7年	8年	9年	10年	11年	12年	13年	14年	15年	16年	17年	18年	19年	20年	21年	22年	23年	平均	標準偏差		
全体		2044	1	7	13	3	9	3	50	258	66	52	773	94	168	60	383	56	27	8	8	2	1	2	12.65	2.78	
性×年代別	男性65-69歳	308	0	1	1	0	0	0	0	18	6	1	108	14	11	8	111	19	7	0	2	0	0	1	13.9	2.62	
	男性70-74歳	328	0	2	1	0	1	0	0	30	5	0	120	12	12	7	114	11	8	3	1	1	0	0	13.59	2.77	
	男性75-79歳	227	0	0	4	0	0	0	0	1	27	2	0	66	12	5	7	76	17	7	2	0	1	0	0	13.66	3.02
	男性80歳以上	151	0	1	3	2	4	0	13	6	11	15	14	11	18	14	28	5	1	1	3	0	0	1	12.84	3.6	
	女性65-69歳	342	0	0	0	0	0	0	0	8.6	4.0	7.3	9.9	9.3	7.3	11.9	9.3	18.5	3.3	0.7	0.7	2.0	0.0	0.0	0.7	12.3	2.02
	女性70-74歳	321	0	1	0	0	1	0	2	58	6	3	165	15	42	7	18	0	3	0	0	0	0	0	0	11.99	2.04
	女性75-79歳	100	0.0	0.3	0.0	0.0	0.3	0.0	0.6	18.1	1.9	0.9	51.4	4.7	13.1	2.2	5.6	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	11.59	2.42
	女性80歳以上	139	0	0	3	1	2	3	29	11	31	24	20	7	3	1	3	0	0	0	0	0	0	1	0	10.17	2.41
	男性前期高齢者(65-74歳)	636	0	3	2	0	1	0	0	48	11	1	228	26	23	15	225	30	15	3	1	0	0	0	1	13.74	2.7
	男性後期高齢者(75歳以上)	378	0	1	0	3	2	4	0	14	33	13	15	80	23	21	104	22	8	3	3	1	0	1	13.25	3.3	
	女性前期高齢者(65-74歳)	100	0.0	0.3	1.9	0.5	1.1	0.0	3.7	8.7	3.4	4.0	21.2	6.1	6.1	5.6	27.5	5.8	2.1	0.8	0.8	0.3	0.0	0.3	12.15	2.04	
	女性後期高齢者(75歳以上)	367	1	2	4	1	3	3	34	63	35	28	125	18	23	10	14	0	1	0	0	0	1	0	11.05	2.51	

内服薬の種類

		0種類	1種類	2種類	3種類	4種類	5種類	6種類	7種類	8種類	9種類	10種類以上	平均	標準偏差	
全体		2030	522	293	298	254	202	124	102	74	59	35	67	2.86	2.93
性×年代別	男性65-69歳	304	101	47	52	31	23	13	14	6	5	5	7	2.26	2.58
	男性70-74歳	326	96	49	51	42	34	17	12	8	3	7	7	2.43	2.58
	男性75-79歳	225	40	23	32	27	28	25	14	11	5	6	13	3.71	3.34
	男性80歳以上	151	16	12	16	17	17	13	13	14	3	3	17	4.86	3.5
	女性65-69歳	341	127	66	42	40	29	11	12	6	4	1	3	1.86	2.26
	女性70-74歳	321	88	47	58	44	34	10	15	8	8	5	4	2.43	2.43
	女性75-79歳	100	27.4	14.6	18.1	13.7	10.6	3.1	4.7	2.5	2.5	1.6	1.2	3.21	2.74
	女性80歳以上	138	14	19	11	24	12	12	10	8	12	5	11	4.47	3.63
	男性前期高齢者(65-74歳)	630	197	96	103	73	57	30	26	14	8	12	14	2.35	2.58
	男性後期高齢者(75歳以上)	376	66	35	48	44	45	38	27	24	20	9	30	4.17	3.45
	女性前期高齢者(65-74歳)	662	215	113	100	84	63	21	27	14	12	6	7	2.14	2.36
	女性後期高齢者(75歳以上)	362	54	49	47	53	37	35	22	22	19	8	16	3.69	3.17

同居人数

		1人	2人	3人	4人	5人	6人	7人	8人	平均	標準偏差	
全体		1818	1114	388	143	75	67	29	1	1.73	1.2	
性×年代別	男性65-69歳	295	170	85	22	3	8	7	0	1.69	1.1	
	男性70-74歳	311	197	83	20	12	13	6	0	1.71	1.2	
	男性75-79歳	210	136	45	16	6	6	1	0	1.59	1	
	男性80歳以上	139	90	22	6	8	8	3	1	1.85	1.5	
	女性65-69歳	309	190	69	30	8	10	2	0	1.66	1	
	女性70-74歳	277	169	62	16	13	10	7	0	1.75	1.2	
	女性75-79歳	100	61.0	22.4	5.8	4.7	3.6	2.5	0.0	0.0	0.0	0.0
	女性80歳以上	139	51	13	16	12	4	2	0	0	2.09	1.4
	男性前期高齢者(65-74歳)	606	367	148	42	15	21	13	0	0	1.7	1.2
	男性後期高齢者(75歳以上)	349	226	67	22	14	14	4	1	1	1.69	1.2
	女性前期高齢者(65-74歳)	100	61.3	22.4	7.8	3.6	3.4	1.5	0.0	0.0	1.7	1.1
	女性後期高齢者(75歳以上)	277	162	42	33	25	12	3	0	0	1.89	1.3

年代

		6 0 代	7 0 代	8 0 代	9 0 代	平均	標準 偏差											
全体		2044	650	1104	281	9	73.03	5.59										
		100	31.8	54.0	13.7	0.4												
性×年代別	男性65-69歳	308	308	0	0	0	67.25	1.37										
		100	100.0	0.0	0.0	0.0												
	男性70-74歳	328	0	328	0	0	71.8	1.41										
		100	0.0	100.0	0.0	0.0												
	男性75-79歳	227	0	227	0	0	76.58	1.37										
		100	0.0	100.0	0.0	0.0												
	男性80歳以上	151	0	0	146	5	83.34	2.89										
		100	0.0	0.0	96.7	3.3												
	女性65-69歳	342	342	0	0	0	67.23	1.33										
		100	100.0	0.0	0.0	0.0												
	女性70-74歳	321	0	321	0	0	71.84	1.41										
		100	0.0	100.0	0.0	0.0												
	女性75-79歳	228	0	228	0	0	76.6	1.34										
		100	0.0	100.0	0.0	0.0												
	女性80歳以上	139	0	0	135	4	82.94	2.75										
		100	0.0	0.0	97.1	2.9												
男性前期高齢者(65-74歳)	636	308	328	0	0	69.6	2.67											
	100	48.4	51.6	0.0	0.0													
男性後期高齢者(75歳以上)	378	0	227	146	5	79.28	3.93											
	100	0.0	60.1	38.6	1.3													
女性前期高齢者(65-74歳)	663	342	321	0	0	69.46	2.68											
	100	51.6	48.4	0.0	0.0													
女性後期高齢者(75歳以上)	367	0	228	135	4	79	3.66											
	100	0.0	62.1	36.8	1.1													

高血圧発症年齢

		3 0 代未 満	3 0 代	4 0 代	5 0 代	6 0 代	7 0 代	8 0 代以 降	平均	標準 偏差											
全体		892	6	18	84	183	353	216	32	61.89	11.44										
		100	0.7	2.0	9.4	20.5	39.6	24.2	3.6												
性×年代別	男性65-69歳	130	2	6	24	33	65	0	0	55.61	10.66										
		100	1.5	4.6	18.5	25.4	50.0	0.0	0.0												
	男性70-74歳	152	1	3	14	24	80	30	0	61.28	10.18										
		100	0.7	2.0	9.2	15.8	52.6	19.7	0.0												
	男性75-79歳	114	1	1	12	22	37	41	0	62.57	11.5										
		100	0.9	0.9	10.5	19.3	32.5	36.0	0.0												
	男性80歳以上	86	1	0	8	12	12	36	17	67.23	13.85										
		100	1.2	0.0	9.3	14.0	14.0	41.9	19.8												
	女性65-69歳	109	0	3	14	43	49	0	0	56.83	8.21										
		100	0.0	2.8	12.8	39.4	45.0	0.0	0.0												
	女性70-74歳	116	0	4	4	24	60	24	0	61.71	9.45										
		100	0.0	3.4	3.4	20.7	51.7	20.7	0.0												
	女性75-79歳	100	1	0	6	15	32	46	0	65.05	10.14										
		100	1.0	0.0	6.0	15.0	32.0	46.0	0.0												
	女性80歳以上	85	0	1	2	10	18	39	15	69.25	11.1										
		100	0.0	1.2	2.4	11.8	21.2	45.9	17.6												
男性前期高齢者(65-74歳)	282	3	9	38	57	145	30	0	58.67	10.78											
	100	1.1	3.2	13.5	20.2	51.4	10.6	0.0													
男性後期高齢者(75歳以上)	200	2	1	20	34	49	77	17	64.58	12.78											
	100	1.0	0.5	10.0	17.0	24.5	38.5	8.5													
女性前期高齢者(65-74歳)	225	0	7	18	67	109	24	0	59.35	9.2											
	100	0.0	3.1	8.0	29.8	48.4	10.7	0.0													
女性後期高齢者(75歳以上)	185	1	1	8	25	50	85	15	66.98	10.8											
	100	0.5	0.5	4.3	13.5	27.0	45.9	8.1													

脳卒中発症年齢

		3 0 代未 満	3 0 代	4 0 代	5 0 代	6 0 代	7 0 代	8 0 代以 降	平均	標準 偏差											
全体		124	0	1	1	14	51	45	12	68.05	8.57										
		100	0.0	0.8	0.8	11.3	41.1	36.3	9.7												
性×年代別	男性65-69歳	18	0	0	0	5	13	0	0	60.89	4.38										
		100	0.0	0.0	0.0	27.8	72.2	0.0	0.0												
	男性70-74歳	14	0	0	0	1	9	4	0	66.07	4.28										
		100	0.0	0.0	0.0	7.1	64.3	28.6	0.0												
	男性75-79歳	20	0	0	0	1	9	10	0	67.95	6.59										
		100	0.0	0.0	0.0	5.0	45.0	50.0	0.0												
	男性80歳以上	23	0	0	0	0	3	9	11	78.3	6.09										
		100	0.0	0.0	0.0	0.0	13.0	39.1	47.8												
	女性65-69歳	11	0	1	1	2	7	0	0	58.82	8.35										
		100	0.0	9.1	9.1	18.2	63.6	0.0	0.0												
	女性70-74歳	13	0	0	0	2	4	7	0	68.15	5.59										
		100	0.0	0.0	0.0	15.4	30.8	53.8	0.0												
	女性75-79歳	16	0	0	0	3	4	9	0	67.5	7.3										
		100	0.0	0.0	0.0	18.8	25.0	56.3	0.0												
	女性80歳以上	9	0	0	0	0	2	6	1	71.56	5.87										
		100	0.0	0.0	0.0	0.0	22.2	66.7	11.1												
男性前期高齢者(65-74歳)	32	0	0	0	6	22	4	0	63.16	5.04											
	100	0.0	0.0	0.0	18.8	68.8	12.5	0.0													
男性後期高齢者(75歳以上)	43	0	0	0	1	12	19	11	73.49	8.17											
	100	0.0	0.0	0.0	2.3	27.9	44.2	25.6													
女性前期高齢者(65-74歳)	24	0	1	1	4	11	7	0	63.88	8.4											
	100	0.0	4.2	4.2	16.7	45.8	29.2	0.0													
女性後期高齢者(75歳以上)	25	0	0	0	3	6	15	1	68.96	7.09											
	100	0.0	0.0	0.0	12.0	24.0	60.0	4.0													

糖尿病発症年齢

		30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差	
全体		247	0	1	21	50	117	51	7	61.89	9.51
性×年代別		100	0.0	0.4	8.5	20.2	47.4	20.6	2.8		
性×年代別	男性65-69歳	47	0	1	8	11	27	0	0	57.32	8.14
	男性70-74歳	100	0.0	2.1	17.0	23.4	57.4	0.0	0.0		
	男性75-79歳	43	0	0	2	6	30	5	0	61.93	6.53
	男性80歳以上	100	0.0	0.0	4.7	14.0	69.8	11.6	0.0		
	女性65-69歳	38	0	0	5	10	10	13	0	61.26	10.87
	女性70-74歳	100	0.0	0.0	13.2	26.3	26.3	34.2	0.0		
	女性75-79歳	29	0	0	2	3	9	11	4	66.31	11.64
	女性80歳以上	100	0.0	0.0	6.9	10.3	31.0	37.9	13.8		
	男性前期高齢者(65-74歳)	30	0	0	3	9	18	0	0	58.67	7.58
	男性後期高齢者(75歳以上)	100	0.0	0.0	10.0	30.0	60.0	0.0	0.0		
	女性前期高齢者(65-74歳)	27	0	0	1	6	12	8	0	62.7	8.14
	女性後期高齢者(75歳以上)	100	0.0	0.0	3.7	22.2	44.4	29.6	0.0		
	男性前期高齢者(65-74歳)	16	0	0	0	4	6	6	0	64.63	8.75
	男性後期高齢者(75歳以上)	100	0.0	0.0	0.0	25.0	37.5	37.5	0.0		
	女性前期高齢者(65-74歳)	17	0	0	0	1	5	8	3	70.06	8.02
	女性後期高齢者(75歳以上)	100	0.0	0.0	0.0	5.9	29.4	47.1	17.6		
男性前期高齢者(65-74歳)	90	0	1	10	17	57	5	0	59.52	7.76	
男性後期高齢者(75歳以上)	100	0.0	1.1	11.1	18.9	63.3	5.6	0.0			
女性前期高齢者(65-74歳)	67	0	0	7	13	19	24	4	63.45	11.49	
女性後期高齢者(75歳以上)	100	0.0	0.0	10.4	19.4	28.4	35.8	6.0			
男性前期高齢者(65-74歳)	57	0	0	4	15	30	8	0	60.58	8.1	
男性後期高齢者(75歳以上)	100	0.0	0.0	7.0	26.3	52.6	14.0	0.0			
女性前期高齢者(65-74歳)	33	0	0	0	5	11	14	3	67.42	8.81	
女性後期高齢者(75歳以上)	100	0.0	0.0	0.0	15.2	33.3	42.4	9.1			

高脂血症発症年齢

		30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差	
全体		770	0	6	48	131	359	207	19	63.7	9.75
性×年代別		100	0.0	0.8	6.2	17.0	46.6	26.9	2.5		
性×年代別	男性65-69歳	90	0	3	13	24	50	0	0	57.26	9.54
	男性70-74歳	100	0.0	3.3	14.4	26.7	55.6	0.0	0.0		
	男性75-79歳	91	0	1	8	13	48	21	0	62.36	9.76
	男性80歳以上	100	0.0	1.1	8.8	14.3	52.7	23.1	0.0		
	女性65-69歳	65	0	0	6	8	16	35	0	65.38	10.26
	女性70-74歳	100	0.0	0.0	9.2	12.3	24.6	53.8	0.0		
	女性75-79歳	46	0	1	0	2	9	24	10	72.09	9.9
	女性80歳以上	100	0.0	2.2	0.0	4.3	19.6	52.2	21.7		
	男性前期高齢者(65-74歳)	149	0	0	10	40	99	0	0	60.18	6.99
	男性後期高齢者(75歳以上)	100	0.0	0.0	6.7	26.8	66.4	0.0	0.0		
	女性前期高齢者(65-74歳)	144	0	0	9	25	77	33	0	62.8	8.21
	女性後期高齢者(75歳以上)	100	0.0	0.0	6.3	17.4	53.5	22.9	0.0		
	男性前期高齢者(65-74歳)	114	0	0	0	14	49	51	0	66.96	7.33
	男性後期高齢者(75歳以上)	100	0.0	0.0	0.0	12.3	43.0	44.7	0.0		
	女性前期高齢者(65-74歳)	71	0	1	2	5	11	43	9	70.62	10.63
	女性後期高齢者(75歳以上)	100	0.0	1.4	2.8	7.0	15.5	60.6	12.7		
男性前期高齢者(65-74歳)	181	0	4	21	37	98	21	0	59.82	9.99	
男性後期高齢者(75歳以上)	100	0.0	2.2	11.6	20.4	54.1	11.5	0.0			
女性前期高齢者(65-74歳)	111	0	1	6	10	25	59	0	68.16	10.64	
女性後期高齢者(75歳以上)	100	0.0	0.0	5.4	9.0	25.5	53.2	9.0			
男性前期高齢者(65-74歳)	293	0	0	19	65	176	33	0	61.47	7.73	
男性後期高齢者(75歳以上)	100	0.0	0.0	6.5	22.2	60.1	11.3	0.0			
女性前期高齢者(65-74歳)	185	0	1	2	19	60	94	9	68.36	8.92	
女性後期高齢者(75歳以上)	100	0.0	0.5	1.1	10.3	32.4	50.8	4.9			

骨粗鬆症発症年齢

		30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差	
全体		223	1	0	5	11	85	99	22	69.13	9.11
性×年代別		100	0.4	0.0	2.2	4.9	38.1	44.4	9.9		
性×年代別	男性65-69歳	3	0	0	0	0	3	0	0	67.67	1.25
	男性70-74歳	100	0.0	0.0	0.0	0.0	100.0	0.0	0.0		
	男性75-79歳	4	1	0	0	1	1	1	0	51	23.95
	男性80歳以上	100	25.0	0.0	0.0	25.0	25.0	25.0	0.0		
	女性65-69歳	4	0	0	0	0	0	4	0	73	1.73
	女性70-74歳	100	0.0	0.0	0.0	0.0	0.0	100.0	0.0		
	女性75-79歳	9	0	0	0	0	0	3	6	80	3.92
	女性80歳以上	100	0.0	0.0	0.0	0.0	0.0	33.3	66.7		
	男性前期高齢者(65-74歳)	34	0	0	2	4	28	0	0	62.38	6.26
	男性後期高齢者(75歳以上)	100	0.0	0.0	5.9	11.8	82.4	0.0	0.0		
	女性前期高齢者(65-74歳)	62	0	0	2	3	34	23	0	66.06	6.47
	女性後期高齢者(75歳以上)	100	0.0	0.0	3.2	4.8	54.8	37.1	0.0		
	男性前期高齢者(65-74歳)	59	0	0	0	1	13	45	0	71.42	5
	男性後期高齢者(75歳以上)	100	0.0	0.0	0.0	1.7	22.0	76.3	0.0		
	女性前期高齢者(65-74歳)	48	0	0	1	2	6	23	16	74.27	9.69
	女性後期高齢者(75歳以上)	100	0.0	0.0	2.1	4.2	12.5	47.9	33.3		
男性前期高齢者(65-74歳)	7	1	0	0	1	4	1	0	58.14	19.91	
男性後期高齢者(75歳以上)	100	14.3	0.0	0.0	14.3	57.1	14.3	0.0			
女性前期高齢者(65-74歳)	13	0	0	0	0	0	7	6	77.85	4.69	
女性後期高齢者(75歳以上)	100	0.0	0.0	0.0	0.0	0.0	53.8	46.2			
男性前期高齢者(65-74歳)	96	0	0	4	7	62	23	0	64.76	6.63	
男性後期高齢者(75歳以上)	100	0.0	0.0	4.2	7.3	64.6	24.0	0.0			
女性前期高齢者(65-74歳)	107	0	0	1	3	19	68	16	72.7	7.61	
女性後期高齢者(75歳以上)	100	0.0	0.0	0.9	2.8	17.8	63.6	15.0			

慢性腎不全発症年齢

		30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差	
全体		14	0	3	2	0	4	4	1	58.43	17.02
100		0.0	21.4	14.3	0.0	28.6	28.6	7.1			
性×年代別	男性65-69歳	0	0	0	0	0	0	0	0	0	0
	100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	男性70-74歳	1	0	1	0	0	0	0	0	36	0
	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0			
	男性75-79歳	6	0	1	0	0	2	3	0	64.5	13.6
	100	0.0	16.7	0.0	0.0	33.3	50.0	0.0			
	男性80歳以上	2	0	0	0	0	1	0	1	72	8
	100	0.0	0.0	0.0	0.0	50.0	0.0	50.0			
	女性65-69歳	2	0	0	1	0	1	0	0	54.5	13.5
	100	0.0	0.0	50.0	0.0	50.0	0.0	0.0			
	女性70-74歳	2	0	0	1	0	0	1	0	56	16
	100	0.0	0.0	50.0	0.0	0.0	50.0	0.0			
	女性75-79歳	1	0	1	0	0	0	0	0	30	0
	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0			
女性80歳以上	0	0	0	0	0	0	0	0	0	0	
0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
男性前期高齢者(65-74歳)	1	0	1	0	0	0	0	0	36	0	
100	0.0	100.0	0.0	0.0	0.0	0.0	0.0				
男性後期高齢者(75歳以上)	8	0	1	0	0	3	3	1	66.38	12.85	
100	0.0	12.5	0.0	0.0	37.5	37.5	12.5				
女性前期高齢者(65-74歳)	4	0	0	2	0	1	1	0	55.25	14.82	
100	0.0	0.0	50.0	0.0	25.0	25.0	0.0				
女性後期高齢者(75歳以上)	1	0	1	0	0	0	0	0	30	0	
100	0.0	100.0	0.0	0.0	0.0	0.0	0.0				

60歳以降の骨折時の年齢A

		60代	70代	80代以降	平均	標準偏差	
全体		240	132	89	19	68.9	6.85
100		55.0	37.1	7.9			
性×年代別	男性65-69歳	8	8	0	0	63.5	2.18
	100	100.0	0.0	0.0			
	男性70-74歳	14	12	2	0	63.67	8.19
	100	85.7	14.3	0.0			
	男性75-79歳	10	4	6	0	70.6	4.54
	100	40.0	60.0	0.0			
	男性80歳以上	21	7	8	6	72.1	7.74
	100	33.3	38.1	28.6			
	女性65-69歳	40	40	0	0	63.6	2.85
	100	100.0	0.0	0.0			
	女性70-74歳	56	36	20	0	67.25	4.11
	100	64.3	35.7	0.0			
	女性75-79歳	54	17	37	0	70.98	5.41
	100	31.5	68.5	0.0			
女性80歳以上	37	8	16	13	75.14	7.56	
100	21.6	43.2	35.1				
男性前期高齢者(65-74歳)	22	20	2	0	63.61	6.74	
100	90.9	9.1	0.0				
男性後期高齢者(75歳以上)	31	11	14	6	71.61	6.91	
100	35.5	45.2	19.4				
女性前期高齢者(65-74歳)	96	76	20	0	65.73	4.06	
100	79.2	20.8	0.0				
女性後期高齢者(75歳以上)	91	25	53	13	72.67	6.69	
100	27.5	58.2	14.3				

60歳以降の骨折時の年齢B

		60代	70代	80代以降	平均	標準偏差	
全体		23	9	10	4	70.7	6.02
100		39.1	43.5	17.4			
性×年代別	男性65-69歳	0	0	0	0	0	0
	0	0.0	0.0	0.0			
	男性70-74歳	0	0	0	0	0	0
	0	0.0	0.0	0.0			
	男性75-79歳	13	1	0	0	68	0
	100	100.0	0.0	0.0			
	男性80歳以上	4	1	1	2	74.5	5.55
	100	25.0	25.0	50.0			
	女性65-69歳	2	2	0	0	66	2
	100	100.0	0.0	0.0			
	女性70-74歳	8	3	5	0	68.75	3.27
	100	37.5	62.5	0.0			
	女性75-79歳	3	1	2	0	70	5.72
	100	33.3	66.7	0.0			
女性80歳以上	5	1	2	2	73.6	8.21	
100	20.0	40.0	40.0				
男性前期高齢者(65-74歳)	0	0	0	0	0	0	
0	0.0	0.0	0.0				
男性後期高齢者(75歳以上)	5	2	1	2	73.2	5.6	
100	40.0	20.0	40.0				
女性前期高齢者(65-74歳)	10	5	5	0	68.2	3.25	
100	50.0	50.0	0.0				
女性後期高齢者(75歳以上)	8	2	4	2	72.25	7.58	
100	25.0	50.0	25.0				

心臓病発症年齢

	全体	30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差
全体	366	8	7	29	61	145	90	26	62.88	12.86
性×年代別	100	2.2	1.9	7.9	16.7	39.6	24.6	7.1		
男性65-69歳	59	2	2	10	18	27	0	0	55.02	10.74
男性70-74歳	100	3.4	3.4	16.9	30.5	45.8	0.0	0.0		
男性75-79歳	60	1	3	5	8	35	8	0	60.7	11.38
男性80歳以上	100	1.7	5.0	8.3	13.3	58.3	13.3	0.0		
女性65-69歳	53	1	0	4	7	21	20	0	64.17	10.34
女性70-74歳	100	1.9	0.0	7.5	13.2	39.6	37.7	0.0		
女性75-79歳	48	1	0	2	1	9	19	16	72.02	13
女性80歳以上	100	2.1	0.0	4.2	2.1	18.8	39.6	33.3		
男性前期高齢者(65-74歳)	41	0	2	5	15	19	0	0	56.17	9.24
男性後期高齢者(75歳以上)	100	0.0	4.9	12.2	36.6	46.3	0.0	0.0		
女性前期高齢者(65-74歳)	37	2	0	9	18	8	0	0	60.68	12.33
女性後期高齢者(75歳以上)	100	5.4	0.0	0.0	24.3	48.6	21.6	0.0		
男性前期高齢者(65-74歳)	37	1	0	1	3	12	20	0	66	12.13
男性後期高齢者(75歳以上)	100	2.7	0.0	2.7	8.1	32.4	54.1	0.0		
女性前期高齢者(65-74歳)	31	0	0	2	0	4	15	10	73.48	10.88
女性後期高齢者(75歳以上)	100	0.0	0.0	6.5	0.0	12.9	48.4	32.3		
男性前期高齢者(65-74歳)	119	3	5	15	26	62	8	0	57.88	11.43
男性後期高齢者(75歳以上)	100	2.5	4.2	12.6	21.8	52.1	6.7	0.0		
女性前期高齢者(65-74歳)	101	2	0	6	8	30	39	16	67.9	12.32
女性後期高齢者(75歳以上)	100	2.0	0.0	5.9	7.9	29.7	38.6	15.8		
男性前期高齢者(65-74歳)	78	2	2	5	24	37	8	0	58.31	11.05
男性後期高齢者(75歳以上)	100	2.6	2.6	6.4	30.8	47.4	10.3	0.0		
女性前期高齢者(65-74歳)	68	1	0	3	3	16	35	10	69.41	12.16
女性後期高齢者(75歳以上)	100	1.5	0.0	4.4	4.4	23.5	51.5	14.7		

悪性新生物発症年齢

	全体	30代未満	30代	40代	50代	60代	70代	80代以降	平均	標準偏差
全体	310	0	4	27	43	138	83	15	64.43	10.31
性×年代別	100	0.0	1.3	8.7	13.9	44.5	26.8	4.8		
男性65-69歳	37	0	0	5	6	26	0	0	59.7	7.57
男性70-74歳	100	0.0	0.0	13.5	16.2	70.3	0.0	0.0		
男性75-79歳	61	0	1	1	9	44	6	0	63	6.53
男性80歳以上	100	0.0	1.6	1.6	14.8	72.1	9.8	0.0		
女性65-69歳	51	0	0	0	5	15	31	0	69.49	6.3
女性70-74歳	100	0.0	0.0	0.0	9.8	29.4	60.8	0.0		
女性75-79歳	45	0	0	1	2	11	20	11	73	8.74
女性80歳以上	100	0.0	0.0	2.2	4.4	24.4	44.4	24.4		
男性前期高齢者(65-74歳)	36	0	3	9	11	13	0	0	54.19	9.17
男性後期高齢者(75歳以上)	100	0.0	8.3	25.0	30.6	36.1	0.0	0.0		
女性前期高齢者(65-74歳)	25	0	0	6	4	13	2	0	58.68	10.46
女性後期高齢者(75歳以上)	100	0.0	0.0	24.0	16.0	52.0	8.0	0.0		
男性前期高齢者(65-74歳)	38	0	0	3	4	13	18	0	65.84	9.72
男性後期高齢者(75歳以上)	100	0.0	0.0	7.9	10.5	34.2	47.4	0.0		
女性前期高齢者(65-74歳)	17	0	0	2	2	3	6	4	68.94	12.97
女性後期高齢者(75歳以上)	100	0.0	0.0	11.8	11.8	17.6	35.3	23.5		
男性前期高齢者(65-74歳)	98	0	1	6	15	70	6	0	61.76	7.12
男性後期高齢者(75歳以上)	100	0.0	1.0	6.1	15.3	71.4	6.1	0.0		
女性前期高齢者(65-74歳)	96	0	0	1	7	26	51	11	71.14	7.74
女性後期高齢者(75歳以上)	100	0.0	0.0	1.0	7.3	27.1	53.1	11.5		
男性前期高齢者(65-74歳)	61	0	3	15	15	26	2	0	56.03	9.97
男性後期高齢者(75歳以上)	100	0.0	4.9	24.6	24.6	42.6	3.3	0.0		
女性前期高齢者(65-74歳)	55	0	0	5	6	16	24	4	66.8	10.92
女性後期高齢者(75歳以上)	100	0.0	0.0	9.1	10.9	29.1	43.6	7.3		

血圧測定/収縮期(1回目)

	全体	100未満	100以上	110以上	120以上	130以上	140以上	150以上	160以上	170以上	180以上	190以上	200以上	平均	標準偏差
全体	2043	12	37	111	222	294	365	326	263	200	99	57	57	150.43	23.03
性×年代別	100	0.6	1.8	5.4	10.9	14.4	17.9	16.0	12.9	9.8	4.8	2.8	2.8		
男性65-69歳	308	0	4	19	38	55	52	56	34	26	10	5	9	148.27	21.93
男性70-74歳	100	0.0	1.3	6.2	12.3	17.9	16.9	18.2	11.0	8.4	3.2	1.6	2.9		
男性75-79歳	327	2	8	7	26	53	51	55	46	39	19	12	9	153.27	22.67
男性80歳以上	100	0.6	2.4	2.1	8.0	16.2	15.6	16.8	14.1	11.9	5.8	3.7	2.8		
女性65-69歳	227	2	3	10	27	25	46	30	34	14	19	8	9	152.69	24.32
女性70-74歳	100	0.9	1.3	4.4	11.9	11.0	20.3	13.2	15.0	6.2	8.4	3.5	4.0		
女性75-79歳	151	0	1	6	9	7	28	23	20	29	9	10	9	160.75	23.94
女性80歳以上	100	0.0	0.7	4.0	6.0	4.6	18.5	15.2	13.2	19.2	6.0	6.6	6.0		
男性前期高齢者(65-74歳)	342	4	12	32	52	55	64	57	27	20	9	8	2	142.75	21.24
男性後期高齢者(75歳以上)	100	1.2	3.5	9.4	15.2	16.1	18.7	16.7	7.9	5.8	2.6	2.3	0.6		
女性前期高齢者(65-74歳)	321	3	6	20	37	49	69	60	37	20	10	3	7	146.65	21.22
女性後期高齢者(75歳以上)	100	0.9	1.9	6.2	11.5	15.3	21.5	18.7	11.5	6.2	3.1	0.9	2.2		
男性前期高齢者(65-74歳)	228	0	3	12	20	31	35	29	42	29	13	6	8	153.85	23.3
男性後期高齢者(75歳以上)	100	0.0	1.3	5.3	8.8	13.6	15.4	12.7	18.4	12.7	5.7	2.6	3.5		
女性前期高齢者(65-74歳)	139	1	0	5	13	19	20	16	23	23	10	5	4	155.67	22.67
女性後期高齢者(75歳以上)	100	0.7	0.0	3.6	9.4	13.7	14.4	11.5	16.5	16.5	7.2	3.6	2.9		
男性前期高齢者(65-74歳)	635	2	12	26	64	108	103	111	80	65	29	17	18	150.84	22.45
男性後期高齢者(75歳以上)	100	0.3	1.9	4.1	10.1	17.0	16.2	17.5	12.6	10.2	4.6	2.7	2.8		
女性前期高齢者(65-74歳)	378	2	4	16	36	32	74	53	54	43	28	18	18	155.91	24.49
女性後期高齢者(75歳以上)	100	0.5	1.1	4.2	9.5	8.5	19.6	14.0	14.3	11.4	7.4	4.8	4.8		
男性前期高齢者(65-74歳)	663	7	18	52	89	104	133	117	64	40	19	11	9	144.64	21.32
男性後期高齢者(75歳以上)	100	1.1	2.7	7.8	13.4	15.7	20.1	17.6	9.7	6.0	2.9	1.7	1.4		
女性前期高齢者(65-74歳)	367	1	3	17	33	50	55	45	65	52	23	11	12	154.54	23.08
女性後期高齢者(75歳以上)	100	0.3	0.8	4.6	9.0	13.6	15.0	12.3	17.7	14.2	6.3	3.0	3.3		

血圧測定/拡張期(1回目)

性×年代別	全体	50未満	50以上60未満	60以上70未満	70以上80未満	80以上90未満	90以上100未満	100以上110未満	110以上120未満	120以上	平均	標準偏差
		全体	2042	1	25	181	590	680	383	138	34	10
男性65-69歳	308	0	0	12	71	99	96	23	6	1	87.02	10.6
男性70-74歳	327	1	3	20	82	118	63	32	7	1	85.25	11.81
男性75-79歳	100	0.3	0.9	6.1	25.1	36.1	19.3	9.8	2.1	0.3		
男性80歳以上	227	0	3	24	68	75	37	12	4	4	82.79	12.27
女性65-69歳	100	0.0	1.3	10.6	30.0	33.0	16.3	5.3	1.8	1.8		
女性70-74歳	321	0	7	33	97	96	66	16	4	0	81.97	11.13
女性75-79歳	100	0.0	2.2	10.3	30.2	30.5	20.6	5.0	1.2	0.0	81.82	11.43
女性80歳以上	139	0.0	1.3	11.8	28.9	36.4	14.0	5.3	1.8	0.4	80.08	11.17
男性前期高齢者(65-74歳)	635	1	3	32	153	217	159	55	13	2	86.11	11.27
男性後期高齢者(75歳以上)	100	0.2	0.5	5.0	24.1	34.2	25.0	8.7	2.0	0.3	83.14	12.49
女性前期高齢者(65-74歳)	662	0	8	68	211	217	108	40	8	2	82.03	11.18
女性後期高齢者(75歳以上)	367	0	1.2	10.3	31.9	32.8	16.3	6.0	1.2	0.3	81.16	11.37

脈拍数(1回目)

性×年代別	全体	50未満	50以上60未満	60以上70未満	70以上80未満	80以上90未満	90以上100未満	100以上110未満	110以上120未満	120以上	平均	標準偏差
		全体	2038	22	210	586	667	352	139	62	73.29	12.15
男性65-69歳	308	2	47	98	101	42	15	3	70.6	11.07		
男性70-74歳	326	5	52	102	95	46	16	10	71.28	12.3		
男性75-79歳	100	1.5	16.0	31.3	29.1	14.1	4.9	3.1				
男性80歳以上	227	6	24	68	64	43	16	6	72.72	13.06		
女性65-69歳	100	2.6	10.6	30.0	28.2	18.9	7.0	2.6				
女性70-74歳	342	0	34	107	121	86	12	12	72.77	11.31		
女性75-79歳	100	0.0	9.9	31.3	35.4	16.4	3.5	3.5				
女性80歳以上	139	4	18	81	107	65	35	8	75.44	11.6		
男性前期高齢者(65-74歳)	634	7	99	200	196	88	31	13	70.95	11.72		
男性後期高齢者(75歳以上)	100	1.1	15.6	31.5	30.9	13.9	4.9	2.1	74.11	13.61		
女性前期高齢者(65-74歳)	660	4	52	188	228	121	47	20	74.06	11.52		
女性後期高齢者(75歳以上)	366	1	29	89	133	72	29	13	75.12	11.76		

血圧測定/収縮期(2回目)

性×年代別	全体	100未満	100以上110未満	110以上120未満	120以上130未満	130以上140未満	140以上150未満	150以上160未満	160以上170未満	170以上180未満	180以上190未満	190以上200未満	200以上	平均	標準偏差
		全体	433	1	0	3	5	20	43	69	96	58	70	42	26
男性65-69歳	56	0	0	2	0	1	7	7	15	7	9	5	3	168.3	20.57
男性70-74歳	82	0	0	3.6	0.0	1.8	12.5	12.5	26.8	12.5	16.1	8.9	5.4	170.5	19.05
男性75-79歳	100	0.0	0.0	1.2	0.0	4.9	6.1	12.2	26.8	17.1	13.4	13.4	4.9	172.95	21.09
男性80歳以上	48	0	0	0	0	1	2	16	9	9	10	7	3	172.19	19.12
女性65-69歳	100	0.0	0.0	0.0	0.0	4.2	8.3	18.8	16.7	10.4	20.8	14.6	6.3		
女性70-74歳	43	0	0	0	1	0	4	10	10	3	11	2	2	167.84	17.89
女性75-79歳	100	1.9	0.0	0.0	3.7	16.7	11.1	13.0	16.7	16.7	11.1	5.6	3.7		
女性80歳以上	54	1	0	0	2	9	6	7	9	9	6	3	2	160.02	23.38
男性前期高齢者(65-74歳)	100	0.0	0.0	0.0	2.7	0.0	16.2	18.9	32.4	5.4	16.2	2.7	5.4		
男性後期高齢者(75歳以上)	138	0	0	0	3	0	5	12	17	37	21	20	16	169.61	19.71
女性前期高齢者(65-74歳)	100	0.0	0.0	2.2	0.0	3.6	8.7	12.3	26.8	15.2	14.5	11.5	5.1		
女性後期高齢者(75歳以上)	109	0	0	0	1	4	10	18	17	14	23	13	9	172.61	20.25
男性前期高齢者(65-74歳)	97	1	0	0	3	9	10	17	19	12	17	5	4	163.48	21.48
男性後期高齢者(75歳以上)	100	1.0	0.0	0.0	3.1	9.3	10.3	17.5	19.6	12.4	17.5	5.2	4.1		
女性前期高齢者(65-74歳)	89	0	0	0	1	2	11	17	23	11	10	8	6	167.55	18.74
女性後期高齢者(75歳以上)	100	0.0	0.0	0.0	1.1	2.2	12.4	19.1	25.8	12.4	11.2	9.0	6.7		

血圧測定/拡張期(2回目)

		50未満	50以上60未満	60以上70未満	70以上80未満	80以上90未満	90以上100未満	100以上110未満	110以上120未満	120以上	平均	標準偏差	
全体		433	0	1	9	83	126	108	80	22	4	90.34	12.46
性×年代別		100	0.0	0.2	2.1	19.2	29.1	24.9	18.5	5.1	0.9		
男性65-69歳		56	0	0	0	4	11	21	12	7	1	96.29	11.22
男性70-74歳		100	0.0	0.0	0.0	7.1	19.6	37.5	21.4	12.5	1.8		
男性75-79歳		82	0	1	0	14	19	21	20	6	1	92.9	12.89
男性80歳以上		100	0.0	1.2	0.0	17.1	23.2	25.6	24.4	7.3	1.2		
女性65-69歳		61	0	0	1	13	15	18	11	2	1	90.44	12.11
女性70-74歳		100	0.0	0.0	1.6	21.3	24.6	29.5	18.0	3.3	1.6		
女性75-79歳		48	0	0	3	6	18	12	7	2	0	88.56	11.65
女性80歳以上		100	0.0	0.0	6.3	12.5	37.5	25.0	14.6	4.2	0.0		
男性前期高齢者(65-74歳)		43	0	0	1	5	13	11	9	4	0	92.86	12.05
男性後期高齢者(75歳以上)		100	0.0	0.0	2.3	11.6	30.2	25.6	20.9	9.3	0.0		
女性前期高齢者(65-74歳)		54	0	0	3	12	18	11	9	1	0	87.83	11.7
女性後期高齢者(75歳以上)		100	0.0	0.0	5.6	22.2	33.3	20.4	16.7	1.9	0.0		
男性前期高齢者(65-74歳)		52	0	0	0	12	20	11	8	0	1	88.02	11.56
男性後期高齢者(75歳以上)		100	0.0	0.0	0.0	23.1	38.5	21.2	15.4	0.0	1.9		
女性前期高齢者(65-74歳)		37	0	0	1	17	12	3	4	0	0	81.84	10.74
女性後期高齢者(75歳以上)		100	0.0	0.0	2.7	45.9	32.4	8.1	10.8	0.0	0.0		
男性前期高齢者(65-74歳)		138	0	1	0	18	30	42	32	13	2	94.28	12.36
男性後期高齢者(75歳以上)		100	0.0	0.7	0.0	13.0	21.7	30.4	23.2	9.4	1.4		
女性前期高齢者(65-74歳)		109	0	0	4	19	33	30	18	4	1	89.61	11.94
女性後期高齢者(75歳以上)		100	0.0	0.0	3.7	17.4	30.3	27.5	16.5	3.7	0.9		
男性前期高齢者(65-74歳)		97	0	0	4	17	31	22	18	5	0	90.06	12.12
男性後期高齢者(75歳以上)		100	0.0	0.0	4.1	17.5	32.0	22.7	18.6	5.2	0.0		
女性前期高齢者(65-74歳)		89	0	0	1	29	32	14	12	0	1	85.45	11.63
女性後期高齢者(75歳以上)		100	0.0	0.0	1.1	32.6	36.0	15.7	13.5	0.0	1.1		

脈拍数(2回目)

		50未満	50以上60未満	60以上70未満	70以上80未満	80以上90未満	90以上100未満	100以上	平均	標準偏差		
全体		433	11	63	119	119	72	28	21	72.48	13.96	
性×年代別		100	2.5	14.5	27.5	27.5	16.6	6.5	4.8			
男性65-69歳		56	1	12	15	15	8	4	1	69.86	12.66	
男性70-74歳		100	1.8	21.4	26.8	26.8	14.3	7.1	1.8			
男性75-79歳		83	3	15	29	20	5	6	5	70.35	14.48	
男性80歳以上		100	3.6	18.1	34.9	24.1	6.0	7.2	6.0			
女性65-69歳		61	4	8	16	18	11	2	2	70.44	14.09	
女性70-74歳		100	6.6	13.1	26.2	29.5	18.0	3.3	3.3			
女性75-79歳		48	2	5	10	10	12	5	4	76.83	15.8	
女性80歳以上		100	4.2	10.4	20.8	20.8	25.0	10.4	8.3			
男性前期高齢者(65-74歳)		42	0	4	5	13	11	6	4	8.3	74.43	14.41
男性後期高齢者(75歳以上)		100	0.0	11.9	31.0	26.2	14.3	9.5	7.1			
女性前期高齢者(65-74歳)		54	1	7	13	16	13	2	2	73.41	12.08	
女性後期高齢者(75歳以上)		100	1.9	13.0	24.1	29.6	24.1	3.7	3.7			
男性前期高齢者(65-74歳)		52	0	6	13	18	10	3	2	74.33	13.05	
男性後期高齢者(75歳以上)		100	0.0	11.5	25.0	34.6	19.2	5.8	3.8			
女性前期高齢者(65-74歳)		37	0	5	10	11	7	2	2	72.76	12.9	
女性後期高齢者(75歳以上)		100	0.0	13.5	27.0	29.7	18.9	5.4	5.4			
男性前期高齢者(65-74歳)		139	4	27	44	35	13	10	6	70.15	13.78	
男性後期高齢者(75歳以上)		100	2.9	19.4	31.7	25.2	9.4	7.2	4.3			
女性前期高齢者(65-74歳)		109	6	13	26	28	23	7	6	73.26	15.2	
女性後期高齢者(75歳以上)		100	5.5	11.9	23.9	25.7	21.1	6.4	5.5			
男性前期高齢者(65-74歳)		96	1	12	26	27	19	6	5	73.85	13.16	
男性後期高齢者(75歳以上)		100	1.0	12.5	27.1	26.1	19.8	6.3	5.2			
女性前期高齢者(65-74歳)		89	0	11	23	29	17	5	4	73.67	13.01	
女性後期高齢者(75歳以上)		100	0.0	12.4	25.8	32.6	19.1	5.6	4.5			

食後時間

		2時間以上3時間未満	3時間以上4時間未満	4時間以上5時間未満	5時間以上6時間未満	6時間以上7時間未満	7時間以上8時間未満	平均	標準偏差	
全体		160	38	46	32	20	13	11	3.69	1.75
性×年代別		100	23.8	28.8	20.0	12.5	8.1	6.9		
男性65-69歳		24	2	4	4	6	4	4	4.92	1.72
男性70-74歳		100	8.3	16.7	16.7	25.0	16.7	16.7		
男性75-79歳		36	8	11	8	6	2	1	3.53	1.58
男性80歳以上		100	22.2	30.6	22.2	16.7	5.6	2.8		
女性65-69歳		16	6	2	3	0	3	2	4.16	2.25
女性70-74歳		100	37.5	12.5	18.8	0.0	18.8	12.5		
女性75-79歳		19	9	8	0	0	0	2	3	1.83
女性80歳以上		100	47.4	42.1	0.0	0.0	0.0	10.5		
男性前期高齢者(65-74歳)		21	1	5	7	4	2	2	3.92	1.66
男性後期高齢者(75歳以上)		100	4.8	23.8	33.3	19.0	9.5	9.5		
女性前期高齢者(65-74歳)		28	4	10	9	3	2	0	3.52	1.16
女性後期高齢者(75歳以上)		100	14.3	35.7	32.1	10.7	7.1	0.0		
男性前期高齢者(65-74歳)		9	4	3	1	1	0	0	2.89	0.99
男性後期高齢者(75歳以上)		100	44.4	33.3	11.1	11.1	0.0	0.0		
女性前期高齢者(65-74歳)		7	4	3	0	0	0	0	2.25	0.86
女性後期高齢者(75歳以上)		100	57.1	42.9	0.0	0.0	0.0	0.0		
男性前期高齢者(65-74歳)		60	10	15	12	12	6	5	4.06	1.77
男性後期高齢者(75歳以上)		100	16.7	25.0	20.0	20.0	10.0	8.3		
女性前期高齢者(65-74歳)		35	15	10	3	0	3	4	3.54	2.12
女性後期高齢者(75歳以上)		100	42.9	28.6	8.6	0.0	8.6	11.4		
男性前期高齢者(65-74歳)		49	5	15	16	7	4	2	3.7	1.42
男性後期高齢者(75歳以上)		100	10.2	30.6	32.7	14.3	8.2	4.1		
女性前期高齢者(65-74歳)		16	8	6	1	1	0	0	2.59	0.91
女性後期高齢者(75歳以上)		100	50.0	37.5	6.3	6.3	0.0	0.0		

口腔湿度

	全体	0	1	2	3	4	5	6	7	8	9	10	平均	標準偏差
		m	m	m	m	m	m	m	m	m	m	mm以上		
全体	2013	7	284	420	344	276	224	106	77	76	61	138	4.16	3.02
性×年代別	100	0.3	14.1	20.9	17.1	13.7	11.1	5.3	3.8	3.8	3.0	6.9		
男性65-69歳	299	0	34	62	50	48	35	18	11	12	7	22	4.27	2.93
男性70-74歳	100	0.0	11.4	20.7	16.7	16.1	11.7	6.0	3.7	4.0	2.3	7.4	4.32	2.93
男性75-79歳	324	1	34	71	51	42	47	22	10	8	17	21	4.47	3.39
男性80歳以上	100	0.3	10.5	21.9	15.7	13.0	14.5	6.8	3.1	2.5	5.2	6.5	4.4	3.17
女性65-69歳	226	0	18	51	32	25	34	13	13	11	7	22	4.18	2.78
女性70-74歳	100	0.0	8.0	22.6	14.2	11.1	15.0	5.8	5.8	4.9	3.1	9.7	3.6	2.78
女性75-79歳	319	2	70	87	57	38	33	11	7	11	7	16	3.68	2.86
女性80歳以上	100	0.6	21.9	21.0	17.9	11.9	10.3	3.4	2.2	3.4	2.2	5.0	4.3	3.52
男性前期高齢者(65-74歳)	227	1	43	51	40	34	22	8	7	4	4	13	4.29	2.93
男性後期高齢者(75歳以上)	100	0.4	18.9	22.5	17.6	15.0	9.7	3.5	3.1	1.8	1.8	5.7	4.62	3.31
女性前期高齢者(65-74歳)	138	2	27	32	16	13	9	4	7	11	3	14	3.89	2.8
女性後期高齢者(75歳以上)	100	1.4	19.6	23.2	11.6	9.4	6.5	2.9	5.1	8.0	2.2	10.1	3.92	3.14

吸光度/吸光度による測定

	全体	0	1	2	3	4	5	6	7	8	9	10	平均	標準偏差	
		未満	以上	以上	以上	以上	以上	以上	以上	以上	以上	以上			以上
全体	2042	329	328	274	218	175	150	109	72	72	53	52	210	0.3	0.32
性×年代別	100	16.1	16.1	13.4	10.7	8.6	7.3	5.3	3.5	3.5	2.6	2.5	10.3		
男性65-69歳	308	64	60	48	32	21	23	18	6	8	4	2	22	0.25	0.26
男性70-74歳	100	20.8	19.5	15.6	10.4	6.8	7.5	5.8	1.9	2.6	1.3	0.6	7.1		
男性75-79歳	328	53	66	36	38	35	27	18	8	13	7	4	23	0.29	0.51
男性80歳以上	100	16.2	20.1	11.0	11.6	10.7	8.2	5.5	2.4	4.0	2.1	1.2	7.0		
女性65-69歳	227	42	33	39	23	22	8	7	11	10	3	4	25	0.28	0.25
女性70-74歳	100	18.5	14.5	17.2	10.1	9.7	3.5	3.1	4.8	4.4	1.3	1.8	11.0		
女性75-79歳	319	26	23	20	12	11	11	5	10	8	1	7	17	0.32	0.29
女性80歳以上	100	17.2	15.2	13.2	7.9	7.3	7.3	3.3	6.6	5.3	0.7	4.6	11.2	0.27	0.2
男性前期高齢者(65-74歳)	100	15.2	15.8	15.5	12.3	9.6	7.0	3.2	4.4	2.6	3.2	3.2	7.9		
男性後期高齢者(75歳以上)	319	48	51	34	34	25	34	25	11	10	10	9	28	0.3	0.24
女性前期高齢者(65-74歳)	100	15.0	16.0	10.7	10.7	7.8	10.7	7.8	3.4	3.1	3.1	2.8	8.8		
女性後期高齢者(75歳以上)	228	30	24	26	25	17	13	19	5	9	10	11	39	0.39	0.35
男性前期高齢者(65-74歳)	100	13.2	10.5	11.4	11.0	7.5	5.7	8.3	2.2	3.9	4.4	4.8	17.1		
男性後期高齢者(75歳以上)	139	14	17	18	12	11	10	6	6	5	7	4	29	0.4	0.38
女性前期高齢者(65-74歳)	100	10.1	12.2	12.9	8.6	7.9	7.2	4.3	4.3	3.6	5.0	2.9	20.9		
女性後期高齢者(75歳以上)	636	117	126	84	70	56	50	36	14	21	11	6	45	0.27	0.41
全体	100	18.4	19.8	13.2	11.0	8.8	7.9	5.7	2.2	3.3	1.7	0.9	7.1		
性×年代別	378	68	56	59	35	33	19	12	21	18	4	11	42	0.3	0.26
男性前期高齢者(65-74歳)	100	18.0	14.9	15.6	9.3	8.7	5.0	3.2	5.6	4.8	1.1	2.9	11.1		
男性後期高齢者(75歳以上)	661	100	106	87	76	58	58	36	26	19	21	20	55	0.28	0.22
女性前期高齢者(65-74歳)	100	15.1	15.9	13.2	11.5	8.8	8.8	5.4	3.9	2.9	3.2	3.0	8.3		
女性後期高齢者(75歳以上)	367	44	41	44	37	28	23	25	11	14	17	15	68	0.39	0.36
全体	100	12.0	11.2	12.0	10.1	7.6	6.3	6.8	3.0	3.8	4.6	4.1	18.5		

身長

	全体	1	1	1	1	1	1	1	1	1	1	1	平均	標準偏差
		4	4	5	5	6	6	7	7	8	8	8		
全体	2044	19	98	273	420	384	385	297	132	30	6	157.78	8.54	
性×年代別	100	0.9	4.8	13.4	20.5	18.8	18.8	14.5	6.5	1.5	0.3			
男性65-69歳	308	0	0	1	3	37	90	98	59	17	3	166.13	5.48	
男性70-74歳	100	0.0	0.0	0.3	1.0	12.0	29.2	31.8	19.2	5.5	1.0			
男性75-79歳	328	0	0	1	13	52	116	94	42	8	2	164.23	5.62	
男性80歳以上	100	0.0	0.0	0.3	4.0	15.9	35.4	28.7	12.8	2.4	0.6	163.35	5.63	
女性65-69歳	227	0	0	3	15	39	78	66	23	3	0	161.59	5.79	
女性70-74歳	100	0.0	0.0	1.3	6.6	17.2	34.4	29.1	10.1	1.3	0.0			
女性75-79歳	319	0	2	0	17	37	52	34	7	2	0	161.59	5.79	
女性80歳以上	100	0.0	1.3	0.0	11.3	24.5	34.4	22.5	4.6	1.3	0.0			
男性前期高齢者(65-74歳)	342	1	15	74	129	96	24	3	0	0	0	152.98	4.93	
男性後期高齢者(75歳以上)	100	0.3	4.4	21.6	37.7	28.1	7.0	0.9	0.0	0.0	0.0			
女性前期高齢者(65-74歳)	321	2	27	89	116	67	17	1	1	0	1	151.76	5.48	
女性後期高齢者(75歳以上)	100	0.6	8.4	27.7	36.1	20.9	5.3	0.3	0.3	0.0	0.3			
男性前期高齢者(65-74歳)	228	7	26	59	87	44	4	1	0	0	0	150.58	5.15	
男性後期高齢者(75歳以上)	100	3.1	11.4	25.9	38.2	19.3	1.8	0.4	0.0	0.0	0.0			
女性前期高齢者(65-74歳)	139	9	28	46	40	12	4	0	0	0	0	148.31	5.94	
女性後期高齢者(75歳以上)	100	6.5	20.1	33.1	28.8	8.6	2.9	0.0	0.0	0.0	0.0			
男性前期高齢者(65-74歳)	636	0	0	2	16	89	206	192	101	25	5	165.15	5.63	
男性後期高齢者(75歳以上)	100	0.0	0.0	0.3	2.5	14.0	32.4	30.2	15.9	3.9	0.8	162.65	5.76	
女性前期高齢者(65-74歳)	378	0	2	3	32	76	130	100	30	5	0	152.39	5.24	
女性後期高齢者(75歳以上)	100	0.0	0.5	0.8	8.5	20.1	34.4	26.5	7.9	1.3	0.0			
全体	663	3	42	163	245	163	41	4	1	0	0	152.39	5.24	
性×年代別	100	0.5	6.3	24.6	37.0	24.6	6.2	0.6	0.2	0.0	0.2			
男性前期高齢者(65-74歳)	367	16	54	105	127	56	8	1	0	0	0	149.72	5.57	
男性後期高齢者(75歳以上)	100	4.4	14.7	28.6	34.6	15.3	2.2	0.3	0.0	0.0	0.0			

体重

		40	44	54	55	65	66	76	77	87	80	平均	標準偏差											
		0	5	0	0	0	0	0	0	0	0	0												
		kg	kg	kg	kg	kg	kg	kg	kg	kg	kg													
		未満	以上	以上	以上	以上	以上	以上	以上	以上	以上													
全体		2042	56	169	296	377	359	330	234	121	69	31	57.17	10.03										
性×年代別	男性65-69歳	307	1	2	5	27	47	79	69	43	21	13	64.82	8.29										
	100	0.3	0.7	1.6	8.8	15.3	25.7	22.5	14.0	6.8	4.2													
	男性70-74歳	328	1	3	12	36	50	80	71	45	24	6	63.63	8.21										
	100	0.3	0.9	3.7	11.0	15.2	24.4	21.6	13.7	7.3	1.8													
	男性75-79歳	227	1	2	21	23	49	59	37	20	11	4	61.6	8.43										
	100	0.4	0.9	9.3	10.1	21.6	26.0	16.3	8.8	4.8	1.8													
	男性80歳以上	150	2	8	11	29	35	33	17	5	5	5	58.83	9.23										
	100	1.3	5.3	7.3	19.3	23.3	22.0	11.3	3.3	3.3	3.3													
	女性65-69歳	342	17	38	71	87	71	30	19	4	4	1	62.93	8.05										
	100	5.0	11.1	20.8	25.4	20.8	8.8	5.6	1.2	1.2	0.3													
	女性70-74歳	321	11	52	85	81	52	21	11	3	3	2	51.44	8.16										
	100	3.4	16.2	26.5	25.2	16.2	6.5	3.4	0.9	0.9	0.6													
	女性75-79歳	228	10	34	53	67	38	18	7	0	1	0	51.37	7.31										
	100	4.4	14.9	23.2	29.4	16.7	7.9	3.1	0.0	0.4	0.0													
	女性80歳以上	139	13	30	38	27	17	10	3	1	0	0	49.2	7.44										
	100	9.4	21.6	27.3	19.4	12.2	7.2	2.2	0.7	0.0	0.0													
男性前期高齢者(65-74歳)	635	2	5	17	63	97	159	140	88	45	19	64.2	8.27											
100	0.3	0.8	2.7	9.9	15.3	25.0	22.0	13.9	7.1	3.0														
男性後期高齢者(75歳以上)	377	3	10	32	52	84	92	54	25	16	9	60.5	8.86											
100	0.8	2.7	8.5	13.8	22.3	24.4	14.3	6.6	4.2	2.4														
女性前期高齢者(65-74歳)	663	28	90	156	168	123	51	30	7	7	3	62.21	8.14											
100	4.2	13.6	23.5	25.3	18.6	7.7	4.5	1.1	1.1	0.5														
女性後期高齢者(75歳以上)	367	23	64	91	94	55	28	10	1	1	0	60.54	7.44											
100	6.3	17.4	24.8	25.6	15.0	7.6	2.7	0.3	0.3	0.0														

第1-2指間厚

		30	未30	未31	未32	未33	未34	未35	未36	未37	未38	未39	40	平均	標準偏差											
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm												
		未満	以上	以上	以上	以上	以上	以上	以上	以上	以上	以上	以上													
全体		2044	227	143	176	193	243	218	160	166	138	116	102	162	34.48	3.81										
性×年代別	男性65-69歳	308	6	2	0	12	16	31	42	43	37	34	30	55	37.19	2.99										
	100	1.9	0.6	0.0	3.9	5.2	10.1	13.6	14.0	12.0	11.0	9.7	17.9													
	男性70-74歳	328	8	5	13	9	21	35	24	40	45	42	40	46	36.95	3.3										
	100	2.4	1.5	4.0	2.7	6.4	10.7	7.3	12.2	13.7	12.8	12.2	14.0													
	男性75-79歳	227	5	6	9	8	23	27	25	24	19	25	18	38	36.6	3.97										
	100	2.2	2.6	4.0	3.5	10.1	11.9	11.0	10.6	8.4	11.0	7.9	16.7													
	男性80歳以上	151	4	4	10	16	14	25	12	15	16	10	7	18	35.6	3.51										
	100	2.6	2.6	6.6	10.6	9.3	16.6	7.9	9.9	10.6	6.6	4.5	11.9													
	女性65-69歳	342	37	32	47	58	65	46	26	34	9	2	3	32.88	2.47											
	100	10.8	9.4	13.7	17.0	19.0	13.5	7.6	4.1	2.6	0.9	0.6	0.9													
	女性70-74歳	321	64	45	40	42	53	27	17	16	11	1	4	1	32.38	2.64										
	100	19.9	14.0	12.5	13.1	16.5	8.4	5.3	5.0	3.4	0.3	1.2	0.3													
	女性75-79歳	228	55	33	31	33	38	17	9	10	0	1	0	0	31.83	2.38										
	100	24.1	14.5	13.6	14.5	16.7	7.5	3.9	4.4	0.0	0.4	0.4	0.0													
	女性80歳以上	139	48	16	26	15	13	10	5	4	1	0	0	1	31.02	3.03										
	100	34.5	11.5	18.7	10.8	9.4	7.2	3.6	2.9	0.7	0.0	0.0	0.7													
男性前期高齢者(65-74歳)	636	14	7	13	21	37	66	66	83	82	76	70	101	37.07	3.16											
100	2.2	1.1	2.0	3.3	5.8	10.4	10.4	13.1	12.9	11.9	11.0	15.9														
男性後期高齢者(75歳以上)	378	9	10	19	24	37	52	37	39	35	35	25	56	36.2	3.82											
100	2.4	2.6	5.0	6.3	9.8	13.8	9.8	10.3	9.3	9.3	6.6	14.8														
女性前期高齢者(65-74歳)	663	101	77	87	100	118	73	43	30	20	4	6	4	32.64	2.57											
100	15.2	11.6	13.1	15.1	17.8	11.0	6.5	4.5	3.0	1.1	1	1														
女性後期高齢者(75歳以上)	367	103	49	57	48	51	27	14	14	1	1	1	1	31.53	2.67											
100	28.1	13.4	15.5	13.1	13.9	7.4	3.8	3.8	0.3	0.3	0.3	0.3														

指輪っか①人差し指

		27	28	29	30	31	32	33	34	35	36	37	38	平均	標準偏差										
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm											
		未満	以上	以上	以上	以上	以上	以上	以上	以上	以上	以上	以上												
全体		2040	131	204	304	396	379	271	178	105	72	29.79	2.09												
性×年代別	男性65-69歳	307	4	12	23	61	55	59	45	20	28	30.79	1.94												
	100	1.3	3.9	7.5	19.9	17.9	19.2	14.7	6.5	9.1															
	男性70-74歳	328	8	14	28	55	72	54	42	37	18	30.67	1.98												
	100	2.4	4.3	8.5	16.8	22.0	16.5	12.8	11.3	5.5	17	30.78	2.05												
	男性75-79歳	225	7	9	19	29	54	39	35	16	17	30.19	1.9												
	100	3.1	4.0	8.4	12.9	24.0	17.3	15.6	7.1	7.6	3	30.19	1.9												
	男性80歳以上	150	4	15	16	27	28	27	21	9	3	30.19	1.9												
	100	2.7	10.0	10.7	18.0	18.7	18.0	14.0	6.0	2.0	0	28.94	1.68												
	女性65-69歳	342	32	57	76	73	52	32	14	6	0	28.94	1.68												
	100	9.4	16.7	22.2	21.3	15.2	9.4	4.1	1.8	0.0	0	28.94	1.68												
	女性70-74歳	321	25	51	66	76	61	22	8	8	4	29	1.79												
	100	7.8	15.9	20.6	23.7	19.0	6.9	2.5	2.5	1.2	1	29.12	1.87												
	女性75-79歳	228	22	26	47	53	36	25	11	7	1	29.12	1.87												
	100	9.6	11.4	20.6	23.2	15.8	11.0	4.8	3.1	0.4	0	28.5	2.07												
	女性80歳以上	139	29	20	29	22	21	13	2	2	1	28.5	2.07												
	100	20.9	14.4	20.9	15.8	15.1	9.4	1.4	1.4	0.7	0	30.73	1.96												
男性前期高齢者(65-74歳)	635	12	26	51	116	127	113	87	57	46	30.73	1.96													
100	1.9	4.1	8.0	18.3	20.0	17.8	13.7	9.0	7.2	20	30.54	2.01													
男性後期高齢者(75歳以上)	375	11	24	35	56	82	66	36	25	20	30.54	2.01													
100	2.9	6.4	9.3	14.9	21.9	17.6	14.9	6.7	5.3	4	28.97	1.74													
女性前期高齢者(65-74歳)	663	57	108	142	149	113	54	22	14	4	28.97	1.74													
100	8.6	16.3	21.4	22.5	17.0	8.1	3.3	2.1	0.6	0	28.89	1.97													
女性後期高齢者(75歳以上)	367	51	46	76	75	57	38	13	9	2	28.89	1.97													
100	13.9	12.5	20.7	20.4	15.5	10.4	3.5	2.5	0.5	0															

指輪つか②中指

		30	33	33	33	33	33	33	33	33	33	33	33	33	平均	標準偏差
	全体	0	10	21	32	43	54	65	76	87	98	109	120	131		
		cc	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
		未	未	未	未	未	未	未	未	未	未	未	未	未		
		満	満	満	満	満	満	満	満	満	満	満	満	満		
		上	上	上	上	上	上	上	上	上	上	上	上	上		
全体	2040	83	128	235	340	354	355	245	142	84	74	33.47	2.23			
性×年代別	100	4.1	6.3	11.5	16.7	17.4	17.4	12.0	7.0	4.1	3.6					
男性65-69歳	308	4	7	17	27	49	68	46	43	26	21	34.56	2.11			
男性70-74歳	100	1.3	2.3	5.5	8.8	15.9	22.1	14.9	14.0	8.4	6.8					
男性75-79歳	328	6	13	16	42	47	64	61	36	21	22	34.35	2.19			
男性80歳以上	100	1.8	4.0	4.9	12.8	14.3	19.5	18.6	11.0	6.4	6.7					
女性65-69歳	225	3	4	12	24	37	49	38	22	18	18	34.55	2.2			
女性70-74歳	100	1.3	1.8	5.3	10.7	16.4	21.8	16.9	9.8	8.0	8.0					
女性75-79歳	150	3	10	18	13	19	34	23	19	5	6	33.92	2.24			
女性80歳以上	100	2.0	6.7	12.0	8.7	12.7	22.7	15.3	12.7	3.3	4.0					
男性前期高齢者(65-74歳)	342	16	33	55	91	64	45	26	10	0	2	32.58	1.71			
男性後期高齢者(75歳以上)	100	4.7	9.6	16.1	26.6	18.7	13.2	7.6	2.9	0.0	0.6					
女性前期高齢者(65-74歳)	320	14	33	55	69	65	46	23	5	6	4	32.65	1.88			
女性後期高齢者(75歳以上)	100	4.4	10.3	17.2	21.6	20.3	14.4	7.2	1.6	1.9	1.3					
男性前期高齢者(65-74歳)	228	17	13	34	48	50	33	22	4	7	0	32.73	1.88			
男性後期高齢者(75歳以上)	100	7.5	5.7	14.9	21.1	21.9	14.5	9.6	1.8	3.1	0.0					
女性前期高齢者(65-74歳)	139	20	15	28	26	23	16	6	3	1	1	32.02	2.11			
女性後期高齢者(75歳以上)	100	14.4	10.8	20.1	18.7	16.5	11.5	4.3	2.2	0.7	0.7					
男性前期高齢者(65-74歳)	636	10	20	33	69	96	132	107	79	47	43	34.45	2.15			
男性後期高齢者(75歳以上)	100	1.6	3.1	5.2	10.8	15.1	20.8	16.8	12.4	7.4	6.8					
女性前期高齢者(65-74歳)	375	6	14	30	37	56	83	61	41	23	24	34.3	2.24			
女性後期高齢者(75歳以上)	100	1.6	3.7	8.0	9.9	14.9	22.1	16.3	10.9	6.1	6.4					
男性前期高齢者(65-74歳)	662	30	66	110	160	129	91	49	15	6	6	32.61	1.8			
男性後期高齢者(75歳以上)	100	4.5	10.0	16.6	24.2	19.5	13.7	7.4	2.3	0.9	0.9					
女性前期高齢者(65-74歳)	367	37	28	62	74	73	49	28	7	8	1	32.46	2			
女性後期高齢者(75歳以上)	100	10.1	7.6	16.9	20.2	19.9	13.4	7.6	1.9	2.2	0.3					

腹囲

		70	77	87	88	98	99	19	1	平均	標準偏差
	全体	0	50	05	50	05	50	05	00		
		cc	mm	mm	mm	mm	mm	mm	mm		
		未	未	未	未	未	未	未	未		
		満	満	満	満	満	満	満	満		
		上	上	上	上	上	上	上	上		
全体	2044	92	177	277	456	485	310	153	94	84.82	8.86
性×年代別	100	4.5	8.7	13.6	22.3	23.7	15.2	7.5	4.6		
男性65-69歳	308	3	21	35	84	72	53	28	12	85.93	7.75
男性70-74歳	100	1.0	6.8	11.4	27.3	23.4	17.2	9.1	3.9		
男性75-79歳	328	6	22	31	76	86	59	37	11	86.19	7.82
男性80歳以上	100	1.8	6.7	9.5	23.2	26.2	18.0	11.3	3.4		
女性65-69歳	227	8	19	22	52	62	32	22	10	85.56	8.36
女性70-74歳	100	3.5	8.4	9.7	22.9	27.3	14.1	9.7	4.4		
女性75-79歳	151	6	12	23	29	42	24	6	9	84.99	8.77
女性80歳以上	100	4.0	7.9	15.2	19.2	27.8	15.9	4.0	6.9		
男性前期高齢者(65-74歳)	342	26	38	51	73	79	51	15	9	83.04	9.14
男性後期高齢者(75歳以上)	100	7.6	11.1	14.9	21.3	23.1	14.9	4.4	2.6		
女性前期高齢者(65-74歳)	321	23	30	52	73	74	33	13	23	83.8	9.59
女性後期高齢者(75歳以上)	100	7.2	9.3	16.2	22.7	23.1	10.3	4.0	7.2		
男性前期高齢者(65-74歳)	228	14	17	36	42	44	42	20	13	85.23	9.61
男性後期高齢者(75歳以上)	100	6.1	7.5	15.8	18.4	19.3	18.4	8.8	5.7		
女性前期高齢者(65-74歳)	139	6	18	27	27	26	16	12	7	83.83	9.51
女性後期高齢者(75歳以上)	100	4.3	12.9	19.4	19.4	18.7	11.5	8.6	5.0		
男性前期高齢者(65-74歳)	636	9	43	66	160	158	112	65	23	86.06	7.79
男性後期高齢者(75歳以上)	100	1.4	6.8	10.4	25.2	24.8	17.6	10.2	3.6		
女性前期高齢者(65-74歳)	378	14	31	45	81	104	56	28	19	85.33	8.53
女性後期高齢者(75歳以上)	100	3.7	8.2	11.9	21.4	27.5	14.8	7.4	5.0		
男性前期高齢者(65-74歳)	663	49	68	103	146	153	84	28	32	83.41	9.37
男性後期高齢者(75歳以上)	100	7.4	10.3	15.5	22.0	23.1	12.7	4.2	4.8		
女性前期高齢者(65-74歳)	367	20	35	63	69	70	58	32	20	84.7	9.6
女性後期高齢者(75歳以上)	100	5.4	9.5	17.2	18.8	19.1	15.8	8.7	5.4		

下腿周囲長

		30	33	33	33	33	33	33	33	33	33	43	4	平均	標準偏差
	全体	0	10	21	32	43	54	65	76	87	98	09	0		
		cc	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
		未	未	未	未	未	未	未	未	未	未	未	未		
		満	満	満	満	満	満	満	満	満	満	満	満		
		上	上	上	上	上	上	上	上	上	上	上	上		
全体	2044	87	108	138	191	263	263	252	240	186	144	94	78	34.87	2.96
性×年代別	100	4.3	5.3	6.8	9.3	12.9	12.9	12.3	11.7	9.1	7.0	4.6	3.8		
男性65-69歳	308	1	6	4	12	23	36	35	58	41	38	27	27	36.59	2.59
男性70-74歳	100	0.3	1.9	1.3	3.9	7.5	11.7	11.4	18.8	13.3	12.3	8.8	8.8		
男性75-79歳	328	6	3	10	19	26	36	47	46	57	40	22	17	36.11	2.59
男性80歳以上	100	1.8	0.9	3.0	5.5	7.9	11.0	14.3	14.0	17.4	12.2	8.7	5.2		
女性65-69歳	227	6	10	7	12	33	35	33	27	27	14	12	11	35.31	2.8
女性70-74歳	100	2.6	4.4	3.1	5.3	14.5	15.4	14.5	11.9	11.9	6.2	5.3	4.8		
女性75-79歳	151	11	14	19	8	25	16	24	10	7	6	7	4	34.01	3.02
女性80歳以上	100	7.3	9.3	12.6	5.3	16.6	10.6	15.9	6.6	4.6	4.0	4.6	2.6		
男性前期高齢者(65-74歳)	342	10	20	30	44	47	40	44	39	24	21	15	8	34.61	2.76
男性後期高齢者(75歳以上)	100	2.9	5.8	8.8	12.9	13.7	11.7	12.9	11.4	7.0	6.1	4.4	2.3		
女性前期高齢者(65-74歳)	321	19	24	29	41	51	46	39	31	15	13	5	8	34.01	2.81
女性後期高齢者(75歳以上)	100	5.9	7.5	9.0	12.8	15.9	14.3	12.1	9.7	4.7	4.0	1.6	2.5		
男性前期高齢者(65-74歳)	228	19	15	20	32	42	31	19	22	13	8	5	2	33.75	2.62
男性後期高齢者(75歳以上)	100	8.3	6.6	8.8	14.0	18.4	13.6	8.3	9.6	5.7	3.5	2.2	0.9		
女性前期高齢者(65-74歳)	139	15	16	19	24	16	23	11	7	2	4	1	1	32.84	2.82
女性後期高齢者(75歳以上)	100	10.8	11.5	13.7	17.3	11.5	16.5	7.9	5.0	1.4	2.9	0.7	0.7		
男性前期高齢者(65-74歳)	636	7	9	14	30	49	72	82	104	98	78	49	44	36.34	2.6
男性後期高齢者(75歳以上)	100	1.1	1.4	2.2	4.7	7.7	11.3	12.9	16.4	15.4	12.3	7.7	5.9		
女性前期高齢者(65-74歳)	378	17	24	26	20	58	51	37	34	20	19	15	15	34.79	2.96
女性後期高齢者(75歳以上)	100	4.5	6.3	6.9	5.3	15.3	13.5	15.1	9.8	9.0	5.3	5.0	4.0		
男性前期高齢者(65-74歳)	663	29	44	69	85	98	86	83	70	39	34	20	16	34	

大腿周囲長

		50cm未満	35cm未満	35cm以上40cm未満	40cm以上45cm未満	45cm以上50cm未満	50cm以上	平均	標準偏差										
全体		2044	85	627	965	328	39	41.5	3.87										
性×年代別	男性65-69歳	308	7	64	177	54	6	42.35	3.36										
	100	2.3	20.8	57.5	17.5	1.9													
	男性70-74歳	328	3	68	183	68	6	42.48	3.35										
	100	0.9	20.7	55.8	20.7	1.8													
	男性75-79歳	227	11	68	113	35	0	41.33	3.6										
	100	4.8	30.0	49.8	15.4	0.0													
	男性80歳以上	151	14	54	67	14	2	40.38	3.99										
	100	9.3	35.8	44.4	9.3	1.3													
	女性65-69歳	342	6	108	153	64	11	41.86	3.89										
	100	1.8	31.6	44.7	18.7	3.2													
	女性70-74歳	321	18	114	140	41	8	41.04	4.1										
	100	5.6	35.5	43.6	12.8	2.5													
	女性75-79歳	228	10	90	89	34	5	41.04	4.13										
	100	4.4	39.5	39.0	14.9	2.2													
	女性80歳以上	139	16	61	43	18	1	39.69	4.04										
	100	11.5	43.9	30.9	12.9	0.7													
	男性前期高齢者(65-74歳)	636	10	132	360	122	12	42.42	3.36										
	100	1.6	20.8	56.6	19.2	1.9													
男性後期高齢者(75歳以上)	378	25	122	180	49	2	40.95	3.79											
100	6.6	32.3	47.6	13.0	0.5														
女性前期高齢者(65-74歳)	663	24	222	293	105	19	41.46	4.01											
100	3.6	33.5	44.2	15.8	2.9														
女性後期高齢者(75歳以上)	367	26	151	132	52	6	40.53	4.15											
100	7.1	41.1	36.0	14.2	1.6														

上腕周囲長

		20cm未満	15cm未満	15cm以上20cm未満	20cm以上25cm未満	25cm以上30cm未満	30cm以上	平均	標準偏差										
全体		2044	12	313	1355	348	16	27.52	2.83										
性×年代別	男性65-69歳	308	0	19	199	88	2	28.78	2.39										
	100	0.0	6.2	64.6	28.6	0.6													
	男性70-74歳	328	1	18	228	79	2	28.39	2.4										
	100	0.3	5.5	69.5	24.1	0.6													
	男性75-79歳	227	1	32	162	32	0	27.42	2.73										
	100	0.4	14.1	71.4	14.1	0.0													
	男性80歳以上	151	1	35	96	19	0	26.78	2.6										
	100	0.7	23.2	63.6	12.6	0.0													
	女性65-69歳	342	1	60	277	48	6	27.35	2.91										
	100	0.3	17.5	66.4	14.0	1.8													
	女性70-74歳	321	5	61	212	40	3	26.94	3.07										
	100	1.6	19.0	66.0	12.5	0.9													
	女性75-79歳	228	0	43	151	31	3	27.12	2.78										
	100	0.0	18.9	66.2	13.6	1.3													
	女性80歳以上	139	3	45	80	11	0	26.06	2.79										
	100	2.2	32.4	57.6	7.9	0.0													
	男性前期高齢者(65-74歳)	636	1	37	427	167	4	28.58	2.41										
	100	0.2	5.8	67.1	26.3	0.6													
男性後期高齢者(75歳以上)	378	2	67	258	51	0	27.16	2.7											
100	0.5	17.7	68.3	13.5	0.0														
女性前期高齢者(65-74歳)	663	6	121	439	89	9	27.15	3											
100	0.9	18.3	66.2	13.3	1.4														
女性後期高齢者(75歳以上)	367	3	88	231	42	3	26.72	2.83											
100	0.8	24.0	62.9	11.4	0.8														

上腕三頭筋皮下脂肪厚

		5mm未満	5mm以上10mm未満	10mm以上15mm未満	15mm以上20mm未満	20mm以上25mm未満	25mm以上	平均	標準偏差											
全体		2044	57	318	692	457	341	179	15.23	6.74										
性×年代別	男性65-69歳	308	22	63	133	45	26	19	12.82	6.53										
	100	7.1	20.5	43.2	14.6	8.4	6.2													
	男性70-74歳	328	13	109	112	42	32	20	12.69	6.52										
	100	4.0	33.2	34.1	12.8	9.8	6.1													
	男性75-79歳	227	11	56	88	40	22	10	12.74	6.27										
	100	4.8	24.7	38.8	17.6	9.7	4.4													
	男性80歳以上	151	9	38	57	25	13	9	13.11	6.87										
	100	6.0	25.2	37.7	16.6	8.6	6.0													
	女性65-69歳	342	2	16	88	96	93	47	18.28	6.34										
	100	0.6	4.7	25.7	28.1	27.2	13.7													
	女性70-74歳	321	0	13	93	102	73	40	17.77	5.9										
	100	0.0	4.0	29.0	31.8	22.7	12.5													
	女性75-79歳	228	0	10	67	69	57	25	17.67	5.71										
	100	0.0	4.4	29.4	30.3	25.0	11.0													
	女性80歳以上	139	0	13	54	38	25	9	15.6	5.84										
	100	0.0	9.4	38.8	27.3	18.0	6.5													
	男性前期高齢者(65-74歳)	636	35	172	245	87	58	39	12.75	6.53										
	100	5.5	27.0	38.6	13.7	9.1	6.1													
男性後期高齢者(75歳以上)	378	20	94	145	65	35	19	12.89	6.52											
100	5.3	24.9	38.4	17.2	9.3	5.0														
女性前期高齢者(65-74歳)	663	2	29	181	198	166	87	18.03	6.14											
100	0.3	4.4	27.3	29.9	25.0	13.1														
女性後期高齢者(75歳以上)	367	0	23	121	107	82	34	16.89	5.85											
100	0.0	6.3	33.0	29.2	22.3	9.3														

大腿エコー①脂肪厚

	全体	2	2	3	4	5	6	7	8	9	10	平均	標準偏差
		m	m	m	m	m	m	m	m	m	m		
		未	未	未	未	未	未	未	未	未	未		
		満	満	満	満	満	満	満	満	満	満		
		0	1	2	3	4	5	6	7	8	9		
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
		未満	以上	以上	以上	以上	以上	以上	以上	以上	以上		
		未満	3	4	5	6	7	8	9	10	未満		
		未満	未満	未満	未満	未満	未満	未満	未満	未満	未満		
		未満	未満	未満	未満	未満	未満	未満	未満	未満	未満		
全体	2044	3	24	105	298	390	369	297	183	129	246	7.06	2.86
100	0.1	1.2	5.1	14.6	19.1	18.1	14.5	9.0	6.3	12.0			
性×年代別													
男性65-69歳	308	0	8	19	61	83	53	53	19	4	8	6.01	1.6
100	0.0	2.6	6.2	19.8	26.9	17.2	17.2	6.2	1.3	2.6			
男性70-74歳	328	0	2	26	76	91	61	42	15	9	6	5.93	1.66
100	0.0	0.6	7.9	23.2	27.7	18.6	12.8	4.6	2.7	1.8			
男性75-79歳	227	0	3	16	54	66	42	27	5	1	13	6.01	2.02
100	0.0	1.3	7.0	23.8	29.1	18.5	11.9	2.2	0.4	5.7			
男性80歳以上	151	1	6	18	37	22	27	22	6	6	6	6.19	4.75
100	0.7	4.0	11.9	24.5	14.6	17.9	14.6	4.0	4.0	4.0			
女性65-69歳	342	1	1	3	16	40	57	49	48	44	83	8.41	2.72
100	0.3	0.3	0.9	4.7	11.7	16.7	14.3	14.0	12.9	24.3			
女性70-74歳	321	1	3	11	18	44	60	41	45	33	65	8.07	3.09
100	0.3	0.9	3.4	5.6	13.7	18.7	12.8	14.0	10.3	20.2			
女性75-79歳	228	0	1	5	16	25	49	37	29	21	45	8.02	2.73
100	0.0	0.4	2.2	7.0	11.0	21.5	16.2	12.7	9.2	19.7			
女性80歳以上	139	0	0	7	20	19	20	26	16	11	20	7.49	2.78
100	0.0	0.0	5.0	14.4	13.7	14.4	18.7	11.5	7.9	14.4			
男性前期高齢者(65-74歳)	636	0	10	45	137	174	114	95	34	13	14	5.97	1.63
100	0.0	1.6	7.1	21.5	27.4	17.9	14.9	5.3	2.0	2.2			
男性後期高齢者(75歳以上)	378	1	9	34	91	88	69	49	11	7	19	6.08	3.39
100	0.3	2.4	9.0	24.1	23.3	18.3	13.0	2.9	1.9	5.0			
女性前期高齢者(65-74歳)	663	2	4	14	34	84	117	90	93	77	148	8.24	2.91
100	0.3	0.6	2.1	5.1	12.7	17.6	13.6	14.0	11.6	22.3			
女性後期高齢者(75歳以上)	367	0	1	12	36	44	69	63	45	32	65	7.82	2.76
100	0.0	0.3	3.3	9.8	12.0	18.8	17.2	12.3	8.7	17.7			

大腿エコー②筋厚

	全体	1	未	未	未	未	3	平均	標準偏差
		0	1	2	2	2	0		
		満	満	満	満	満	満		
		0	1	2	3	4	5		
		mm	mm	mm	mm	mm	mm		
		未満	以上	以上	以上	以上	以上		
		未満	未満	未満	未満	未満	未満		
		未満	未満	未満	未満	未満	未満		
全体	2044	12	200	674	709	371	78	21.08	4.96
100	0.6	9.8	33.0	34.7	18.2	3.8			
性×年代別									
男性65-69歳	308	1	9	69	134	82	13	22.82	4.46
100	0.3	2.9	22.4	43.5	26.6	4.2			
男性70-74歳	328	2	14	87	129	79	17	22.51	4.65
100	0.6	4.3	26.5	39.3	24.1	5.2			
男性75-79歳	227	1	20	68	90	41	7	21.16	4.54
100	0.4	8.8	30.0	39.6	18.1	3.1			
男性80歳以上	151	2	27	60	44	19	5	19.31	4.99
100	1.3	17.9	39.7	29.1	8.6	3.3			
女性65-69歳	342	0	21	108	135	63	15	21.62	4.62
100	0.0	6.1	31.6	39.5	18.4	4.4			
女性70-74歳	321	1	36	124	93	53	14	20.55	4.97
100	0.3	11.2	38.6	29.0	16.5	4.4			
女性75-79歳	228	0	35	101	58	28	6	19.69	4.93
100	0.0	15.4	44.3	25.4	12.3	2.6			
女性80歳以上	139	5	38	57	26	12	1	17.76	5.08
100	3.6	27.3	41.0	18.7	8.6	0.7			
男性前期高齢者(65-74歳)	636	3	23	156	263	161	30	22.66	4.56
100	0.5	3.6	24.5	41.4	25.3	4.7			
男性後期高齢者(75歳以上)	378	3	47	128	134	54	12	20.42	4.81
100	0.8	12.4	33.9	35.4	14.3	3.2			
女性前期高齢者(65-74歳)	663	1	57	232	228	116	29	21.1	4.82
100	0.2	8.6	35.0	34.4	17.5	4.4			
女性後期高齢者(75歳以上)	367	5	73	158	84	40	7	18.96	5.07
100	1.4	19.9	43.1	22.9	10.9	1.9			

握力(1回目)

	全体	2	未	未	未	未	未	未	5	平均	標準偏差
		0	2	2	3	3	4	5			
		kg	kg	kg	kg	kg	kg	kg	kg		
		未満	以上	以上	以上	以上	以上	以上	以上		
		未満	未満	未満	未満	未満	未満	未満	未満		
		未満	未満	未満	未満	未満	未満	未満	未満		
全体	2016	294	536	401	318	292	135	37	3	27.77	7.97
100	14.6	26.6	19.9	15.8	14.5	6.7	1.8	0.1			
性×年代別											
男性65-69歳	306	0	2	29	81	113	57	22	2	36.57	5.23
100	0.0	0.7	9.5	26.5	36.9	18.6	7.2	0.7			
男性70-74歳	325	2	12	44	92	101	59	14	1	34.95	5.86
100	0.6	3.7	13.5	28.3	31.1	18.2	4.3	0.3			
男性75-79歳	225	2	12	60	76	59	15	1	0	32.05	5.18
100	0.9	5.3	26.7	33.8	26.2	6.7	0.4	0.0			
男性80歳以上	144	13	16	50	46	16	3	0	0	28.53	5.65
100	9.0	11.1	34.7	31.9	11.1	2.1	0.0	0.0			
女性65-69歳	340	44	178	103	14	1	0	0	0	23.21	3.64
100	12.9	52.4	30.3	4.1	0.3	0.0	0.0	0.0			
女性70-74歳	318	79	161	67	9	1	1	0	0	22.06	4.05
100	24.8	50.6	21.1	2.8	0.3	0.3	0.0	0.0			
女性75-79歳	222	82	103	37	0	0	0	0	0	20.8	3.53
100	36.9	46.4	16.7	0.0	0.0	0.0	0.0	0.0			
女性80歳以上	136	72	52	11	0	1	0	0	0	19.1	4.17
100	52.9	38.2	8.1	0.0	0.7	0.0	0.0	0.0			
男性前期高齢者(65-74歳)	631	2	14	73	173	214	116	36	3	35.74	5.62
100	0.3	2.2	11.6	27.4	33.9	18.4	5.7	0.5			
男性後期高齢者(75歳以上)	369	15	28	110	122	75	19	1	0	30.68	5.64
100	4.1	7.6	29.8	33.1	20.3	4.9	0.3	0.0			
女性前期高齢者(65-74歳)	658	123	339	170	23	2	1	0	0	22.65	3.89
100	18.7	51.5	25.8	3.5	0.3	0.2	0.0	0.0			
女性後期高齢者(75歳以上)	358	154	155	48	0	1	0	0	0	20.15	3.87
100	43.0	43.3	13.4	0.0	0.3	0.0	0.0	0.0			

握力(2回目)

	全体	20kg未満	20kg以上25kg未満	25kg以上30kg未満	30kg以上35kg未満	35kg以上40kg未満	40kg以上45kg未満	45kg以上50kg未満	50kg以上	平均	標準偏差
全体	2015	310	536	381	326	295	129	37	1	27.7	7.97
性×年代別	100	15.4	26.6	18.9	16.2	14.6	6.4	1.8	0.0		
男性65-69歳	306	0	1	29	79	116	62	19	0	36.48	5.05
男性70-74歳	100	0.0	0.3	9.5	25.8	37.9	20.3	6.2	0.0	34.86	5.79
男性75-79歳	325	2	14	37	102	106	48	15	1	32.06	5.14
男性80歳以上	100	0.6	4.3	11.4	31.4	32.6	14.8	4.6	0.3	29	5.75
女性65-69歳	225	2	11	56	84	55	15	2	0	23.06	3.69
女性70-74歳	100	0.9	4.9	24.9	37.3	24.4	6.7	0.9	0.0	21.81	3.97
女性75-79歳	144	10	15	55	44	16	3	1	0	20.73	3.47
女性80歳以上	100	6.9	10.4	38.2	30.6	11.1	2.1	0.7	0.0	19.01	4.04
男性前期高齢者(65-74歳)	333	47	178	105	8	1	0	0	0	35.64	5.51
男性後期高齢者(75歳以上)	100	13.9	52.5	31.0	2.4	0.3	0.0	0.0	0.0	30.86	5.59
女性前期高齢者(65-74歳)	318	88	164	57	7	1	1	0	0	22.46	3.88
女性後期高齢者(75歳以上)	100	27.7	51.6	17.9	2.2	0.3	0.3	0.0	0.0	20.07	3.79

ピンチ力(1回目)

	全体	5kg未満	5kg以上6kg未満	6kg以上7kg未満	7kg以上8kg未満	8kg以上9kg未満	9kg以上10kg未満	10kg以上11kg未満	11kg以上12kg未満	12kg以上	平均	標準偏差
全体	2038	194	318	356	408	231	166	362	3	7.38	2.3	
性×年代別	100	9.5	15.6	17.5	20.0	11.3	8.1	17.8	0.1			
男性65-69歳	308	2	10	12	57	50	46	129	2	9.33	2.11	
男性70-74歳	100	0.6	3.2	3.9	18.5	16.2	14.9	41.9	0.6	9.09	2.02	
男性75-79歳	327	3	18	21	47	49	53	136	0	8.52	1.95	
男性80歳以上	100	0.9	5.5	6.4	14.4	15.0	16.2	41.6	0.0	7.62	1.85	
女性65-69歳	227	6	14	27	56	38	32	63	1	6.39	1.36	
女性70-74歳	100	2.6	1.8	11.9	24.7	16.7	14.1	27.8	0.4	6.04	1.44	
女性75-79歳	149	6	13	30	36	30	12	22	0	5.33	1.6	
女性80歳以上	100	4.0	8.7	20.1	24.2	20.1	8.1	14.8	0.0	9.2	2.07	
男性前期高齢者(65-74歳)	341	26	81	110	78	24	15	7	0	8.16	1.96	
男性後期高齢者(75歳以上)	100	0.8	4.4	3.2	16.4	15.6	15.6	41.7	0.3	6.22	1.41	
女性前期高齢者(65-74歳)	376	12	17	27	52	68	44	85	1	5.53	1.51	
女性後期高齢者(75歳以上)	100	3.2	4.5	15.2	24.5	18.1	11.7	22.6	0.3	7.67	2.38	

ピンチ力(2回目)

	全体	5kg未満	5kg以上6kg未満	6kg以上7kg未満	7kg以上8kg未満	8kg以上9kg未満	9kg以上10kg未満	10kg以上11kg未満	11kg以上12kg未満	12kg以上	平均	標準偏差
全体	2038	158	292	330	395	241	195	421	6	7.67	2.38	
性×年代別	100	7.8	14.3	16.2	19.4	11.8	9.6	20.7	0.3			
男性65-69歳	308	2	2	10	41	48	56	146	3	9.73	2.04	
男性70-74歳	100	0.6	0.6	3.2	13.3	15.6	18.2	47.4	1.2	9.51	2.06	
男性75-79歳	327	3	9	19	39	47	48	160	2	8.96	1.98	
男性80歳以上	100	0.9	2.8	5.8	11.9	14.4	14.7	48.9	0.6	7.88	1.8	
女性65-69歳	227	3	4	13	51	35	45	75	1	6.59	1.44	
女性70-74歳	100	1.3	1.8	5.7	22.5	15.4	19.8	33.0	0.4	6.17	1.44	
女性75-79歳	149	1	16	20	43	28	19	22	0	5.84	1.51	
女性80歳以上	100	0.7	10.7	13.4	28.9	18.8	12.8	14.8	0.0	5.54	1.58	
男性前期高齢者(65-74歳)	341	21	78	98	86	34	12	12	0	9.61	2.05	
男性後期高齢者(75歳以上)	100	6.2	22.9	28.7	25.2	10.0	3.5	3.5	0.0	8.53	1.98	
女性前期高齢者(65-74歳)	321	48	77	80	71	34	9	2	0	6.39	1.45	
女性後期高齢者(75歳以上)	100	15.0	24.0	24.9	22.1	10.6	2.8	0.6	0.0	5.73	1.54	

開眼片足立ち時間(1回目)

		1 0 秒 未 満	1 0 秒 以 上 2 0 秒 未 満	2 0 秒 以 上 3 0 秒 未 満	3 0 秒 以 上 4 0 秒 未 満	4 0 秒 以 上 5 0 秒 未 満	5 0 秒 以 上 6 0 秒 未 満	6 0 秒 以 上	平均	標 準 偏 差	
全体		2034	465	206	142	98	87	71	965	37.91	24.16
性×年代別		100	22.9	10.1	7.0	4.8	4.3	3.5	47.4		
男性65-69歳		307	49	14	12	13	7	8	204	46	22.07
男性70-74歳		100	16.0	4.6	3.9	4.2	2.3	2.6	66.4		
男性75-79歳		327	60	37	21	16	8	7	178	40.37	23.67
男性80歳以上		100	18.3	11.3	6.4	4.9	2.4	2.1	54.4		
女性65-69歳		226	65	31	19	11	7	9	84	32.69	24.57
女性70-74歳		100	28.8	13.7	8.4	4.9	3.1	4.0	37.2		
女性75-79歳		151	69	21	8	7	10	7	29	23.48	23.11
女性80歳以上		100	45.7	13.9	5.3	4.6	6.6	4.6	19.2		
男性前期高齢者(65-74歳)		342	32	21	18	17	17	15	222	47.8	19.54
男性後期高齢者(75歳以上)		100	9.4	6.1	5.3	5.0	5.0	4.4	64.9		
女性前期高齢者(65-74歳)		319	53	27	25	16	20	9	166	41.22	22.63
女性後期高齢者(75歳以上)		100	15.6	8.5	8.8	5.0	6.3	2.8	52.0		
男性前期高齢者(65-74歳)		226	76	34	17	13	13	11	62	28.91	23.85
男性後期高齢者(75歳以上)		100	33.6	15.0	7.5	5.8	5.8	4.9	27.4		
女性前期高齢者(65-74歳)		136	61	21	19	5	5	5	20	20.68	20.95
女性後期高齢者(75歳以上)		100	44.9	15.4	14.0	3.7	3.7	3.7	14.7		
男性前期高齢者(65-74歳)		634	109	51	33	29	15	15	382	43.1	23.08
男性後期高齢者(75歳以上)		100	17.2	8.0	5.2	4.6	2.4	2.4	60.3		
女性前期高齢者(65-74歳)		377	134	52	27	18	17	16	113	29	24.42
女性後期高齢者(75歳以上)		100	35.5	13.8	7.2	4.8	4.5	4.2	30.0		
男性前期高齢者(65-74歳)		661	85	48	46	33	37	24	388	44.62	21.35
男性後期高齢者(75歳以上)		100	12.9	7.3	7.0	5.0	5.6	3.6	58.7		
女性前期高齢者(65-74歳)		362	137	55	36	18	18	16	82	25.81	23.15
女性後期高齢者(75歳以上)		100	37.8	15.2	9.9	5.0	5.0	4.4	22.7		

開眼片足立ち時間(2回目)

		1 0 秒 未 満	1 0 秒 以 上 2 0 秒 未 満	2 0 秒 以 上 3 0 秒 未 満	3 0 秒 以 上 4 0 秒 未 満	4 0 秒 以 上 5 0 秒 未 満	5 0 秒 以 上 6 0 秒 未 満	6 0 秒 以 上	平均	標 準 偏 差	
全体		1063	311	191	146	100	56	35	224	27.13	21.41
性×年代別		100	29.3	18.0	13.7	9.4	5.3	3.3	21.1		
男性65-69歳		103	20	20	7	10	5	6	35	34.36	22.78
男性70-74歳		100	19.4	19.4	6.8	9.7	4.9	5.8	34.0		
男性75-79歳		149	31	22	28	15	9	7	37	31.33	20.89
男性80歳以上		100	20.8	14.8	18.8	10.1	6.0	4.7	24.8		
女性65-69歳		144	49	25	24	10	10	6	20	23.93	20.08
女性70-74歳		100	34.0	17.4	16.7	6.9	6.9	4.2	13.9		
女性75-79歳		120	60	24	16	6	2	2	10	16.24	16.92
女性80歳以上		100	50.0	20.0	13.9	5.0	1.7	1.7	8.3		
男性前期高齢者(65-74歳)		119	17	20	12	13	8	7	42	36.83	21.65
男性後期高齢者(75歳以上)		100	14.3	16.8	10.1	10.9	6.7	5.9	35.3		
女性前期高齢者(65-74歳)		152	35	20	23	17	8	4	45	31.92	21.82
女性後期高齢者(75歳以上)		100	23.0	13.2	15.1	11.2	5.3	2.6	29.6		
男性前期高齢者(65-74歳)		163	46	29	25	22	11	3	27	26.28	20.1
男性後期高齢者(75歳以上)		100	28.2	17.8	15.3	13.5	6.7	1.8	16.6		
女性前期高齢者(65-74歳)		113	53	31	11	7	3	0	8	15.25	15.68
女性後期高齢者(75歳以上)		100	46.9	27.4	9.7	6.2	2.7	0.0	7.1		
男性前期高齢者(65-74歳)		252	51	42	35	25	14	13	72	32.57	21.74
男性後期高齢者(75歳以上)		100	20.2	16.7	13.9	9.9	5.6	5.2	28.6		
女性前期高齢者(65-74歳)		264	109	49	40	16	12	8	30	20.44	19.1
女性後期高齢者(75歳以上)		100	41.3	18.6	15.2	6.1	4.5	3.0	11.4		
男性前期高齢者(65-74歳)		271	62	40	35	30	16	11	87	34.08	21.88
男性後期高齢者(75歳以上)		100	19.2	14.8	12.9	11.1	5.9	4.1	32.1		
女性前期高齢者(65-74歳)		276	99	60	36	29	14	3	33	21.76	19.2
女性後期高齢者(75歳以上)		100	35.9	21.7	13.0	10.5	5.1	1.1	12.7		

TUG(1回目)

		4 秒 未 満	4 秒 以 上 5 秒 未 満	5 秒 以 上 6 秒 未 満	6 秒 以 上 7 秒 未 満	7 秒 以 上 8 秒 未 満	8 秒 以 上	平均	標 準 偏 差	
全体		2013	21	387	797	452	191	165	6	1.58
性×年代別		100	1.0	19.2	39.6	22.5	9.5	8.2		
男性65-69歳		305	8	116	129	40	11	1	5.19	0.84
男性70-74歳		100	2.6	38.0	42.3	13.1	3.6	0.3		
男性75-79歳		325	8	99	137	62	12	7	5.47	1.01
男性80歳以上		100	2.5	30.5	42.2	19.1	3.7	2.2		
女性65-69歳		225	2	43	79	62	23	16	6.02	1.46
女性70-74歳		100	0.9	19.1	35.1	27.6	10.2	7.1		
女性75-79歳		149	0	7	33	42	32	35	7.25	2.14
女性80歳以上		100	0.0	4.7	22.1	28.2	21.5	23.5		
男性前期高齢者(65-74歳)		341	2	72	176	68	16	7	5.6	1.02
男性後期高齢者(75歳以上)		100	0.6	21.1	51.6	19.9	4.7	2.1		
女性前期高齢者(65-74歳)		315	1	38	139	88	34	15	5.97	1.11
女性後期高齢者(75歳以上)		100	0.3	12.1	44.1	27.9	10.8	4.8		
男性前期高齢者(65-74歳)		221	0	12	82	59	38	30	6.53	1.44
男性後期高齢者(75歳以上)		100	0.0	5.4	37.1	26.7	17.2	13.6		
女性前期高齢者(65-74歳)		132	0	0	22	31	25	54	8.02	2.64
女性後期高齢者(75歳以上)		100	0.0	0.0	16.7	23.5	18.9	40.9		
男性前期高齢者(65-74歳)		630	16	215	266	102	23	8	5.34	0.94
男性後期高齢者(75歳以上)		100	2.5	34.1	42.2	16.2	3.7	1.3		
女性前期高齢者(65-74歳)		374	2	50	112	104	55	51	6.51	1.86
女性後期高齢者(75歳以上)		100	0.5	13.4	29.9	27.8	14.7	13.6		
男性前期高齢者(65-74歳)		656	3	110	315	156	50	22	5.78	1.08
男性後期高齢者(75歳以上)		100	0.5	16.8	48.0	23.8	7.6	3.4		
女性前期高齢者(65-74歳)		353	0	12	104	90	63	84	7.09	2.1
女性後期高齢者(75歳以上)		100	0.0	3.4	29.5	25.5	17.8	23.8		

膝伸展力/長さ

	全体	30	30	30	30	30	30	30	30	平均	標準偏差					
		未満	以上	以上	以上	以上	以上	以上	以上							
全体	2009	254	163	243	296	302	248	503	32.74	2.89						
性×年代別	100	12.6	8.1	12.1	14.7	15.0	12.3	25.0								
男性65-69歳	306	20	11	22	24	49	39	141	34.09	2.59						
男性70-74歳	100	6.5	3.6	7.2	7.8	16.0	12.7	46.1								
男性75-79歳	324	22	13	25	39	36	54	135	33.87	2.68						
男性80歳以上	100	6.8	4.0	7.7	12.0	11.1	16.7	41.7								
女性65-69歳	222	14	9	13	26	41	35	84	33.78	2.35						
女性70-74歳	100	6.3	4.1	5.9	11.7	18.5	15.8	37.8								
女性75-79歳	143	6	5	16	15	20	18	63	33.84	3.52						
女性80歳以上	100	4.2	3.5	11.2	10.5	14.0	12.6	44.1								
男性前期高齢者(65-74歳)	340	70	33	63	66	44	36	28	31.58	2.46						
男性後期高齢者(75歳以上)	100	20.6	9.7	18.5	19.4	12.9	10.6	8.2	31.66	2.36						
女性前期高齢者(65-74歳)	317	55	32	44	54	52	34	26	31.67	2.39						
女性後期高齢者(75歳以上)	100	17.4	16.4	13.9	17.0	16.4	10.7	8.2	31.67	2.39						
男性前期高齢者(65-74歳)	221	39	29	36	40	35	23	19	31.62	2.41						
男性後期高齢者(75歳以上)	100	19.0	12.9	16.3	18.3	14.6	10.7	8.2	31.51	2.8						
女性前期高齢者(65-74歳)	657	125	85	107	120	96	70	54	31.51	2.8						
女性後期高齢者(75歳以上)	100	18.8	11.2	16.8	20.2	16.8	9.0	7.3								

椅子立ち上がりテスト/5回連続

	全体	50	50	60	70	80	90	100	100	100	平均	標準偏差					
		未満	以上	以上	以上	以上	以上	以上	以上	以上							
全体	2018	64	206	376	435	332	245	129	94	137	8.23	2.58					
性×年代別	100	3.2	10.2	18.6	21.6	16.5	12.1	6.4	4.7	6.8							
男性65-69歳	308	15	47	77	65	55	26	10	5	8	7.36	1.73					
男性70-74歳	100	4.9	15.3	25.0	21.1	17.9	8.4	3.2	1.6	2.6							
男性75-79歳	326	5	41	72	70	53	47	20	13	5	7.81	1.84					
男性80歳以上	100	1.5	12.6	22.1	21.5	16.3	14.4	6.1	4.0	1.5							
女性65-69歳	223	8	19	28	47	41	37	15	15	13	8.38	2.16					
女性70-74歳	100	3.6	8.5	12.6	21.1	18.4	16.6	6.7	6.7	5.8							
女性75-79歳	147	0	3	15	26	20	19	18	17	27	9.9	3.33					
女性80歳以上	100	0.0	3.4	10.2	17.7	13.6	12.9	12.2	11.6	18.4							
男性前期高齢者(65-74歳)	341	15	44	85	84	46	33	14	9	11	7.58	1.95					
男性後期高齢者(75歳以上)	100	4.4	12.9	24.9	24.6	13.5	9.7	4.1	2.6	3.2							
女性前期高齢者(65-74歳)	318	15	28	60	76	61	35	20	8	15	8.02	2.48					
女性後期高齢者(75歳以上)	100	4.7	8.8	18.9	23.9	19.2	11.0	6.3	2.5	4.7							
男性前期高齢者(65-74歳)	223	5	19	29	40	39	34	20	15	22	8.79	2.86					
男性後期高齢者(75歳以上)	100	2.2	8.5	13.0	17.9	17.5	15.2	9.0	6.7	9.9							
女性前期高齢者(65-74歳)	132	1	3	10	27	17	14	12	12	36	10.43	3.95					
女性後期高齢者(75歳以上)	100	0.8	2.3	7.6	20.5	12.9	10.6	9.1	9.1	27.3							
男性前期高齢者(65-74歳)	634	20	88	149	135	108	73	30	18	13	7.59	1.8					
男性後期高齢者(75歳以上)	100	3.2	13.9	23.5	21.3	17.0	11.5	4.7	2.8	2.1							
女性前期高齢者(65-74歳)	370	8	24	43	73	61	33	32	40	40	8.99	2.79					
女性後期高齢者(75歳以上)	100	2.2	6.5	11.6	19.7	16.5	15.1	8.9	8.6	10.8							
男性前期高齢者(65-74歳)	659	30	72	145	160	107	68	34	17	26	7.79	2.23					
男性後期高齢者(75歳以上)	100	4.6	10.9	22.0	24.3	16.2	10.3	5.2	2.6	3.9							
女性前期高齢者(65-74歳)	355	6	22	39	67	56	48	32	27	58	9.4	3.4					
女性後期高齢者(75歳以上)	100	1.7	6.2	11.0	18.9	15.8	13.5	9.0	7.6	16.3							

ガム咀嚼(1回目)

	全体	50	50	50	50	50	平均	標準偏差						
		未満	以上	以上	以上	以上								
全体	2043	122	249	442	564	460	206	16.4	6.76					
性×年代別	100	6.0	12.2	21.6	27.6	22.5	10.1							
男性65-69歳	308	10	13	41	75	100	69	19.72	6.41					
男性70-74歳	100	3.2	4.2	13.3	24.4	32.5	22.4							
男性75-79歳	327	8	26	62	89	96	46	18.3	6.34					
男性80歳以上	100	2.4	8.0	19.0	27.2	29.4	14.1							
女性65-69歳	227	11	17	50	64	59	26	17.4	6.75					
女性70-74歳	100	4.8	7.5	22.0	28.2	26.0	11.5							
女性75-79歳	151	15	29	33	45	22	7	14.26	6.58					
女性80歳以上	100	9.9	19.2	21.9	29.8	14.6	4.6							
男性前期高齢者(65-74歳)	342	18	40	69	114	77	24	16.23	6.12					
男性後期高齢者(75歳以上)	100	5.3	11.7	20.2	33.3	22.5	7.0							
女性前期高齢者(65-74歳)	321	15	49	86	90	59	22	15.47	6.12					
女性後期高齢者(75歳以上)	100	4.7	15.3	26.8	28.0	18.4	6.9							
男性前期高齢者(65-74歳)	228	25	41	64	57	32	9	13.71	6.72					
男性後期高齢者(75歳以上)	100	11.0	18.0	28.1	25.0	14.0	3.9							
女性前期高齢者(65-74歳)	139	20	34	37	30	15	3	12.17	6.37					
女性後期高齢者(75歳以上)	100	14.4	24.5	26.6	21.6	10.8	2.2							
男性前期高齢者(65-74歳)	635	18	39	103	164	196	115	18.99	6.41					
男性後期高齢者(75歳以上)	100	2.8	6.1	16.2	25.8	30.9	18.1							
女性前期高齢者(65-74歳)	378	26	46	83	109	81	33	16.15	6.85					
女性後期高齢者(75歳以上)	100	6.9	12.2	22.0	28.8	21.4	8.7							
男性前期高齢者(65-74歳)	663	33	89	155	204	136	46	15.86	6.13					
男性後期高齢者(75歳以上)	100	5.0	13.4	23.4	30.8	20.5	6.9							
女性前期高齢者(65-74歳)	367	45	75	101	87	47	12	13.13	6.63					
女性後期高齢者(75歳以上)	100	12.3	20.4	27.5	23.7	12.8	3.3							

顔面の計測/②目-口角間距離

		60未満	60以上62未満	62以上64未満	64以上66未満	66以上68未満	68以上70未満	70以上72未満	72以上74未満	74以上76未満	76以上78未満	78以上80未満	80以上	平均	標準偏差	
全体		2042	84	99	180	254	287	291	281	221	152	108	46	39	68.42	5.25
性×年代別	男性65-69歳	307	5	3	5	12	31	42	56	49	37	40	14	13	71.57	4.65
	男性70-74歳	100	1.6	1.0	1.6	3.9	10.1	13.7	18.2	16.0	12.1	13.0	4.6	4.2		
	男性75-79歳	327	1	8	9	21	43	43	63	49	34	27	15	14	70.88	4.77
	男性80歳以上	100	0.3	2.4	2.8	6.4	13.1	13.1	19.3	15.0	10.4	8.3	4.6	4.3		
	女性65-69歳	227	2	2	6	21	23	31	35	32	41	17	11	6	71.01	4.76
	女性70-74歳	100	0.9	0.9	2.6	9.3	10.1	13.7	15.4	14.1	18.1	7.5	4.8	2.6		
	女性75-79歳	151	4	1	6	8	12	25	24	34	16	12	4	5	70.79	4.69
	女性80歳以上	100	2.9	0.7	4.0	5.3	7.9	16.5	15.9	22.5	10.6	7.9	2.6	3.3		
	男性前期高齢者(65-74歳)	342	22	24	55	64	53	50	39	19	8	7	1	0	66.06	4.33
	男性後期高齢者(75歳以上)	100	6.4	7.0	16.1	18.7	15.5	14.5	11.4	5.6	2.5	2.0	0.3	0.0		
	女性前期高齢者(65-74歳)	321	18	32	43	61	60	53	31	14	6	3	0	0	65.69	4.09
	女性後期高齢者(75歳以上)	100	5.6	10.0	13.4	19.0	18.7	16.5	9.7	4.4	1.9	0.9	0.0	0.0		
	男性前期高齢者(65-74歳)	228	17	20	36	37	43	31	20	15	6	2	0	1	65.67	4.5
	男性後期高齢者(75歳以上)	100	7.5	8.8	15.8	16.2	18.9	13.6	8.8	6.6	2.6	0.9	0.0	0.4		
	女性前期高齢者(65-74歳)	139	15	9	20	30	22	16	13	9	4	0	1	0	65.5	4.48
	女性後期高齢者(75歳以上)	100	10.8	6.5	14.4	21.6	15.8	11.5	9.4	6.5	2.9	0.0	0.7	0.0		
男性前期高齢者(65-74歳)	634	6	11	14	33	74	85	119	98	71	67	29	27	71.21	4.73	
男性後期高齢者(75歳以上)	100	0.9	1.7	2.2	5.2	11.7	13.4	18.8	15.5	11.2	10.6	4.6	4.3			
女性前期高齢者(65-74歳)	378	6	3	12	29	35	56	59	66	57	29	15	11	70.92	4.74	
女性後期高齢者(75歳以上)	100	1.6	0.8	3.2	7.7	9.3	14.8	15.6	17.5	15.1	7.7	4.0	2.9			
男性前期高齢者(65-74歳)	663	40	56	98	125	113	103	70	33	14	10	1	0	65.88	4.22	
男性後期高齢者(75歳以上)	100	6.0	8.4	14.8	18.9	17.0	15.5	10.6	5.0	2.1	1.5	0.2	0.0			
女性前期高齢者(65-74歳)	367	32	29	56	67	65	47	33	24	10	2	1	1	65.6	4.49	
女性後期高齢者(75歳以上)	100	8.7	7.9	15.3	18.3	17.7	12.8	9.0	6.5	2.7	0.5	0.3	0.3			

残存歯数①

		0本	1本	2本	3本	4本	5本	6本	7本	8本	9本	10本	11本	12本	13本	14本	15本	16本	17本	18本	19本	20本	21本	22本	23本	
全体		2041	104	12	19	15	13	13	32	19	27	27	30	25	26	29	40	33	38	52	35	63	62	69	81	95
性×年代別	男性65-69歳	100	5.1	0.6	0.9	0.7	0.6	0.6	1.6	0.9	1.3	1.3	1.5	1.2	1.3	1.4	2.0	1.6	1.9	2.5	1.7	3.1	3.0	3.4	4.0	4.7
	男性70-74歳	307	6	0	0	1	1	1	2	1	4	5	4	0	2	5	5	3	2	6	4	2	10	11	13	13
	男性75-79歳	100	2.0	0.0	0.0	0.3	0.3	0.3	0.7	0.3	1.3	1.6	1.3	0.0	0.7	1.6	1.6	1.0	0.7	2.0	1.3	0.7	3.3	3.6	4.2	4.2
	男性80歳以上	327	22	1	2	1	0	0	4	1	6	6	4	5	3	6	5	5	7	7	5	10	14	5	16	12
	女性65-69歳	100	6.7	0.3	0.6	0.3	0.0	0.0	1.2	0.3	1.8	1.8	1.2	1.5	0.9	1.8	1.5	1.5	2.1	2.1	1.5	3.1	4.3	1.5	4.9	3.7
	女性70-74歳	227	13	3	4	0	2	1	4	4	2	5	3	4	3	3	9	4	4	6	4	6	1	9	6	9
	女性75-79歳	100	5.7	1.3	1.8	0.0	0.9	0.4	1.8	1.8	0.9	2.2	1.3	1.8	1.3	4.0	1.8	1.3	2.6	1.8	2.6	0.4	4.0	2.6	4.0	4.0
	女性80歳以上	151	18	2	7	3	2	5	5	1	1	2	0	5	2	3	5	2	3	4	3	8	4	8	5	7
	男性前期高齢者(65-74歳)	100	11.9	1.3	4.6	2.0	1.3	3.3	3.3	0.7	1.7	1.3	0.0	3.3	1.3	2.0	3.3	1.3	2.0	2.6	2.0	5.3	2.6	5.3	3.3	4.6
	男性後期高齢者(75歳以上)	341	5	1	1	3	1	1	0	3	1	1	5	1	4	3	4	4	7	8	5	10	8	14	11	21
	女性前期高齢者(65-74歳)	100	1.5	0.3	0.3	0.9	0.3	0.3	0.0	0.9	0.3	0.3	1.5	0.3	1.2	0.9	1.2	1.2	2.1	2.3	1.5	2.9	2.3	4.1	3.2	6.2
	女性後期高齢者(75歳以上)	321	10	1	1	3	3	1	6	3	5	0	4	4	5	4	1	4	4	13	6	9	13	7	14	14
	男性前期高齢者(65-74歳)	100	3.1	0.3	0.3	0.9	0.9	0.3	1.9	0.9	1.6	0.0	1.2	1.2	1.6	1.2	0.3	1.2	1.2	4.0	1.9	2.8	4.0	2.2	4.4	4.4
	男性後期高齢者(75歳以上)	228	17	1	3	2	1	4	8	2	4	5	3	1	5	4	6	4	7	6	8	10	5	11	11	12
	女性前期高齢者(65-74歳)	100	7.5	0.4	1.3	0.9	0.4	1.8	3.5	0.9	1.8	2.2	1.3	0.4	2.2	1.8	2.6	1.8	3.1	2.6	3.5	4.4	2.2	4.8	4.8	5.3
	女性後期高齢者(75歳以上)	139	13	3	1	2	3	0	3	4	4	3	7	5	2	1	5	7	4	2	0	8	7	4	5	7
男性前期高齢者(65-74歳)	100	9.4	2.2	0.7	1.4	2.2	0.0	2.2	2.9	2.9	2.2	5.0	3.6	1.4	0.7	3.6	5.0	2.9	1.4	0.0	5.8	5.0	2.9	3.6	5.0	
男性後期高齢者(75歳以上)	634	28	1	2	2	1	1	6	2	10	11	8	5	5	11	10	8	9	13	9	12	24	16	29	25	
女性前期高齢者(65-74歳)	100	4.4	0.2	0.3	0.3	0.2	0.2	0.9	0.3	1.6	1.7	1.3	0.8	0.8	1.7	1.6	1.3	1.4	2.1	1.4	1.9	3.8	2.5	4.6	3.9	
女性後期高齢者(75歳以上)	378	31	5	11	3	4	6	9	5	3	7	3	9	5	6	14	6	7	10	7	14	5	17	11	16	
男性前期高齢者(65-74歳)	100	8.2	1.3	2.9	0.8	1.1	1.6	2.4	1.3	0.8	1.9	0.8	2.4	1.3	1.6	3.7	1.6	1.9	2.6	1.9	3.7	1.3	4.5	2.9	4.2	
男性後期高齢者(75歳以上)	100	15	2	2	6	4	2	6	6	8	1	9	5	9	7	5	8	11	21	11	19	21	25	35	35	
女性前期高齢者(65-74歳)	100	2.3	0.3	0.3	0.9	0.6	0.3	0.9	0.9	0.9	0.2	1.4	0.8	1.4	1.1	0.8	1.2	1.7	3.2	1.7	2.9	3.2	3.2	3.8	5.3	
女性後期高齢者(75歳以上)	367	30	4	4	4	4	4	11	6	8	8	10	6	7	5	11	11	11	8	18	18	12	15	16	19	
男性前期高齢者(65-74歳)	100	8.2	1.1	1.1	1.1	1.1	1.1	3.0	1.6	2.2	2.2	2.7	1.6	1.9	1.4	3.0	3.0	3.0	2.2	2.2	4.9	3.3	4.1	4.4	5.2	

残存歯数②

		24本	25本	26本	27本	28本	29本	30本	31本	32本	平均	標準偏差	
全体		2041	125	150	192	228	260	66	38	14	9	20.7	8.39
性×年代別	男性65-69歳	100	6.1	7.3	9.4	11.2	12.7	3.2	1.9	0.7	0.4		
	男性70-74歳	307	17	23	25	47	60	14	16	2	2	23.47	6.67
	男性75-79歳	100	5.5	7.5	8.1	15.3	19.5	4.6	5.2	0.7	0.7		
	男性80歳以上	327	23	21	36	32	38	13	11	4	2	20.96	6.46
	女性65-69歳	100	7.0	6.4	11.0	9.8	11.6	4.0	3.4	1.2	0.6		
	女性70-74歳	227	13	21	24	18	21	13	4	0	4	19.96	8.94
	女性75-79歳	100	5.7	9.3	10.6	7.9	9.3	5.7	1.8	0.0	1.8		
	女性80歳以上	151	9	9	8	9	5	4	1	1	0	15.82	9.85
	男性前期高齢者(65-74歳)	100	6.0	6.0	5.3	6.0	3.3	2.6	0.7	0.7	0.0		
	男性後期高齢者(75歳以上)	341	23	37	29	58	55	11	2	4	0	23.08	6.3
	女性前期高齢者(65-74歳)	100	6.7	10.9	8.5	17.0	16.1	3.2	0.6	1.2	0.0		
	女性後期高齢者(75歳以上)	321	24	23	36	35	57	5	4	2	0	21.66	7.59
	男性前期高齢者(65-74歳)	100	7.5	7.2	11.2	10.9	17.8	1.6	1.2	0.6	0.0		
	男性後期高齢者(75歳以上)	228	12	10	25	18	19	3	0	0	0	18.4	8.83
	女性前期高齢者(65-74歳)	100	5.3	4.4	11.0	7.9	8.3	1.3	0.0	0.0			

機能歯数①

		0本	1本	2本	3本	4本	5本	6本	7本	8本	9本	10本	11本	12本	13本	14本	15本	16本	17本	18本	19本	20本	21本	22本	23本		
全体		2038	2	2	0	2	0	0	0	1	0	1	0	0	0	0	4	1	1	0	8	3	10	13	25	46	
性×年代別	男性65-69歳	307	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	5	5		
	100	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.0	1.6	1.6		
	男性70-74歳	327	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	2	2	3		
	100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	0.3	0.6	0.6	0.6	0.9		
	男性75-79歳	227	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0	4	6	
	100	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.4	0.0	0.4	0.0	1.8	2.6		
	男性80歳以上	151	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1	2		
	100	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.3	2.0	0.7	1.3	
	女性65-69歳	341	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	10
	100	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.2	2.9	
	女性70-74歳	323	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	8
	100	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	1.2	2.5	
	女性75-79歳	225	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	2	7
	100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.3	0.9	3.1	
	女性80歳以上	139	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5
	100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	2.2	3.6	
	男性前期高齢者(65-74歳)	634	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	4	5	7	8	
	100	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.3	0.6	0.8	1.1	1.3		
	男性後期高齢者(75歳以上)	378	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	3	5	8	
	100	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.3	0.6	0.8	0.8	1.3	2.1	
女性前期高齢者(65-74歳)	662	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	8		
100	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.3	0.2	1.2	2.7	
女性後期高齢者(75歳以上)	364	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	1	1	4	5	12		
100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.3	0.3	1.1	1.4	3.3			

機能歯数②

		2本	2本	2本	2本	2本	3本	3本	3本	平均	標準															
		4本	5本	6本	7本	8本	9本	10本	11本	12本	偏差															
全体		2038	60	103	200	372	922	151	66	26	19	27.11	2.52													
性×年代別	男性65-69歳	307	6	12	24	59	135	25	18	4	6	27.32	2.55													
	100	2.0	3.9	7.8	19.2	44.0	8.1	5.9	1.3	2.0																
	男性70-74歳	327	8	19	41	52	142	21	15	9	6	27.29	2.18													
	100	2.4	5.8	12.5	15.9	43.4	6.4	4.6	2.8	1.8																
	男性75-79歳	227	3	16	16	35	94	26	16	1	4	27.11	3.29													
	100	1.3	7.0	7.0	15.4	41.4	11.5	7.0	0.4	1.8																
	男性80歳以上	151	5	10	5	19	69	21	6	3	2	27.11	3.29													
	100	3.3	6.6	3.3	12.6	45.7	13.9	4.0	2.0	1.3																
	女性65-69歳	341	13	18	34	78	152	21	4	5	0	27.07	2.14													
	100	3.8	5.3	10.0	22.9	44.6	6.2	1.2	1.5	0.0																
	女性70-74歳	321	9	18	45	57	157	11	5	2	0	26.95	2.21													
	100	2.8	5.6	14.0	17.8	48.9	3.4	1.6	0.6	0.0																
	女性75-79歳	225	13	5	26	49	98	17	2	0	1	26.98	1.87													
	100	5.8	2.2	11.6	21.8	43.6	7.6	0.9	0.0	0.4																
	女性80歳以上	139	3	5	9	23	75	9	0	2	0	26.81	3.09													
	100	2.2	3.6	6.5	16.5	54.0	6.5	0.0	1.4	0.0																
	男性前期高齢者(65-74歳)	634	14	31	65	111	277	46	33	13	12	27.31	2.37													
	100	2.2	4.9	10.3	17.5	43.7	7.3	5.2	2.1	1.9																
	男性後期高齢者(75歳以上)	378	8	26	21	54	163	47	22	4	6	27.11	3.29													
	100	2.1	6.9	5.6	14.3	43.1	12.4	5.8	1.1	1.6																
女性前期高齢者(65-74歳)	662	22	26	79	135	309	32	9	7	0	27.01	2.17														
100	3.3	5.4	11.9	20.4	46.7	4.8	1.4	1.1	0.0																	
女性後期高齢者(75歳以上)	364	16	10	35	72	173	26	2	2	1	26.91	2.41														
100	4.4	2.7	9.6	19.8	47.5	7.1	0.5	0.5	0.3																	

CPI①

		1本	2本	3本	4本	残存歯なし																		
全体		1752	104	656	395	245	352																	
性×年代別	男性65-69歳	261	12	123	60	36	30																	
	100	4.6	47.1	23.0	13.8	11.5																		
	男性70-74歳	290	20	97	53	56	64																	
	100	6.9	33.4	18.3	19.3	22.1																		
	男性75-79歳	197	13	61	38	39	46																	
	100	6.6	31.0	19.3	19.8	23.4																		
	男性80歳以上	129	3	35	27	15	49																	
	100	2.3	27.1	20.9	11.6	38.0																		
	女性65-69歳	279	21	129	74	31	24																	
	100	7.5	46.2	26.5	11.1	8.6																		
	女性70-74歳	279	15	125	60	38	41																	
	100	5.4	44.8	21.5	13.6	14.7																		
	女性75-79歳	197	13	62	52	21	59																	
	100	6.6	26.4	26.4	10.7	29.9																		
	女性80歳以上	120	7	34	31	9	39																	
	100	5.8	28.3	25.8	7.5	32.5																		
	男性前期高齢者(65-74歳)	551	32	220	113	92	94																	
	100	5.8	39.9	20.5	16.7	17.1																		
	男性後期高齢者(75歳以上)	326	16	96	65	54	95																	
	100	4.9	29.4	19.9	16.6	29.1																		
女性前期高齢者(65-74歳)	558	36	254	134	69	65																		
100	6.5	45.5	24.0	12.4	11.6																			
女性後期高齢者(75歳以上)	317	20	86	83	30	98																		
100	6.3	27.1	26.2	9.5	30.9																			