

表 3-1 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者						認知症							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	65-69	0	96	7	0	0	0	1	0	0	0	0	0	0	0
	70-74	1	80	17	0	0	0	2	0	1	1	0	0	0	1
	75-79	2	71	7	0	0	6	0	0	9	0	0	0	5	0
	80-84	0	68	14	0	0	5	1	0	14	1	0	0	5	1
	85-89	0	61	7	2	0	12	3	0	17	1	1	0	10	2
	90-94	1	45	2	3	1	16	0	1	25	0	2	1	14	0
	95-99	2	10	0	3	1	6	0	0	6	0	3	1	6	0
	100+	0	2	0	0	0	3	0	0	1	0	0	0	3	0
	合計	6	433	54	8	2	48	7	1	73	3	6	2	43	4
	久山	65-69	1	372	29	0	4	0	0	0	6	0	0	1	0
70-74		5	334	37	0	2	2	0	0	13	3	0	1	2	0
75-79		9	260	36	0	8	1	1	3	39	2	0	8	1	1
80-84		14	168	32	0	8	10	0	6	40	5	0	6	9	0
85-89		15	88	18	0	17	20	0	9	29	7	0	16	17	0
90-94		6	29	6	0	5	11	0	6	13	2	0	5	11	0
95-99		5	3	0	0	2	9	0	4	2	0	0	2	9	0
100+		1	0	0	0	1	1	0	1	0	0	0	1	1	0
合計		56	1254	158	0	47	54	1	29	142	19	0	40	50	1
大牟田		65-69	29	73	22	0	0	0	0	1	0	0	0	0	0
	70-74	39	57	21	0	1	1	0	0	1	1	0	1	1	0
	75-79	43	63	26	0	0	3	0	9	2	0	0	0	3	0
	80-84	43	45	32	1	0	3	0	16	8	2	0	0	3	0
	85-89	28	19	13	0	0	2	1	17	7	2	0	0	2	0
	90-94	26	4	5	1	0	1	0	14	2	0	0	0	1	0
	95-99	6	0	0	0	0	0	0	6	0	0	0	0	0	0
	100+	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	合計	214	261	120	2	1	10	1	63	20	5	0	1	10	0

表 3-2 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	正常						MCI							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	65-69	0	88	6	0	0	0	1	0	8	1	0	0	0	0
	70-74	1	66	15	0	0	0	1	0	12	1	0	0	0	0
	75-79	0	45	6	0	0	1	0	0	17	1	0	0	0	0
	80-84	0	39	9	0	0	0	0	0	14	3	0	0	0	0
	85-89	0	23	2	1	0	1	0	0	20	3	0	0	0	1
	90-94	0	8	1	0	0	1	0	0	10	1	1	0	1	0
	95-99	0	3	0	0	0	0	0	0	1	0	0	0	0	0
	100+	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	273	39	1	0	3	2	0	82	10	1	0	1	1
	久山	65-69	0	340	27	0	3	0	0	1	25	1	0	0	0
70-74		1	279	30	0	1	0	0	0	36	2	0	0	0	0
75-79		1	176	25	0	0	0	0	0	41	8	0	0	0	0
80-84		3	96	22	0	1	1	0	0	32	5	0	0	0	0
85-89		0	43	10	0	0	1	0	0	12	1	0	1	1	0
90-94		0	10	3	0	0	0	0	0	6	1	0	0	0	0
95-99		0	1	0	0	0	0	0	0	0	0	0	0	0	0
100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		5	945	117	0	5	2	0	1	152	18	0	1	1	0
大牟田		65-69	23	67	18	0	0	0	0	1	4	3	0	0	0
	70-74	26	44	12	0	0	0	0	6	12	7	0	0	0	0
	75-79	14	47	18	0	0	0	0	9	14	6	0	0	0	0
	80-84	4	23	20	0	0	0	0	10	11	8	0	0	0	0
	85-89	2	6	5	0	0	0	1	1	6	4	0	0	0	0
	90-94	1	1	3	1	0	0	0	2	1	2	0	0	0	0
	95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	合計	70	188	77	1	0	0	1	29	48	30	0	0	0	0

表 3-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	AD							VaD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	0	1	0	0	0	0	0	1	0	0	0	0	0
	75-79	0	6	0	0	0	2	0	0	1	0	0	0	0	3
	80-84	0	10	0	0	0	3	1	0	2	1	0	0	2	0
	85-89	0	13	0	0	0	3	2	0	3	1	0	0	4	0
	90-94	0	17	0	0	0	13	0	0	5	0	2	1	1	0
	95-99	0	5	0	1	0	4	0	0	0	0	1	1	2	0
	100+	0	1	0	0	0	3	0	0	0	0	0	0	0	0
	合計	0	52	1	1	0	28	3	0	12	2	3	2	12	0
	久山	65-69	0	3	0	0	0	0	0	0	2	0	0	1	0
70-74		0	6	1	0	0	0	0	0	5	0	0	0	1	0
75-79		0	26	1	0	3	1	0	0	9	1	0	3	0	0
80-84		0	33	2	0	4	8	0	0	5	3	0	2	0	0
85-89		0	19	6	0	13	14	0	0	8	1	0	2	0	0
90-94		1	11	2	0	4	8	0	0	2	0	0	0	2	0
95-99		0	2	0	0	2	7	0	0	0	0	0	0	1	0
100+		0	0	0	0	1	1	0	0	0	0	0	0	0	0
合計		1	100	12	0	27	39	0	0	31	5	0	8	4	0
大牟田		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	0	0	0	0	1	0	0	0	1	0	1	0	0
	75-79	0	1	0	0	0	2	0	0	0	0	0	0	1	0
	80-84	2	5	1	0	0	0	0	0	2	1	0	0	2	0
	85-89	2	5	2	0	0	1	0	1	0	0	0	0	0	0
	90-94	0	2	0	0	0	1	0	0	0	0	0	0	0	0
	95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	4	13	3	0	0	5	0	1	2	2	0	1	3	0

表 3-4 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	DLB							FTLD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79	0	2	0	0	0	0	0	0	0	0	0	0	0	0
	80-84	0	1	0	0	0	0	0	0	1	0	0	0	0	0
	85-89	0	1	0	1	0	0	0	0	0	0	0	0	1	0
	90-94	0	1	0	0	0	0	0	0	1	0	0	0	0	0
	95-99	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	0	5	0	2	0	0	0	0	2	0	0	0	1	0
	久山	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0
75-79		0	1	0	0	1	0	1	0	0	0	0	0	0	0
80-84		0	1	0	0	0	0	0	0	0	0	0	0	0	0
85-89		0	0	0	0	1	1	0	0	0	0	0	0	0	0
90-94		0	0	0	0	1	0	0	0	0	0	0	0	0	0
95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0
100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		0	2	0	0	3	1	1	0	0	0	0	0	0	0
大牟田		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	85-89	0	1	0	0	0	1	0	0	0	0	0	0	0	0
	90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	0	2	0	0	0	1	0	0	1	0	0	0	0	0

表 3-5 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	Alcohol							Mixed							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
筑波	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70-74	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
	90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0
	久山	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74		0	0	0	0	0	0	0	1	0	0	0	0	0	0	
75-79		0	0	0	0	0	0	0	2	0	0	0	0	0	0	
80-84		0	0	0	0	0	0	0	0	0	0	0	1	0	0	
85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計		0	0	0	0	0	0	0	3	0	0	0	0	1	0	0
大牟田		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84	0	0	0	0	0	0	1	0	0	0	0	1	0	0	
	85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0

表 3-6 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	欠損	自宅 家族と同居	自宅独居	その他			
					有料老人 ホーム	医療機関	施設	その他
筑波	65-69	0	0	0	0	0	0	0
	70-74	0	0	0	0	0	0	0
	75-79	0	0	0	0	0	0	0
	80-84	0	0	0	0	0	0	0
	85-89	0	0	0	0	0	0	0
	90-94	1	1	0	0	0	0	0
	95-99	0	1	0	0	0	0	0
	100+	0	0	0	0	0	0	0
	合計	1	2	0	0	0	0	0
	久山	65-69	0	1	0	0	0	0
70-74		0	1	2	0	1	1	0
75-79		0	1	0	0	1	0	0
80-84		0	1	0	0	0	0	0
85-89		0	2	0	0	0	2	0
90-94		0	0	0	0	0	1	0
95-99		0	0	0	0	0	1	0
100+		0	0	0	0	0	0	0
合計		0	6	2	0	2	5	0
大牟田		65-69	0	0	0	0	0	0
	70-74	0	0	0	0	0	0	0
	75-79	0	1	0	0	0	0	0
	80-84	0	0	0	0	0	0	0
	85-89	0	1	0	0	0	0	0
	90-94	0	0	0	0	0	0	0
	95-99	0	0	0	0	0	0	0
	100+	0	0	0	0	0	0	0
	合計	0	2	0	0	0	0	0

表 4-1 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	参加者							認知症							正常							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
筑波	欠損	65-69	0	95	7	0	0	0	1	0	0	0	0	0	0	0	0	87	6	0	0	0	0	1
		70-74	1	77	16	0	0	0	2	0	1	1	0	0	0	1	1	65	14	0	0	0	0	1
		75-79	1	59	6	0	0	0	0	0	3	0	0	0	0	0	0	41	6	0	0	0	0	0
		80-84	0	51	9	0	0	0	0	0	3	0	0	0	0	0	0	35	7	0	0	0	0	0
		85-89	0	33	3	0	0	0	0	0	6	0	0	0	0	0	0	12	2	0	0	0	0	0
		90-94	0	14	1	0	0	0	0	0	5	0	0	0	0	0	0	3	1	0	0	0	0	0
		95-99	0	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	1	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
		合計	2	332	42	0	0	1	3	0	20	1	0	0	1	1	1	244	36	0	0	0	0	2
		自立度 II未済	65-69	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	70-74		0	2	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	
	75-79		1	5	0	0	0	2	0	0	0	0	0	1	0	0	4	0	0	0	0	1	0	
	80-84		0	9	5	0	0	1	0	0	3	1	0	0	1	0	0	4	2	0	0	0	0	
	85-89		0	16	3	1	0	2	0	0	4	1	0	0	0	0	9	0	1	0	1	0	0	
	90-94		1	10	0	0	0	4	0	1	4	0	0	0	3	0	1	0	0	0	0	0	0	
	95-99		1	3	0	0	0	1	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		3	46	9	1	0	10	0	1	11	2	0	0	6	0	0	22	3	1	0	2	0	
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	7	1	0	0	4	0	0	6	0	0	0	4	0	0	0	0	0	0	0	0	
		80-84	0	8	0	0	0	4	1	0	8	0	0	0	4	1	0	0	0	0	0	0	0	
		85-89	0	12	1	1	0	10	3	0	7	0	1	0	10	2	0	2	0	0	0	0	0	
		90-94	0	21	1	3	1	12	0	0	16	0	2	1	11	0	0	4	0	0	0	1	0	
		95-99	1	5	0	3	1	5	0	0	4	0	3	1	5	0	0	1	0	0	0	0	0	
		100+	0	1	0	0	0	2	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	
		合計	1	55	3	7	2	37	4	0	42	0	6	2	36	3	0	7	0	0	0	1	0	

表 4-2 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	MCI							AD							VaD							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
筑波	欠損	0	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	10	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	
		0	15	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	
		0	12	2	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	
		0	14	1	0	0	0	0	0	5	0	0	0	0	0	0	1	0	0	0	0	0	
		0	6	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
		0	65	5	0	0	0	0	0	17	1	0	0	0	1	0	0	2	0	0	0	0	
		自立度 II未済	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
	0		2	1	0	0	0	0	0	2	0	0	0	1	0	0	1	0	0	0	0	0	
	0		3	1	0	0	0	0	0	3	0	0	0	0	0	0	1	1	0	0	0	0	
	0		3	0	0	0	1	0	0	3	0	0	0	2	0	0	1	0	0	0	1	0	
	0		1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		11	2	0	0	1	0	0	8	0	0	0	4	0	0	3	2	0	0	0	2	0
	自立度 II以上		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	1	1	0	0	0	0	0	3	0	0	0	2	0	0	1	0	0	0	2	0	
		0	0	0	0	0	0	0	0	5	0	0	0	2	1	0	1	0	0	0	2	0	
		0	3	1	0	0	0	1	0	5	0	0	0	3	2	0	1	0	0	0	4	0	
		0	1	1	1	0	0	0	0	10	0	0	0	11	0	0	4	0	2	1	0	0	
		0	0	0	0	0	0	0	0	3	0	1	0	3	0	0	0	0	1	1	2	0	
		0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	6	3	1	0	0	1	0	27	0	1	0	23	3	0	7	0	3	2	10	0	

表 4-5 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	参加者							認知症							正常							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
久山	欠損	65-69	0	10	1	0	1	0	0	0	5	0	0	0	0	0	0	5	1	0	0	1	0	0
		70-74	0	21	6	0	1	0	0	0	10	3	0	0	0	0	0	10	3	0	0	1	0	0
		75-79	0	36	4	0	3	0	0	0	35	2	0	3	0	0	0	1	2	0	0	0	0	0
		80-84	1	32	3	0	1	2	0	0	28	3	0	0	1	0	1	4	0	0	0	1	1	0
		85-89	0	21	3	0	5	0	0	0	20	3	0	5	0	0	0	1	0	0	0	0	0	0
		90-94	0	7	1	0	0	0	0	0	6	1	0	0	0	0	0	1	0	0	0	0	0	0
		95-99	0	0	0	0	0	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	1	127	18	0	11	4	0	0	104	12	0	8	3	0	1	22	6	0	0	3	1	0
		自立度 Ⅱ未満	65-69	1	361	28	0	2	0	0	0	0	0	0	0	0	0	335	26	0	0	2	0	0
	70-74		3	311	31	0	1	0	0	0	1	0	0	1	0	0	269	27	0	0	0	0	0	
	75-79		7	221	32	0	1	0	0	2	1	0	0	1	0	0	175	23	0	0	0	0	0	
	80-84		8	126	29	0	2	0	0	1	4	2	0	1	0	0	91	22	0	0	0	0	0	
	85-89		4	63	12	0	4	4	0	1	6	1	0	3	1	0	42	10	0	0	0	1	0	
	90-94		5	19	5	0	1	3	0	5	4	1	0	1	3	0	9	3	0	0	0	0	0	
	95-99		1	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		29	1102	137	0	11	7	0	10	16	4	0	7	4	0	4	922	111	0	0	2	1	0
	自立度 Ⅱ以上		65-69	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	2	2	0	0	0	2	0	0	2	0	0	0	2	0	0	0	0	0	0	0	0	
		75-79	2	3	0	0	4	1	1	1	3	0	0	4	1	1	0	0	0	0	0	0	0	
		80-84	5	10	0	0	5	8	0	5	8	0	0	5	8	0	0	1	0	0	0	0	0	
		85-89	11	4	3	0	8	16	0	8	3	3	0	8	16	0	0	0	0	0	0	0	0	
		90-94	1	3	0	0	4	8	0	1	3	0	0	4	8	0	0	0	0	0	0	0	0	
		95-99	4	2	0	0	2	7	0	3	2	0	0	2	7	0	0	0	0	0	0	0	0	
		100+	1	0	0	0	1	1	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	
合計		26	25	3	0	25	43	1	19	22	3	0	25	43	1	0	1	0	0	0	0	0		

表 4-6 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	MCI							AD							VaD							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
久山	欠損	65-69	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	6	1	0	0	0	0	0	2	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	24	1	0	0	0	0	0	8	1	0	0	3	0	0	
		80-84	0	0	0	0	0	0	0	25	1	0	0	1	0	0	3	2	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	14	3	0	0	5	0	0	5	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	5	1	0	0	0	0	0	1	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	77	7	0	0	5	2	0	0	20	3	0	0	3	1	0
		自立度 Ⅱ未満	65-69	1	25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	36	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
	75-79		0	41	8	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	
	80-84		0	31	5	0	0	0	0	2	1	0	0	1	0	0	1	1	0	0	0	0	0	
	85-89		0	12	1	0	1	1	0	0	4	1	0	1	0	0	1	0	0	0	1	0	0	
	90-94		0	6	1	0	0	0	0	1	3	1	0	1	2	0	1	0	0	0	0	1	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		1	151	18	0	1	1	0	1	9	3	0	4	2	0	0	5	1	0	0	1	1	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	
		75-79	0	0	0	0	0	0	0	0	2	0	0	2	1	0	0	0	0	0	0	0	0	
		80-84	0	1	0	0	0	0	0	0	6	0	0	3	7	0	0	1	0	0	0	2	0	
		85-89	0	0	0	0	0	0	0	1	2	0	0	7	14	0	0	2	1	0	0	1	0	
		90-94	0	0	0	0	0	0	0	3	0	0	0	3	6	0	0	0	0	0	0	1	0	
		95-99	0	0	0	0	0	0	0	2	0	0	0	2	6	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
合計		0	1	0	0	0	0	0	0	14	2	0	18	35	0	0	6	1	0	0	4	2	0	

表 4-7 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB						FTLD						Alcohol								
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
久山	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		自立度 II未済	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

表 4-8 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	欠損	自宅 家族と同居	自宅独居	Mixed				欠損	その他						
						有料老人 ホーム	医療機関	施設	その他		自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
久山	欠損	65-69	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		70-74	0	1	0	0	0	0	0	0	1	2	0	0	0	0	0
		75-79	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	2	0	0	0	0	0	0	4	2	0	0	0	0	0
		自立度 II未済	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		75-79	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
		80-84	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	1	0	0	0	0	1	0	1	0	0	0	1	5	0

表 4-9 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	参加者					認知症					正常											
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
大牟田	欠損	65-69	24	72	22	0	0	0	0	0	0	0	0	0	0	23	66	18	0	0	0	0	0	
		70-74	34	56	18	0	1	0	0	0	1	0	0	1	0	26	44	12	0	0	0	0	0	
		75-79	21	58	23	0	0	0	1	0	0	0	0	0	0	13	45	17	0	0	0	0	0	
		80-84	19	36	26	0	0	0	0	0	4	1	0	0	0	4	22	19	0	0	0	0	0	
		85-89	2	12	8	0	0	0	1	1	4	1	0	0	0	0	5	5	0	0	0	0	1	
		90-94	0	1	4	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		合計	94	235	102	0	1	0	1	2	9	2	0	1	0	66	184	75	0	0	0	0	1	
		自立度 II未済	65-69	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
			70-74	5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		11	3	2	0	0	1	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	
	80-84		11	3	5	0	0	0	0	4	0	0	0	0	0	0	1	1	0	0	0	0	0	
	85-89		7	2	2	0	0	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
	90-94		9	1	1	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		45	11	11	1	0	1	0	5	0	0	0	1	0	4	3	2	1	0	0	0	0	
	自立度 II以上		65-69	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	0	2	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
		75-79	11	2	1	0	0	2	0	8	2	0	0	2	0	0	0	0	0	0	0	0		
		80-84	19	6	1	1	0	3	0	12	4	1	0	3	0	0	0	0	0	0	0	0		
		85-89	19	5	3	0	0	2	0	15	3	1	0	2	0	0	1	0	0	0	0	0		
		90-94	17	2	0	0	0	1	0	14	2	0	0	1	0	0	0	0	0	0	0	0		
		95-99	6	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0		
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	75	15	7	1	0	9	0	56	11	3	0	0	9	0	0	0	0	0	0	0	0	

表 4-10 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	MCI					AD					VaD											
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
大牟田	欠損	65-69	1	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	6	11	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
		75-79	7	12	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	8	8	6	0	0	0	0	3	0	0	0	0	0	0	1	1	0	0	0	0	0	
		85-89	1	3	1	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	23	38	21	0	0	0	1	5	1	0	0	0	0	0	1	1	0	1	0	0	0	
		自立度 II未済	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		2	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
	80-84		1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		4	7	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
		75-79	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	
		80-84	1	2	0	0	0	0	0	2	2	1	0	0	0	0	1	0	0	0	0	2	0	
		85-89	0	1	2	0	0	0	1	3	1	0	0	1	0	1	0	0	0	0	0	0	0	
		90-94	1	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	2	3	4	0	0	0	0	3	8	2	0	0	4	0	1	1	1	0	0	3	0	

表 4-11 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
大牟田	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		自立度 II 未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 II 以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

表 4-12 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed							その他						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
大牟田	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		自立度 II 未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		1	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		1	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 II 以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		80-84	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	1	0	0	1	0	0	0	0

表 4(補足)-1 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	参加者							認知症							正常						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	2	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		95-99	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	4	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
		-9	65-69	0	13	2	0	0	0	0	0	0	0	0	0	0	10	1	0	0	0	0	0
			70-74	0	18	4	0	0	1	0	1	1	0	0	1	0	10	2	0	0	0	0	0
			75-79	0	21	3	0	0	1	0	0	4	0	0	1	0	10	3	0	0	0	0	0
	80-84		0	30	4	0	0	1	0	0	11	1	0	0	1	14	2	0	0	0	0	0	
	85-89		0	31	4	1	0	6	2	0	10	1	1	0	5	2	0	1	0	0	0	0	
	90-94		0	28	0	0	1	9	0	0	20	0	0	1	9	0	3	0	0	0	0	0	
	95-99		0	6	0	2	1	6	0	0	4	0	2	1	6	0	2	0	0	0	0	0	
	100+		0	2	0	0	0	2	0	0	1	0	0	0	2	0	1	0	0	0	0	0	
	合計		0	149	17	3	2	25	3	0	51	3	3	2	24	3	0	60	9	0	0	0	
	10+		65-69	0	83	5	0	0	0	1	0	0	0	0	0	0	78	5	0	0	0	0	1
			70-74	1	62	13	0	0	0	1	0	0	0	0	0	1	56	13	0	0	0	0	1
			75-79	0	50	4	0	0	4	0	0	5	0	0	3	0	35	3	0	0	0	1	0
		80-84	0	38	10	0	0	4	1	0	3	0	0	4	1	0	25	7	0	0	0	0	
		85-89	0	30	3	1	0	6	1	0	7	0	0	5	0	0	13	1	1	0	1	0	
		90-94	1	17	2	3	0	6	0	1	5	0	2	0	4	0	5	1	0	0	1	0	
		95-99	0	4	0	1	0	0	0	0	2	0	1	0	0	0	1	0	0	0	0	0	
		100+	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
		合計	2	284	37	5	0	21	4	1	22	0	3	0	17	1	1	213	30	1	0	3	2

表 4(補足)-2 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	MCI							AD							VaD						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
筑波	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
		-9	65-69	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	7	1	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
			75-79	0	7	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	1	0
	80-84		0	5	0	0	0	0	0	0	7	0	0	0	1	0	0	2	1	0	0	0	
	85-89		0	10	2	0	0	0	0	0	7	0	0	0	1	2	0	2	1	0	0	2	0
	90-94		0	4	0	0	0	0	0	0	14	0	0	0	8	0	0	4	0	0	1	1	0
	95-99		0	0	0	0	0	0	0	0	4	0	1	0	4	0	0	0	0	1	1	2	0
	100+		0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0
	合計		0	36	4	0	0	0	0	0	35	1	1	0	16	2	0	10	2	1	2	6	0
	10+		65-69	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			75-79	0	10	1	0	0	0	0	0	4	0	0	0	2	0	0	0	0	0	0	1
		80-84	0	9	3	0	0	0	0	0	3	0	0	0	2	1	0	0	0	0	0	2	0
		85-89	0	10	1	0	0	0	1	0	6	0	0	0	2	0	0	1	0	0	0	2	0
		90-94	0	6	1	1	0	1	0	0	3	0	0	0	4	0	0	1	0	2	0	0	0
		95-99	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		合計	0	46	6	1	0	1	1	0	17	0	0	0	11	1	0	2	0	2	0	5	0

表 4(補足)-5 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	参加者						認知症						正常										
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他		
久山	欠損	65-69	0	0	1	0	2	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	
		70-74	4	0	0	0	1	2	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	
		75-79	8	0	0	0	3	0	0	3	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0
		80-84	13	0	0	0	4	8	0	6	0	0	0	4	8	0	2	0	0	0	0	0	0	0	0
		85-89	15	0	0	0	10	6	0	9	0	0	0	9	6	0	0	0	0	0	0	0	0	0	0
		90-94	6	0	1	0	1	5	0	6	0	0	0	1	5	0	0	0	1	0	0	0	0	0	0
		95-99	5	0	0	0	2	4	0	4	0	0	0	2	4	0	0	0	0	0	0	0	0	0	0
		100+	1	0	0	0	1	1	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
		合計	52	0	2	0	24	26	0	29	0	0	0	21	26	0	2	0	2	0	2	0	2	0	0
		-9	65-69	1	91	9	0	0	0	0	3	0	0	0	0	0	0	0	82	9	0	0	0	0	0
			70-74	0	123	15	0	0	0	0	10	2	0	0	0	0	0	94	12	0	0	0	0	0	0
			75-79	0	128	20	0	0	1	1	25	2	0	0	1	1	0	81	11	0	0	0	0	0	0
	80-84		1	89	14	0	3	1	0	25	3	0	1	1	0	1	46	9	0	1	0	0	0	0	
	85-89		0	49	9	0	5	13	0	15	2	0	5	11	0	0	23	6	0	0	1	0	0	0	
	90-94		0	17	5	0	2	4	0	7	2	0	2	4	0	0	6	2	0	0	0	0	0	0	
	95-99		0	2	0	0	0	3	0	1	0	0	0	3	0	0	1	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		2	499	72	0	10	22	1	0	86	11	0	8	20	1	1	333	48	0	1	1	0	0	
	10+		65-69	0	281	19	0	2	0	0	3	0	0	0	0	0	0	258	18	0	2	0	0	0	0
			70-74	1	211	22	0	1	0	0	3	1	0	1	0	0	1	185	18	0	0	0	0	0	0
			75-79	1	132	16	0	5	0	0	14	0	0	5	0	0	1	95	14	0	0	0	0	0	0
		80-84	0	79	18	0	1	1	0	15	2	0	1	0	0	0	50	13	0	0	1	0	0	0	
		85-89	0	39	9	0	2	1	0	14	5	0	2	0	0	0	20	4	0	0	0	0	0	0	
		90-94	0	12	0	0	2	2	0	6	0	0	2	2	0	0	4	0	0	0	0	0	0	0	
		95-99	0	1	0	0	0	2	0	1	0	0	0	2	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	2	755	84	0	13	6	0	0	56	8	0	11	4	0	2	612	67	0	2	1	0	0	

表 4(補足)-6 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	MCI						AD						VaD										
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他		
久山	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	3	7	0	0	0	0	0	0	1	0	0	0
		85-89	0	0	0	0	1	0	0	0	0	0	0	8	6	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	1	0	0	0	0	1	3	0	0	0	0	0	0	0	1	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	1	0	1	0	0	0	0	15	20	0	0	0	0	0	0	4	2	0	0
		-9	65-69	1	6	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0
			70-74	0	14	0	0	0	0	0	5	0	0	0	0	0	0	3	0	0	0	0	0	0	0
			75-79	0	20	6	0	0	0	0	17	1	0	0	1	0	0	5	1	0	0	0	0	0	0
	80-84		0	18	2	0	0	0	0	22	1	0	0	1	0	0	2	0	0	0	1	0	0	0	
	85-89		0	7	1	0	0	1	0	11	2	0	3	8	0	0	3	0	0	2	0	0	0	0	
	90-94		0	4	1	0	0	0	0	6	2	0	2	3	0	0	1	0	0	0	1	0	0	0	
	95-99		0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		1	69	10	0	0	1	0	64	6	0	5	16	0	0	15	3	0	3	1	0	0	0	
	10+		65-69	0	19	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
			70-74	0	22	2	0	0	0	0	1	1	0	0	0	0	0	2	0	0	0	0	0	0	0
			75-79	0	21	2	0	0	0	0	9	0	0	3	0	0	0	4	0	0	1	0	0	0	0
		80-84	0	14	3	0	0	0	0	11	1	0	1	0	0	0	3	1	0	0	0	0	0	0	
		85-89	0	5	0	0	0	0	0	8	4	0	2	0	0	0	5	1	0	0	0	0	0	0	
		90-94	0	2	0	0	0	0	0	5	0	0	1	2	0	0	1	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	83	8	0	0	0	0	36	6	0	7	3	0	0	16	2	0	1	1	0	0	0	

表 4(補足)-7 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	DLB							FTLD							Alcohol						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
久山	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		-9	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	10+		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

表 4(補足)-8 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	Mixed							その他						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
久山	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	1	0	0	0	0	0	0	3	0
		-9	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	1	0	0	0	0	0	1	2	0	0	0	0	0
	75-79		0	2	0	0	0	0	0	1	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	1	0	0	0	0	2	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	3	0	0	0	0	0	4	2	0	0	0	2	0
	10+		65-69	0	0	0	0	0	0	0	1	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	2	0	0	0	2	0	0

表 4(補足)-9 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	参加者							認知症							正常							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
大牟田	欠損	65-69	19	3	0	0	0	0	1	0	0	0	0	0	0	13	3	0	0	0	0	0	0	
		70-74	29	3	0	0	0	0	0	0	0	0	0	0	0	18	2	0	0	0	0	0	0	
		75-79	37	3	2	0	0	1	0	9	0	0	0	1	0	10	2	1	0	0	0	0	0	
		80-84	40	2	0	0	0	2	0	16	1	0	0	2	0	4	1	0	0	0	0	0	0	
		85-89	27	1	0	0	0	0	0	16	1	0	0	0	0	2	0	0	0	0	0	0	0	
		90-94	25	0	0	1	0	0	0	14	0	0	0	0	0	1	0	0	1	0	0	0	0	
		95-99	6	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	183	12	2	1	0	3	0	62	2	0	0	3	0	48	8	1	1	0	0	0	0	
		-9	65-69	1	15	3	0	0	0	0	0	0	0	0	0	0	1	14	2	0	0	0	0	0
			70-74	2	9	7	0	1	1	0	0	1	0	1	1	0	1	6	3	0	0	0	0	0
			75-79	1	15	11	0	0	2	0	0	0	0	0	2	0	1	7	9	0	0	0	0	0
	80-84		2	15	14	1	0	1	0	0	3	2	0	1	0	0	8	9	0	0	0	0	0	
	85-89		1	6	3	0	0	2	0	1	2	2	0	2	0	0	3	0	0	0	0	0	0	
	90-94		1	2	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
	合計		8	62	40	1	1	7	0	1	7	4	0	1	7	0	38	24	0	0	0	0	0	
	10+		65-69	9	55	19	0	0	0	0	0	0	0	0	0	0	9	50	16	0	0	0	0	0
			70-74	8	45	14	0	0	0	0	0	1	0	0	0	0	7	36	9	0	0	0	0	0
			75-79	5	45	13	0	0	0	0	0	2	0	0	0	0	3	38	8	0	0	0	0	0
		80-84	1	28	18	0	0	0	0	0	4	0	0	0	0	0	14	11	0	0	0	0	0	
		85-89	0	12	10	0	0	1	0	4	0	0	0	0	0	0	3	5	0	0	0	0	1	
		90-94	0	2	4	0	0	0	0	1	0	0	0	0	0	0	1	3	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	23	187	78	0	0	0	1	0	11	1	0	0	0	0	19	142	52	0	0	0	1	

表 4(補足)-10 認知症と認知症の基礎疾患の集計 (世帯状況、地域、年齢階級、教育別)

地域	教育	年齢階級	MCI							AD							VaD								
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他		
大牟田	欠損	65-69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		70-74	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		75-79	7	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
		80-84	8	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	
		85-89	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	0	0	0	
		90-94	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	23	2	1	0	0	0	0	3	2	0	0	0	1	0	1	0	0	0	0	1	0	0	
		-9	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	2	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
			75-79	0	8	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
	80-84		1	4	3	0	0	0	0	0	2	1	0	0	0	0	1	1	0	0	0	1	0	0	
	85-89		0	1	1	0	0	0	0	1	1	2	0	0	1	0	0	0	0	0	0	0	0	0	
	90-94		1	1	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		2	16	10	0	0	0	0	1	4	3	0	0	4	0	1	1	0	0	1	2	0	0	
	10+		65-69	0	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	1	9	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
			75-79	2	5	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	1	7	5	0	0	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
		85-89	0	5	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	4	30	19	0	0	0	0	7	0	0	0	0	0	0	1	1	0	0	0	0	0	0	

表 5 認知症の有病率と推定患者数（地域別）

地域	有病率			推定患者数		
	推定値	95%信頼区間		推定値	95%信頼区間	
筑波	0.133	0.113	0.153	722.9	614.9	830.8
久山	0.196	0.182	0.211	409.3	378.9	439.6
大牟田	0.171	0.148	0.193	280.4	243.0	317.8

表 5-1 認知症の調査集計数（地域別）

地域	認知症		合計
	無	有	
筑波	426	132	558
久山	1289	281	1570
大牟田	510	99	609

表6 認知症の有病率と推定患者数（地域、性別、年齢階級別）

地域	性別	年齢階級	有病率			推定患者数		
			推定値	95%信頼区間		推定値	95%信頼区間	
筑波	男性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.020	-0.014	0.054	12.4	-8.4	33.2
		75-79	0.156	0.064	0.247	68.1	27.9	108.3
		80-84	0.186	0.085	0.287	54.0	24.7	83.2
		85-89	0.325	0.199	0.451	47.1	28.8	65.4
		90-94	0.522	0.339	0.705	23.5	15.2	31.7
		95+	0.500	0.049	0.951	4.0	0.4	7.6
	女性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.040	-0.007	0.087	25.0	-4.3	54.4
		75-79	0.171	0.071	0.271	91.2	37.7	144.7
		80-84	0.289	0.174	0.404	136.4	82.2	190.5
		85-89	0.400	0.276	0.524	138.4	95.5	181.3
		90-94	0.689	0.572	0.806	98.5	81.7	115.3
		95+	0.810	0.658	0.961	24.3	19.7	28.8
久山	男性	65-69	0.023	0.004	0.042	5.1	0.9	9.3
		70-74	0.072	0.039	0.105	15.9	8.6	23.2
		75-79	0.155	0.106	0.205	30.0	20.4	39.5
		80-84	0.221	0.146	0.296	25.8	17.1	34.6
		85-89	0.422	0.318	0.526	36.3	27.3	45.2
		90-94	0.462	0.205	0.718	8.8	3.9	13.6
		95+	1.000	1.000	1.000	3.0	3.0	3.0
	女性	65-69	0.013	0.001	0.025	3.5	0.2	6.8
		70-74	0.033	0.013	0.053	8.7	3.4	14.1
		75-79	0.186	0.136	0.236	41.4	30.3	52.5
		80-84	0.322	0.258	0.386	64.7	51.8	77.6
		85-89	0.543	0.457	0.628	80.8	68.1	93.6
		90-94	0.705	0.588	0.822	55.7	46.4	64.9
		95+	0.895	0.769	1.020	29.5	25.4	33.7
大牟田	男性	65-69	0.021	-0.014	0.056	3.2	-2.2	8.5
		70-74	0.000	0.000	0.000	0.0	0.0	0.0
		75-79	0.059	0.003	0.115	7.4	0.4	14.3
		80-84	0.179	0.075	0.284	16.3	6.8	25.9
		85-89	0.438	0.213	0.662	28.0	13.6	42.4
		90-94	0.375	0.028	0.722	7.5	0.6	14.4
		95+	1.000			3.0		
	女性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.056	0.010	0.102	10.6	2.0	19.2
		75-79	0.131	0.069	0.193	27.5	14.6	40.4
		80-84	0.259	0.179	0.338	55.4	38.4	72.4
		85-89	0.447	0.324	0.570	63.0	45.6	80.4
		90-94	0.483	0.322	0.643	41.0	27.4	54.7
		95+	0.833	0.497	1.169	17.5	10.4	24.6

表 7-1-1 認知症分類別の有病率（地域別）

地域	欠損			AD			VaD		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
筑波	0.867	0.847	0.887	0.083	0.067	0.099	0.033	0.021	0.044
久山	0.823	0.809	0.838	0.127	0.114	0.140	0.032	0.025	0.040
大牟田	0.929	0.912	0.946	0.044	0.030	0.058	0.014	0.006	0.022

NA：該当者なし

表 7-1-2 認知症分類別の有病率（地域別）

地域	DLB/PDD			FTLD			アルコール		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
筑波	0.009	0.002	0.016	0.002	0.000	0.005	0.002	0.000	0.006
久山	0.005	0.002	0.008	NA	NA	NA	NA	NA	NA
大牟田	0.005	0.000	0.010	0.002	0.000	0.004	NA	NA	NA

NA：該当者なし

表 7-1-3 認知症分類別の有病率（地域別）

地域	Mix			Others		
	推定値	95%信頼区間		推定値	95%信頼区間	
筑波	0.002	0.000	0.005	0.001	0.000	0.003
久山	0.003	0.000	0.005	0.010	0.006	0.014
大牟田	0.003	0.000	0.006	0.004	0.000	0.009

NA：該当者なし

表 7-2-1 認知症分類別の患者推定数（地域別）

地域	欠損			AD			VaD		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
筑波	4704.15	4596.22	4812.07	451.26	364.06	538.46	178.13	116.12	240.15
久山	1715.01	1684.71	1745.31	264.37	237.32	291.42	67.07	51.38	82.77
大牟田	1525.80	1497.74	1553.87	71.90	49.05	94.74	23.02	10.44	35.59

NA：該当者なし

表 7-2-2 認知症分類別の患者推定数（地域別）

地域	DLB/PDD			FTLD			アルコール		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
筑波	48.30	12.26	84.33	13.55	0.00	27.21	12.52	0.00	33.15
久山	10.33	3.89	16.78	NA	NA	NA	NA	NA	NA
大牟田	8.65	0.47	16.82	2.52	0.00	6.67	NA	NA	NA

NA：該当者なし

表 7-2-3 認知症分類別の患者推定数（地域別）

地域	Mix			Others		
	推定値	95%信頼区間		推定値	95%信頼区間	
筑波	11.31	0.00	25.32	7.78	0.09	15.47
久山	5.26	0.93	9.60	20.95	12.00	29.90
大牟田	4.67	0.00	10.03	6.45	0.00	14.18

NA：該当者なし

表 7-3 認知症分類別の調査集計数（地域別）

地域	認知症の分類								合計
	欠損	AD	VaD	DLB/PDD	FTLD	アルコール	Mix	Others	
筑波	426	85	31	7	3	1	2	3	558
久山	1317	179	48	7	0	0	4	15	1570
大牟田	567	25	9	3	1	0	2	2	609

NA：該当者なし

表 8 MCI の有病率と推定患者数（地域別）

地域	有病率			推定患者数		
	推定値	95%信頼区間		推定値	95%信頼区間	
筑波	0.151	0.125	0.177	818.83	676.51	961.15
久山	0.111	0.098	0.124	231.96	204.64	259.29
大牟田	0.173	0.148	0.198	284.62	243.40	325.84

表 8-1 MCI の調査集計数（地域別）

地域	MCI		合計
	無	有	
筑波	463	95	558
久山	1397	173	1570
大牟田	502	107	609

表9 MCIの有病率と推定患者数(地域、性別、年齢階級別)

地域	性別	年齢階級	有病率			推定患者数		
			推定値	95%信頼区間		推定値	95%信頼区間	
筑波	男性	65-69	0.145	0.065	0.226	129.75	58.12	201.37
		70-74	0.160	0.072	0.248	99.20	44.76	153.64
		75-79	0.244	0.136	0.353	107.07	59.39	154.75
		80-84	0.233	0.123	0.342	67.44	35.65	99.24
		85-89	0.300	0.176	0.424	43.50	25.57	61.43
		90-94	0.261	0.100	0.422	11.74	4.51	18.97
		95+	0.167	-0.169	0.503	1.33	-1.35	4.02
	女性	65-69	0.020	-0.014	0.055	17.10	-11.58	45.79
		70-74	0.100	0.028	0.172	62.60	17.62	107.58
		75-79	0.171	0.071	0.271	91.17	37.67	144.67
		80-84	0.156	0.064	0.247	73.42	30.09	116.75
		85-89	0.267	0.155	0.379	92.27	53.51	131.02
		90-94	0.156	0.064	0.247	22.24	9.12	35.37
		95+	0.000	0.000	0.000	0.00	0.00	0.00
久山	男性	65-69	0.086	0.051	0.121	19.20	11.34	27.06
		70-74	0.108	0.068	0.148	23.82	15.02	32.62
		75-79	0.176	0.124	0.228	33.91	23.88	43.93
		80-84	0.198	0.126	0.270	23.13	14.72	31.53
		85-89	0.063	0.012	0.113	5.38	1.00	9.75
		90-94	0.154	-0.032	0.339	2.92	-0.60	6.45
		95+	0.000	0.000	0.000	0.00	0.00	0.00
	女性	65-69	0.052	0.028	0.076	13.97	7.47	20.47
		70-74	0.094	0.061	0.127	24.98	16.17	33.78
		75-79	0.138	0.093	0.182	30.71	20.85	40.58
		80-84	0.137	0.090	0.184	27.53	18.03	37.04
		85-89	0.117	0.062	0.172	17.44	9.18	25.69
		90-94	0.114	0.032	0.195	8.98	2.55	15.40
		95+	0.000	0.000	0.000	0.00	0.00	0.00
大牟田	男性	65-69	0.104	0.029	0.179	15.94	4.50	27.38
		70-74	0.229	0.126	0.332	32.54	17.93	47.15
		75-79	0.294	0.186	0.402	36.76	23.27	50.26
		80-84	0.256	0.137	0.376	23.33	12.47	34.20
		85-89	0.125	-0.025	0.275	8.00	-1.58	17.58
		90-94	0.250	-0.060	0.560	5.00	-1.20	11.20
		95+	0.000			0.00		
	女性	65-69	0.039	0.002	0.077	7.34	0.38	14.31
		70-74	0.197	0.118	0.276	37.07	22.17	51.97
		75-79	0.167	0.099	0.235	35.00	20.71	49.29
		80-84	0.224	0.148	0.299	47.84	31.66	64.01
		85-89	0.191	0.094	0.289	27.00	13.27	40.73
		90-94	0.103	0.006	0.201	8.79	0.47	17.12
		95+	0.000	0.000	0.000	0.00	0.00	0.00