

表 4-11 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
利根	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		自立度 II未済	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		大府	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
自立度 II未済	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度 II以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表 4-12 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
海士	欠損	65-69	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	2	5	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		伊万里	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
自立度 Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表 4-13 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
杵築	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		上越	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
自立度Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

表 4-14 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol								
			欠損	自宅家族と同居	自宅独居	有料老人ホーム	医療機関	施設	その他	欠損	自宅家族と同居	自宅独居	有料老人ホーム	医療機関	施設	その他	欠損	自宅家族と同居	自宅独居	有料老人ホーム	医療機関	施設	その他		
つくば	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
		90-94	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	5	0	2	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	
		久山	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100+	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
自立度Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100+			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	0	0	0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	

表 4-15 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	DLB							FTLD							Alcohol						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
大牟田	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ以上	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0

表 4-16 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed						その他									
			欠損	自宅家族と同居	自宅独居	有料老人ホーム	医療機関	施設	その他	欠損	自宅家族と同居	自宅独居	有料老人ホーム	医療機関	施設	その他		
利根	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	
		90-94	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	
		95-99	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	2	0	0	1	0	0	0	6	0	
		大府	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
自立度Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表 4-17 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed						その他								
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
海士	欠損	65-69	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	1	0	0	0	1	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	3	0	0	0	2	0
		自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		伊万里	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	1	0	0	0	0	0	0	0	0	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	0	
100>	0			0	0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			1	0	0	0	0	0	0	0	0	0	0	0	0	0
自立度 Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	1	0	0	0	1	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	1	0	0	0	0	0	0	0	0	0	0	0	0	
85-89		0	0	0	0	0	0	0	0	0	0	0	0	1	0		
90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0		
95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0		
100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0		
合計		0	1	0	0	0	0	0	0	1	0	0	0	1	0	0	

表 4-18 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed							その他							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
杵築	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	1	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		上越	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74			0	1	0	0	0	0	0	0	0	0	0	0	0	0
	75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94			0	2	0	0	0	0	0	0	0	0	0	0	0	0
	95-99			0	2	0	0	0	0	0	0	0	0	0	0	0	0
	100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計			0	5	0	0	0	0	0	0	0	0	0	0	0	0
自立度 Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	2	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	2	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	1	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
75-79			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
80-84			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89			0	1	0	0	0	0	0	0	0	0	0	0	0	0	
90-94			0	0	1	0	0	0	1	0	0	0	0	0	0	0	
95-99			0	1	0	0	0	0	1	0	0	0	0	0	0	0	
100>			0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	2	1	0	0	0	2	0	0	0	0	0	0	0	0

表 4-19 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed							その他						
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
つくば	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	1	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	0	0	0	0	0	0	1	0	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	2	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	2	0	0	1	0	0	0	0	0
		久山	欠損	65-69	0	0	0	0	0	0	0	1	0	0	0	0
	70-74			0	1	0	0	0	0	0	1	2	0	0	0	0
	75-79			0	1	0	0	0	0	0	1	0	0	0	0	0
80-84	0			0	0	0	0	0	0	0	0	0	0	0	0	
85-89	0			0	0	0	0	0	0	1	0	0	0	0	0	
90-94	0			0	0	0	0	0	0	0	0	0	0	0	0	
95-99	0			0	0	0	0	0	0	0	0	0	0	0	0	
100+	0			0	0	0	0	0	0	0	0	0	0	0	0	
合計	0			2	0	0	0	0	0	4	2	0	0	0	0	
自立度 Ⅱ未満	65-69			0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	1	0	0	
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	1	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	1	0	0	1	0	0	
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74			0	0	0	0	0	0	0	0	0	0	0	1	0	
75-79			0	1	0	0	0	0	0	0	0	0	1	0	0	
80-84			0	0	0	0	0	1	0	0	1	0	0	0	0	
85-89			0	0	0	0	0	0	0	0	0	0	0	2	0	
90-94			0	0	0	0	0	0	0	0	0	0	0	1	0	
95-99			0	0	0	0	0	0	0	0	0	0	0	1	0	
100+			0	0	0	0	0	0	0	0	0	0	0	0	0	
合計			0	1	0	0	0	1	0	0	1	0	1	5	0	

表 4-20 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級、生活自立度別）

地域	生活自立度	年齢階級	Mixed							その他							
			欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	
大牟田	欠損	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		自立度 Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100+		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度 Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		80-84	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0

表 5 認知症の有病率と推定患者数（地域別）

地域	有病率			推定患者数		
	推定値	95%信頼区間		推定値	95%信頼区間	
利根	0.140	0.122	0.159	654.4	568.2	740.5
大府	0.124	0.101	0.147	1794.8	1455.9	2133.7
海士	0.157	0.135	0.178	141.8	122.2	161.4
伊万里	0.149	0.121	0.176	79.0	64.3	93.7
杵築	0.153	0.128	0.178	1541.9	1287.7	1796.1
上越	0.222	0.194	0.250	11767	10282	13251
つくば	0.133	0.113	0.153	722.9	614.9	830.8
久山	0.196	0.182	0.211	409.3	378.9	439.6
大牟田	0.171	0.148	0.193	280.4	243.0	317.8

表 5-1 認知症の調査集計数（地域別）

地域	認知症		合計
	無	有	
利根	452	160	612
大府	325	137	462
海士	605	96	701
伊万里	374	63	437
杵築	337	100	437
上越	324	192	516
つくば	426	132	558
久山	1289	281	1570
大牟田	510	99	609

表 6-1 認知症の有病率と推定患者数（地域、性別、年齢階級別）

地域	性別	年齢階級	有病率			推定患者数		
			推定値	95%信頼区間		推定値	95%信頼区間	
利根	男性	65-69	0	0	0	0	0	0
		70-74	0.058	0.003	0.112	32.7	1.7	63.7
		75-79	0.176	0.086	0.267	56.3	27.5	85.1
		80-84	0.119	0.048	0.190	25.9	10.4	41.3
		85-89	0.347	0.232	0.462	29.8	19.9	39.7
		90-94	0.353	0.144	0.562	10.6	4.3	16.8
		95>	0.333	-0.64	1.307	2.7	-5.1	10.5
	女性	65-69	0.019	-0.013	0.051	16.5	-11.2	44.2
		70-74	0.035	-0.006	0.076	16.1	-2.8	35.1
		75-79	0.216	0.118	0.313	96.2	52.7	139.7
		80-84	0.388	0.270	0.506	134.9	93.9	176.0
		85-89	0.519	0.402	0.636	114.8	88.8	140.7
		90-94	0.837	0.747	0.926	97.1	86.7	107.4
		95>	0.8	0.641	0.959	20.8	16.7	24.9
大府	男性	65-69	0.027	-0.019	0.073	71.2	-49.0	191.5
		70-74	0.029	-0.020	0.077	53.3	-36.8	143.3
		75-79	0.211	0.097	0.324	248.2	114.9	381.5
		80-84	0.222	0.117	0.328	160.2	84.3	236.1
		85-89	0.512	0.382	0.641	142.2	106.2	178.3
		90-94	0.719	0.582	0.856	58.2	47.1	69.3
		95>	0.429	0.186	0.672	8.1	3.5	12.8
	女性	65-69	0.028	-0.019	0.075	71.5	-49.3	192.3
		70-74	0.029	-0.020	0.079	52.6	-36.4	141.6
		75-79	0.161	0.047	0.275	231.5	67.9	395.0
		80-84	0.219	0.093	0.345	211.8	89.9	333.6
		85-89	0.406	0.257	0.556	236.4	149.4	323.5
		90-94	0.667	0.518	0.815	179.3	139.3	219.3
		95>	0.826	0.687	0.965	70.2	58.4	82.0
海士	男性	65-69	0.079	0.022	0.137	6.0	1.7	10.3
		70-74	0.055	0.010	0.099	5.2	0.9	9.4
		75-79	0.083	0.029	0.138	7.7	2.6	12.7
		80-84	0.146	0.059	0.232	8.2	3.3	13.0
		85-89	0.278	0.089	0.467	8.1	2.6	13.5
		90-94	0.364	0.088	0.639	5.8	1.4	10.2
		95>	0	0	0	0	0	0
	女性	65-69	0.163	0.093	0.232	15.4	8.9	22.0
		70-74	0.079	0.031	0.126	8.0	3.2	12.9
		75-79	0.159	0.100	0.218	19.5	12.3	26.8
		80-84	0.139	0.074	0.204	14.3	7.6	21.1
		85-89	0.273	0.159	0.387	19.4	11.3	27.5
		90-94	0.286	0.064	0.508	8.3	1.9	14.7
		95>	1			16		

表 6-2 認知症の有病率と推定患者数（地域、性別、年齢階級別）

地域	性別	年齢階級	有病率			推定患者数		
			推定値	95%信頼区間		推定値	95%信頼区間	
伊万里	男性	65-69	0.056	-0.010	0.121	3.1	-0.5	6.7
		70-74	0.121	0.023	0.219	5.2	1.0	9.4
		75-79	0.082	0.015	0.148	4.8	0.9	8.7
		80-84	0.125	0.007	0.243	3.4	0.2	6.6
		85-89	0.125	-0.112	0.362	1.5	-1.3	4.3
		90-94	0.2	-0.226	0.626	1	-1.1	3.1
		95>	1	1	1	3	3	3
	女性	65-69	0.022	-0.015	0.060	1.2	-0.8	3.2
		70-74	0.033	-0.006	0.072	2.2	-0.4	4.8
		75-79	0.119	0.053	0.186	8.7	3.9	13.6
		80-84	0.217	0.127	0.306	14.3	8.4	20.2
		85-89	0.387	0.236	0.538	16.3	9.9	22.6
		90-94	0.6	0.369	0.831	10.8	6.6	15.0
		95>	0.5	-2.657	3.657	3.5	-18.6	25.6
杵築	男性	65-69	0.026	-0.018	0.071	26.3	-18.1	70.6
		70-74	0.05	-0.009	0.109	47.5	-8.4	103.4
		75-79	0.111	0.021	0.201	105.6	20.3	190.8
		80-84	0.162	0.058	0.266	115.6	41.7	189.6
		85-89	0.256	0.137	0.376	91.3	48.8	133.8
		90-94	0.6	0.406	0.794	71.4	48.3	94.5
		95>	0.667	0.357	0.977	20.7	11.1	30.3
	女性	65-69	0.083	0.004	0.162	95.3	5.0	185.6
		70-74	0	0	0	0	0	0
		75-79	0.053	-0.009	0.115	66	-11.7	143.7
		80-84	0.132	0.038	0.225	153.0	44.0	262.1
		85-89	0.522	0.339	0.705	396.5	257.5	535.5
		90-94	0.759	0.621	0.896	285.2	233.5	337.0
		95>	0.833	0.676	0.991	67.5	54.8	80.2
上越	男性	65-69	0.075	0.004	0.146	469.2	24.6	913.8
		70-74	0.163	0.067	0.259	861.5	354.5	1368.5
		75-79	0.25	0.144	0.356	1190.0	685.5	1694.5
		80-84	0.233	0.100	0.367	783.3	335.3	1231.3
		85-89	0.257	0.130	0.384	393.4	199.5	587.3
		90-94	0.742	0.606	0.878	345	281.9	408.1
		95>	0.829	0.719	0.938	90.3	78.4	102.2
	女性	65-69	0.026	-0.018	0.069	170.5	-117.0	458.1
		70-74	0.028	-0.019	0.075	178.0	-122.8	478.8
		75-79	0.111	0.021	0.201	714.4	137.3	1291.6
		80-84	0.359	0.228	0.490	2064.1	1309.7	2818.5
		85-89	0.692	0.566	0.819	2703.5	2210.5	3196.4
		90-94	0.784	0.668	0.900	1280.7	1091.4	1470.0
		95>	0.929	0.844	1.013	522.8	475.3	570.3

表 6-3 認知症の有病率と推定患者数（地域、性別、年齢階級別）

地域	性別	年齢階級	有病率			推定患者数		
			推定値	95%信頼区間		推定値	95%信頼区間	
つくば	男性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.020	-0.014	0.054	12.4	-8.4	33.2
		75-79	0.156	0.064	0.247	68.1	27.9	108.3
		80-84	0.186	0.085	0.287	54.0	24.7	83.2
		85-89	0.325	0.199	0.451	47.1	28.8	65.4
		90-94	0.522	0.339	0.705	23.5	15.2	31.7
		95+	0.500	0.049	0.951	4.0	0.4	7.6
	女性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.040	-0.007	0.087	25.0	-4.3	54.4
		75-79	0.171	0.071	0.271	91.2	37.7	144.7
		80-84	0.289	0.174	0.404	136.4	82.2	190.5
		85-89	0.400	0.276	0.524	138.4	95.5	181.3
		90-94	0.689	0.572	0.806	98.5	81.7	115.3
		95+	0.810	0.658	0.961	24.3	19.7	28.8
久山	男性	65-69	0.023	0.004	0.042	5.1	0.9	9.3
		70-74	0.072	0.039	0.105	15.9	8.6	23.2
		75-79	0.155	0.106	0.205	30.0	20.4	39.5
		80-84	0.221	0.146	0.296	25.8	17.1	34.6
		85-89	0.422	0.318	0.526	36.3	27.3	45.2
		90-94	0.462	0.205	0.718	8.8	3.9	13.6
		95+	1.000	1.000	1.000	3.0	3.0	3.0
	女性	65-69	0.013	0.001	0.025	3.5	0.2	6.8
		70-74	0.033	0.013	0.053	8.7	3.4	14.1
		75-79	0.186	0.136	0.236	41.4	30.3	52.5
		80-84	0.322	0.258	0.386	64.7	51.8	77.6
		85-89	0.543	0.457	0.628	80.8	68.1	93.6
		90-94	0.705	0.588	0.822	55.7	46.4	64.9
		95+	0.895	0.769	1.020	29.5	25.4	33.7
大牟田	男性	65-69	0.021	-0.014	0.056	3.2	-2.2	8.5
		70-74	0.000	0.000	0.000	0.0	0.0	0.0
		75-79	0.059	0.003	0.115	7.4	0.4	14.3
		80-84	0.179	0.075	0.284	16.3	6.8	25.9
		85-89	0.438	0.213	0.662	28.0	13.6	42.4
		90-94	0.375	0.028	0.722	7.5	0.6	14.4
		95+	1.000			3.0		
	女性	65-69	0.000	0.000	0.000	0.0	0.0	0.0
		70-74	0.056	0.010	0.102	10.6	2.0	19.2
		75-79	0.131	0.069	0.193	27.5	14.6	40.4
		80-84	0.259	0.179	0.338	55.4	38.4	72.4
		85-89	0.447	0.324	0.570	63.0	45.6	80.4
		90-94	0.483	0.322	0.643	41.0	27.4	54.7
		95+	0.833	0.497	1.169	17.5	10.4	24.6

表 6-4 認知症の有病率と推定患者数（地域、年齢階級別、男女計）

地域	年齢階級	有病率			推定患者数		
		推定値	95%信頼区間		推定値	95%信頼区間	
利根	65-69	0.009	-0.006	0.024	16.5	-10.7	43.8
	70-74	0.048	0.013	0.082	48.9	13.1	84.6
	75-79	0.199	0.132	0.266	152.5	101.2	203.8
	80-84	0.284	0.208	0.360	160.8	117.7	203.9
	85-89	0.471	0.382	0.560	144.6	117.3	171.9
	90-94	0.737	0.657	0.818	107.6	95.9	119.4
	95+	0.690	0.517	0.864	23.5	17.6	29.4
大府	65-69	0.027	-0.005	0.059	142.7	-23.6	309.1
	70-74	0.029	-0.005	0.063	105.8	-17.5	229.2
	75-79	0.183	0.105	0.262	479.7	274.3	685.1
	80-84	0.220	0.137	0.303	372.0	232.0	511.9
	85-89	0.440	0.334	0.547	378.7	287.0	470.4
	90-94	0.679	0.564	0.794	237.6	197.3	277.8
	95+	0.753	0.637	0.870	78.4	66.3	90.5
海士	65-69	0.126	0.080	0.171	21.4	13.6	29.1
	70-74	0.067	0.035	0.100	13.2	6.8	19.5
	75-79	0.127	0.086	0.167	27.2	18.5	36.0
	80-84	0.142	0.090	0.193	22.5	14.3	30.7
	85-89	0.274	0.179	0.369	27.4	17.9	36.9
	90-94	0.313	0.153	0.473	14.1	6.9	21.3
	95+	0.800	0.800	0.800	16.0	16.0	16.0
伊万里	65-69	0.039	0.002	0.076	4.3	0.2	8.3
	70-74	0.068	0.024	0.112	7.4	2.6	12.3
	75-79	0.103	0.056	0.149	13.5	7.4	19.7
	80-84	0.190	0.119	0.261	17.7	11.1	24.3
	85-89	0.329	0.206	0.452	17.8	11.1	24.4
	90-94	0.513	0.330	0.697	11.8	7.6	16.0
	95+	0.650	0.073	1.227	6.5	0.7	12.3
杵築	65-69	0.057	0.011	0.103	121.6	23.4	219.8
	70-74	0.022	-0.003	0.047	47.5	-7.2	102.2
	75-79	0.078	0.027	0.129	171.6	59.0	284.2
	80-84	0.143	0.075	0.212	268.6	139.9	397.4
	85-89	0.437	0.312	0.562	487.8	348.1	627.6
	90-94	0.720	0.610	0.831	356.6	301.9	411.4
	95+	0.787	0.655	0.919	88.2	73.4	102.9
つくば	65-69	0.000	0.000	0.000	0.0	0.0	0.0
	70-74	0.030	0.002	0.058	37.4	2.1	72.8
	75-79	0.164	0.096	0.231	159.3	93.8	224.8
	80-84	0.250	0.170	0.329	190.3	129.9	250.7
	85-89	0.378	0.285	0.471	185.5	139.8	231.3
	90-94	0.649	0.552	0.746	122.0	103.7	140.2
	95+	0.744	0.606	0.882	28.3	23.0	33.5
久山	65-69	0.017	0.007	0.028	8.6	3.3	13.9
	70-74	0.051	0.032	0.069	24.6	15.6	33.7
	75-79	0.172	0.137	0.207	71.4	56.8	86.0
	80-84	0.285	0.236	0.333	90.6	75.1	106.0
	85-89	0.498	0.433	0.564	117.1	101.7	132.6
	90-94	0.657	0.554	0.761	64.4	54.3	74.5
	95+	0.904	0.794	1.013	32.5	28.6	36.5
大牟田	65-69	0.009	-0.006	0.025	3.2	-2.1	8.4
	70-74	0.032	0.006	0.058	10.6	2.1	19.1
	75-79	0.104	0.061	0.147	34.9	20.3	49.4
	80-84	0.235	0.172	0.298	71.7	52.5	91.0
	85-89	0.444	0.338	0.550	91.0	69.3	112.7
	90-94	0.462	0.324	0.601	48.5	34.0	63.1
	95+	0.854	0.614	1.094	20.5	14.7	26.3

表 6-5 全国認知症有病率（性別、年齢階級別）

統合に除外した地域*	性別	年齢階級	全国認知症有病率			
			推定値	SE	95%CI	
利根、つくば 大牟田 なし なし なし なし 海士、伊万里、久山、大牟田	男性	65-69	0.028	0.008	0.012	0.044
		70-74	0.049	0.010	0.029	0.069
		75-79	0.117	0.018	0.082	0.153
		80-84	0.168	0.019	0.131	0.206
		85-89	0.350	0.038	0.275	0.425
		90-94	0.490	0.062	0.369	0.610
		95+	0.506	0.092	0.326	0.686
		つくば、大牟田 杵築 なし なし なし なし 海士	女性	65-69	0.038	0.015
70-74	0.039			0.008	0.023	0.055
75-79	0.144			0.018	0.108	0.180
80-84	0.242			0.032	0.179	0.305
85-89	0.439			0.035	0.369	0.509
90-94	0.651			0.008	0.012	0.044
95+	0.837			0.036	0.765	0.908
つくば なし なし なし なし なし 海士	全体			65-69	0.029	0.009
		70-74	0.041	0.006	0.03	0.05
		75-79	0.136	0.015	0.11	0.16
		80-84	0.218	0.022	0.17	0.26
		85-89	0.414	0.029	0.36	0.47
		90-94	0.610	0.045	0.52	0.70
		95+	0.795	0.034	0.73	0.86

*各地域の SE が 0、NA などの場合、その地域は使用しなかった

表 7-1-1 認知症分類別の有病率（地域別）

地域	欠損			AD			VaD			DLB/PDD		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
利根	0.8597	0.8413	0.8782	0.0955	0.0800	0.1111	0.0265	0.0164	0.0366	0.0073	0.0024	0.0122
大府	0.9509	0.9343	0.9675	0.0478	0.0313	0.0644	NA	NA	NA	NA	NA	NA
海士	0.8410	0.8192	0.8629	0.1201	0.1009	0.1394	0.0178	0.0093	0.0262	0.0140	0.0067	0.0213
伊万里	0.8884	0.8628	0.9140	0.0668	0.0456	0.0880	0.0218	0.0105	0.0332	0.0067	0.0003	0.0131
杵築	0.8473	0.8221	0.8725	0.1080	0.0865	0.1296	0.0276	0.0151	0.0401	0.0071	0	0.0148
上越	0.8760	0.8532	0.8988	0.0715	0.0525	0.0905	0.0380	0.0241	0.0518	0.0012	0	0.0027
つくば	0.867	0.847	0.887	0.083	0.067	0.099	0.033	0.021	0.044	0.009	0.002	0.016
久山	0.823	0.809	0.838	0.127	0.114	0.140	0.032	0.025	0.040	0.005	0.002	0.008
大牟田	0.929	0.912	0.946	0.044	0.030	0.058	0.014	0.006	0.022	0.005	0.000	0.010

NA: 該当者なし

表 7-1-2 認知症分類別の有病率（地域別）

地域	FTLD			アルコール			Mixed			Others		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
利根	0.0013	0	0.0036	0.0023	0	0.0062	0.0029	0.0001	0.0057	0.0044	0.0017	0.0071
大府	NA	NA	NA	NA	NA	NA	0.0013	0	0.0031	NA	NA	NA
海士	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0070	0.0018	0.0123
伊万里	0.0025	0	0.0065	0.0023	0	0.0060	0.0041	0	0.0089	0.0075	0.0004	0.0145
杵築	0.0041	0	0.0094	NA	NA	NA	NA	NA	NA	0.0059	0	0.0128
上越	0.0019	0	0.0051	0.0019	0	0.0049	0.0096	0.0038	0.0153	NA	NA	NA
つくば	0.002	0.000	0.005	0.002	0.000	0.006	0.002	0.000	0.005	0.001	0.000	0.003
久山	NA	NA	NA	NA	NA	NA	0.003	0.000	0.005	0.010	0.006	0.014
大牟田	0.002	0.000	0.004	NA	NA	NA	0.003	0.000	0.006	0.004	0.000	0.009

NA: 該当者なし

表 7-2-1 認知症分類別の患者推定数 (地域別)

地域	欠損			AD			VaD			DLB/PDD		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
利根	4010.6	3924.5	4096.8	445.6	373.1	518.1	123.6	76.6	170.5	34.0	11.0	57.1
大府	13767.0	13526.0	14007.0	692.5	453.4	931.7	NA	NA	NA	NA	NA	NA
海士	761.1	741.4	780.9	108.7	91.3	126.1	16.1	8.4	23.7	12.7	6.1	19.3
伊万里	471.7	458.2	485.3	35.5	24.2	46.7	11.6	5.6	17.6	3.6	0.2	6.9
杵築	8557.1	8302.9	8811.3	1091.1	873.1	1309.1	278.6	152.3	404.9	72.0	0	149.6
上越	46523.0	45312.0	47734.0	3797.3	2788.1	4806.6	2015.9	1281.4	2750.5	63.8	0	143.1
つくば	4704.15	4596.22	4812.07	451.26	364.06	538.46	178.13	116.12	240.15	48.30	12.26	84.33
久山	1715.01	1684.71	1745.31	264.37	237.32	291.42	67.07	51.38	82.77	10.33	3.89	16.78
大牟田	1525.80	1497.74	1553.87	71.90	49.05	94.74	23.02	10.44	35.59	8.65	0.47	16.82

NA: 該当者なし

表 7-2-2 認知症分類別の患者推定数 (地域別)

地域	FTLD			アルコール			Mixed			Others		
	推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
利根	6.3	0	16.6	10.9	0	28.9	13.6	0.6	26.5	20.5	8.0	33.0
大府	NA	NA	NA	NA	NA	NA	18.6	0	45.3	NA	NA	NA
海士	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.4	1.6	11.1
伊万里	1.3	0	3.5	1.2	0	3.2	2.2	0	4.7	4.0	0.2	7.7
杵築	40.9	0	95.4	NA	NA	NA	NA	NA	NA	59.4	0	129.0
上越	103.2	0	268.3	99.2	0	262.6	508.5	203.4	813.7	NA	NA	NA
つくば	13.55	0.00	27.21	12.52	0.00	33.15	11.31	0.00	25.32	7.78	0.09	15.47
久山	NA	NA	NA	NA	NA	NA	5.26	0.93	9.60	20.95	12.00	29.90
大牟田	2.52	0.00	6.67	NA	NA	NA	4.67	0.00	10.03	6.45	0.00	14.18

NA: 該当者なし

表 7-3 認知症分類別の調査集計数 (地域別)

地域	認知症の分類								合計
	欠損	AD	VaD	DLB/PDD	FTLD	アルコール	Mixed	Others	
利根	452	108	31	7	1	1	4	8	612
大府	421	39	0	0	0	0	2	0	462
海士	604	70	12	10	0	0	0	5	701
伊万里	390	27	10	3	1	1	2	3	437
杵築	337	73	20	3	2	0	0	2	437
上越	411	55	30	2	2	1	15	0	516
つくば	426	85	31	7	3	1	2	3	558
久山	1317	179	48	7	0	0	4	15	1570
大牟田	567	25	9	3	1	0	2	2	609

NA: 該当者なし

表 8 MCI の有病率と推定患者数 (地域別)

地域	有病率			推定患者数		
	推定値	95%信頼区間		推定値	95%信頼区間	
利根	0.194	0.164	0.224	903.5	763.3	1043.8
大府	0.199	0.162	0.237	2887.1	2349.6	3424.7
海士	0.123	0.103	0.143	111.4	93.3	129.5
伊万里	0.148	0.119	0.177	78.6	63.3	93.9
杵築	0.111	0.085	0.138	1125.7	859.3	1392.2
上越	0.163	0.132	0.193	8636.8	7009.5	10264
つくば	0.151	0.125	0.177	818.83	676.51	961.15
久山	0.111	0.098	0.124	231.96	204.64	259.29
大牟田	0.173	0.148	0.198	284.62	243.40	325.84

表 8-1 MCI の調査集計数 (地域別)

地域	MCI		合計
	無	有	
利根	472	140	612
大府	359	103	462
海士	612	89	701
伊万里	372	65	437
杵築	388	49	437
上越	432	84	516
つくば	463	95	558
久山	1397	173	1570
大牟田	502	107	609