









among infants with inborn





among infants with inborn






among infants with live birth and remained




among infants with live birth and remained







among infants with live birth and remained



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


II-26/56




among infants with live birth, remained and mechanical ventilation

Analysis results on infants born in 2011


II-27/56







among infants with live birth, remained and alive at 28 days of age







among infants with live birth, remained and mechanical ventilation



among infants with live birth, remained and alive at 28 days of age








Analysis results on infants born in 2011


II-32/56




among infants with symptomatic PDA

Analysis results on infants born in 2011


II-33/56



among infants with live birth, remained and alive at 7 d




among infants with symptomatic PDA




among infants with live birth, remained and alive at 7 d







among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth and remained




among infants with live birth, remained and IVH



among infants with live birth and remained





among infants with live birth, remained and IVH



among infants with live birth and remained



Analysis results on infants born in 2011

II-38/56








Analysis results on infants born in 2011

II-39/56












among infants with live birth and remained







among infants with live birth and remained




among infants with live birth and remained





among infants with live birth and remained
















among infants with live birth and remained



among infants with live birth and remained










Analysis results on infants born in 2011


II-52/56



among infants with live birth


Analysis results on infants born in 2011

II-53/56




among infants with live birth, remained and dead at discharge





—273—



among infants with live birth




among infants with live birth, remained and dead at discharge



Analysis results on infants born in 2011


II-56/56




among infants with live birth and alive at discharge

Analysis results on infants born in 2011


III-1/53



among infants with number of fetus 2>



among infants with live birth and alive at discharge



among infants with number of fetus 2>