





Analysis results on infants born in 2011

III-2/53




Analysis results on infants born in 2011

III-3/53






Analysis results on infants born in 2011

III-4/53




Analysis results on infants born in 2011

III-5/53



Analysis results on infants born in 2011



III-6/53




among infants with positive histologic CAM

Analysis results on infants born in 2011

III-7/53




among infants with positive histologic CAM






Analysis results on infants born in 2011

III-8/53




Analysis results on infants born in 2011

III-9/53





Analysis results on infants born in 2011

III-10/53




Analysis results on infants born in 2011

III-11/53






Analysis results on infants born in 2011

III-12/53




Analysis results on infants born in 2011

III-13/53




Analysis results on infants born in 2011

III-14/53





Analysis results on infants born in 2011

III-15/53




among infants with inborn



among infants with inborn




Analysis results on infants born in 2011

III-16/53





Analysis results on infants born in 2011



III-17/53








among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-20/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-21/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-22/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-23/53



among infants with live birth, remained and mechanical ventilation




among infants with live birth and remained



among infants with live birth, remained and mechanical ventilation

Analysis results on infants born in 2011


III-24/53




among infants with live birth, remained and alive at 28 days of age

Analysis results on infants born in 2011


III-25/53



among infants with CLD




among infants with live birth, remained and alive at 28 days of age



among infants with CLD

Analysis results on infants born in 2011


III-26/53




among infants with live birth, remained, alive at 36 wk(corrected age), and CLD

Analysis results on infants born in 2011


III-27/53




among infants with live birth and remained




among infants with live birth, remained, alive at 36 wk(corrected age), and CLD




among infants with live birth and remained




among infants with live birth and remained



among infants with symptomatic PDA




among infants with live birth and remained



among infants with symptomatic PDA

Analysis results on infants born in 2011


III-30/53




among infants with live birth, remained and alive at 7 d

Analysis results on infants born in 2011


III-31/53



among infants with live birth and remained




among infants with live birth, remained and alive at 7 d



among infants with live birth and remained

Analysis results on infants born in 2011


III-32/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-33/53



among infants with live birth, remained and IVH



among infants with live birth and remained




among infants with live birth, remained and IVH



Analysis results on infants born in 2011


III-34/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-35/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-36/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-37/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-38/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-39/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-40/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-41/53



among infants with live birth and remained



among infants with live birth and remained



among infants with live birth and remained