


Analysis results on infants born in 2011


III-42/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-43/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained


Analysis results on infants born in 2011

III-44/53





Analysis results on infants born in 2011

III-45/53




among infants with live birth, remained and congenital anomaly



among infants with live birth, remained and congenital anomaly

Analysis results on infants born in 2011


III-46/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-47/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


III-48/53




among infants with live birth and remained

Analysis results on infants born in 2011


III-49/53




among infants with live birth




among infants with live birth and remained




among infants with live birth




among infants with live birth, remained and dead at discharge



among infants with live birth, remained and alive at discharge




among infants with live birth, remained and dead at discharge



among infants with live birth, remained and alive at discharge

Analysis results on infants born in 2011


III-52/53




among infants with live birth, remained and alive at discharge

Analysis results on infants born in 2011


III-53/53



among infants with live birth and alive at discharge




among infants with live birth, remained and alive at discharge



among infants with live birth and alive at discharge

Analysis results on infants born in 2011



IV-1/53




among infants with number of fetus 2>

Analysis results on infants born in 2011

IV-2/53




among infants with number of fetus 2>






Analysis results on infants born in 2011

IV-3/53





Analysis results on infants born in 2011



IV-4/53








among infants with positive histologic CAM



among infants with positive histologic CAM



Analysis results on infants born in 2011

IV-7/53




Analysis results on infants born in 2011

IV-8/53






Analysis results on infants born in 2011

IV-9/53




Analysis results on infants born in 2011

IV-10/53





Analysis results on infants born in 2011

IV-11/53




Analysis results on infants born in 2011

IV-12/53






Analysis results on infants born in 2011

IV-13/53




Analysis results on infants born in 2011

IV-14/53



Analysis results on infants born in 2011



IV-15/53




among infants with inborn

Analysis results on infants born in 2011

IV-16/53




among infants with inborn






Analysis results on infants born in 2011

IV-17/53




Analysis results on infants born in 2011

IV-18/53



Analysis results on infants born in 2011


IV-19/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-20/53



among infants with live birth and remained



among infants with live birth and remained




among infants with live birth and remained



Analysis results on infants born in 2011


IV-21/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-22/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-23/53




among infants with live birth, remained and mechanical ventilation

Analysis results on infants born in 2011


IV-24/53



among infants with live birth, remained and alive at 28 days of age




among infants with live birth, remained and mechanical ventilation



among infants with live birth, remained and alive at 28 days of age

Analysis results on infants born in 2011


IV-25/53




among infants with CLD

Analysis results on infants born in 2011


IV-26/53



among infants with live birth, remained, alive at 36 wk(corrected age), and CLD




among infants with CLD



among infants with live birth, remained, alive at 36 wk(corrected age), and CLD

Analysis results on infants born in 2011


IV-27/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-28/53



among infants with live birth and remained



among infants with live birth and remained



among infants with live birth and remained