


Analysis results on infants born in 2011


IV-29/53




among infants with symptomatic PDA

Analysis results on infants born in 2011


IV-30/53



among infants with live birth, remained and alive at 7 d




among infants with symptomatic PDA



among infants with live birth, remained and alive at 7 d

Analysis results on infants born in 2011


IV-31/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-32/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-33/53




among infants with live birth, remained and IVH

Analysis results on infants born in 2011


IV-34/53



among infants with live birth and remained




among infants with live birth, remained and IVH



among infants with live birth and remained

Analysis results on infants born in 2011


IV-35/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-36/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-37/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-38/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-39/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-40/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-41/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-42/53



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011



IV-43/53




among infants with live birth and remained

Analysis results on infants born in 2011

IV-44/53




among infants with live birth and remained





Analysis results on infants born in 2011


IV-45/53




among infants with live birth, remained and congenital anomaly

Analysis results on infants born in 2011


IV-46/53



among infants with live birth and remained




among infants with live birth, remained and congenital anomaly



among infants with live birth and remained

Analysis results on infants born in 2011


IV-47/53




among infants with live birth and remained

Analysis results on infants born in 2011


IV-48/53



among infants with live birth and remained



among infants with live birth and remained



among infants with live birth and remained

Analysis results on infants born in 2011


IV-49/53




among infants with live birth

Analysis results on infants born in 2011


IV-50/53



among infants with live birth, remained and dead at discharge




among infants with live birth



among infants with live birth, remained and dead at discharge

Analysis results on infants born in 2011


IV-51/53




among infants with live birth, remained and alive at discharge

Analysis results on infants born in 2011


IV-52/53




among infants with live birth, remained and alive at discharge




among infants with live birth, remained and alive at discharge







among infants with live birth, remained and alive at discharge




among infants with live birth and alive at discharge



among infants with live birth and alive at discharge




Analysis results on infants born in 2003-2011



Analysis results on infants born in 2003-2011




Analysis results on infants born in 2003-2011




Analysis results on infants born in 2003-2011



Analysis results on infants born in 2003-2011





Analysis results on infants born in 2003-2011






Analysis results on infants born in 2003-2011

I-4/26






Delivery status





Analysis results on infants born in 2003-2011

I-5/26




Analysis results on infants born in 2003-2011

I-6/26






Neonatal information



Analysis results on infants born in 2003-2011

I-7/26



Analysis results on infants born in 2003-2011




Analysis results on infants born in 2003-2011



Analysis results on infants born in 2003-2011

I-10/26



Analysis results on infants born in 2003-2011

I-11/26

