

・研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
河野透.	今日のがん治療を支える漢方薬のエビデンス	今津嘉宏	がん漢方	南山堂	東京	2012	16-25
掛地吉弘, 河野透.	EBMによるがん領域の漢方の使い方	掛地吉弘 河野透	EBMによるがん領域の漢方の使い方	ライフサイエンス	東京	2012	1-49

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki M, Narita M, Ashikawa M, Furuta S, Matoba M, Sasaki H, Yanagihara K, Terawaki K, Suzuki T, Uezono Y.	Changes in the melancortin receptors in the hypothalamus of a rat model of cancer cachexia.	Synapse	66 (8)	747-751	2012
Sudo Y, Hojo M, Ando Y, Takada M, Murata H, Kurata S, Kanaide M, Nishida N, Uezono Y.	GABA _B receptors do not internalize after baclofen treatment possibly due to lack of the β-arrestin association;a real-time visualization study.	Synapse	66 (9)	759-769	2012
上園保仁.	変わる「第二次がん対策推進基本計画」-第一次がん対策推進基本計画実践後の反省をもとに、がん体験者の視点を取り入れて-	がん患者と対症療法	23 (1)	106-113	2012
Horishita T, Ueno S, Yanagihara N, Sudo Y, Uezono Y, Okura D, Sata T.	Inhibition by pregnenolone sulphate, a metabolite of the neurosteroid pregnenolone, of voltage-gated sodium channels expressed in <i>Xenopus</i> Oocytes.	J Pharmacol Sci	120 (1)	54-58	2012
Suzuki M, Narita M, Hasegawa M, Furuta S, Kawamata T, Ashikawa M, Miyano K, Yanagihara K, Chiwaki F, Ochiya T, Suzuki T, Matoba M, Sasaki H, Uezono Y.	The sensation of abdominal pain induced by peritoneal carcinomatosis is accompanied expression of substance P and by changes in the μ-opioid receptors in the spinal cord of mice.	Anesthesiology	117 (4)	847-856	2012
上園保仁.	ここまでわかってきた漢方薬の「なぜ効くの？」と「本当に効くの？」-科学的エビデンスに基づいた、がん患者のQOLを高める漢方薬の効果-	がん患者と対症療法	23 (2)	186-192	2012
Uezono Y, Miyano K, Sudo Y, Suzuki M, Shiraishi S, Terawaki K.	A review of traditional Japanese medicines and their potential mechanism of action.	Curr Pharm Des	18 (31)	4839-4853	2012
Iwase S, Yamaguchi T, Miyaji T, Terawaki K, Inui A, Uezono Y.	The clinical use of Kampo medicines (traditional Japanese herbal treatments) for controlling cancer patients' symptoms in Japan: a national cross-sectional survey.	BMC Complement Altern Med	12	222	2012

Minami K, <u>Uezono Y.</u>	The recent progress in research on the effects of anesthetics and analgesics on G protein-coupled receptors.	J Anesthesia	27 (2)	284-292	2013
Motoyama N, Morita K, Kitayama T, Shiraiishi S, <u>Uezono Y.</u> , Nishimura F, Kanamatsu T, Dohi T.	Pain-releasing action of platelet-activating factor (PAF) antagonists in neuropathic pain animal models and the mechanisms of action.	Eur J Pain		Epub ahead of print	2013
Yanagihara K, Takigahira M, Mihara K, Kubo T, Morimoto C, Morita Y, Terawaki K, <u>Uezono Y.</u>	Inhibitory effects of isoflavones on tumor growth and cachexia in newly established cachectic mouse models carrying human stomach cancers.	Nutr Cancer		In press	2013
Fujitsuka N, Asakawa A, Amitani H, Hattori T, <u>Inui A.</u>	Efficacy of ghrelin in cancer cachexia: clinical trials and a novel treatment by rikkunshito.	Crit Rev Oncog	17 (3)	277-284	2012
Fujitsuka N, Asakawa A, Amitani H, <u>Fujimiya M.</u> , <u>Inui A.</u>	Ghrelin and gastrointestinal movement.	Methods Enzymol	514	289-301	2012
<u>Inui A.</u>	Editorial: a new horizon of herbal medicines in anorexia-cachexia syndrome.	Curr Pharm Des	18 (31)	4747-4748	2012
Miki K, Maekura R, Nagaya N, Nakazato M, Kimura H, Murakami S, <u>Ohnishi S.</u> , Hiraga T, Miki M, Kitada S, Yoshimura K, Tateishi Y, Arimura Y, Matsumoto N, Yoshikawa M, Yamahara K, Kangawa K.	Ghrelin treatment of cachectic patients with chronic obstructive pulmonary disease: a multicenter, randomized, double-blind, placebo-controlled trial.	PLoS One	7 (5)	e35708	2012
Nahata M, Muto S, Oridate N, <u>Ohnishi S.</u> , Nakagawa K, Sadakane C, Saegusa Y, Hattori T, Asaka M, Takeda H.	Impaired ghrelin signaling is associated with gastrointestinal dysmotility in rats with gastroesophageal reflux disease.	Am J Physiol Gastrointest Liver Physiol	303 (1)	G42-G53	2012
Takeda H, Muto S, Nakagawa K, <u>Ohnishi S.</u> , Asaka M.	Rikkunshito and ghrelin secretion.	Curr Pharm Des	18 (31)	4827-4838	2012
Takeda H, Muto S, Nakagawa K, <u>Ohnishi S.</u> , Sadakane C, Saegusa Y, Nahata M, Hattori T, Asaka M.	Rikkunshito as a ghrelin enhancer.	Methods Enzymol	514	333-351	2012
Nahata M, Muto S, Nakagawa K, <u>Ohnishi S.</u> , Sadakane C, Saegusa Y, Iizuka S, Hattori T, Asaka M, Takeda H.	Serotonin 2C receptor antagonism ameliorates novelty-induced hypophagia in aged mice.	Psychoneuroendocrinology		In press	2013
Hashimoto H, <u>Uezono Y.</u> , <u>Ueta Y.</u>	Pathophysiological function of oxytocin secreted by neuropeptides: A mini review.	Pathophysiology	19 (4)	293-298	2012

Yoshimura M, Matsuura T, Ohkubo J, Ohno M, Maruyama T, Ishikura T, Hashimoto H, Kakuma T, Yoshimatsu H, Terawaki K, <u>Uezono Y</u> , <u>Ueta Y</u> .	The gene expression of the hypothalamic feeding-regulating peptides in cisplatin-induced anorexic rats.	Peptides		In press	2013
Nagamura Y, Yamazaki M, Shimazu S, Sano K, <u>Tsukada T</u> , Sakurai A.	A novel splice site mutation of the MEN1 gene identified in a patient with primary hyperparathyroidism.	Endocr J	59 (6)	523-530	2012
Nagamura Y, Yamazaki M, Shimazu S, <u>Tsukada T</u> , Sakurai A.	Application of an intracellular stability test of a novel missense menin mutant to the diagnosis of multiple endocrine neoplasia type 1.	Endocr J	59 (12)	1093-1098	2012
Horiuchi K, Okamoto T, Iihara M, <u>Tsukada T</u> .	An analysis of genotype-phenotype correlations and survival outcomes in patients with primary hyperparathyroidism caused by multiple endocrine neoplasia type 1: the experience at a single institution.	Surg Today		Epub ahead of print	2012
Ataka K, Nagaishi K, Asakawa A, <u>Inui A</u> , <u>Fujimiya M</u> .	Alteration of antral and proximal colonic motility induced by chronic psychological stress involves central urocortin 3 and vasopressin in rats.	Am J Physiol Gastrointest Liver Physiol	303 (4)	519-528	2012
<u>Fujimiya M</u> , Ataka K, Asakawa A, Chen CY, Kato I, <u>Inui A</u> .	Regulation of gastroduodenal motility: acyl ghrelin, des-acyl ghrelin and obestatin and hypothalamic peptides.	Digestion	85 (2)	90-94	2012
<u>樋上賀一</u> .	脂質代謝の変化からみたカロリー制限による抗老化・寿命延長作用のメカニズム.	心身医学	52 (3)	194-200	2012
Nagai W, Okita N, Matsumoto H, Okado H, Oku M, <u>Higami Y</u> .	Reversible induction of PARP1 degradation by p53-inducible cis-imidazoline compounds.	Biochem Biophys Res Commun	421 (1)	15-19	2012
Okita N, Hayashida Y, Kojima Y, Fukushima M, Yuguchi K, Mikami K, Yamauchi A, Watanabe K, Noguchi M, Nakamura M, Toda T, <u>Higami Y</u> .	Differential responses of white adipose tissue and brown adipose tissue to caloric restriction in rats.	Mech Ageing Dev	133 (5)	255-266	2012
Chujo Y, Fujii N, Okita N, Konishi T, Narita T, Yamada A, Haruyama Y, Tashiro K, Chiba T, Shimokawa I, <u>Higami Y</u> .	Caloric restriction-associated remodeling of rat white adipose tissue: effects on the growth hormone/insulin-like growth factor-1 axis, sterol regulatory element binding protein-1, and macrophage infiltration.	Age (Dordr)		Epub ahead of print	2012
藤井波木, 沖田直之, <u>樋上賀一</u> .	カロリー制限による白色脂肪組織を中心とした脂質代謝の活性化.	基礎老化研究	36 (2)	31-38	2012
Mikami K, Okita N, Tokunaga Y, Ichikawa T, Okazaki T, Takemoto K, Nagai W, Matsushima S, <u>Higami Y</u> .	Autophagosomes accumulate in differentiated and hypertrophic adipocytes in a p53-independent manner.	Biochem Biophys Res Commun	427 (4)	758-763	2012
<u>河野透</u> , <u>上園保仁</u> .	腸管血流からみた大建中湯の役割 アメリカ臨床治験薬TU-100になった理由.	医学のあゆみ	241 (2)	163-169	2012

<u>Kono T</u> , Kaneko A, Omiya Y, Ohbuchi K, Ohno N, Yamamoto M.	Epithelial transient receptor potential ankyrin 1 (TRPA1)-dependent adrenomedullin upregulates blood flow in rat small intestine.	Am J Physiol Gastrointest Liver Physiol	304 (4)	G428-G436	2013
<u>河野透</u> .	消化器疾患に対する漢方医療の実際 イレウス.	臨床消化器内科	28 (2)	189-196	2013
Hosaka M, Watari H, Kato T, Odagiri T, Konno Y, Mitamura T, Kikawa S, Suzuki Y, <u>Sakuragi N</u> .	Clinical efficacy of paclitaxel/cisplatin as an adjuvant chemotherapy for patients who underwent radical hysterectomy and systematic lymphadenectomy.	J Surg Oncol	105 (6)	612-616	2012
Watari H, Hosaka M, Wakui Y, Nomura E, Hareyama H, Tanuma F, Hattori R, Azuma M, Kato H, Takeda N, Ariga S, <u>Sakuragi N</u> .	A prospective study on the efficacy of octreotide in the management of malignant bowel obstruction in gynecologic cancer.	Int J Gynecol Cancer	22 (4)	692-696	2012
Dong P, Karaayvazb M, Jiac N, Kaneuchi M, Hamada J, Watari H, Sudo S, Ju J, <u>Sakuragi N</u> .	Mutant p53 gain-of-function induces epithelial-mesenchymal transition through modulation of the miR-130b-ZEB1 axis.	Oncogene		Epub ahead of print	2012
Kato T, Watari H, Endo D, Mitamura T, Odagiri T, Konno Y, Hosaka M, Kobayashi N, Todo Y, Sudo S, Takeda M, Dong P, Kaneuchi M, Kudo M, <u>Sakuragi N</u> .	New revised FIGO 2008 staging for endometrial cancer produces better discrimination in survival compared with the 1988 staging system.	J Surg Oncol	106 (8)	938-941	2012
Hosaka M, Fujita H, Hanley SJB, Sasaki T, Shirakawa Y, Abiko M, Kudo M, Kaneuchi M, Watari H, Kikuchi K, <u>Sakuragi N</u> .	Incidence risk of cervical intraepithelial neoplasia 3 or more severe lesions is a function of human papillomavirus genotypes and severity of cytological and histological abnormalities in adult Japanese women.	Int J Cancer	132 (2)	327-334	2013