研究成果の刊行に関する一覧表

書籍(外国語)

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
Okamura H	Psychological impact and associated factors after disclosure of genetic test results concerning hereditary nonpolyposis colorectal cancer		Colorectal Cancer - From Prevention to Patient Care	InTech	Croatia	2012	88-100
Okamura H	Rehabilitation of elderly people with dementia	Wu J	Biomedical Engineering and Cognitive Neuroscience for Healthcare: Interdiscipl inary Applications	IGI Global	Pennsyl - vania	2012	235-242
Ando M, Morita T	How to Conduct the Short-Term Life Review Interview for Terminally III Patients.	Lancaster AJ, Sharpe O	Psychotherap y New Research	NOVA Science Publishe rs	US	101-10 8	2012

書籍(日本語)

著者氏名	論文タイトル名	書籍全体の	書籍名	出版社名	出版地	出版年	ページ
井上真一郎, 内富庸介	B.サイコオンコロジ -	編集者名 日本乳癌学 会	乳腺腫瘍学	金原出版株式会社	東京	2012	325-330
内富庸介	サイコオンコロジー 領域における抗うつ 薬の役割	小山司/監修	Depression Strategyうつ 病治療の新た なストラテジ	先端医学 社	東京	2012	7-12
井上真一郎, 内富庸介	緩和医療におけるせ ん妄症例B	八田耕太 郎、岸泰宏	病棟・ICUで出 会うせん妄に 診かた	中外医学 社	東京	2012	153-167
寺田整司, 内富庸介	認知症を伴う糖尿病性 腎症患者のケーススタ ディ	槇野博史	糖尿病×CKD 診療ガイドQ &A	南山堂	東京	2012	167-168
日本総合病 院精神医学 会がん対策 委員会(監		小川朝生/ 内富庸介	精神腫瘍学ク リニカルエッ センス	創造出版	東京	2012	1-333

修)							
,							
明智龍男	緩和ケアと抑うつ-が ん患者の抑うつの評価 と治療	「精神科治 療学」編集 委員会	気分障害の治 療ガイドライ ン	星和書店	東京	2012	258-262
明智龍男	がん患者の心のケア- サイコオンコロジーの 役割	NHKラジオ あさいちば ん	NHKラジオあ さいちばん	NHKサー ビスセン ター	東京	2012	100-110
<u>明智龍男</u>	緩和ケアに関する学会 などについての情報- 日本サイコオンコロジ ー学会、日本総合病院 精神医学会	ス・緩和ケ ア研究振興	ホスピス緩和 ケア白書2012	日本ホス ピス・緩 和ケア研 究振興財 団	東京	2012	71-73
<u>明智龍男</u>	がん患者の自殺、希死念慮	内富庸介, 小川朝生	精神腫瘍学ク リニカルエッ センス	創造出版	東京	2012	75-87
<u>明智龍男</u>	精神療法	内富庸介, 小川朝生	精神腫瘍学ク リニカルエッ センス	創造出版	東京	2012	167-184
小川朝生	精神腫瘍学コンサルテ ーションこれだけは	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	21-28
<u>小川朝生</u>	不穏	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	71-74
小川朝生	せん妄	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	88-104
小川朝生	認知症	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	105-112
小川朝生	神経症状けいれん発 作、末梢神経障害	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	145-55
<u>小川朝生</u>	緩和ケアチーム	小川朝生、 内富庸介	精神腫瘍学ク リニカルエッ センス	社会福祉 法人新樹 会創造出 版	東京	2012	262-274
小川朝生	緩和ケアチームに携わる精神症状緩和担当医師の現状調査	ホ緩って、緩出の大力が、大利の大力が、大力が、大力が、大力が、大力が、大力が、大力が、大力が、大力が、大力が、	ホスピス緩和 ケア白書2012	(公財)日本ホスピス・緩和ケア研究振興財団	東京	2012	46-51
小川朝生	がん等による慢性疼痛 時のうつ病診察のコツ と処方例	中尾睦宏、 伊藤弘人	日常診療にお けるうつ病治 療指針	医薬ジャ ーナル社	東京	2012	135-148

岡村 仁	再発・転移していることがわかりました.どのように気持ちを整理したらよいですか	会	2012年版 患 者さんのため の乳がん診療 ガイドライン	金原出版株式会社	東京	2012	134-135
<u>岡村 仁</u>	家族 (夫・子ども) と どう向き合えばよいの でしょうか		2012年版 患 者さんのため の乳がん診療 ガイドライン	金原出版株式会社	東京	2012	153-154
<u>岡村 仁</u>	抗がん剤(化学療法薬) やホルモン剤によって うつになることはあり ますか		2012年版 患 者さんのため の乳がん診療 ガイドライン	金原出版株式会社	東京	2012	161-162
<u>大西秀樹</u> ,石 田真弓	家族ケア・遺族ケア	内富庸介, 小川朝生	精神腫瘍学ク リニカルエッ センス	創造出版	東京	2012	249-254
松原芽衣, <u>大</u> 西秀樹	遺族ケアの基本姿勢と アセスメントの重要性	近藤卓	PTG 心的外 傷後成長-ト ラウマを超え て	金子書房	東京	2012	69-76
田村恵子,森田達也,他		田村恵子, 森田達也, 他	看護に活かす スピリチュア ルケアの手引 き.	青海社	東京	2012	
森田達也	55緩和医療 1.疼痛緩 和と終末期医療.	日本臨床腫 瘍学会	新臨床腫瘍学 改訂第3版.	南江堂	東京	2012	673-682

雑誌 (外国語)

				1	
発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Akechi T</u> , <u>Morita T</u> ,	Good death in elderly adults with	J Am Geriatr Soc	60(2)	271-6	2012
<u>Uchitomi Y</u> , et al	cancer in Japan based on				
	perspectives of the general				
	population.				
Terada S, <u>Uchitomi</u>	School refusal by patients with	Gen Hosp	34(3)	299-303	2012
<u>Y</u> .	gender identity disorder.	Psychiatry			
Takeda N, <u>Uchitomi</u>	Creutzfeldt-Jakob disease with	J Neurol Sci	15;31	108-16	2012
<u>Y</u> , et al	the M232R mutation in the prion		2(1-2		
	protein gene in two cases)		
	showing different disease				
	courses: a clinicopathological				
	study.				
<u>Shimizu K</u> , <u>Akechi T</u> ,	Clinical biopsychosocial risk	Ann Oncol,	23(8)	1973-9	2012
Ogawa A, Uchitomi Y,	factors for depression in lung				
et al	cancer patients: a				
	comprehensive analysis using				
	data from the Lung Cancer				
	Database Project.				
Saito-Nakaya K,	Stress and survival after	Cancer Epidemiol	36(2)	230-5	2012
Uchitomi Y, et al	cancer: a prospective study of a				
	Finnish population-based				
	cohort.				
I .	Į.	<u>l</u>	l	I	1 1

Oshima E, Uchitomi	Frontal assessment battery and	Int Psychogeriatr	24(6)	994-100	2012
Y, et al	brain perfusion imaging in	Till Psychogeriati	24(0)	1	2012
1, et ai	Alzheimer's disease.			1	
Ogowo A Shimizu K		Inn I Clin Oncol	42(1)	42-52	2012
Ogawa A, Shimizu K,	Availability of psychiatric consultation-liaison services	Jpn J Clin Oncol	42(1)	42-32	2012
<u>Uchitomi Y</u> , et al					
	as an integral component of				
	palliative care programs at				
	Japanese cancer hospitals.		45 (5)		
Ishida M, <u>Onishi H</u> ,	Psychological Distress of the	Jpn J Clin Oncol	42(6)	506-12	2012
<u>Uchitomi Y</u> , et al	Bereaved Seeking Medical				
	Counseling at a Cancer Center.				
Asai M, <u>Uchitomi Y</u> ,	Psychological states and coping	* *	20(12	3189-20	2012
et al	strategies after bereavement	Cancer)	3	
	among spouses of cancer				
	patients: a quantitative study				
	in Japan.				
Yoshida, H.	Validation of the revised	Int Psychogeriatr	24(1)	28-37	2012
<u>Uchitomi, Y</u> , et al	Addenbrooke's Cognitive				
	Examination (ACE-R) for				
	detecting mild cognitive				
	impairment and dementia in a				
	Japanese population.				
Inoue S, <u>Uchitomi Y</u> ,	A case of adult-onset	Intern Med	51(11)	1403-6	2012
et al	adrenoleukodystrophy with		, ,		
	frontal lobe dysfunction: a				
	novel point mutation in the				
	ABCD1 gene.				
Yamaguchi T. Morita	Effect of parenteral hydration	J Pain Symptom	43(6)	1001-12	2012
T, Uchitomi Y, et al		Manage	` ,		
	national clinical guideline on	3. 1.01			
	quality of life, discomfort, and				
	symptom intensity in patients				
	with advanced cancer.				
Fujimori, M.	Communication between Cancer	New Challenges in	301-30		2012
Uchitomi Y, et al	Patients and Oncologists in	Communication	3		20.2
bonntom i, ot an	Japan.	with Cancer			
	oupair.	Patients			
Asai M, <u>Shimizu K</u> ,	Impaired mental health among the				In
Ogawa A, Akechi T,	bereaved spouses of cancer	1 Sychoonico rogy			press
Uchitomi Y, et al	patients.				p1000
Akechi T, et al.	Clinical Indicators of Depression	Inn I Clin Oncol	42	1175-11	2012
ANGOII I, Et al.	among Ambulatory Cancer Patients	opii o offii olicot	74	80	2012
	Undergoing Chemotherapy			30	
Akechi T, et al.	Perceived needs, psychological	Jpn J Clin Oncol	42	704-710	2012
moon i, or ar.	distress and quality of life of	opii o orini onoor	₹4	70-7 710	2012
	elderly cancer patients				
Akechi T Morita T et	Dignity therapy: Preliminary	Palliat Med	26	768-769	2012
al.	cross-cultural findings	. arriat mou	_0	7 55 7 65	2012
	regarding implementation among				
	Japanese advanced cancer patients				
Akechi T.	Psychotherapy for depression	Jpn J Clin Oncol	42	1113-11	2012
	among patients with advanced	C 51111 011001		19	_0.2
i				_	
	cancer				

al. children with pervasive developmental disorders Watanabe N, Akechi T, et al. Deliberate self-harm in adolescents aged 12-18: a cross-sectional survey of 18,104 students Shimodera S, Akechi T, et al. The first 100 patients in the SUN(^_)D trial (strategic use of new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Uchitomi Y, et al. Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi T, et al. Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, I Impaired mental health among the Psychooncology May 2 online	2012
Watanabe N, Akechi T, et al. Beliberate self-harm in adolescents aged 12-18: a cross-sectional survey of 18,104 students Shimodera S, Akechi T, et al. Shimizu K, Akechi T, Uchitomi Y, et al. Kinoshita K, Akechi T, et al. Witanabe N, Akechi T, et al. Beliberate self-harm in adolescents aged 12-18: a cross-sectional survey of 18,104 students Trials Trials Trials 13 80 Trials Trials 13 80 Ann Oncol 23 1973-19 79 Toleitomi Y, et al. Shimizu K, Akechi T, Uchitomi Y, et al. Kinoshita K, Akechi T, et al. Witanabe N, Akechi T, et al. Beliberate self-harm in adolescents in Japanese adolescents Hirai K, Akechi T, et al. Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
adolescents aged 12-18: a cross-sectional survey of 18,104 students Shimodera S, Akechi T, et al. Shimizu K, Akechi T, et al. Kinoshita K, Akechi T, et	2012
Cross-sectional survey of 18,104 students The first 100 patients in the SUN(^_^)D trial (strategic use of new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi T, et al. Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
Shimodera S, Akechi T, et al. Shimodera S, Akechi T, et al. SUN(^_^)D trial (strategic use of new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Uchitomi Y, et al. Shimoshita K, Akechi T, et al. Kinoshita K, Akechi T, et al. Shimizu K, Akechi Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi T, et al. Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
Shimodera S, Akechi T, et al. The first 100 patients in the SUN(^_^)D trial (strategic use of new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi D, Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et al. Hirai K, Akechi T, et al. Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
T, et al. SUN(^_)D trial (strategic use of new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et al. Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
new generation antidepressants for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et al. Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 Online	
for depression): examination of feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Dut also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 Online	
feasibility and adherence during the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
the pilot phase Shimizu K, Akechi T, Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi T, et al. Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
Uchitomi Y, et al.factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project79Kinoshita K, Akechi T, et al.Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescentsJ Nerv Ment Dis200305-309Hirai K, Akechi T, et al.Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer PatientsJpn J Clin Oncol Asai M, Akechi T,421168-11 74	
cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et al. Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 Online	2012
analysis using data from the Lung Cancer Database Project Kinoshita K, Akechi Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
Cancer Database Project Kinoshita K, Akechi T, et al. Hirai K, Akechi T, et al. Problem-Solving Therapy for Japanese adolescents Asai M, Akechi T, Impaired mental health among the Psychooncology Not only body weight perception J Nerv Ment Dis 200 305-309	2012
Kinoshita K, Akechi T, et al. Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
T, et al. but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
relevant to suicidal ideation and self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
self-harming behavior in Japanese adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Jpn J Clin Oncol 42 1168-11 al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	1
adolescents Hirai K, Akechi T, et Problem-Solving Therapy for Jpn J Clin Oncol 42 1168-11 al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
Hirai K, Akechi T, et Problem-Solving Therapy for Asai M, Akechi T, et Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
al. Psychological Distress in Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
Japanese Early-stage Breast Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	2012
Cancer Patients Asai M, Akechi T, Impaired mental health among the Psychooncology May 2 online	
Asai M, <u>Akechi T</u> , Impaired mental health among the Psychooncology May 2 online	
	2012
<u>Uchitomi Y</u> , et al. bereaved spouses of cancer	
patients	
Ando M, Morita T, Factors in narratives to Palliat Support Feb 1-8	2012
Akechi T, et al. questions in the short-term life Care 24:	
review interviews of terminally	
ill cancer patients and utility of	
the questions	0040
Shirai Y, Ogawa A, et Patients' perception of the Psychooncology 21 706-13	2012
al usefulness of a question prompt sheet for advanced cancer	
patients when deciding the	
initial treatment: a randomized,	
controlled trial.	
Yokoi T, Okamura H, et Conditions associated with Am J Alzheimers 27 162-170	2012
al wandering in people with dementia Dis Other Demen	
from the viewpoint of	
self-awareness: Five case reports	
Yokoi T, Okamura H, et Investigation of eating actions Am J Alzheimers 27 228-237	2012
al of people with dementia from the Dis Other Demen	1
viewpoint of self-awareness	
Niiyama E, Okamura H Effects of group therapy focused インターナショナル Nurs 11 33-42	
on the cognitions of new female Care Res 11: 33-42	2012
nurses who experienced violent	2012
I DATA AL STOC TAGION I	2012
language and violent acts in the	2012
workplace Niiyama E, Okamura H Effects of group therapy focused インターナショナル Nurs 11 43-52	2012

			I	1	
	female nurses who experienced				
	violent language and violent acts				
	from patients				
Niiyama E, <u>Okamura H</u>	Effects of group therapy focused	インターナショナル Nurs	11	83-92	2012
	on the cognitions of new female	Care Res			
	nurses who experienced violent				
	language and violent acts by				
	patients				
Niiyama E, <u>Okamura H</u>		インターナショナル Nurs	11	93-99	2012
Triyama E, <u>ottamara n</u>	children property and self esteem			00 00	2012
	of nursing students	Care Nes			
Abo I/ Okomura II at	-	Inn I Clin Oncol		0.404	2042
Abe K, <u>Okamura H</u> , et		Jpn J Clin Oncol		2:131.	2012
al	rehabilitation intervention in			doi:10.	
	palliative care for cancer			4172/	
	patients			2165-73	
				86.1000	
				131	
Miki E, Okamura H, et	Clinical usefulness of the	Support Care			in
al	Frontal Assessment Battery at	Cancer			press
	bedside (FAB) for elderly cancer				p. 1000
	patients				
Yokoi T, <u>Okamura H</u>	Why do dementia patients become	Dementia			in
TOROT I, ORAHIUTA H					
	unable to lead a daily life with				press
	decreasing cognitive function?				
Matsunaga M, <u>Onishi</u>	Hypomanic episode during	Jpn J Clin Oncol	42	961-964	2012
<u>H</u> , et al	recurrent gastric cancer				
	treatment: report of a rare case				
	and literature review.				
Nakajima N, Onishi H,		Am J Hosp Palliat	In		
et al	Relationship Between the Level of	•	press		
or ar	Disclosure of Cancer in	0410	p1000		
	Terminally III Patients With				
	Cancer and the Quality of Terminal				
	Care in These Patients and Their				
	Families Using the Support Team				
	Assessment Schedule.				
Tada Y, <u>Onishi H</u> , et		Jpn J Clin Oncol	42	548-551	2012
al	consciousness disorder in an				
	advanced lung cancer patient.				
Ishida M, Onishi H, et	Psychological distress of the	Jpn J Clin Oncol	42	506-512	2012
al	bereaved seeking medical				
	counseling at a cancer center.				
Tada Y, <u>Onishi H</u> , et	i -	Jpn J Clin Oncol	42	506-512	2012
al	Patients at a University Hospital	Spir 3 Of the officer	72	300-312	2012
ai					
	in Japan: Descriptive Analysis of				
	765 Psychiatric Referrals.		46 ())	F0 0F	0015
\/	I Book of the control of the control of		1/1/2/11	59-67	2012
Yamagishi A, <u>Morita</u>	Providing palliative care for	J Pain Symptom	43(1)		
Yamagishi A, <u>Morita</u> <u>T</u> , et al	cancer patients: The views and	J Pain Symptom Manage	43(1)		
	cancer patients: The views and exposure of community general		43(1)		
	cancer patients: The views and		43(1)		
	cancer patients: The views and exposure of community general		43(1)		
	cancer patients: The views and exposure of community general practitioners and district nurses		11(1)	2	2012
T, et al	cancer patients: The views and exposure of community general practitioners and district nurses in Japan. A region-based palliative care	Manage			2012
T, et al	cancer patients: The views and exposure of community general practitioners and district nurses in Japan. A region-based palliative care intervention trial using the	Manage			2012
T, et al	cancer patients: The views and exposure of community general practitioners and district nurses in Japan. A region-based palliative care	Manage			2012

	I		10 (0)		
Igarashi A, <u>Morita T</u> ,		• •	43(2)	218-225	2012
et al	support and security regarding	Manage			
	cancer care in a region of Japan:				
	A potential new endpoint of cancer				
V 1. - 1	care.	1.5.1.0	10 (0)	222 242	2212
Yamaguchi T, <u>Morita</u>	Longitudinal follow-up study	J Pain Symptom	43(2)	236-243	2012
T, et al	using the distress and impact	Manage			
	thermometer in an outpatient				
	chemotherapy setting.				
Akechi T, Morita T,	Good death in elderly adults with	J Am Geriatr Soc	60(2)	271-276	2012
<u>Uchitomi Y</u> , et al	cancer in Japan based on				
	perspectives of the general				
	population.				
Yamagishi A, <u>Morita</u>	Pain intensity, quality of life,	, ,	43(3)	503-514	2012
\underline{T} , et al	quality of palliative care, and	_			
	satisfaction in outpatients with				
	metastatic or recurrent cancer: a				
	Japanese, nationwide,				
	region-based, multicenter				
	survey.				
Nakazawa Y, <u>Morita T</u> ,	The current status and issues	Jpn J Clin Oncol	42(5)	432-441	2012
et al	regarding hospital-based				
	specialized palliative care				
	service in Japanese regional				
	cancer centers: A nationwide				
	questionnaire survey.				
Sato K, <u>Morita T</u> , et		Support Care	20(5)	893-900	2012
al	deceased relatives 'end-of-life	Cancer			
	options on admission to a				
	palliative are unit in Japan.				
Akiyama M, <u>Morita T</u> ,	Knowledge, beliefs, and concerns	Support Care	20(5)	923-931	2012
et al	about opioids, palliative care,	Cancer			
	and homecare of advanced cancer				
	patients: a nationwide survey in				
	Japan.				
Choi JE, <u>Morita T</u> , et	Making the decision for home	Jpn J Clin Oncol	42(6)	498-505	2012
al	hospice: perspectives of bereaved				
	Japanese families who had loved				
	ones in home hospice.				
Yamaguchi T, <u>Morita</u>	Effect of parenteral hydration	J Pain Symptom	43(6)	1001-10	2012
T, Uchitomi Y, et al		Manage		12	
	national clinical guideline on				
	quality of life, discomfort, and				
	symptom intensity in patients				
	with advanced cancer.				
Ando M, <u>Morita T</u> ,	Factors in narratives to	Palliat Support	10(2)	83-90	2012
<u>Akechi T</u> , et al	questions in the short-term life	Care			
	review interviews of terminally				
	ill cancer patients and utility of				
	the questions.				
Kizawa Y, <u>Morita T</u> , et	Development of a nationwide	Palliat Med	26(5)	744-752	2012
1 - 1	1	İ	Ì	1	
al	consensus syllabus of palliative				
aı	consensus syllabus of palliative medicine for undergraduate				
aı	•				

	Dignity therapy: Preliminary	Palliat Med	26(5)	768-769	2012
al	cross-cultural findings				
	regarding implementation among				
	Japanese advanced cancer				
	patients.				
Matsuo N, $\underline{Morita T}$, et	Physician-reported	J Palliat Med	15(9)	1011-10	2012
al	corticosteroid therapy practices			16	
	in certified palliative care				
	units in Japan: A nationwide				
	survey.				
Ando M, <u>Morita T</u> ,	Factors in the short-term life	J Hosp Palliat	12(5)	305-311	2012
Akechi T	review that affect spiritual	Nurs			
	well-being in terminally ill				
	cancer patients.				
Kaneishi K, Morita T,	Olanzapine for the relief of	J Pain Symptom	44(4)	604-607	2012
et al	nausea in patients with advanced	• •	, ,		
	cancer and incomplete bowel	J			
	obstruction.				
Yamagishi A, Morita	Preferred place of care and place	Support Care	20(10)	2575-25	2012
<u>T</u> , et al	of death of the general public and		- (- /	82	
_, -, -, -, -, -, -, -, -, -, -, -, -, -,	cancer patients in Japan.				
Yoshida S, <u>Morita T</u> ,	Pros and cons of prognostic	J Palliat Med	15(12)	1342-13	2012
et al	disclosure to Japanese cancer	o rarriat mod	10(12)	49	20.2
o. a.	patients and their families from				
	the family's point of view.				
Yamaguchi T, Morita	Recent developments in the	Jpn J Clin Oncol	42(12)	1120-11	2012
\underline{T} , et al	management of cancer pain in		12(12)	27	2012
<u>-</u> , or an	Japan: Education, clinical				
	guidelines and basic research.				
Yoshida S, <u>Morita T</u> ,	Practices and evaluations of	Palliat Support	Aug 23	[Fnuh	2012
et al	prognostic disclosure for	Care	Aug 20	ahead	2012
ot ai	Japanese cancer patients and	Caro		of	
	their families from the family's			pirnt]	
	point of view.			print	
Kizawa V Morita T et	Specialized palliative care	Am J Hosp Palliat	Sep 3	[Epub	2012
al	services in Japan: a nationwide	Care	оср о	ahead	2012
α i	survey of resources and	oarc		of	
	utilization by patients with			print]	
	cancer.			printj	
Kunieda K, <u>Morita T</u> ,	Reliability and validity of a tool	I Pain Symptom	Nov 12	[Enub	2012
et al	to measure the severity of	Manage	1100 12	ahead	2012
et ai	dysphagia: The food intake LEVEL	Mariage		of	
	scale.			print]	
Shirado A, <u>Morita T</u> ,	Both maintaining hope and	J Pain Symptom	Nov 15		2012
	· · · · · · · · · · · · · · · · · · ·		NOV 15	ahead	2012
et al	preparing for death: Effects of	Manage		of	
	physicians 'and nurses'				
	behaviors from bereaved family			print]	
Amono I/ Novite T	members' perspectives.	Am I Hoon Dallist	Doc. 40	[[a	2042
	Effect of nutritional support on	_	Dec 12		2012
al	terminally ill patients with	Care		ahead	
	cancer in a palliative care unit.			of	
Tarrama I NO 2		Diaparat O : 1	_	pirnt]	0040
Tayama J, <u>Nakaya N</u> ,	Effects of personality traits on		6	20	2012
et al.	the manifestations of irritable	Medicine			
	bowel syndrome.				
				•	

Nishi D. Nakaya N. et	Fish oil for attenuating	Psychotherapy and	81	315-317	2012
al.	posttraumatic stress symptoms	psychosomatics	01	010 017	2012
	among rescue workers after the	poyonocomatroc			
	Great East Japan Earthquake: a				
	randomized controlled trial.				
Tayama J, Nakaya N,	Effect of baseline	Perceptual and	114	407-418	2012
et al.	self-efficacy on physical	Motor Skills			
	activity and psychological				
	stress after a one-week				
	pedometer intervention.				
Ebihara S, <u>Nakaya N</u> ,	Impact of blunted perception of	Frontiers in	3	238	2012
et al.	dyspnea on medical care use and	physiology			
	expenditure, and mortality in				
	elderly people.				
Nishi D, <u>Nakaya N</u> , et	Peritraumatic distress,	PloS One	7	e35248	2012
al.	watching television and				
	posttraumatic stress symptoms				
	among rescue workers after the				
	Great East Japan Earthquake.				
<u>Shimizu K</u> , <u>Nakaya N</u> ,	Clinical biopsychosocial risk	Annals of	23	1973-9	2012
et al.	factors for depression in lung	oncology			
	cancer patients: a				
	comprehensive analysis using				
	data from the Lung Cancer				
	Database Project.				
Matsuoka Y, <u>Nakaya</u>	Concern over radiation exposure	BMC Public Health	12	249	2012
N, et al.	and psychological distress				
	among rescue workers following				
	the Great East Japan Earthquake.				
Tomata Y, <u>Nakaya N</u> ,	Green tea consumption and the	American Journal	95	732-739	2012
et al.	risk of incident functional	of Clinical			
	disability in elderly Japanese:	Nutrition			
	the Ohsaki Cohort 2006 Study.		- 4	200 7	0010
<u> </u>	C-reactive protein (CRP) is a	Archives of	54	e392-7	2012
al.	predictor of high medical-care	Gerontology and			
	expenditures in a	Geriatrics			
	community-based elderly				
	population aged 70 years and				
	over: The Tsurugaya project.				

雑誌 (日本語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
矢野智宣, <u>内富庸介</u>	周術期のせん妄の診断と治療術前	Life Support and	19(2)	144-8	2012
	からリスク因子に対応し、必要に	Anesthesia			
	応じて薬物治療を				
藤原雅樹, <u>内富庸介</u> ,	うつ状態に対するlamotrigineの	臨床精神薬理	15(4)	551-9	2012
他	急性効果の検討				
内富庸介	がん患者の抑うつと薬物治療	臨床精神薬理	15(7)	1135-43	2012

		\# 4 \m \m \\ \m \\			2010
内富庸介	がん医療におけるコミュニケーションスキル	造皿細胞移植 	24	2-3	2012
矢野智宣, <u>内富庸介</u> , 他	うつ病を伴う口腔灼熱感症候群に pregabal inが有効であった1例	精神医学	54(6)	621-3	2012
内富庸介	がん患者の意思決定を支援する	Nurshing Today	27(5)	50-3	2012
明智龍男	メメント・モリ	精神医学	54	232-233	2012
明智龍男	がん終末期の精神症状のケア	コンセンサス癌治療	10	206-209	2012
清水研	QOLを低下させる心の病。早期治療で改善を.	がんサポート	112	50-53	2012
清水研	緩和ケアにおいて心身医学はどの ような貢献ができるか?	心身医学	52	617-62 2	2012
上山栄子, <u>小川朝生</u> , 他	反復経頭蓋磁気刺激によるラット 海馬における神経細胞新生の増加	精神神経学雑誌	114	1018-1 022	2012
松本禎久, <u>小川朝生</u>	がん患者の症状緩和	Modern Physician	32	1109-1 112	2012
小川朝生	がん患者の精神心理的ケアの最大 の問題点	がん患者ケア	5	55	2012
小川朝生	がん患者に見られるせん妄の特徴 と知っておきたい知識	がん患者ケア	5	56-60	2012
小川朝生	悪性腫瘍(がん)	精神看護	15	76-79	2012
岡村 仁	がんのリハビリテーション - チームで行う緩和ケア - : 心のケアと リハビリテーション .	MEDICAL REHABILITATION	140	37-41	2012
<u> 岡村 </u>	がん患者のリハビリテーション: 心のケアとリハビリテーション.	がん看護	17	751-75 3	2012
花岡秀明, <u>岡村 仁</u> , 他	地域ボランティア活動の有効性に 関する予備的検討 - 回想法グルー プへの参加を通して	作業療法ジャーナ ル	46	292-29 6	2012
<u>大西秀樹</u> ,他	鎮静	がん看護	17	172-17 4	2012
<u>大西秀樹</u> ,他	サイコオンコロジーの重要性	癌と化学療法	39	331-33 6	2012
<u>大西秀樹</u> ,他	精神症状を有するがん患者の家族 ケア	癌の臨床	58	125-13 0	2012
<u>大西秀樹</u> ,他	遺族へのケア	家族看護	10	60-67	2012
大西秀樹, 他	本当の痛み	ペインクリニック	33	1217-1 218	2012

	T	T	1	ı	1
<u>大西秀樹</u> ,他 	見過ごされがちながん患者と高齢 者のうつ	月刊保団連	1114	17-22	2012
<u>大西秀樹</u> ,他	包括的がんセンターにおける精神 腫瘍科の役割	埼玉医科大学雑誌	39	93-96	2012
<u>大西秀樹</u> ,他	がん患者における精神症状へのア プローチ	臨床と研究	89	1215-1 222	2012
<u>大西秀樹</u> ,他	精神腫瘍学としてのアプローチ	レジデント	5	22-30	2012
古村和恵, <u>森田達也</u> , 他	市民の緩和ケアに対するイメージ の変化.	緩和ケア	22(1)	79-83	2012
福本和彦, <u>森田達也</u> , 他	オピオイド新規導入タイトレーションパスががん疼痛緩和治療に与える影響.	癌と化学療法	39(1)	81-84	2012
佐藤泉, <u>森田達也</u> ,他	在宅特化型診療所と連携する訪問 看護ステーションの遺族評価.	訪問看護と介護	17(2)	155-159	2012
井村千鶴, <u>森田達也</u> , 他	患者・遺族調査の結果に基づいた緩和ケアセミナーの有用性.	ペインクリニック	33(2)	241-250	2012
<u>森田達也</u>	医療羅針盤 私の提言(第50回)地域緩和ケアを進めるためには「顔の見える関係」を作ることが大切である.	新医療	39(3)	18-23	2012
井村千鶴, <u>森田達也</u> , 他	地域で行うデスカンファレンスの 有用性と体験.	緩和ケア	22(2)	189-194	2012
森田達也	がん性疼痛に対する鎮静薬の副作 用対策.	コンセンサス癌治 療	10(4)	192-195	2012
森田達也	緩和ケアチームの活動とOPTIMの成果.	Credentials	44	9-11	2012
鄭陽, <u>森田達也</u>	EAPC (European Association of Palliative Care) 疼痛ガイドラインを読む. 第1回WHO step オピオイド:弱オピオイドの使用、WHO step オピオイド:オピオイドの第1選択.	緩和ケア	22(3)	241-244	2012
<u>森田達也</u> ,他	地域対象の緩和ケアプログラムによる医療福祉従事者の自覚する変化: OPTIM-study.	Palliat Care Res	7(1)	121-135	2012
古村和恵, <u>森田達也</u> , 他	迷惑をかけてつらいと訴える終末 期がん患者への緩和ケア 遺族へ の質的調査からの示唆.	Palliat Care Res	7(1)	142-148	2012
市原香織, <u>森田達也</u> ,他	看取りのケアにおけるLiverpool Care Pathway日本語版の意義と導入 可能性 - 緩和ケア病棟2施設におけ るパイロットスタディ.	Palliat Care Res	7(1)	149-162	2012
<u>森田達也</u> ,他	地域緩和ケアプログラムに参加した医療福祉従事者が地域連携のために同職種・他職種に勧めること.	Palliat Care Res	7(1)	163-171	2012

	T	ı	1	1	1
<u>森田達也</u> ,他:	在宅緩和ケアを担う診療所として	Palliat Care Res	7(1)	317-322	2012
	在宅特化型診療所とドクターネットは根系に世際的かっ				
木田海山 仙	トは相互に排除的か?.	Dollint Care Dec	7(4)	222 222	2042
<u>森田達也</u> ,他	地域緩和ケアにおける「顔の見える関係」とは何か?.	Pailiat Care Res	7(1)	323-333	2012
山田博英,森田達也,	患者・遺族調査から作成した医療者	Palliat Care Res	7(1)	342-347	2012
他	向け冊子「がん患者さん・ご家族の		,		
	声」.				
前堀直美,森田達也,	外来患者のがん疼痛に対する保険	ペインクリニック	33(6)	817-824	2012
他	薬局薬剤師の電話モニタリング・受				
	診前アセスメントの効果.				
森田達也	臨床診断より優れた進行がん患者	MMJ	8(2)	102-103	2012
	の予後予測モデル 開発予測モデル				
	の再現性は未確認.				
<u>森田達也</u>	日本ホスピス緩和ケア協会北海道	Best Nurse	23(7)	6-15	2012
	支部第10回年次大会から 緩和ケア				
	地域介入研究 <optim-study>が明</optim-study>				
	らかにしたこと:明日への示唆.				
岩崎静乃, <u>森田達也</u> ,	終末期がん患者の口腔合併症の前	緩和ケア	22(4)	369-373	2012
他	向き観察研究.				
	EAPC (European Association of	緩和ケア	22(4)	346-349	2012
	Palliative Care) 疼痛ガイドライ		22(4)	340-343	2012
	ンを読む. 第2回オピオイドのタイ				
	トレーション オピオイドの経皮				
	製剤の役割・				
大野友久,森田達也,	入院患者における口腔カンジダ症		39(8)	1233-12	2012
他 (也	に対する抗真菌薬の臨床効果に関	74 - 13 3 75 75		38	
	する研究.				
今井堅吾, <u>森田達也</u>	EAPC (European Association of	緩和ケア	22(5)	428-431	2012
	Palliative Care) 疼痛ガイドライ				
	ンを読む. 第3回 1オピオイドによ				
	る嘔気・嘔吐に対する治療,2オピ				
	オイドによる便秘に対する治療、3				
	オピオイドによる中枢神経症状に				
	対する治療.				
<u>森田達也</u>	緩和ケア領域における臨床研究:過	腫瘍内科	10(3)	185-195	2012
	去、現在、未来.				
大丁宮山 杰田凌山	 がん専門病院が地域緩和ケアの向	痘レル学療法	20/10)	1527-15	2012
木下寛也, <u>森田達也</u> , 他	かん等口病院が地域緩和グアの向 上のために取り組んでいることと	癌と化学療法	39(10)	32	2012
ات ا	課題.			32	
 森田達也	ウローズアップ・がん治療施設(28)	に 臨床腫瘍プラクテ	8(4)	415-417	2012
**************************************	聖隷三方原病院 腫瘍センター・緩				
	和ケア部門・				
鄭陽, <u>森田達也</u>	EAPC (European Association of	緩和ケア	22(6)	522-525	2012
	Palliative Care) 疼痛ガイドライ		(-,		
	ンを読む. 第4回1.アセトアミノフ				
	ェンとNSAIDsの役割. 2.鎮痛補助薬				
	の役割. 3.腎機能障害のある患者へ				
	のオピオイドの使用.		<u> </u>		<u> </u>
木澤義之, <u>森田達也</u> ,	地域で統一した緩和ケアマニュア	Palliat Care Res	7(2)	172-184	2012
他	ル・パンフレット・評価シートの評				
	価:OPTIM-study.				
	· · · · · · · · · · · · · · · · · · ·				

山本亮,森田達也,他	看取りの時期が近づいた患者の家	Palliat Care Res	7(2)	192-201	2012
<u>жасо</u> , ю	族への説明に用いる『看取りのパン	rarrar barb nob	. (=)	102 201	20.2
	フレット』の有用性:多施設研究.				
森田達也,他	地域緩和ケアプログラムに参加し	Palliat Care Res	7(2)	209-217	2012
	た医療福祉従事者が最も大きいと		()		
	体験すること:OPTIM-study.				
木下寛也,森田達也,	がん専門病院緩和ケア病棟の運営	Palliat Care Res	7(2)	348-353	2012
他	方針が地域の自宅がん死亡率に及		, ,		
	ぼす影響.				
森田達也,他	異なる算出方法による地域での専	Palliat Care Res	7(2)	374-381	2012
	門緩和ケアサービス利用数の比較.				
<u>森田達也</u> ,他	患者所持型情報共有ツール「わたし	Palliat Care Res	7(2)	382-388	2012
	のカルテ」の評価:OPTIM-study.				
<u></u> 白髭豊,森田達也,他	 OPTIMプロジェクト前後での病院か	Palliat Care Res	7(2)	389-394	2012
口茈豆, <u>林山连也</u> ,他	ら在宅診療への移行率と病院医	railiat Cale Nes	7(2)	309-394	2012
	5年宅砂原への参行率と病院医 師・看護師の在宅の視点の変化.				
上 森田達也,他	遺族調査に基づく自宅死亡を希望	Palliat Care Res	7(2)	403-407	2012
<u>林山廷也</u> ,他	していると推定されるがん患者数.	Talliat Cale Nes	1(2)	703-407	2012
	していると)民たとれるが70念自数:				
曽根稔雅,中谷直樹,	介護予防サービス利用者における	日本衛生雑誌	67	401-407	2012
他	日常生活の過ごし方と要介護認定				
	等の推移との関連				