

Nagai M, Hoshide S, Ishikawa J, Shimada K, <u>Kario K.</u>	Visit-to-visit blood pressure variations: new independent determinants for cognitive function in the elderly at high risk of cardiovascular disease.	J Hypertens..	30	1556-15 63	2012
Yano Y, Ohmori T, Shimada K, Sakata Y, <u>Kario K.</u>	Association of sleep onset of acute coronary syndrome with sleep apnea syndrome and abnormal diurnal variation of hemostasis and adipokine levels.	Blood Coagul Fibrinolysis.	23	590-596	2012
Saito T, Hojo Y, Ogoyama Y, Hirose M, Ikemoto T, Katsuki T, Shimada K, <u>Kario K.</u>	S100A12 as a Marker to Predict Cardiovascular Events in Patients With Chronic Coronary Artery Disease.	Circ J.	76	2647-26 52	2012
Eguchi K, Hoshide S, Ishikawa S, Shimada K, <u>Kario K.</u>	Aggressive blood pressure-lowering therapy guided by home blood pressure monitoring improves target organ damage in hypertensive patients with type 2 diabetes/prediabetes.	J Clin Hypertens (Greenwich).	14	422-428	2012
Nagai M, Hoshide S, <u>Kario K</u>	Association of Prothrombotic Status With Markers of Cerebral Small Vessel Disease in Elderly Hypertensive Patients.	Am J Hypertens.	25	1088-10 94	2012
Eguchi K, Hoshide S, Schwartz JE, Shimada K, <u>Kario K.</u>	Visit-to-Visit and Ambulatory Blood Pressure Variability as Predictors of Incident Cardiovascular Events in Patients With Hypertension.	Am J Hypertens.	25	962-968	2012
Hoshide S, Fukutomi M, Eguchi K, Watanabe T, Kabutoya T, <u>Kario K.</u>	Change in High-Sensitive Cardiac Troponin T on Hypertensive Treatment.	Clin Exp Hypertens.	35	40-44	2013
Yokota K, Fukuda M, Matsui Y, Hoshide S, Shimada K, <u>Kario K.</u>	Impact of visit-to-visit variability of blood pressure on deterioration of renal function in patients with non-diabetic chronic kidney disease.	Hypertens Res.	36	151-157	2013

Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Shimada K, <u>Kario K</u> ; Japan Morning Surge-Home Blood Pressure Study Investigators Group.	Nighttime home blood pressure and the risk of hypertensive target organ damage.	Hypertension	60	921-928	2012
Eguchi K, Hoshide S, Ishikawa S, Shimada K, <u>Kario K</u> .	Short sleep duration and type 2 diabetes enhance the risk of cardiovascular events in hypertensive patients.	Diabetes Res Clin Pract.	98	518-523	2012
Yano Y, <u>Kario K</u> , Ishikawa S, Ojima T, Gotoh T, Kayaba K, Tsutsumi A, Shimada K, Nakamura Y, Kajii E; the JMS Cohort Study Group.	Associations Between Diabetes, Leanness, and the Risk of Deaths in the Japanese General Population: The Jichi Medical School Cohort Study.	Diabetes Care. Dec 18.		Epub ahead of print	2012
Ishikawa S, Kotani K, <u>Kario K</u> , Kayaba K, Gotoh T, Nakamura Y, Kajii E; Jichi Medical School (JMS) cohort study group.	Inverse association between serum lipoprotein(a) and cerebral hemorrhage in the Japanese population.	Thromb Res	131	e54-58.	2013
Komori T, Eguchi K, Hoshide S, Williams B, <u>Kario K</u> .	Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use.	Blood Press Monit.	18	57-62	2013
<u>Kario K</u> , Ando SI, Kido H, Nariyama J, Takiuchi S, Yagi T, Shimizu T, Eguchi K, Ohno M, Kinoshita O, Yamada T.	The Effects of the L/N-Type Calcium Channel Blocker (Cilnidipine) on Sympathetic Hyperactive Morning Hypertension: Results From ACHIEVE-ONE*	J Clin Hypertens (Greenwich).	15	133-142	2013
Yano Y, Hayakawa M, Kuroki K, Ueno H, Yamagishi S, Takeuchi M, Eto T, Nagata N, Nakazato M, Shimada K, <u>Kario K</u> .	Nighttime blood pressure, nighttime glucose values, and target-organ damages in treated type 2 diabetes patients.	Atherosclerosis	227	135-139	2013

Palatini P, Rebaldi G, Beilin LJ, Eguchi K, Imai Y, <u>Kario K</u> , Ohkubo T, Pierdomenico SD, Saladini F, Schwartz JE, Wing L, Verdecchia P.	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study.	Int J Cardiol. Feb 7. [Epub ahead of print]			2013
Fukutomi M, Hoshide S, Eguchi K, Watanabe T, <u>Kario K</u> .	Low-Grade Inflammation and Ambulatory Blood Pressure Response to Antihypertensive Treatment: The ALPHABET Study.	Am J Hypertens. Feb 27.		Epub ahead of print	2013
Saito T, Hojo Y, Hirose M, Ikemoto T, Katsuki T, <u>Kario K</u> .	High-sensitivity troponin T is a prognostic marker for patients with aortic stenosis after valve replacement surgery.	J Cardiol. Mar 5.		Epub ahead of print	2013
Yano Y, Hoshide S, Shimada K, <u>Kario K</u> .	The impact of cigarette smoking on 24-hour blood pressure, inflammatory and hemostatic activity, and cardiovascular risk in Japanese hypertensive patients.	J Clin Hypertens (Greenwich). 15	234-240	2013	
上山憲司	臓器保護を見据えた降圧戦略 脳血管障害合併高血圧の降圧戦略	循環plus 12	7-9	2012	
Ikeda T, Maruyama K, Ito N, Utagawa A, Nagane M, <u>Shiokawa Y</u>	Serum pentosidine, an advanced glycation end product, indicates poor outcomes after acute ischemic stroke	J Stroke Cerebrovasc Dis 21	386-390	2012	
峰松一夫、中川原譲二、森悦郎、近藤 礼、棚橋紀夫、塩川芳昭、坂井信幸、木村和美、矢坂正弘、平野照之、豊田一則	rt-PA (アルテプラーゼ) 静注療法適正治療指針第二版	脳卒中 第34巻6号	445-480	2012	
篠原幸人、瀧澤俊也、 <u>塩川芳昭</u>	鼎談 若い人にも起こる脳卒中	成人病と生活習慣病 第42巻12号別冊	1397-1407	2012	

内山真一郎、鈴木倫保、塩川芳昭、松本昌泰、阿部康二、片山泰朗	座談会 脳卒中治療のつぎの扉は開かれた	分子脳血管病	vol.11, No.1	1-9	2012
脊山英徳、小林洋和、西山和利、高橋秀寿、土屋一洋、 <u>塩川芳昭</u>	rt-PA治療におけるMRI FLAIR画像のintraarterial Hyperintensity signの意義	The Mt. Fuji Workshop on CVD	vol.30	1-3	2012
<u>塩川芳昭</u>	手術不能の脳動脈瘤とは	Clinical Neuro Science	Vol.31	461-462,	2013
<u>Hasegawa Y, Sasaki N, Yamada K, Ono H, Kumai J, Tsumura K, Suzuki K, Nozaki H, Nakayama H, Takumi I, Nikaido H, Katabami T, Ueda T, Suzuki S, Iwai R, Takahashi H, Shigeno T.</u>	Prediction of Thrombolytic Therapy after Stroke-Bypass Transportation: The Maria Prehospital Stroke Scale Score.	J Stroke Cerebrovasc Dis.		Epub ahead of print	2013
<u>Akiyama H, Hasegawa Y</u>	A Nationwide, Internet-based Survey of 11,121 Inhabitants in Japan.	Stroke Knowledge	52(5)	529-37.	2013
<u>Akiyama H, Hasegawa Y</u>	Migraine Treated Using a Prophylactic Combination of Candesartan and Hydrochlorothiazide (ECARD®) Combination Tablets LD). Nov 5. Nov 5. doi: 10.1111/papr.12005.	Pain Pract.		Epub ahead of print	2012
<u>Shimizu K, Shimomura K, Tokuyama Y, Sakurai K, Isahaya K, Takaishi S, Kato B, Usuki N, Shimizu T, Yamada K, Hasegawa Y.</u>	Association between Inflammatory Biomarkers and Progression of Intracranial Large Artery Stenosis after Ischemic Stroke.	J Stroke Cerebrovasc	22(3):	211 - 7	2013
<u>Isahaya K, Yamada K, Yamatoku M, Sakurai K, Takaishi S, Kato B, Hirayama T, Hasegawa Y.</u>	Effects of edaravone, a free radical scavenger, on serum levels of inflammatory biomarkers in acute brain infarction	J Stroke Cerebrovasc Dis.	21(2)	102-7.	2013

<u>Imai T, Sakurai K, Hagiwara Y, Mizukami H, Hasegawa Y</u>	Specific needs for telestroke networks for thrombolytic therapy in Japan	J Stroke Cerebrovasc dis.			submitted to
<u>Hagiwara Y, Imai T, Yamada K, Sakurai K, Atumi C, Tsuruoka A, Mizukami H, Sasaki N, Akiyama,</u>	Impact of life and family background on delayed presentation to hospital in acute stroke	J Stroke Cerebrovasc dis			submitted to
櫻井謙三,今井健加藤文太,齊藤智子,伊佐早健司,堀内正浩,長谷川泰弘	双方向性ハイビジョンビデオ会議システムを介するNIH stroke scale評価とtelestroke利用の可能性	脳卒中	34巻(6)	414-420	2012
<u>長谷川泰弘</u>	t-PA時代の脳梗塞診療:	日本内科学会雑誌	101巻(9)	2719-2724.	2012
<u>長谷川泰弘</u>	神経・筋疾患の病態と診断・治療(II)「側頭動脈炎」	医学と薬学.	68巻(2)	217-221	2012
<u>長谷川泰弘</u>	脳卒中地域診療体制の現状と展望	救急医学	36巻(8)	887-890.	2012
<u>長谷川泰弘</u>	Telestroke脳卒中に特化した遠隔医療	BRAIN.	(2)	4-5	2012
水上平祐,清水高弘,高田達郎,平山俊和, <u>長谷川泰弘</u> .	被殼部脳出血の後、両側大脳深部に浮腫を来た横静脈洞硬膜動静脉瘻の1例	脳卒中	34巻(1)	16-22	2012
白石 真,渡邊裕文,櫻井謙三,加藤文太, <u>長谷川泰弘</u>	症候性または無症候性ラクナ梗塞を有する高血圧患者の心血管イベント発症リスク層別化における24時間自由行動下血圧測定の意義	脳卒中	34巻(1)	1-7	2012
<u>長谷川泰弘</u>	脳卒中の急性期治療と血糖管理	Diabetes Frontier	6巻(22)	629-633	2012

Tabata E, Yasaka M, Wakugawa Y, Komori M, Mori M, Tsurusaki, Y, Kokuba K, Sambongi Y, Maeda K, Okada Y	Increase in the size of an intracardiac thrombus during dabigatran therapy (110 mg BID) in an acute cardioembolic stroke patient	Cerebrovascular Diseases EXTRA		In press	
山上 宏	ATISによる脳卒中の血管内治療	分子脳血管病	Vol.12 No.2	50-55	2013
山上 宏	脳卒中専門医の初期対応はいかにあるべきか	medicina	Vol.50 No. 2	200-204	2013
山上 宏	t-PA静注療法に追加血管内治療は必要か	脳と循環	Vol. 18 No.1	19-24	2013
山上 宏	脳血栓回収ステント	International Review of Thrombosis.	Vol. 7 No.4	32-38	2012
古賀政利	脳を救え：静注血栓溶解と超音波血栓溶解.	循環器内科	72	275-281	2012
古賀政利、上原敏志	脳梗塞急性期の血栓溶解療法（rt-PA静注療法）：欧米諸国での取り組み—rt-PA療法における看護師やコーディネーターの役割.	BRAIN	2	84-89	2012
古賀政利	急性期脳出血のニカルジピン静注による収縮期血圧160mmHg以下への降圧療法：多施設共同前向き研究 (SAMURAI-ICH研究)	分子脳血管病		In press	2013
古賀政利	脳出血急性期の降圧: SAMURAI-ICH研究(レビュー)	血圧		In press	2013

