

研究者	著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
下川宏明	下川宏明	EDHF	佐藤靖史、森田育男、高倉伸幸、小室一成	血管生物医学事典	朝倉書店	日本	2011	90-91
	下川宏明	Rhoキナーゼ	佐藤靖史、森田育男、高倉伸幸、小室一成	血管生物医学事典	朝倉書店	日本	2011	90-92
	伊藤健太、下川宏明	虚血性心疾患（狭心症・心筋梗塞）	泉 孝英	ガイドライン外来診療	日経メディカル開発	日本	2012	75-87
	伊藤健太、下川宏明	薬物治療無効、血行再建不适当患者に残された治療は何か？	小室一成、横井宏佳、山下武志、楽木宏美	EBM循環器疾患の治療（2012-2013）	中外医学社	日本	2012	125-130
	福本義弘、下川宏明	VTEの病態	中村真潮、山下武志	循環器内科医のためのXa阻害薬のすべて		日本	2012	43-50
	安田 聡、下川宏明	冠攣縮性狭心症	堀 正二、永井良三	循環器疾患最新の治療	南江堂	日本	2012	103-105
	Yasuda S, Shimokawa H	The pathogenesis of vasospastic angina.	Kaski JC	Chest Pain with Normal Coronary Arteries	Springer-Verlag	London	2013	in press
Sakata Y, Shimokawa H	Cardiovascular events: Ischemic heart disease	Wakabayashi I	Interdisciplinary Concepts of Cardiovascular Health	Springer	Wien	2013	in press	
福本義弘	福本義弘、下川宏明	肺高血圧症に対するRhoキナーゼ阻害薬の治療効果	山口徹、高本真一、小室一成、佐地勉	Annual Review循環器	中外医学社	日本	2011	263-269
	福本義弘、下川宏明	VTEの病態	中村真潮、山下武志	循環器内科医のためのXa阻害薬のすべて		日本	2012	43-50
	太田有香、奥山節子、福本義弘	慢性心不全の薬物療法 TOPICS肺高血圧症患者の治療とケア	眞茅みゆき、池亀俊美、加藤尚子	心不全ケア教本	メディカルサイエンスインターナショナル	日本	2012	171-175

研究者	著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
福本義弘	福本義弘、 下川宏明	VTEの病態	中村真潮、山 下武志	循環器内科医のためのXa阻 害薬のすべて		日本	2012	43-50
高橋潤	高橋潤、 下川宏明	狭心症	和田 攻、大 久保昭行、大 崎義雄、大内 尉義	テーラーメイド治療のため の治療薬の選択と使用法ガ イドライン	文光堂	日本	2010	9-16

2) 雑誌

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
柴 信 行	Takii T, Yasuda S, Takahashi J, Ito K, Shiba N, Shirato K, Shimokawa H.	Trends in acute myocardial infarction and mortality over 30 years in Japan: Report from the MIYAGI-AMI Registry Study.	Circ J.	74	93-100	2010
	Miura Y, Fukumoto Y, Shiba N, Miura T, Shimada K, Iwama Y, Takagi A, Matsusaka H, Tsutsumi T, Yamada A, Kinugawa S, Asakura M, Okamatsu S, Tsutsui H, Daida H, Matsuzaki M, Tomoike H, Shimokawa H.	Prevalence and clinical implication of metabolic syndrome in chronic heart failure.	Circ J.	74	2612-2621	2010
	Nochioka K, Shiba N, Kohno H, Miura M, Shimokawa H.	Both high and low body mass indexes are prognostic risks in Japanese patients with chronic heart failure. -Implications from the CHART Study-	J Cardiac Failure.	16	880-887	2010
	柴 信行	心不全予防を目的とした大規模コホート研究: 第二次東北慢性心不全登録研究	東北医学雑誌	122	8-122	2010
	柴 信行、 下川宏明	慢性心不全の疫学データ	救急・集中治療	22	7-13	2010
	柴 信行、 下川宏明	心不全の貧血とエリスロポイエチン	循環器内科	67	343-350	2010
	柴 信行、 下川宏明	RAS抑制薬とMetS・CKD	Heart View	14	349-52	2010
	Shiba N, Shimokawa H.	Chronic kidney disease and heart failure - Bidirectional close link and common therapeutic goal-	J Cardiol.	57	8-17	2011

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
柴信行	Shiba N, Nochioka K, Miura M, Kouno H, Shimokawa H.	Trend for westernization of etiology and clinical characteristics of heart failure patients in Japan. -First report from the CHART-2 Registry-	Circ J.	75	823-833	2011
	柴 信行、下川宏明	Data Analysis 最新の高血圧関連論文解説	臨床高血圧	16	312-319	2011
	後岡広太郎、柴信行、下川宏明	:疫学:慢性心不全患者は爆発的に増加している	循環器科	70	3-7	2011
	Miura M, Shiba N, Nochioka K, Takada T, Takahashi J, Kohno H, Shimokawa H	Urinary albumin excretion in heart failure with preserved ejection fraction: an interim analysis of the CHART 2 study.	Eur J Heart Fail.	14	367-76	2012
	Hao K, Yasuda S, Takii T, Ito Y, Takahashi J, Ito K, Nakayama M, Shiba N,	Urbanization, life-style changes and incidence and in-hospital mortality from acute myocardial infarction in Japan -Report from the MIYAGI-AMI Registry-	Circ J.	76	1136-44	2012
	Shiba N, Shimokawa H.	Prospective care of heart failure in Japan: Lessons from CHART Studies.	EPMA Journal	2	425-438	2012
	三浦正暢、柴信行、下川宏明	心腎連関の疫学	Cardiovascular Frontier	3	13-17	2012
	柴信行、下川宏明	脳・心・腎連関を断つ降圧薬療法 心不全	MEDICINAL	2	44-53	2012
	柴 信行	慢性心不全の疫学	日本内科学会雑誌	101	307-313	2012
	宮下光令、柴 信行、下川宏明	末期心不全の緩和ケアを考える	Heart	2	501-511	2012
	後岡広太郎、三浦正暢、柴 信行、高田剛史、宮田 敏、高橋潤、福本義弘、坂田泰彦、下川宏明	CHART-2研究—日本人の心血管病診療エビデンス構築のための10219例の前向き登録観察研究—	日本内科学会雑誌	101	1715-1719	2012
	Sakata Y, Nochioka K, Miura M, Takada T, Tadaki S, Miyata S, Shiba N, Shimokawa H	Supplemental benefit of angiotensin receptor blocker in hypertensive patients with stable heart failure using olmesartan (SUPPORT) trial: rationale and design.	J Cardiol.		in press	2013

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
柴信行	Miura M, Sakata Y, Nochioka K, Takahashi J, Takada T, Miyata S, Hiramoto T, Inoue K, Tamaki K, Shiba N, Shimokawa H.	Prognostic impact of blood urea nitrogen changes during hospitalization in patients with acute heart failure syndrome.	Circ J.		in press	2013
	Takii T, Yasuda S, Takahashi J, Ito K, Shiba N, Shirato K, Shimokawa H.	Trends in acute myocardial infarction and mortality over 30 years in Japan: Report from the MIYAGI-AMI Registry Study.	Circ J.	74	93-100	2010
下川宏明	Yasuda S, Shimokawa H.	Potential usefulness of fish oil in the primary prevention of acute coronary syndrome.	Eur Heart J.	31	15-16	2010
	Fujita H, Fukumoto Y, Saji K, Sugimura K, Demachi J, Nawata J, Shimokawa H.	Acute vasodilator effects of inhaled fasudil, a specific Rho-kinase inhibitor, in patients with pulmonary arterial hypertension.	Heart & Vessels.	25	144-149	2010
	Kikuchi Y, Ito K, Ito Y, Shiroto T, Tsuburaya R, Aizawa K, Hao K, Fukumoto Y, Takahashi J, Takeda M, Nakayama M, Yasuda S, Kuriyama S, Tsuji I, Shimokawa H.	Double-blind and placebo-controlled study of the effectiveness and safety of extracorporeal cardiac shock wave therapy for severe angina pectoris.	Circ J.	74	589-591	2010
	Hosoya M, Ohashi J, Sawada A, Takaki A, Shimokawa H.	Combination therapy with olmesartan and azelnidipine improves EDHF-mediated responses in diabetic Apolipoprotein E-deficient mice.	Circ J.	74	798-806	2010
	Tatebe S, Fukumoto Y, Sugimura K, Nakano M, Miyamichi S, Satoh K, Oikawa M, Shimokawa H.	Optical coherence tomography as a novel diagnostic tool for distal type chronic thromboembolic pulmonary hypertension.	Circ J.	74	1742-1744	2010

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Ito Y, Ito K, Shiroto T, Tsuburaya R, Yi GJ, Takeda M, Fukumoto Y, Yasuda S, Shimokawa H.	Cardiac shock wave therapy ameliorates left ventricular remodeling after myocardial ischemia-reperfusion injury in pigs in vivo.	Coronary Art Dis.	21	304-311	2010
	Sugimura K, Fukumoto Y, Nawata J, Wang H, Onoue N, Tada T, Shirato K, Shimokawa H.	Hypertension promotes phosphorylation of focal adhesion kinase and proline-rich tyrosine kinase 2 in rats: Implication for the pathogenesis of hypertensive vascular disease.	Tohoku J Exp Med.	222	201-210	2010
	Morisada N, Nomura M, Nishii H, Furuno Y, Sakanashi M, Sabanai K, Toyohira Y, Ueno S, Watanabe S, Masahito Tamura M, Matsumoto T, Tanimoto A, Sasaguri Y, Shimokawa H, Kusuhara K, Yanagihara N, Shirahata A, Tsutsui M.	Complete disruption of all nitric oxide synthase genes causes markedly accelerated renal lesion formation following unilateral ureteral obstruction in mice in vivo.	J Pharmacol Sci.	114	379-389	2010
	Nishigaki K, Inoue Y, Yamanouchi Y, Fukumoto Y, Yasuda S, Sueda S, Urata H, Shimokawa H, Minatoguchi S.	Prognostic effects of calcium channel blockers in patients with vasospastic angina.	Circ J.	74	1943-1950	2010
	Miura Y, Fukumoto Y, Shiba N, Miura T, Shimada K, Iwama Y, Takagi A, Matsusaka H, Tsutsumi T, Yamada A, Kinugawa S, Asakura M, Okamatsu S, Tsutsui H, Daida H, Matsuzaki M.	Prevalence and clinical implication of metabolic syndrome in chronic heart failure.	Circ J.	74	2612-2621	2010

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏 明	Shibata K, Yatera Y, Furuno Y, Sabanai K, Morisada N, Nakata S, Morishita T, Yamazaki F, Tanimoto A, Sasaguri Y, Tasaki H, Nakashima Y, Shimokawa H, Yanagihara N, Otsuji Y, Tsutsui M.	Spontaneous development of left ventricular hypertrophy and diastolic dysfunction in mice lacking all nitric oxide synthases.	Circ J.	74	2681-2692	2010
	Yatera Y, Shibata K, Furuno Y, Sabanai K, Morisada N, Nakata S, Morishita T, Toyohira Y, Wang KY, Tanimoto A, Sasaguri Y, Tasaki H, Nakashima Y, Shimokawa H, Yanagihara N, Otsuji Y, Tsutsui M.	Severe diet-induced dyslipidemia and atherosclerosis in mice lacking the entire nitric oxide synthase system.	Cardiovasc Res.	87	675-682	2010
	Nakano M, Fukumoto Y, Sato K, Ito Y, Kagaya Y, Ishii N, Sigamura K, Shimokawa H.	OX40 ligand plays an important role in the development of atherosclerosis through vasa vasorum neovascularization.	Cardiovasc Res.	88	539-546	2010
	Yada T, Shimokawa H, Hiramatsu O, Sato M, Kashihara N, Takaki A, Goto M, Ogasawara Y, Kajiya F.	Erythropoietin enhances hydrogen peroxide-mediated dilatation of canine coronary collateral arterioles during myocardial ischemia in dogs in vivo.	Am J Physiol.	299	H1928-H1935	2010
	Shimokawa H, Tsutsui M.	Nitric oxide synthases in the pathogenesis of cardiovascular disease.	Pflugers Arch Eur J Physiol.	459	959-967	2010

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Shimokawa H.	Hydrogen peroxide as an endothelium-derived hyperpolarizing factor.	Pflugers Arch Eur J Physiol.	459	915-922	2010
	Ito K, Kagaya Y, Shimokawa H.	Thyroid hormone and chronically unloaded hearts.	Vasc Pharmacol.	52	138-141	2010
	Tsutsui M, Shimokawa H, Otsuji Y, Yanagihara N.	Pathophysiological relevance of NO signaling in cardiovascular system: Novel insight from mice lacking all NO synthases.	Pharmacology & Therapeutics.	128	499-508	2010
	Nochioka K, Shiba N, Kohno H, Miura M, Shimokawa H.	Both high and low body mass indexes are prognostic risks in Japanese patients with chronic heart failure. -Implications from the CHART Study-	J Cardiac Failure.	16	880-887	2010
	Kubota T, Kubota N, Kumagai H, Yamaguchi S, Kozono H, Takahashi T, Inoue M, Itoh S, Takamoto I, Sasako T, Kumagai K, Kawai T, Hashimoto S, Kobayashi T, Sato M, Tokuyama K, Nishimura S, Tsunoda M, Ide T, Murakami K, Yamazaki T, Ezaki O, Kawamura K, Masuda H, Moroi M, Sugi K, Oike Y, Shimokawa H,	Impaired insulin signaling in endothelial cells reduces insulin-induced glucose uptake by skeletal muscle.	Cell Metabolism.	13	294-307	2011
	Takagi Y, Yasuda S, Tsunoda R, Ogata Y, Seki A, Sumiyoshi T, Matsui M, Goto T, Tanabe Y, Sueda S, Sato T, Ogawa S, Kubo N, Momomura S, Ogawa H, Shimokawa H.	Clinical characteristics and long-term prognosis of vasospastic angina patients who survived out-of-hospital cardiac arrest. - Multicenter registry study of the Japanese Coronary Spasm Association-	Circulation Arrhythmia & Electrophysiology.	4	295-302	2011

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Shiba N, Nochioka K, Miura M, Kouno H, Shimokawa H.	Trend for westernization of etiology and clinical characteristics of heart failure patients in Japan. -First report from the CHART-2 Registry-	Circ J.	75	823-833	2011
	Nakayama M, Osaki S, Shimokawa H.	Validation of the mortality risk stratification models for cardiovascular disease.	Am J Cardiol.	108	391-6	2011
	Gao JY, Yasusa S, Tsuburaya R, Ito Y, Shiroto T, Hao K, Aizawa K, Kikuchi Y, Ito K, Shimokawa H.	Long-term treatment with eicosapentaenoic acid ameliorates myocardial ischemia-reperfusion injury in pigs in vivo -Involvement of Rho-kinase pathway inhibition-	Circ J.	75	1843-51	2011
	Kikuchi Y, Yasuda S, Aizawa K, Tsuburaya R, Ito Y, Takeda M, Nakayama M, Ito K, Takahashi J, Shimokawa H.	Enhanced Rho-kinase activity in circulating neutrophils of patients with vasospastic angina -Possible biomarker for diagnosis and disease activity assessment-	J Am Coll Cardiol.	58	1231-7	2011
	Shiba N, Shimokawa H.	Chronic kidney disease and heart failure - Bidirectional close link and common therapeutic goal-	J Cardiol.	57	8-17	2011
	Ito K, Fukumoto Y, Shimokawa H.	Extracorporeal cardiac shock wave therapy for ischemic heart disease.	Am J Cardiovasc Drugs.	11	295-302	2011
	Satoh K, Fukumoto Y, Shimokawa H.	Rho-kinase: Important new therapeutic target in cardiovascular diseases.	Am J Physiol.	301	H287-96	2011
	Shiba N, Shimokawa H.	Prospective care of heart failure in Japan: Lessons from CHART Studies.	EPMA	2	425-38	2011
	Fukumoto Y, Shimokawa H.	Recent progress in the management of pulmonary hypertension.	Circ J.	75	1801-1810	2011
	Rabieyousefi M, Soroosh P, Satoh K, Datei F, Ishii	Indispensable roles of OX40L-derived signal and epistatic genetic effect in immune-mediated pathogenesis of spontaneous	BMC Immunology	12	67-79	2011
	Furuno Y, Morishita T, Toyohira Y,	Crucial vasculoprotective role of the whole nitric oxide synthase system in vascular lesion formation in mice: Involvement of bone	Nitric Oxide.	25	350-359	2011
	Miyamichi- Yamamoto S, Fukumoto Y,	Intensive immunosuppressive therapy improves pulmonary hemodynamics and long-term prognosis in patients with pulmonary	Circ J.	75	2668-2674	2011

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏 明	Aoki T, Fukumoto Y, Sugimura K,	Prognostic impact of myocardial interstitial fibrosis in non-ischemic heart failure - Comparison between preserved and reduced	Circ J.	75	2605-2613	2011
	Pineda AAM, Minohara M, Kawamura N,	Preventive and therapeutic effects of the selective Rho-kinase inhibitor fasudil on experimental autoimmune neuritis.	J Neurol Sci.	306	115-120	2011
	Wang W, Kagaya Y, Asami Y, Fukui S, Takeda	Protective effects of recombinant human erythropoietin against pressureoverload-induced left ventricular remodeling and	Tohoku J Exp Med.	225	131-143	2011
	Fukuda K, Watanabe J, Yagi T, Wakayama Y,	A sodium blocker, pilsicainide, produces arterial post-repolarization refractoriness through the reduction of sodium channel	Tohoku J Exp Med.	225	35-42	2011
	Tsuburaya R, Yasuda S, Ito Y, Shiroto T, Gao	Eicosapentaenoic acid reduces ischemic ventricular fibrillation via altering monophasic action potential in pigs.	J Mol Cell Cardiol.	51	329-336	2011
	Miura M, Shiba N, Nochioka K, Takada T,	Urinary albumin excretion in heart failure with preserved ejection fraction: an interim analysis of the CHART 2 study.	Eur J Heart Fail.	14	367-76	2012
	Hao K, Yasuda S, Takii T, Ito Y, Takahashi J, Ito	Urbanization, life-style changes and incidence and in-hospital mortality from acute myocardial infarction in Japan -Report from	Circ J.	76	1136-44	2012
	Kromhout D, Yasuda S, Geleijnse JM,	Fish oil and omega-3 fatty acids in cardiovascular disease: do they really work?	Eur Heart J.	33	436-443	2012
	Satoh K, Fukumoto Y, Nakano M,	Emergence of the erythropoietin/erythropoietin receptor system as a novel cardiovascular target.	J Cardiovasc Pharmacol.	58	570-4	2012
	Sugimura K, Fukumoto Y, Satoh K, Nochioka K, Miura Y, Aoki T,	Percutaneous transluminal pulmonary angioplasty markedly improves pulmonary hemodynamics and long-term prognosis in patients with chronic thromboembolic pulmonary hypertension.	Circ J.	76	485-488	2012
	Sumiyoshi A, Suzuki H, Ogawa T, J Riera J, Shimokawa H,	Coupling between gamma oscillation and fMRI signal in the rat somatosensory cortex: its dependence on systemic physiological parameters.	NeuroImage	60	738-746	2012
	Suzuki H, Hirose M, Watanabe S, Fukuda K, Fukudo S, Kawashima R, Shimokawa H.	Brain responses to cardiac electrical stimulation: A new EEG method for evaluating cardiac sensation.	Tohoku J Exp Med.	226	3-10	2012

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Nihei T, Takahashi J, Kikuchi Y, Takagi Y, Hao K, Tsuburaya R, Shiroto T, Ito Y, Matsumoto Y, Nakayama M, Ito K, Yasuda S, Shimokawa H.	Enhanced Rho-kinase activity in patients with vasospastic angina after the Great East Japan Earthquake	Circ J	76	2892-2894	2012
	Noda K, Hosoya M, Nakajima S, Ohashi J, Fukumoto Y, Shimokawa H.	Anti-atherogenic effects of the combination therapy with olmesartan and azelnidipine in diabetic apolipoprotein e-deficient mice.	Tohoku J Exp Med.	228	305-315	2012
	Aoki T, Fukumoto Y, Yasuda S, Sakata Y, Ito K, Takahashi J,	The Great East Japan Earthquake Disaster and cardiovascular diseases.	Eur Heart J.	2012	2804-2812	2012
	Shafee MA, Fukuda K, Wakayama Y, Nakano M, Kondo M, Hasebe Y, Kawana A, Shimokawa H.	Delayed enhancement on cardiac magnetic resonance imaging is a poor prognostic factor in patients with cardiac sarcoidosis.	J Cardiol.	2012	448-453	2012
	Hayashi D, Kawakami K, Ito K, Ishii K, Tanno H, Imai Y, Kanno E, Maruyama R, Shimokawa H, Tachi M	Usefulness of the non-contact mapping system to elucidate the conduction property for the treatment of common atrial flutter.	PACE	35	1464-1471	2012
	Sumiyoshi A, Suzuki H, Shimokawa H, Kawashima R.	Neurovascular uncoupling under mild hypoxic hypoxia: an EEG-fMRI study in rats.	J Cereb Blood Flow Metab	32	1853-1858	2012
	Dai Z, Aoki T, Fukumoto Y, Shimokawa H.	Coronary perivascular fibrosis is associated with impairment of coronary blood flow in patients with non-ischemic heart failure.	J Cardiol.	60	416-42	2012
	Serizawa F, Ito K, Kawamura K, Tsuchida K, Hamada Y, Zukeran T, Shimizu T, Akamatsu D, Hashimoto M, Goto H,	Extracorporeal shock wave therapy ameliorates walking ability of patients with peripheral artery disease and intermittent claudication.	Circ J	76	1486-1496	2012

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Tatebe S, Fukumoto Y, Sugimura K, Miyamichi- Yamamoto S, Aoki T, Miura Y, Nochioka K, Satoh K, Shimokawa H.	Clinical significance of reactive post-capillary pulmonary hypertension in patients with left heart disease.	Circ J	76	1235-1244	2012
	Tsuburaya R, Yasuda S, Shiroto T, Ito Y, Gao JY, Aizawa K, Kikuchi Y, Ito K, Takahashi I	Long-term treatment with nifedipine suppresses coronary hyperconstricting responses and inflammatory changes induced by paclitaxel-eluting stent in pigs in vivo - Possible involvement of Rho-kinase pathway-	Eur Heart J.	33	791-9	2012
	Eba S, Hoshikawa Y, Moriguchi T, Mitsuishi Y, Satoh H, Ishida K, Watanabe T, Shimizu T, Shimokawa H, Okada Y, Yamamoto M, Kondo T.	The Nrf2 activator oltipraz attenuates chronic hypoxia-induced cardiopulmonary alterations in mice.	AJRCCM		in press	2013
	Sakata Y, Nochioka K, Miura M, Takada T, Tadaki S, Miyata S, Shiba N, Shimokawa H, for the SUPPORT Trial Investigators	Supplemental benefit of angiotensin receptor blocker in hypertensive patients with stable heart failure using olmesartan (SUPPORT) trial: rationale and design.	J Cardiol.		in press	2013
	Obukuro K, Nobunaga M, Takigawa M, Morioka H, Hisatsune A, Isohama Y, Shimokawa H, Tsutsui M, Hiroshi Katsuki H.	Nitric oxide mediates selective degeneration of hypothalamic orexin neurons through dysfunction of protein disulfide isomerase.	J Neurosci.		in press	2013

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Satoh K, Fukumoto Y, Sugimura K, Miura Y, Aoki T, Nochioka K, Tatebe S, Miyamichi- Yamamoto S, Shimizu T, Osaki S, Takagi Y, Tsuburaya R, Ito Y, Matsumoto Y, Nakayama M, Takeda M, Takahashi J, Ito K, Yasuda S, Shimokawa H.	Plasma cyclophilin A is a novel biomarker for coronary artery disease.	Circ J	77	447-455	2013
	Suzuki H, Sumiyoshi A, Kawashima R, Shimokawa H.	Diffrenet brain activation under left and right ventricular stimulation: An fMRI study in anesthetized rats.	PLOS ONE	8	in press	2013
	Aoki T, Takahashi J, Fukumoto Y, Yasuda S, Ito K, Miyata S, Shinozaki T, Inoue K, Yagi T, Komaru T, Katahira Y, Obata A, Hiramoto T, Sukegawa H, Ogata K, Shimokawa H	Effect of the Great East Japan Earthquake Disaster on cardiovascular diseases -A report from the 10 hospitals in the Disaster area-	Circ J	77	490-493	2013
	Tatebe S, Fukumoto Y, Sugimura K, Miura Y, Nochioka K, Aoki T, Miura M, Yamamoto S, Yaoita N, Satoh K, Shimokawa H.	Optical coherence tomography is superior to intravascular ultrasound for diagnosis of distal- type chronic thromboembolic pulmonary hypertension.	Circ J	77	1081-1083	2013
	Miura M, Sakata Y, Nochioka K, Takahashi J, Takada T, Miyata S, Hiramoto T, Inoue K, Tamaki K, Shiba N,	Prognostic impact of blood urea nitrogen changes during hospitalization in patients with acute heart failure syndrome.	Circ J		in press	2013

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
下川 宏明	Takagi Y, Yasuda S, Takahashi J, Tsunoda R, Ogata Y, Seki A, Sumiyoshi T, Matsui M, Goto T, Tanabe Y, Sueda S, Sato T, Ogawa S, Kubo N, Momomura S,	Clinical implications of provocation tests for coronary artery spasm: safety, arrhythmic complications and prognostic impact - Multicenter registry study of the Japanese Coronary Spasm Association-	Eur Heart J.	34	258-267	2013
	Kawana A, Takahashi J, Takagi Y, Yasuda S, Sakata Y, Tsunoda R, Ogata Y, Seki A, Sumiyoshi T, Matsui M, Goto T, Tanabe Y, Sueda S, Kubo N, Momomura S,	Gender differences in clinical characteristics and outcomes of patients with vasospastic angina -A report from the Japanese Coronary Spasm Association-	Circ J.		in press	2013
福本 義弘	Miura Y, Fukumoto Y, Shiba N, Miura T, Shimada K, Iwama Y, Takagi A, Matsusaka H, Tsutsumi T, Yamada A, Kinugawa S, Asakura M, Okamatsu S, Tsutsui H, Daida H, Matsuzaki M, Tomoike H, Shimokawa H.	Prevalence and clinical implication of metabolic syndrome in chronic heart failure.	Circ J.	74	2612-2621	2010
	Fujita H, Fukumoto Y, Saji K, Sugimura K, Demachi J, Nawata J, Shimokawa H.	Acute vasodilator effects of inhaled fasudil, a specific Rho-kinase inhibitor, in patients with pulmonary arterial hypertension.	Heart & Vessels.	25	144-149	2010
	Kikuchi Y, Ito K, Ito Y, Shiroto T, Tsuburaya R, Aizawa K, Hao K, Fukumoto Y, Takahashi J, Takeda M, Nakayama M, Yasuda S, Kuriyama S, Tsuji I, Shimokawa H.	Double-blind and placebo-controlled study of the effectiveness and safety of extracorporeal cardiac shock wave therapy for severe angina pectoris.	Circ J.	74	589-591	2010

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
福本義弘	Tatebe S, Fukumoto Y, Sugimura K, Nakano M, Miyamichi S, Satoh K, Oikawa M, Shimokawa H.	Optical coherence tomography as a novel diagnostic tool for distal type chronic thromboembolic pulmonary hypertension.	Circ J.	74	1742-1744	2010
	Ito Y, Ito K, Shiroto T, Tsuburaya R, Yi GJ, Takeda M, Fukumoto Y, Yasuda S, Shimokawa H.	Cardiac shock wave therapy ameliorates left ventricular remodeling after myocardial ischemia-reperfusion injury in pig in vivo.	Coronary Art Dis.	21	304-311	2010
	Sugimura K, Fukumoto Y, Nawata J, Wang H, Onoue N, Tada T, Shirato K, Shimokawa H.	Hypertension promotes phosphorylation of focal adhesion kinase and proline-rich tyrosine kinase 2 in rats: Implication for the pathogenesis of hypertensive vascular disease.	Tohoku J Exp Med.	222	201-210	2010
	Nishigaki K, Inoue Y, Yamanouchi Y, Fukumoto Y, Yasuda S, Sueda S, Urata H, Shimokawa H, Minatoguchi S.	Prognostic effects of calcium channel blockers in patients with vasospastic angina.	Circ J.	74	1943-1950	2010
	Nakano M, Fukumoto Y, Satoh K, Ito Y, Kagaya Y, Ishii N, Sigamura K, Shimokawa H.	OX40 ligand plays an important role in the development of atherosclerosis through vasa vasorum neovascularization.	Cardiovasc Res.	88	539-546	2010
	Ito K, Fukumoto Y, Shimokawa H.	Extracorporeal cardiac shock wave therapy for ischemic heart disease.	Am J Cardiovasc Drugs.	11	295-302	2011
	Satoh K, Fukumoto Y, Shimokawa H.	Rho-kinase: Important new therapeutic target in cardiovascular diseases.	Am J Physiol.	301	H287-96	2011
	Fukumoto Y, Shimokawa H.	Recent progress in the management of pulmonary hypertension.	Circ J.	75	1801-1810	2011

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
福本義弘	Miyamichi-Yamamoto S, Fukumoto Y, Sugimura K, Ishii T, Satoh K, Miura U, Tatebe S, Nochioka K, Aoki T, Do.e Zhulanqiqige, Shimokawa H.	Intensive immunosuppressive therapy improves pulmonary hemodynamics and long-term prognosis in patients with pulmonary arterial hypertension associated with connective tissue disease.	Circ J.	75	2668-2674	2011
	Aoki T, Fukumoto Y, Sugimura K, Oikawa M, Satoh K, Nakano M, Nakayama M, Shimokawa H.	Prognostic impact of myocardial interstitial fibrosis in non-ischemic heart failure - Comparison between preserved and reduced ejection fraction heart failure-	Circ J.	75	2605-2613	2011
	Satoh K, Fukumoto Y, Nakano M, Kagaya Y, Shimokawa H.	Emergence of the erythropoietin/erythropoietin receptor system as a novel cardiovascular target.	J Cardiovasc Pharmacol.	58	570-4	2012
	Sugimura K, Fukumoto Y, Satoh K, Nochioka K, Miura Y, Aoki T, Tatebe S, Miyamichi-Yamamoto S, Shimokawa H.	Percutaneous transluminal pulmonary angioplasty markedly improves pulmonary hemodynamics and long-term prognosis in patients with chronic thromboembolic pulmonary hypertension.	Circ J.	76	485-488	2012
	Tatebe S, Fukumoto Y, Sugimura K, Miyamichi-Yamamoto S, Aoki T, Miura Y, Nochioka K, Satoh K, Shimokawa H.	Clinical significance of reactive post-capillary pulmonary hypertension in patients with left heart disease.	Circ J	76	1235-1244	2012
	Sugimura K, Fukumoto Y, Satoh K, Nochioka K, Miura Y, Aoki T, Tatebe S, Miyamichi-Yamamoto S, Shimokawa H.	Percutaneous transluminal pulmonary angioplasty markedly improves pulmonary hemodynamics and long-term prognosis in patients with chronic thromboembolic pulmonary hypertension.	Circ J.	76	485-488	2012

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
福本義弘	Hao K, Yasuda S, Takii T, Ito Y, Takahashi J, Ito K, Nakayama M, Shiba N, Fukumoto Y, Shimokawa H.	Urbanization, life-style changes and incidence and in-hospital mortality from acute myocardial infarction in Japan -Report from the MIYAGI-AMI Registry-	Circ J.	76	1136-44	2012
	Satoh K, Fukumoto Y, Sugimura K, Miura Y, Aoki T, Nochioka K, Tatebe S, Miyamichi-Yamamoto S, Shimizu T, Osaki S, Takagi Y, Tsuburaya R, Ito Y, Matsumoto Y, Nakayama M, Takeda M, Takahashi J, Ito K, Yasuda S, Shimokawa H.	Plasma cyclophilin A is a novel biomarker for coronary artery disease.	Curc J	77	447-455	2013
	Aoki T, Takahashi J, Fukumoto Y, Yasuda S, Ito K, Miyata S, Shinozaki T, Inoue K, Yagi T, Komaru T, Katahira Y, Obata A, Hiramoto T, Sukegawa H, Ogata K, Shimokawa H	Effect of the Great East Japan Earthquake Disaster on cardiovascular diseases -A report from the 10 hospitals in the Disaster area-	Circ J	77	490-493	2013
	Tatebe S, Fukumoto Y, Sugimura K, Miura Y, Nochioka K, Aoki T, Miura M, Yamamoto S, Yaoita N, Satoh K, Shimokawa H.	Optical coherence tomography is superior to intravascular ultrasound for diagnosis of distal-type chronic thromboembolic pulmonary hypertension.	Circ J	77	1081-1083	2013

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
高橋潤	Takii T, Yasuda S, Takahashi J, Ito K, Shiba N, Shirato K, Shimokawa H.	Trends in acute myocardial infarction and mortality over 30 years in Japan: Report from the MIYAGI-AMI Registry Study.	Circ J.	74	93-100	2010
	Kikuchi Y, Ito K, Ito Y, Shiroto T, Tsuburaya R, Aizawa K, Hao K, Fukumoto Y, Takahashi J, Takeda M, Nakayama M, Yasuda S, Kuriyama S, Tsuji I, Shimokawa H.	Double-blind and placebo-controlled study of the effectiveness and safety of extracorporeal cardiac shock wave therapy for severe angina pectoris.	Circ J.	74	589-591	2010
	Kikuchi Y, Yasuda S, Aizawa K, Tsuburaya R, Ito Y, Takeda M, Nakayama M, Ito K, Takahashi J, Shimokawa H.	Enhanced Rho-kinase activity in circulating neutrophils of patients with vasospastic angina -Possible biomarker for diagnosis and disease activity assessment-	J Am Coll Cardiol.	58	1231-7	2011
	Aoki T, Fukumoto Y, Yasuda S, Sakata Y, Ito K, Takahashi J, Miyata S, Tsuji I, Shimokawa H.	The Great East Japan Earthquake Disaster and cardiovascular diseases.	Eur Heart J.	2012	2804-2812	2012
	Miura M, Shiba N, Nochioka K, Takada T, Takahashi J, Kohno H, Shimokawa H	Urinary albumin excretion in heart failure with preserved ejection fraction: an interim analysis of the CHART 2 study.	Eur J Heart Fail.	14	367-76	2012
	Hao K, Yasuda S, Takii T, Ito Y, Takahashi J, Ito K, Nakayama M, Shiba N, Fukumoto Y, Shimokawa H.	Urbanization, life-style changes and incidence and in-hospital mortality from acute myocardial infarction in Japan -Report from the MIYAGI-AMI Registry-	Circ J.	76	1136-44	2012
	Tsuburaya R, Yasuda S, Shiroto T, Ito Y, Gao JY, Aizawa K, Kikuchi Y, Ito K, Takahashi J, Ishibashi-Ueda H, Shimokawa H.	Long-term treatment with nifedipine suppresses coronary hyperconstricting responses and inflammatory changes induced by paclitaxel-eluting stent in pigs in vivo - Possible involvement of Rho-kinase pathway-	Eur Heart J.	33	791-9	2012

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
高橋潤	Aoki T, Takahashi J, Fukumoto Y, Yasuda S, Ito K, Miyata S, Shinozaki T, Inoue K, Yagi T, Komaru T, Katahira Y, Obata A, Hiramoto T, Sukegawa H, Ogata K, Shimokawa H	Effect of the Great East Japan Earthquake Disaster on cardiovascular diseases -A report from the 10 hospitals in the Disaster area-	Circ J	77	490-493	2013
	Satoh K, Fukumoto Y, Sugimura K, Miura Y, Aoki T, Nochioka K, Tatebe S, Miyamichi- Yamamoto S, Shimizu T, Osaki S, Takagi Y, Tsuburaya R, Ito Y, Matsumoto Y, Nakayama M, Takeda M, Takahashi J, Ito K, Yasuda S, Shimokawa H.	Plasma cyclophilin A is a novel biomarker for coronary artery disease.	Curc J	77	447-455	2013
	Miura M, Sakata Y, Nochioka K, Takahashi J, Takada T, Miyata S, Hiramoto T, Inoue K, Tamaki K, Shiba N, Shimokawa H	Prognostic impact of blood urea nitrogen changes during hospitalization in patients with acute heart failure syndrome.	Circ J		in press	2013
	Takagi Y, Yasuda S, Takahashi J, Tsunoda R, Ogata Y, Seki A, Sumiyoshi T, Matsui M, Goto T, Tanabe Y, Sueda S, Sato T, Ogawa S, Kubo N, Momomura S, Ogawa H, Shimokawa H.	Clinical implications of provocation tests for coronary artery spasm: safety, arrhythmic complications and prognostic impact - Multicenter registry study of the Japanese Coronary Spasm Association-	Eur Heart J.	34	258-267	2013

研究者	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
高橋潤	Kawana A, Takahashi J, Takagi Y, Yasuda S, Sakata Y, Tsunoda R, Ogata Y, Seki A, Sumiyoshi T, Matsui M, Goto T, Tanabe Y, Sueda S, Kubo N, Momomura S, Ogawa H, Shimokawa H.	Gender differences in clinical characteristics and outcomes of patients with vasospastic angina -A report from the Japanese Coronary Spasm Association-	Circ J.		in press	2013