

M					
Ohtsuki T, Inagaki M, Oikawa Y, Saitoh A, Kurosawa M, Muramatsu K, Yamada M	Multiple barriers against successful care provision for depressed patients in general internal medicine in a Japanese rural hospital: a cross-sectional study	BMC Psychiatry	10	30	2010
Omori IM, Watanabe N, Nakagawa A, Cipriani A, Barbui C, McGuire H, Churchill R, Furukawa TA	Fluvoxamine versus other anti-depressive agents for depression	Cochrane Database Syst Rev	3	CD006114	2010
Oshima N, Nishida A, Fukushima M, Shimodera S, Kasai K, Okazaki Y, Sasaki T.	Psychotic-like experiences (PLEs) and mental health status in twin and singleton Japanese high school students.	Early Interv Psychiatry	4(3)	206-13	2010
Watanabe N, Furukawa TA, Chen J, Kinoshita Y, Nakano Y, Ogawa S, Funayama T, Ietsugu T, Noda Y	Change in quality of life and their predictors in the long-term follow-up after group cognitive behavioral therapy for social anxiety disorder: a prospective cohort study	BMC Psychiatry	10	81	2010
Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, McGuire H, Churchill R, Furukawa TA	Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis	CNS Drugs.	24	35-53	2010
Yamamoto N, Inada T, Shimodera S,	Brief PANSS to assess and monitor the overall severity of	Psychiatry Clin Neurosci	64(3)	262-7	2010

Morokuma I, Furukawa TA.	schizophrenia.				
Matsuoka Y, Nishi D, Yonemoto N, Hamazaki K, Hashimoto K, Hamazaki T.	Omega-3 fatty acids for secondary prevention of posttraumatic stress disorder after accidental injury: an open-label pilot study.	J Clin Psychopharmacol	30(2)	217·9	2010.
Nishiyama C, Iwami T, Kawamura T, Ando M, Yonemoto N, Hiraide A, Nonogi H.	Quality of chest compressions during continuous CPR; comparison between chest compression-only CPR and conventional CPR.	Resuscitation	81(9)	1152·5	2010.
Akechi T, Okuyama T, Endo C, Sagawa R, Uchida M, Nakaguchi T, Akazawa T, Yamashita H, Toyama T, Furukawa TA	Patient's perceived need and psychological distress and/or quality of life in ambulatory breast cancer patients in Japan.	Psychooncology	20	497·50	2011
Akechi T, Okuyama T, Sagawa R, Uchida M, Nakaguchi T, Ito Y, Furukawa TA	Social anxiety disorder as a hidden psychiatric comorbidity among cancer patients.	Palliat Support Care	9	103·5	2011
Ando M, Morita T, Hirai K, Akechi T, Kira H, Ogasawara E, Jingu K.	Development of a Japanese Benefit Finding Scale (JBFS) for Patients With Cancer.	American Journal of Hospice & Palliative Medicine	28(3)	171·17	2011
Azuma, H., Yamada, A., Shinagawa, Y., Nakano, Y., Watanabe, N., Akechi, T., Furukawa, T. A.	Ictal physiological characteristics of remitters during bilateral electroconvulsive therapy.	Psychiatry Res	185(3)	462·46	2011

Cipriani A, Furukawa TA, Barbui C.	What is a Cochrane review?	Epidemiology and Psychiatric Sciences	20	231·3,	2011
Furukawa TA, Akechi T, Shimodera S, Yamada M, Miki K, Watanabe N, Inagaki M, Yonemoto N.	Strategic use of new generation antidepressants for depression: SUN(^_^)D study protocol.	Trials	12	116,	2011
Furukawa TA, Akechi T, Wagenpfeil S, Leucht S	Relative indices of treatment effect may be constant across different definitions of response in schizophrenia trials.	Schizophr Res	126	212·9	2011
Furukawa TA, Azuma H, Takeuchi H, Kitamura T, Takahashi K.	10-year course of social adjustment in major depression.	International Journal of Social Psychiatry	57	501·8	2011
Furukawa TA, Leucht S.	How to obtain NNT from Cohen's d: comparison of two methods.	PLoS ONE	6	e19070	2011
Furukawa TA.	Drug treatment for generalised anxiety disorder.	BMJ (Clinical Research Ed)	342	d1216	2011
Furukawa TA.	Rapid discontinuation of antidepressants reduces time to recurrence of depression and panic.	Evidence-Based Mental Health	14	13	2011
Hashimoto N, Nakaaki S, Omori IM, Fujioi J, Noguchi Y, Murata Y, Sato J, Tatsumi H, Torii K, Mimura M, Furukawa TA.	Distinct neuropsychological profiles of three major symptom dimensions in obsessive-compulsive disorder.	Psychiatry Research	187	166·73	2011
Hironaka M, Kotani T, Sumigama S, Tsuda H, Mano Y, Hayakawa H,	Maternal Mental Disorders and Pregnancy Outcomes: A Clinical Study in a Japanese Population.	The Journal of Obstetrics and Gynaecology Research	37	1283·1 289	2011

Tanaka S, Ozaki N, Tamakoshi K, Kikkawa F					
Ikeda M, Kitamura I, Ichimi N, Hashimoto M, Lambon Ralph MA, Komori K	Gogi aphasia: The early description of semantic dementia in Japan	Acta Neuropsychologica	9	133-140	2011
Ishikawa N, Goto S, Murase S, Kanai A, Masuda T, Aleksic B, Usui H, Ozaki N	Prospective study of maternal depressive symptomatology among Japanese women.	J Psychosom Res	71	264-269	2011
Katsuki F, Takeuchi H, Konishi M, Sasaki M, Murase Y, Naito A, Toyoda H, Suzuki M, Shiraishi N, Kubota Y, Yoshimatsu Y, Furukawa TA.	Pre-post changes in psychosocial functioning among relatives of patients with depressive disorders after Brief Multifamily Psychoeducation: A pilot study.	BMC Psychiatry	11	56	2011
Kawano M, Sawada K, Tsuru E, Nishihara M, Kato K, Honer WG, Shimodera S	Dopamine receptor D3R and D4R mRNA levels in peripheral lymphocytes in patients with schizophrenia correlate with severity of illness	OJPsch	1	33-39	2011
Kinoshita Y, Shimodera S, Nishida A, Kinoshita K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA, Okazaki Y	Psychotic-like experiences are associated with violent behavior in adolescents.	Schizophr Res	126	245-51	2011
Kobayakawa M, Inagaki M, Fujimori M, Hamazaki K,	Serum brain-derived neurotrophic factor and antidepressant-naive major	Jpn J Clin Oncol	41	1233-1237	2011

Hamazaki T, Akechi T, Tsugane S, Nishiwaki Y, Goto K, Hashimoto K, Yamawaki S, Uchitomi Y.	depression after lung cancer diagnosis				
Kodaka M, Postuvan V, Inagaki M, Yamada M.	A systematic review of scales that measure attitudes toward suicide	Int J Soc Psychiatry	57 1	338-36 1	2011
Matsuoka Y, Nishi D, <u>Yonemoto N</u> , Hamazaki K, Hamazaki T, Hashimoto K	Potential role of brain-derived Neurotrophic factor in omega-3 Fatty Acid supplementation to prevent posttraumatic distress after accidental injury: an open-label pilot study	Psychother Psychosom	80(5) 2	310-31 2	2011
Nagai S, <u>Yonemoto N</u> , Rabesandratana N, Andrianarimanana D, Nakayama T, Mori R	Long-term effects of earlier Initiated continuous Kangaroo Mother Care(KMC) For low-birth-weight(LBW) infants in Madagascar	Acta Paediatr	100(1 2)	241-24 7	2011
Okuyama T, Akechi T, Yamashita H, Toyama T, Nakaguchi T, Uchida M, Furukawa TA.	Oncologists' recognition of supportive care needs and symptoms of their patients in a breast cancer outpatient consultation.	Japanese Journal of Clinical Oncology	41	1251-8	2011
Ono Y, Furukawa TA, Shimizu E, Okamoto Y, Nakagawa A, Fujisawa D, Ishii T, Nakajima S.	Current status of research on cognitive therapy/cognitive behavior therapy in Japan.	Psychiatry and Clinical Neurosciences	65	121-9	2011
Sado M, Yamauchi K, Kawakami N, Ono Y, Furukawa TA, Tsuchiya M,	Cost of depression among adults in Japan in 2005.	Psychiatry and Clinical Neurosciences	65	442-50	2011

Tajima M, Kashima H.					
Sagawa R, Yoshida A, Funayama T, Okuyama T, Akechi T, Furukawa TA	Case of intrathecal baclofen-induced psychotic symptoms.	Psychiatry Clin Neurosci	65	300·1	2011
Sakai H, <u>Yonemoto N</u> , Mori R	Methods for administering subcutaneous heparin during pregnancy	Cochrane Database of Systematic Reviews2011	Issue 5	No.: CD009136 (protocol)	2011
Shimazu K, Shimodera S, Mino Y, Nishida A, Kamimura N, Sawada K, Fujita H, Furukawa TA, Inoue S	Family psychoeducation for major depression	Br J Psychiatry	198	385·390	2011
Shimizu H, Komori K, Fukuhara R, Shinagawa S, Toyota Y, Kashibayashi T, Sonobe N, Matsumoto T, Mori T, Ishikawa T, Hokoishi K, Tanimukai S, Ueno S, Ikeda M	Clinical profiles of Late-onset Semantic Dementia, compared with Early-onset Semantic Dementia and Late-onset Alzheimer's Disease	Psychogeriatrics	11	46·53	2011
Sonobe N, Hata R, Ishikawa T, Sonobe K, Matsumoto T, Toyota Y, Mori T, Fukuhara R, Komori K, Ueno S, Tanimukai S, Ikeda M	Risk of progression from mild memory impairment to clinically diagnosable Alzheimer disease in a Japanese community (from the Nakayama Study)	Int J Geriatr Psychiatry	23	772·779	2011

Torii K, Nakaaki S, Banno K, Murata Y, Sato J, Tatsumi H, Yamanaka K, Narumoto J, Mimura M, Akechi T, Furukawa TA	Reliability and validity of the Japanese version of the Agitated Behaviour in Dementia Scale in Alzheimer's disease: three dimensions of agitated behaviour in dementia.	Psychogeriatrics	11	212-22 0	2011
Uchida M, Akechi T, Okuyama T, Sagawa R, Nakaguchi T, Endo C, Yamashita H, Toyama T, Furukawa TA	Patients' supportive care needs and psychological distress in advanced breast cancer patients in Japan.	Jpn J Clin Oncol	41(4)	530-6	2011
Uchimura N,Kuwahara H,Kumagai Y,Mishima K,Inoue Y,Rayner C.R,Toovey S,Davies B.E,Hosaka Y,Abe M,Prinssen E.P	Absence of Adverse Effects of Oseltamivir on Sleep: A Double-Blind,Randomised Study in Healthy Volunteers in Japan	Basic and Clinical Pharmacology and Toxicology	109 (4)	309-31 4	2011
Uchimura N,Ogawa A,Hamamura M,Hashimoto T,Nagata H,Uchiyama M	Efficacy and safety of ramelteon in Japanese adults with chronic insomnia:a randomized,double-blind,placebo-controlled study	Expert Reviews	11 (2)	215-22 4	2011
Uchiyama M,Hamamura M,Kuwano T,Nagata H,Hashimoto T,Ogawa A,Uchimura N	Long-term safety and efficacy of ramelteon in Japanese patients with chronic insomnia	Sleep Medicine	12	127-13 3	2011
Uchiyama M,Hamamura M,Kuwano T,Nishiyama H,Nagata H,Uchimura N	Evaluation of subjective efficacy and safety of ramelteon in Japanese subjects with chronic insomnia	Sleep Medicine	12	119-12 6	2011

<u>Watanabe N,</u> <u>Furukawa TA,</u> <u>Shimodera S,</u> Morokuma I, Katsuki F, Fujita H, Sasaki M, Kawamura C, Perlis ML	Brief behavioral therapy for refractory insomnia in residual depression; an assessor-blind, randomized controlled trial	J Clin Psychiatry	72(12)	1651-1 658	2011
Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, Churchill R, Furukawa TA.	Mirtazapine versus other antidepressive agents for depression.	Cochrane Database of Systematic Reviews	12	CD006 528	2011
Watanabe, N.	Fluoxetine, trazodone and ritanserin are more effective than placebo when used as add-on therapies for negative symptoms of schizophrenia.	Evid Based Ment Health	14(1)	21	2011
Yatabe Y, Hashimoto M, Kaneda K, Honda K, Ogawa Y, Yuuki S, Matsuzaki S, Tsuyuguchi A, Kashiwagi H, Ikeda M	Neuropsychiatric symptoms of progressive supranuclear palsy in a dementia clinic	Psychogeriatrics	11	54-59	2011
<u>Yonemoto N, Akechi T, Shimodera S, Yamada M, Miki K, Watanabe N, Inagaki M, Furukawa TA</u>	Strategic use of new generation antidepressants for depression: SUN-D study design and rationale	Trials	12(1). A106	1-2	2011
<u>Yonemoto N, Nagai S, Mori R</u>	Schedules for home visits in the early postpartum period	Cochrane Database of Systematic Reviews	9	No.: CD009 326 (protocol)	2011

<u>Akechi T, Morita T, et al.</u>	Dignity therapy: Preliminary cross-cultural findings regarding implementation among Japanese advanced cancer patients	Palliat Med	26 9	768-76	2012
<u>Akechi T, et al.</u>	Clinical Indicators of Depression among Ambulatory Cancer Patients Undergoing Chemotherapy	Jpn J Clin Oncol	42 180	1175-1	2012
<u>Akechi T.</u>	Psychotherapy for depression among patients with advanced cancer	Jpn J Clin Oncol	42 19	1113-11	2012
<u>Ando M, Morita T, Akechi T, et al.</u>	Factors in narratives to questions in the short-term life review interviews of terminally ill cancer patients and utility of the questions	Palliat Support Care	Feb 24:	1-8	2012
<u>Asai M, Akechi T, Uchitomi Y, et al.</u>	Impaired mental health among the bereaved spouses of cancer patients	Psychooncology	May 2	online	2012
<u>Cipriani A, Koesters M, Furukawa TA, Nose M, Purgato M, Omori IM, Trespudi C & Barbui C</u>	Duloxetine versus other anti-depressive agents for depression	Cochrane Database of Systematic Reviews	10 533	CD006	2012
<u>Cipriani A, Purgato M, Furukawa TA, Trespudi C, Imperadore G, Signoretti A, Churchill R, Watanabe N, Barbui C.</u>	Citalopram versus other anti-depressive agents for depression.	Cochrane Database Syst Rev.	7 534	CD006	2012
<u>Furukawa TA, Horikoshi M, Kawakami N, Kadota M, Sasaki</u>	Telephone cognitive-behavioral therapy for subthreshold depression and presenteeism in workplace: a randomized	PLoS ONE	7 e35330	e35330	2012

M, Sekiya Y, Hosogoshi H, Kashimura M, Asano K, Terashima H, Iwasa K, Nagasaki M & Grothaus LC	controlled trial				
Furumura K, Koide T, Okada T, Murase S, Aleksic B, Hayakawa N, Shiino T, Nakamura Y, Tamaji A, Ishikawa N, Ohoka H, Usui H, Banno N, Morita T, Goto S, Kanai A, Masuda T, <u>Ozaki N</u>	Prospective Study on the Association between Harm Avoidance and Postpartum Depressive State in a Maternal Cohort of Japanese Women.	PLoS One	7 (4)	e34725	2012
Hayakawa N, Koide T, Okada T, Murase S, Aleksic B, Furumura K, Shiino T, Nakamura Y, Tamaji A, Ishikawa N, Ohoka H, Usui H, Banno N, Morita T, Goto S, Kanai A, Masuda T, <u>Ozaki N</u>	The postpartum depressive state in relation to perceived rearing: a prospective cohort study.	PLoS One	7 (11)	e50220	2012
Hirai K, <u>Akechi T</u> , et al.	Problem-Solving Therapy for Psychological Distress in Japanese Early-stage Breast Cancer Patients	Jpn J Clin Oncol	42	1168-1 174	2012
Ikeda M, Aleksic B, Yamada K, Iwayama Shigeno Y, Matsuo K, Numata S, Watanabe Y, Ohnuma T, Kaneko T, Fukuo Y, Okochi	Genetic evidence for association between NOTCH4 and schizophrenia supported by a GWAS follow-up study in a Japanese population	Mol Psychiatr	1-2	1-8	2012

T, Toyota T, Hattori E, <u>Shimodera S</u> , Itakura M, Nunokawa A, Shibata N, Tanaka H, Yoneda H, Arai H, Someya T, Ohmori T, Yoshikawa T, Ozaki N, Iwata N					
Johnston BC, Thorlund K, da Costa BR, <u>Furukawa TA</u> & Guyatt GH	New methods can extend the use of minimal important difference units in meta-analyses of continuous outcome measures	Journal of Clinical Epidemiology	65 6	817-82 6	2012
Kinoshita K, Kinoshita Y, <u>Shimodera S</u> , Nishida A, Inoue K, <u>Watanabe N</u> , Oshima N, <u>Akechi T</u> , Sasaki T, Inoue S, <u>Furukawa TA</u> , Okazaki Y	Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents	J Nerv Ment Dis	200(4))	305-30 9	2012
Kinoshita M, Numata S, Tajima A, Ohi K, Hashimoto R, <u>Shimodera S</u> , Imoto I, Itakura M, Takeda M, Ohmori T	Meta-analysis of association studies between DISC1 missense variants and schizophrenia in the Japanese population	Schizophr Res	141 3	271-27 3	2012
Kinoshita M, Numata S, Tajima A, <u>Shimodera S</u> , Ono S, Imamura A, Iga J, Watanabe S, Kikuchi K, Kubo H, Nakataki M, Sumitani S, Imoto I,	DNA methylation signatures of peripheral leukocytes in schizophrenia	Neuromol Med		doi 10.100 7/s1201 7-012-8 198-6	2012

Okazaki Y, Ohmori T					
Kubo T, Sato T, Noguchi T, Kitaoka H, Yamasaki F, Kamimura N, <u>Shimodera S</u> , Iiyama T, Kumagai N, Kakinuma Y, Diedrich A, Jordan J, Robertson D, Doi YL	Influences of donepezil on cardiovascular system – possible therapeutic benefits for heart failure – DOnepezil Cardiac TEst Registry(DOCTER) Study	J Cardiovasc Pharmacol	60(3) 4	310-31 4	2012
Lihong Q, <u>Shimodera S</u> , Fujita H, Morokuma I, Nishida A, Kamimura N, Mizuno M, <u>Furukawa TA</u> , Inoue S	Duration of untreated psychosis in a rural/suburban region of Japan	Early Interv Psychiatry	6 6	239-24 6	2012
Ohtsuki T, Kodaka M, Sakai R, Ishikura F, Watanabe Y, Mann A, Haddad M, <u>Yamada M</u> , Inagaki M.	Attitudes toward depression among Japanese non-psychiatric medical doctors: a cross-sectional study	BMC Res Notes	5	441	2012
Oshima N, Nishida A, <u>Shimodera S</u> , Tochigi M, Ando S, Yamasaki S, Okazaki Y, Sasaki T	The suicidal feelings, self-injury, and mobile phone use after lights out in adolescents	J Pediatr Psychol	37(9) 030	1023-1 030	2012
<u>Shimizu K</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al.	Clinical biopsychosocial risk factors for depression in lung cancer patients: a comprehensive analysis using data from the Lung Cancer Database Project	Ann Oncol	23 979	1973-1 979	2012

<u>Shimodera S</u> , <u>Furukawa TA</u> , Mino Y, Shimazu K, Nishida A, Inoue S	Cost-effectiveness of family psychoeducation to prevent relapse in major depression; results from a randomized controlled trial	BMC Psychiatry 12(40)	1·6	2012
<u>Shimodera S</u> , Imai Y, Kamimura N, Morokuma I, Fujita H, Inoue S, <u>Furukawa TA</u>	Mapping hypofrontality during letter fluency task in schizophrenia; a multi-channel near-infrared spectroscopy study	Schizophr Res 136	63·69	2012
<u>Shimodera S</u> , Kato T, Sato H, Miki K, Shinagawa Y, Kondo M, Fujita H, Morokuma I, Ikeda Y, <u>Akechi T</u> , <u>Watanabe N</u> , <u>Yamada M</u> , Inagaki M, <u>Yonemoto N</u> , <u>Furukawa TA</u>	The first 100 patients in the SUN-D trial(strategic use of new generation antidepressants for depression); examination of feasibility and adherence during the pilot phase	Trials 13(80)	1·11	2012
<u>Shimodera S</u> , Kawamura A, <u>Furukawa TA</u>	Physical pain associated with depression;results of a survey in Japanese patients and physicians	Compr Psychiat 53 9	843·84	2012
<u>Shimodera S</u> , Yonekura Y, Yamaguchi S, Kawamura A, Mizuno M, Inoue S, <u>Furukawa TA</u> , Mino Y	Bipolar I disorder and expressed emotion of families; a cohort study in Japan	OJPpsych 2 1	258·26	2012
Tochigi M, Nishida A, <u>Shimodera S</u> , Okazaki Y, Sasaki T	Season of birth effect on psychotic-like experiences in Japanese adolescents	Eur Child Adolesc Psychiatry		2012 Epub ahead of print

Tochigi M, Nishida A, <u>Shimodera S</u> , Oshima N, Inoue K, Okazaki Y, Sasaki T	Irregular bedtime and nocturnal cellular phone usage as risk factors for being involved in bullying; a cross-sectional survey of Japanese adolescents	PLoS ONE	7(9)	1·6	2012
Tsuchiya M, Kawakami N, Ono Y, Nakane Y, Nakamura Y, Fukao A, Tachimori H, Iwata N, Uda H, Nakane H, Watanabe M, Oorui M, Naganuma Y, <u>Furukawa TA</u> , Kobayashi M, Ahiko T, Takeshima T & Kikkawa T	Impact of mental disorders on work performance in a community sample of workers in Japan: the World Mental Health Japan Survey 2002-2005	Psychiatry Research	198	140·14 5	2012
<u>Watanabe N</u> & Nishida A, <u>Shimodera S</u> , Inoue K, Oshima N, Sasaki T, Inoue S, <u>Akechi T</u> , <u>Furukawa TA</u> , Okazaki Y	Deliberate self-harm in adolescents aged 12 - 18; a cross-sectional survey of 18,104 students	Suicide Life Threat Behav	42(5)	550·56 0	2012
<u>Watanabe N</u> , Nishida A, <u>Shimodera S</u> , Inoue K, Oshima N, Sasaki T, Inoue S, <u>Akechi T</u> , <u>Furukawa TA</u> , Okazaki Y.	Help-seeking behavior among Japanese school students who self-harm: results from a self-report survey of 18,104 adolescents.	Neuropsychiatr Dis Treat.	8	561·56 9	2012
Yamada A, Kato M, Suzuki M, <u>Watanabe N</u> , <u>Akechi T</u> , <u>Furukawa TA</u> .	Quality of life of parents raising children with pervasive developmental disorders	BMC Psychiatry	12	119	2012
Kodaka M, Inagaki M, Postuvan V,	Exploration of factors associated with social worker attitudes	Int J Soc Psychiatry			2012 [Epub]

<u>Yamada M.</u>	toward suicide				ahead of print]
Yamauchi T, Fujita T, Tachimori H, Takeshima T, <u>Inagaki M</u> , Sudo A.	Age-adjusted relative suicide risk by marital and employment status over the past 25 years in Japan	J Pub Health			2012 [Epub ahead of print]
Guyatt GH, Thorlund K, Oxman AD, Walter SD, Patrick D, <u>Furukawa TA</u> , Johnston BC, Karanicolas P, Akl EA, Vist G, Kunz R, Brozek J, Kupper LL, Martin SL, Meerpohl JJ, Alonso-Coello P, Christensen R & Schunemann HJ	GRADE guidelines: 13. Preparing Summary of Findings tables and evidence profiles-continuous outcomes	Journal of Clinical Epidemiology	66 3	173-18	2013
Honda M, Kuriyama A, Noma H, Nunobe S & <u>Furukawa TA</u>	Hand-Sewn Versus Mechanical Esophagogastric Anastomosis After Esophagectomy: A Systematic Review and Meta-Analysis	Annals of Surgery	257 8	238-24	2013
Nakaaki S, Sato J, Torii K, Oka M, Negi A, Nakamae T, Narumoto J, Miyata J, <u>Furukawa TA</u> & Mimura M	Diffusion white matter integrity before the onset of delusions in patients with Alzheimer's disease: Diffusion tensor imaging	Neuropsychiatric Disease and Treatment	9	25-29	2013
Nakaaki S, Sato J, Torii K, Oka M, Negi A, Nakamae T, Narumoto J, Miyata J, <u>Furukawa TA</u> &	Neuroanatomical abnormalities before the onset of delusions in patients with Alzheimer's disease: A voxel-based morphometry study	Neuropsychiatric Disease and Treatment	9	1-8	2013

Mimura M					
Sato J, Nakaaki S, Torii K, Oka M, Negi A, Tatsumi H, Narumoto J, <u>Furukawa TA &</u> Mimura M	Behavior management approach for agitated behavior in Japanese patients with dementia: A pilot study	Neuropsychiatric Disease and Treatment	9	9-14	2013
Inagaki M, Ohtsuki T, <u>Yonemoto N,</u> Oikawa Y, Kurosawa M, Muramatsu K, <u>Furukawa TA,</u> <u>Yamada M.</u>	Prevalence of depression among outpatients visiting a general internal medicine polyclinic in rural Japan	General Hospital Psychiatry			2013 [Epub ahead of print]
Kawaguchi A, <u>Akechi T</u> , et al.	A case of schizophrenia accompanied with lissencephaly	The Journal of Neuropsychiatry and Clinical Neurosciences			In press
Nakaguchi T, <u>Okuyama T, Akechi</u> T, et al.	Oncology nurses' recognition of supportive care needs and symptoms of their cancer patients undergoing chemotherapy	Jpn J Clin Oncol			In press
Abe Y, Fujise N, Fukunaga R, Nakagawa Y, Ikeda M	Comparisons of the prevalence of and risk factors for elderly depression between urban and rural populations in Japan	Int Psychogeriatrics			in pre ss
Akechi T, Miyashita M, Morita T, Okuyama T, Sakamoto M, Sagawa R, Uchitomi Y.	Good death among elderly cancer patients in Japan based on perspectives of the general population.	Journal of the American Geriatrics Society			in press
Akechi T, Okuyama T, Endo C, Sagawa R, Uchida M, Nakaguchi T,	Anticipatory nausea among ambulatory cancer patients undergoing chemotherapy: Prevalence, associated factors,	Cancer Sci			in press

Sakamoto M, Komatsu H, Ueda R, Wada M, Furukawa TA	and impact on quality of life.			
An SK, Chan SK, Chang WC, Chen EY, Chong SA, Chung YC, Hui CL, Hwu HG, Iwata N, Irmansyah I, Jang JH, Kwon JS, Lee JC, Lee HM, Lee EH, Li T, Liu Z, Ma X, Mangala R, Marchira C, Matsumoto K, Mizuno M, <u>Shimodera S,</u> Subandi MA, Suzuki M, Tay SA, Thara R, Verma SK, Wong GH	Early psychosis declaration for Asia by the Asian network of early psychosis	East Asian Arch Psychiatry		in press
Ando M, Morita T, Akechi T, Ifuku Y	A qualitative study of mindfulness-based meditation therapy in Japanese cancer patients.	Support Care Cancer		in press
Ando S, Yamasaki S, <u>Shimodera S</u> , Sasaki T, Oshima N, <u>Furukawa TA</u> , Asukai N, Kasai K, Mino Y, Inoue S, Okazaki Y, Nishida A	A greater number of somatic pain sites is associated with poor mental health in adolescents: a cross-sectional study	BMC Psychiatry		in press
Fukunaga, R, Abe Y, Nakagawa Y, Koyama A, Fujise N, Ikeda	Living alone is associated with depression among the elderly in a rural community in Japan	Psychogeriatrics		in press

M T, Ikeda M				
<u>Furukawa TA,</u> Nakano Y, Funayama T, Ogawa S, Ietsugu T, Noda Y, <u>Chen J, Watanabe</u> <u>N, Akechi T.</u>	CBT modifies the naturalistic course of social anxiety disorder: Findings from an ABA design study in the routine clinical practices	Psychiatry and Clinical Neuroscience		in press
<u>Furukawa TA,</u> <u>Watanabe N,</u> Kinoshita Y, Kinoshita K, Sasaki T, Nishida A, Okazaki Y, Shimodera S	Public speaking fears and their correlates among 17,615 Japanese adolescents	Asia-Pac Psychiatry		in press
Kinoshita Y, Kingdon D, Kinoshita K, Sarafudheen S, Umadi D, Dayson D, Hansen L, Rathod S, Turkington D, Furukawa TA.	A semi-structured clinical interview for psychosis sub-groups (SCIPS): development and psychometric properties.	Social Psychiatry and Psychiatric Epidemiology		in press
Ogawa Y, Hashimoto M, Yatabe Y, Kaneda K, Honda K, Yuuki S, Hirai T, Ikeda M	Association of Cerebral Small-Vessel Disease with Delusions in Alzheimer's Disease Patients	Int J Geriatr Psychiatry		in press
<u>Shimodera S, Imai</u> Y, Kamimura N, Morokuma I, Fujita H, Inoue S, <u>Furukawa TA</u>	Near-infrared spectroscopy(NIRS) of bipolar disorder may be distinct from that of unipolar depression and of healthy controls	Asia-Pac Psychiatry		in press
Thorlund K, Walter SD, Johnston BC, Furukawa TA, Guyatt GH.	Pooling continuous outcomes in meta-analysis -- a tutorial and review of 12 methods for enhancing interpretability.	Research Synthesis Methods		in press

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
稻垣 正俊	適応障害	精神科治療学	25 1	170-17 1	2010
稻垣正俊	【サイコオンコロジーの現場から II・心理・精神医学的問題】がん 患者における自殺と希死念慮	精神科治療学	26 4	959-96 4	2011
稻垣正俊	うつ病対策と自殺対策	日本精神科病院協 会雑誌	29	40-44	2010
稻垣正俊, 大槻露華	精神保健・自殺問題の実践を科学 する	公衆衛生	74 4	790-79 4	2010
稻垣正俊, 大槻露華, 竹島 正	うつ状態を理解する, 自殺とうつ 状態	治療	3 460	2457-2 460	2011
奥山徹, 明智龍男	高齢がん患者において頻度の高い 精神疾患とそのマネージメント	腫瘍内科	8 5	270-27 5	2011
下寺信次	思春期の精神障害の疫学と精神疾 患の早期介入	精神治療学	26	677 - 680	2011
下寺信次	心理教育③：訪問による家族心理 教育 第4章専門家が知っておき たい基本技術	精神科臨床サービ ス	10	379-81	2010
下寺信次	日常診療におけるうつ病と痛み	日本医事新報	第 4506 号	58-61	2010
下寺信次、河村葵、片 岡賢一	高知大学医学部神経精神科におけ る「アーリーサイコシス外来	精神科	17	247-51	2010
下寺信次、藤田博一、 下寺由佳	うつ病の心理教育	臨床精神医学	39(6)	775-8	2010
下寺信次、藤田博一、 河村葵	うつ病の心理教育ポイントとコツ	Medical Practice	28 (10)	1827 - 1830	2011
下寺信次, 井上新平, 藤田博一, 須賀楓介	アーリーサイコシス外来におけ る早期介入	精神神経学雑誌			印刷中
下寺信次, 井上新平, 藤田博一, 須賀楓介	我が国における統合失調症早期介 入の現状	第 108 回日本精神 神経学会学術総会			印刷中

		特集号（電子版）			
久保田智香、岩本邦弘、尾崎紀夫	妊娠期における双極性障害の薬物療法。	BIRTH	1 (5) (4)	42-51 4	2012
金田昌子、尾崎紀夫	産褥期うつ病の予防。	産婦人科治療	301	380-38 4	2010
古川壽亮	臨床研究=デザイン×測定×統計解析	日本神経精神薬理学雑誌	32	139-14 1	2012
古川壽亮	大うつ病の薬物療法のエビデンスアップデート：無効、增量、自殺性	日本精神科病院協会雑誌	31	320-32 3	2012
古川壽亮	市販後臨床試験、医師主導型臨床試験、そして比較効果研究	実験医学	30	2189-2 192	2012
三野善央、下寺信次、藤田博一、諸隈一平、米倉裕希子、何玲、周防美智子、山口創生、井上新平、馬場園明	統合失調症における家族心理教育の費用便益分析	社会問題研究	59	1-6	2010
山田光彦	【抗うつ薬】【抗うつ薬とは】抗うつ薬の開発	こころの科学	158	86-90	2011
山田光彦、稻垣正俊、米本直裕	向精神薬と自殺予防	臨床精神薬理	14		印刷中
山田光彦、稻垣正俊	わが国における自殺予防に関する政策	臨床精神医学	39	1387-1 393	2010
山内貴史、藤田利治、立森久照、竹島正、稻垣正俊	自殺死亡に対する職業および配偶関係の相乗的関連	厚生の指標	58	8-13	2011
山内貴史、竹島正、稻垣正俊	1998 年以降のわが国における自殺死亡の季節変動	公衆衛生	76	574	2012
水野雅文、小林啓之、下寺信次、松本和紀、Thomas H. McGlashan	精神疾患の早期発見と早期治療座談会	臨床精神薬理	13	1373-8 7	2010