

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間			
16富山 男 配偶あり	0-5															
	10-15	0	0.00			0.00		0	0.00			0.00				
	20-25	0	0.00			0.00		1	1061.66	465.36	1657.97	699.64	306.67	1092.60		
	30-35	0	0.00			0.00		0	0.00			0.00				
	40-45	1	46.74	20.48	73.00	30.80	13.49	48.11	1	46.74	20.48	73.00	30.80	13.49	48.11	
	50-55	1	51.64	22.62	80.65	34.03	14.91	53.15	1	51.64	22.62	80.65	34.03	14.91	53.15	
	60-65+	0	0.00			0.00			2	104.45	62.95	145.95	68.83	41.49	96.18	
	計	2	8.33	5.02	11.64	5.49	3.31	7.67	8	33.33	26.71	39.96	21.97	17.60	26.33	
	16富山 男 配偶なし	0-5														
		10-15	0	0.00			0.00			4	199.26	143.28	255.24	131.31	94.42	168.20
		20-25	2	115.01	69.31	160.70	75.79	45.68	105.90	1	57.50	25.19	89.82	37.90	16.60	59.19
		30-35	3	185.11	125.06	245.16	121.99	82.42	161.56	7	431.92	340.21	523.64	284.64	224.20	345.08
		40-45	4	292.34	210.22	374.47	192.66	138.53	246.78	2	146.17	88.10	204.25	96.33	58.06	134.60
50-55		2	156.73	94.46	218.99	103.28	62.25	144.32	1	78.36	34.33	122.40	51.64	22.62	80.66	
60-65+		1	111.01	48.63	173.38	73.16	32.05	114.26	1	111.01	48.63	173.38	73.16	32.05	114.26	
計		13	101.48	85.67	117.30	66.88	56.45	77.30	16	124.90	107.36	142.44	82.31	70.75	93.87	
16富山 男 計		0-5														
		10-15	0	0.00			0.00			4	198.92	143.03	254.80	131.09	94.26	167.91
		20-25	2	109.10	65.75	152.45	71.90	43.33	100.46	2	109.10	65.75	152.45	71.90	43.33	100.46
		30-35	3	133.47	90.17	176.77	87.96	59.42	116.49	7	311.43	245.30	377.56	205.23	161.65	248.81
		40-45	4	143.98	103.53	184.43	94.88	68.23	121.54	3	107.98	72.95	143.02	71.16	48.08	94.25
	50-55	3	87.83	59.34	116.33	57.88	39.10	76.66	2	58.56	35.29	81.82	38.59	23.26	53.92	
	60-65+	2	70.49	42.48	98.49	46.45	27.99	64.91	2	70.49	42.48	98.49	46.45	27.99	64.91	
	計	15	40.75	34.84	46.66	26.85	22.96	30.75	24	65.20	57.72	72.68	42.97	38.04	47.89	
	16富山 女 配偶あり	0-5														
		10-15	0	0.00			0.00			0	0.00			0.00		
		20-25	0	0.00			0.00			4	2364.76	1701.01	3028.50	1558.37	1120.96	1995.78
		30-35	1	117.10	51.30	182.90	77.17	33.81	120.53	2	234.20	141.15	327.25	154.34	93.02	215.66
		40-45	1	59.74	26.17	93.31	39.37	17.25	61.49	4	238.96	171.83	306.09	157.47	113.24	201.71
50-55		1	41.36	18.12	64.59	27.25	11.94	42.57	1	41.36	18.12	64.59	27.25	11.94	42.57	
60-65+		0	0.00			0.00			3	137.16	92.67	181.66	90.39	61.07	119.71	
計		3	12.50	8.45	16.56	8.24	5.57	10.91	15	62.52	53.45	71.59	41.20	35.22	47.18	
16富山 女 配偶なし		0-5														
		10-15	0	0.00			0.00			9	477.00	387.67	566.33	314.34	255.48	373.21
		20-25	5	314.25	235.29	393.21	207.09	155.06	259.13	19	1194.17	1040.30	1348.03	786.96	685.56	888.35
		30-35	1	78.85	34.54	123.15	51.96	22.76	81.15	6	473.07	364.57	581.58	311.76	240.25	383.26
		40-45	0	0.00			0.00			1	106.75	46.77	166.74	70.35	30.82	109.88
	50-55	0	0.00			0.00			0	0.00			0.00			
	60-65+	1	241.07	105.62	376.51	158.86	69.60	248.12	1	241.07	105.62	376.51	158.86	69.60	248.12	
	計	7	42.33	33.34	51.32	27.90	21.97	33.82	36	217.71	197.32	238.09	143.47	130.03	156.90	
	16富山 女 計	0-5														
		10-15	0	0.00			0.00			9	475.20	386.21	564.19	313.16	254.51	371.80
		20-25	5	284.06	212.68	355.43	187.19	140.16	234.23	23	1306.66	1153.64	1459.67	861.09	760.25	961.92
		30-35	2	94.24	56.80	131.68	62.10	37.43	86.78	8	376.95	302.08	451.83	248.41	199.07	297.76
		40-45	1	38.30	16.78	59.83	25.24	11.06	39.43	5	191.52	143.40	239.65	126.21	94.50	157.93
50-55		1	30.56	13.39	47.74	20.14	8.82	31.46	1	30.56	13.39	47.74	20.14	8.82	31.46	
60-65+		0	0.00			0.00			3	107.39	72.55	142.23	70.77	47.81	93.73	
計		10	24.67	20.29	29.06	16.26	13.37	19.15	51	125.84	115.94	135.74	82.93	76.40	89.45	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎										
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
21岐阜 男 配偶あり	0-	0	0.00		0.00			0	0.00									
	5-	0	0.00		0.00			1	422.89	185.31	660.48	161.12	70.60	251.64				
	10-	0	0.00		0.00			0	0.00			0.00						
	15-	0	0.00		0.00			0	0.00			0.00						
	20-	0	0.00		0.00			0	0.00			0.00						
	25-	0	0.00		0.00			0	0.00			0.00						
	30-	3	108.40	73.23	143.56	41.30	27.90	54.70	3	108.40	73.23	143.56	41.30	27.90	54.70			
	35-	2	49.82	30.03	69.62	18.98	11.44	26.52	3	74.73	50.49	98.98	28.47	19.24	37.71			
	40-	0	0.00		0.00				0	0.00			0.00					
	45-	3	77.10	52.09	102.11	29.38	19.85	38.90	1	25.70	11.26	40.14	9.79	4.29	15.29			
	50-	1	25.39	11.12	39.65	9.67	4.24	15.11	1	25.39	11.12	39.65	9.67	4.24	15.11			
	55-	0	0.00		0.00				0	0.00			0.00					
	60-	0	0.00		0.00				1	17.17	7.52	26.82	6.54	2.87	10.22			
	65+	0	0.00		0.00				0	0.00			0.00					
	計	9	19.86	16.14	23.58	7.57	6.15	8.99	10	22.07	18.15	25.99	8.41	6.91	9.90			
	21岐阜 男 配偶なし	0-	0	0.00		0.00			0	0.00								
		5-	0	0.00		0.00			0	0.00								
10-		0	0.00		0.00			0	0.00									
15-		1	23.68	10.37	36.98	9.02	3.95	14.09	4	94.70	68.10	121.31	36.08	25.94	46.22			
20-		4	107.44	77.26	137.63	40.94	29.43	52.44	3	80.58	54.44	106.72	30.70	20.74	40.66			
25-		2	63.12	38.04	88.20	24.05	14.49	33.60	1	31.56	13.83	49.29	12.02	5.27	18.78			
30-		2	82.04	49.44	114.64	31.26	18.84	43.68	2	82.04	49.44	114.64	31.26	18.84	43.68			
35-		1	44.98	19.70	70.25	17.14	7.51	26.76	4	179.90	129.36	230.44	68.54	49.29	87.80			
40-		2	122.83	74.03	171.63	46.80	28.20	65.39	1	61.41	26.91	95.92	23.40	10.25	36.55			
45-		0	0.00		0.00				0	0.00			0.00					
50-		0	0.00		0.00				0	0.00			0.00					
55-		0	0.00		0.00				0	0.00			0.00					
60-		0	0.00		0.00				0	0.00			0.00					
65+		0	0.00		0.00				0	0.00			0.00					
計		12	49.09	41.12	57.05	18.70	15.67	21.74	15	61.36	52.45	70.26	23.38	19.99	26.77			
21岐阜 男 計		0-	0	0.00		0.00			0	0.00								
		5-	0	0.00		0.00			0	0.00								
	10-	0	0.00		0.00			0	0.00									
	15-	1	23.61	10.35	36.88	9.00	3.94	14.05	4	94.46	67.92	120.99	35.99	25.88	46.10			
	20-	4	101.02	72.64	129.41	38.49	27.68	49.30	4	101.02	72.64	129.41	38.49	27.68	49.30			
	25-	2	44.85	27.03	62.67	17.09	10.30	23.88	1	22.43	9.82	35.03	8.54	3.74	13.35			
	30-	5	96.05	71.92	120.19	36.60	27.40	45.79	5	96.05	71.92	120.19	36.60	27.40	45.79			
	35-	3	48.09	32.49	63.70	18.32	12.38	24.27	7	112.22	88.39	136.05	42.76	33.68	51.84			
	40-	2	36.74	22.14	51.34	14.00	8.44	19.56	1	18.37	8.05	28.70	7.00	3.07	10.93			
	45-	3	58.30	39.39	77.22	22.21	15.01	29.42	1	19.43	8.51	30.36	7.40	3.24	11.57			
	50-	1	20.27	8.88	31.66	7.72	3.38	12.06	1	20.27	8.88	31.66	7.72	3.38	12.06			
	55-	0	0.00		0.00				0	0.00			0.00					
	60-	0	0.00		0.00				1	14.66	6.42	22.90	5.59	2.45	8.72			
	65+	0	0.00		0.00				0	0.00			0.00					
	計	21	30.11	26.41	33.80	11.47	10.06	12.88	25	35.84	31.81	39.87	13.65	12.12	15.19			
	21岐阜 女 配偶あり	0-	0	0.00		0.00			0	0.00								
		5-	0	0.00		0.00			0	0.00								
10-		0	0.00		0.00			0	0.00									
15-		0	0.00		0.00			0	0.00									
20-		0	0.00		0.00			0	0.00									
25-		0	0.00		0.00			0	0.00									
30-		0	0.00		0.00			0	0.00									
35-		0	0.00		0.00			0	0.00									
40-		1	23.26	10.19	36.33	8.86	3.88	13.84	4	93.04	66.90	119.18	35.45	25.49	45.41			
45-		0	0.00		0.00				0	0.00			0.00					
50-		0	0.00		0.00				0	0.00			0.00					
55-		0	0.00		0.00				0	0.00			0.00					
60-		0	0.00		0.00				0	0.00			0.00					
65+		0	0.00		0.00				0	0.00			0.00					
計		1	2.19	0.96	3.42	0.83	0.37	1.30	24	52.59	46.55	58.62	20.04	17.74	22.33			
21岐阜 女 配偶なし		0-	0	0.00		0.00			0	0.00								
		5-	0	0.00		0.00			0	0.00								
	10-	0	0.00		0.00			0	0.00									
	15-	1	24.45	10.71	38.18	9.31	4.08	14.55	14	342.24	290.85	393.63	130.39	110.81	149.97			
	20-	1	27.22	11.93	42.52	10.37	4.54	16.20	25	680.54	604.08	757.00	259.29	230.15	288.42			
	25-	0	0.00		0.00			0	0.00				0.00					
	30-	0	0.00		0.00			0	0.00				0.00					
	35-	0	0.00		0.00			0	0.00				0.00					
	40-	0	0.00		0.00			0	0.00				0.00					
	45-	0	0.00		0.00			0	0.00				0.00					
	50-	0	0.00		0.00			0	0.00				0.00					
	55-	0	0.00		0.00			0	0.00				0.00					
	60-	0	0.00		0.00			0	0.00				0.00					
	65+	0	0.00		0.00			0	0.00				0.00					
	計	2	6.59	3.97	9.21	2.51	1.51	3.51	50	164.82	151.73	177.92	62.80	57.81	67.79			
	21岐阜 女 計	0-	0	0.00		0.00			0	0.00								
		5-	0	0.00		0.00			0	0.00								
10-		0	0.00		0.00			0	0.00									
15-		1	24.32	10.65	37.98	9.26	4.06	14.47	16	389.06	334.41	443.71	148.23	127.41	169.05			
20-		1	24.44	10.71	38.17	9.31	4.08	14.54	25	611.01	542.36	679.66	232.79	206.64	258.95			
25-		0	0.00		0.00			0	0.00				0.00					
30-		0	0.00		0.00			0	0.00				0.00					
35-		0	0.00		0.00			0	0.00				0.00					
40-		1	18.19	7.97	28.41	6.93	3.04	10.82	6	109.13	84.10	134.16	41.58	32.04	51.12			
45-		0	0.00		0.00			0	0.00				0.00					
50-		0	0.00		0.00													

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
28兵庫 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00			0.00			0.00				
	20-	1	156.24	68.45	244.03	125.31	54.90	195.71	1	156.24	68.45	244.03	125.31	54.90	195.71
	25-	2	59.68	35.97	83.39	47.86	28.84	66.88	4	119.35	85.82	152.89	95.72	68.83	122.61
	30-	4	54.63	39.28	69.98	43.82	31.51	56.13	6	81.95	63.15	100.75	65.72	50.65	80.80
	35-	6	54.32	41.86	66.77	43.56	33.57	53.55	9	81.47	66.21	96.73	65.34	53.10	77.58
	40-	5	46.81	35.04	58.57	37.54	28.11	46.97	6	56.17	43.28	69.05	45.05	34.71	55.38
	45-	9	87.31	70.96	103.66	70.02	56.91	83.14	9	87.31	70.96	103.66	70.02	56.91	83.14
	50-	3	30.39	20.53	40.24	24.37	16.46	32.28	5	50.64	37.92	63.37	40.62	30.41	50.82
	55-	5	43.75	32.76	54.75	35.09	26.27	43.91	3	26.25	17.74	34.77	21.05	14.22	27.88
	60-	3	20.85	14.09	27.61	16.72	11.30	22.15	1	6.95	3.04	10.86	5.57	2.44	8.71
	65+	0	0.00			0.00			1	2.75	1.21	4.30	2.21	0.97	3.45
計	38	32.93	29.93	35.93	26.41	24.00	28.82	45	38.99	35.73	42.26	31.27	28.65	33.89	
28兵庫 男 配偶なし	0-														
	5-														
	10-														
	15-	6	54.23	41.79	66.68	43.50	33.52	53.47	7	63.27	49.84	76.71	50.75	39.97	61.52
	20-	13	127.99	108.04	147.93	102.65	86.65	118.64	17	167.37	144.56	190.18	134.23	115.94	152.52
	25-	17	200.35	173.04	227.65	160.68	138.78	182.57	14	164.99	140.21	189.77	132.32	112.45	152.19
	30-	11	170.45	141.57	199.33	136.70	113.54	159.86	13	201.44	170.05	232.83	161.55	136.38	186.73
	35-	11	179.35	148.96	209.73	143.84	119.47	168.20	8	130.43	104.52	156.34	104.61	83.83	125.39
	40-	5	108.18	81.00	135.37	86.76	64.96	108.56	4	86.54	62.23	110.86	69.41	49.91	88.91
	45-	1	28.12	12.32	43.92	22.55	9.88	35.22	4	112.48	80.88	144.08	90.21	64.86	115.55
	50-	0	0.00			0.00			1	34.52	15.12	53.91	27.68	12.13	43.24
	55-	0	0.00			0.00			1	32.90	14.41	51.38	26.38	11.56	41.21
	60-	2	61.61	37.13	86.08	49.41	29.78	69.04	0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
計	66	97.62	90.87	104.38	78.29	72.88	83.71	69	102.06	95.16	108.97	81.85	76.32	87.39	
28兵庫 男 計	0-														
	5-														
	10-														
	15-	6	54.05	41.65	66.45	43.35	33.41	53.30	7	63.06	49.67	76.46	50.58	39.83	61.32
	20-	14	129.66	110.19	149.13	103.99	88.37	119.61	18	166.71	144.63	188.79	133.70	115.99	151.41
	25-	19	160.52	139.83	181.21	128.74	112.14	145.33	18	152.07	131.93	172.21	121.96	105.81	138.11
	30-	15	108.89	93.09	124.69	87.33	74.66	100.00	19	137.93	120.15	155.71	110.62	96.36	124.88
	35-	17	98.95	85.47	112.44	79.36	68.54	90.17	17	98.95	85.47	112.44	79.36	68.54	90.17
	40-	10	65.34	53.73	76.95	52.40	43.09	61.72	10	65.34	53.73	76.95	52.40	43.09	61.72
	45-	10	72.13	59.31	84.94	57.85	47.57	68.13	13	93.77	79.15	108.38	75.20	63.48	86.92
	50-	3	23.49	15.87	31.11	18.84	12.73	24.95	6	46.98	36.21	57.76	37.68	29.04	46.33
	55-	5	34.56	25.88	43.24	27.72	20.75	34.68	4	27.65	19.88	35.42	22.17	15.94	28.40
	60-	5	28.35	21.23	35.48	22.74	17.02	28.45	1	5.67	2.48	8.86	4.55	1.99	7.10
	65+	0	0.00			0.00			1	2.26	0.99	3.53	1.81	0.79	2.83
計	104	56.83	53.70	59.96	45.58	43.06	48.09	114	62.29	59.01	65.57	49.96	47.33	52.59	
28兵庫 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00				6	9542.48	7362.03	11722.93	7653.07	5904.35	9401.79
	20-	1	99.87	43.75	155.98	80.09	35.09	125.10	14	1398.12	1188.28	1807.97	1121.29	953.00	1289.59
	25-	3	66.89	45.19	88.58	53.64	36.24	71.04	23	512.79	452.72	572.86	411.26	363.08	459.43
	30-	2	22.57	13.60	31.54	18.10	10.91	25.30	24	270.87	239.81	301.94	217.24	192.32	242.15
	35-	2	15.91	9.59	22.23	12.76	7.69	17.83	12	95.47	79.99	110.96	76.57	64.15	88.99
	40-	2	17.05	10.27	23.82	13.67	8.24	19.10	8	68.19	54.64	81.73	54.69	43.82	65.55
	45-	0	0.00			0.00			4	35.80	25.74	45.85	28.71	20.64	36.77
	50-	0	0.00			0.00			1	9.27	4.06	14.47	7.43	3.26	11.61
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			1	6.96	3.05	10.87	5.58	2.44	8.72
	65+	0	0.00			0.00			0	0.00			0.00		
計	10	8.61	7.08	10.14	6.91	5.68	8.13	93	80.08	75.41	84.74	64.22	60.48	67.96	
28兵庫 女 配偶なし	0-														
	5-														
	10-														
	15-	5	46.39	34.73	58.04	37.20	27.85	46.55	37	343.27	311.56	374.98	275.30	249.87	300.73
	20-	9	86.89	70.62	103.17	69.69	56.64	82.74	64	617.92	574.52	661.31	495.57	460.77	530.37
	25-	5	62.71	46.95	78.47	50.29	37.65	62.93	47	589.46	541.16	637.76	472.75	434.01	511.48
	30-	5	86.80	64.99	108.62	69.62	52.12	87.11	23	399.29	352.52	446.07	320.23	282.72	357.75
	35-	1	18.70	8.19	29.20	14.99	6.57	23.42	9	168.27	136.76	199.79	134.95	109.68	160.23
	40-	2	46.75	28.18	65.33	37.49	22.60	52.39	6	140.25	108.08	172.42	112.48	86.68	138.28
	45-	0	0.00			0.00			1	28.52	12.50	44.55	22.87	10.02	35.73
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
計	27	30.52	27.22	33.82	24.48	21.83	27.13	187	211.41	202.72	220.09	169.55	162.58	176.51	
28兵庫 女 計	0-														
	5-														
	10-														
	15-	5	46.12	34.53	57.71	36.99	27.69	46.28	43	396.62	362.64	430.60	318.09	290.84	345.34
	20-	10	88.04	72.39	103.68	70.61	58.06	83.15	78	686.70	643.02	730.37	550.73	515.70	585.76
	25-	8	64.21	51.46	76.97	51.50	41.27	61.73	70	561.86	524.13	599.58	450.61	420.35	480.86
	30-	7	47.88	37.71	58.05	38.40	30.24	46.55	47	321.47	295.12	347.81	257.82	236.69	278.95
	35-	3	16.74	11.31	22.18	13.43	9.07	17.78	21	117.20	102.83	131.57	94.00	82.47	105.52
	40-	4	24.98	17.96	32.00	20.04	14.41	25.67	14	87.44	74.31	100.58	70.13	59.60	80.66
	45-	0	0.00			0.00			5	34.06	25.50	42.62	27.32	20.45	34.18
	50-	0	0.00			0.00			1	7.31	3.20	11.42	5.86	2.57	9.16
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			1	5.31	2.3				

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎										
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)								
			推定値	95%信頼区間		推定値		95%信頼区間		推定値	95%信頼区間							
36 徳島	0-																	
男	5-																	
配偶あり	10-																	
	15-	0	0.00		0.00		0	0.00		0.00		0	0.00		0.00		0.00	
	20-	0	0.00		0.00		0	0.00		0.00		0	0.00		0.00		0.00	
	25-	0	0.00		0.00		0	0.00		0.00		0	0.00		0.00		0.00	
	30-	1	104.73	45.88	163.58	93.94	41.16	146.73	1	104.73	45.88	163.58	93.94	41.16	146.73			
	35-	1	77.92	34.14	121.71	69.90	30.62	109.17	1	77.92	34.14	121.71	69.90	30.62	109.17			
	40-	0	0.00		0.00				1	82.89	36.31	129.47	74.35	32.57	116.13			
	45-	0	0.00		0.00				2	154.27	92.98	215.57	138.38	83.40	193.36			
	50-	0	0.00		0.00				0	0.00		0.00		0.00				
	55-	0	0.00		0.00				0	0.00		0.00		0.00				
	60-	0	0.00		0.00				2	89.96	54.22	125.70	80.69	48.63	112.75			
	65+	0	0.00		0.00				0	0.00		0.00		0.00				
	計	2	12.09	7.29	16.89	10.84	6.53	15.15	7	42.31	33.32	51.29	37.95	29.89	46.01			
36 徳島	0-																	
男	5-																	
配偶なし	10-																	
	15-	1	68.29	29.92	106.67	61.26	26.84	95.68	1	68.29	29.92	106.67	61.26	26.84	95.68			
	20-	1	80.17	35.12	125.21	71.91	31.50	112.31	3	240.50	162.48	318.51	215.72	145.75	285.70			
	25-	1	91.62	40.14	143.10	82.18	36.00	128.36	3	274.85	185.69	364.01	246.54	166.57	326.51			
	30-	0	0.00		0.00				1	118.30	51.83	184.76	106.11	46.49	165.73			
	35-	1	133.79	58.61	208.96	120.01	52.58	187.44	1	133.79	58.61	208.96	120.01	52.58	187.44			
	40-	0	0.00		0.00				1	176.69	77.41	275.96	158.49	69.44	247.54			
	45-	1	210.02	92.02	328.03	188.39	82.54	294.24	1	210.02	92.02	328.03	188.39	82.54	294.24			
	50-	0	0.00		0.00				0	0.00		0.00		0.00				
	55-	0	0.00		0.00				0	0.00		0.00		0.00				
	60-	0	0.00		0.00				0	0.00		0.00		0.00				
	65+	0	0.00		0.00				2	154.30	93.00	215.61	138.41	83.42	193.40			
	計	5	54.47	40.78	68.16	48.86	36.58	61.14	13	141.63	119.56	163.70	127.04	107.24	146.84			
36 徳島	0-																	
男	5-																	
計	10-																	
	15-	1	68.08	29.82	106.33	61.06	26.75	95.38	1	68.08	29.82	106.33	61.06	26.75	95.38			
	20-	1	74.83	32.78	116.88	67.12	29.41	104.84	3	224.49	151.67	297.31	201.37	136.05	266.69			
	25-	1	64.49	28.25	100.73	57.85	25.34	90.35	3	193.47	130.71	256.23	173.54	117.25	229.84			
	30-	1	55.55	24.34	86.76	49.83	21.83	77.83	2	111.10	66.96	155.24	99.66	60.06	139.25			
	35-	2	98.48	59.35	137.61	88.34	53.24	123.44	2	98.48	59.35	137.61	88.34	53.24	123.44			
	40-	0	0.00		0.00				2	112.84	68.01	157.68	101.22	61.00	141.44			
	45-	1	56.42	24.72	88.12	50.61	22.17	79.04	3	169.25	114.34	224.15	151.82	102.57	201.06			
	50-	0	0.00		0.00				0	0.00		0.00		0.00				
	55-	0	0.00		0.00				0	0.00		0.00		0.00				
	60-	0	0.00		0.00				2	73.89	44.53	103.24	66.27	39.94	92.61			
	65+	0	0.00		0.00				2	28.79	17.35	40.22	25.82	15.56	36.08			
	計	7	27.21	21.43	32.99	24.41	19.22	29.59	20	77.75	67.98	87.52	69.74	60.98	78.50			
地域	年齢	報告数	推定値	95%信頼区間		推定値	95%信頼区間		報告数	推定値	95%信頼区間		推定値	95%信頼区間				
36 徳島	0-																	
女	5-																	
配偶あり	10-																	
	15-	0	0.00		0.00				2	23624.60	14329.33	32919.86	21191.26	12853.41	29529.11			
	20-	0	0.00		0.00				1	706.54	309.64	1103.44	633.77	277.75	989.79			
	25-	0	0.00		0.00				2	322.68	194.49	450.88	289.44	174.45	404.44			
	30-	1	88.80	38.90	138.70	79.65	34.90	124.41	1	88.80	38.90	138.70	79.65	34.90	124.41			
	35-	0	0.00		0.00				0	0.00		0.00		0.00				
	40-	0	0.00		0.00				1	72.12	31.60	112.65	64.70	28.34	101.05			
	45-	0	0.00		0.00				0	0.00		0.00		0.00				
	50-	0	0.00		0.00				1	59.72	26.16	93.28	53.57	23.47	83.67			
	55-	0	0.00		0.00				0	0.00		0.00		0.00				
	60-	0	0.00		0.00				0	0.00		0.00		0.00				
	65+	0	0.00		0.00				0	0.00		0.00		0.00				
	計	1	6.01	2.63	9.38	5.39	2.36	8.42	8	48.06	38.52	57.61	43.11	34.55	51.68			
36 徳島	0-																	
女	5-																	
配偶なし	10-																	
	15-	0	0.00		0.00				4	286.98	206.36	367.60	257.42	185.11	329.74			
	20-	0	0.00		0.00				9	732.98	595.73	870.23	657.48	534.37	780.60			
	25-	1	104.87	45.94	163.79	94.07	41.21	146.92	2	209.73	126.41	293.06	188.13	113.39	262.88			
	30-	0	0.00		0.00				2	288.17	173.69	402.66	258.49	155.80	361.19			
	35-	0	0.00		0.00				0	0.00		0.00		0.00				
	40-	0	0.00		0.00				0	0.00		0.00		0.00				
	45-	0	0.00		0.00				0	0.00		0.00		0.00				
	50-	0	0.00		0.00				0	0.00		0.00		0.00				
	55-	0	0.00		0.00				0	0.00		0.00		0.00				
	60-	0	0.00		0.00				0	0.00		0.00		0.00				
	65+	0	0.00		0.00				0	0.00		0.00		0.00				
	計	1	7.96	3.49	12.43	7.14	3.13	11.15	17	135.30	116.86	153.74	121.37	104.83	137.91			
36 徳島	0-																	
女	5-																	
計	10-																	
	15-	0	0.00		0.00				6	427.88	329.74	526.01	383.81	295.78	471.83			
	20-	0	0.00		0.00				10	730.25	600.53	859.97	655.03	538.67	771.39			
	25-	1	63.56	27.84	99.27	57.01	24.98	89.04	4	254.23</								

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス						
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	
99全国 男 配偶あり	0-	0	0.0		0.0			0	0.0		0.0			
	5-													
	10-													
	15-	0	0.0		0.0			0	0.0		0.0			
	20-	2	88.1	53.1	123.0	52.2	31.5	73.0	0	0.0		0.0		
	25-	12	97.3	81.6	113.1	57.7	48.4	67.1	3	24.3	16.4	32.2	14.4	9.7
	30-	14	53.0	45.0	61.0	31.4	26.7	36.1	11	41.6	34.6	48.7	24.7	20.5
	35-	18	46.5	40.4	52.7	27.6	23.9	31.2	9	23.3	18.9	27.6	13.8	11.2
	40-	22	58.7	51.6	65.7	34.8	30.6	39.0	7	18.7	14.7	22.6	11.1	8.7
	45-	13	35.5	30.0	41.0	21.0	17.8	24.3	12	32.8	27.4	38.1	19.4	16.3
	50-	13	35.3	29.8	40.8	20.9	17.7	24.2	4	10.9	7.8	13.9	6.4	4.6
	55-	10	22.9	18.8	26.9	13.6	11.1	16.0	4	9.1	6.6	11.7	5.4	3.9
	60-	8	15.0	12.0	17.9	8.9	7.1	10.6	5	9.4	7.0	11.7	5.5	4.2
	65+	5	3.7	2.8	4.7	2.2	1.7	2.8	10	7.4	6.1	8.8	4.4	3.6
計	117	27.7	26.3	29.1	16.4	15.6	17.3	65	15.4	14.3	16.5	9.1	8.5	
99全国 男 配偶なし	0-													
	5-													
	10-													
	15-	7	17.7	13.9	21.5	10.5	8.3	12.7	5	12.6	9.5	15.8	7.5	5.6
	20-	39	104.7	95.3	114.1	62.1	56.5	67.7	10	26.8	22.1	31.6	15.9	13.1
	25-	55	170.7	157.8	183.7	101.2	93.6	108.9	9	27.9	22.7	33.2	16.6	13.5
	30-	33	130.1	117.4	142.8	77.1	69.6	84.7	5	19.7	14.8	24.7	11.7	8.8
	35-	24	100.2	88.7	111.7	59.4	52.6	66.2	4	16.7	12.0	21.4	9.9	7.1
	40-	19	105.7	92.1	119.3	62.7	54.6	70.7	4	22.2	16.0	28.5	13.2	9.5
	45-	8	57.8	46.3	69.3	34.3	27.5	41.1	1	7.2	3.2	11.3	4.3	1.9
	50-	2	17.6	10.6	24.6	10.4	6.3	14.6	0	0.0		0.0		
	55-	2	17.2	10.4	24.0	10.2	6.1	14.2	0	0.0		0.0		
	60-	1	8.7	3.8	13.5	5.1	2.2	8.0	0	0.0		0.0		
	65+	0	0.0			0.0			3	10.6	7.2	14.1	6.3	4.3
計	190	75.1	72.1	78.2	44.5	42.7	46.4	41	16.2	14.8	17.6	9.6	8.8	
99全国 男 計	0-													
	5-													
	10-													
	15-	7	17.7	13.9	21.4	10.5	8.2	12.7	5	12.6	9.4	15.8	7.5	5.6
	20-	41	103.7	94.6	112.9	61.5	56.1	66.9	10	25.3	20.8	29.8	15.0	12.3
	25-	67	150.4	140.1	160.7	89.2	83.1	95.3	12	26.9	22.6	31.3	16.0	13.4
	30-	47	90.8	83.3	98.2	53.8	49.4	58.2	16	30.9	26.6	35.2	18.3	15.7
	35-	42	67.0	61.2	72.8	39.7	36.3	43.2	13	20.7	17.5	24.0	12.3	10.4
	40-	41	73.9	67.4	80.4	43.8	40.0	47.7	11	19.8	16.5	23.2	11.8	9.8
	45-	21	41.6	36.5	46.7	24.7	21.6	27.7	13	25.8	21.7	29.8	15.3	12.9
	50-	15	31.1	26.6	35.7	18.5	15.8	21.1	4	8.3	6.0	10.6	4.9	3.5
	55-	12	21.7	18.2	25.2	12.8	10.8	14.9	4	7.2	5.2	9.3	4.3	3.1
	60-	9	13.8	11.3	16.4	8.2	6.7	9.7	5	7.7	5.8	9.6	4.6	3.4
	65+	5	3.1	2.3	3.8	1.8	1.4	2.3	13	8.0	6.7	9.2	4.7	4.0
計	307	45.5	44.0	46.9	27.0	26.1	27.8	106	15.7	14.8	16.6	9.3	8.8	
99全国 女 配偶あり	0-													
	5-													
	10-													
	15-	0	0.0		0.0				1	472.1	206.9	737.4	280.0	122.7
	20-	1	26.7	11.7	41.7	15.8	6.9	24.7	6	160.1	123.4	198.8	94.9	73.2
	25-	1	6.0	2.6	9.3	3.5	1.6	5.5	16	95.7	82.3	109.2	56.8	48.8
	30-	0	0.0		0.0				29	91.4	81.9	100.9	54.2	48.5
	35-	1	2.3	1.0	3.6	1.4	0.6	2.1	18	41.0	35.6	46.4	24.3	21.1
	40-	0	0.0		0.0				20	48.5	42.4	54.6	28.8	25.2
	45-	0	0.0		0.0				16	40.2	34.6	45.9	23.9	20.5
	50-	0	0.0		0.0				18	45.0	39.0	51.0	26.7	23.1
	55-	0	0.0		0.0				14	30.0	25.5	34.5	17.8	15.1
	60-	0	0.0		0.0				9	16.9	13.8	20.1	10.0	8.2
	65+	0	0.0		0.0				20	18.7	16.3	21.0	11.1	9.7
計	3	0.7	0.5	0.9	0.4	0.3	0.6	167	39.4	37.7	41.1	23.4	22.3	
99全国 女 配偶なし	0-													
	5-													
	10-													
	15-	2	5.3	3.2	7.5	3.2	1.9	4.4	8	21.4	17.1	25.6	12.7	10.1
	20-	5	14.3	10.7	17.9	8.5	6.3	10.6	42	119.9	109.5	130.3	71.1	64.9
	25-	1	3.7	1.6	5.7	2.2	1.0	3.4	19	69.8	60.8	78.8	41.4	36.1
	30-	1	5.2	2.3	8.1	3.1	1.3	4.8	20	103.7	90.7	116.7	61.5	53.8
	35-	2	11.4	6.9	16.0	6.8	4.1	9.5	10	57.2	47.0	67.3	33.9	27.9
	40-	0	0.0		0.0				7	51.7	40.7	62.7	30.6	24.1
	45-	0	0.0		0.0				2	18.6	11.2	25.9	11.0	6.6
	50-	1	11.0	4.8	17.2	6.5	2.9	10.2	2	22.0	13.2	30.7	13.0	7.8
	55-	0	0.0		0.0				0	0.0		0.0		
	60-	0	0.0		0.0				6	41.6	32.1	51.2	24.7	19.0
	65+	0	0.0		0.0				7	6.8	5.3	8.2	4.0	3.2
計	12	4.0	3.4	4.7	2.4	2.0	2.8	123	41.2	39.1	43.3	24.4	23.2	
99全国 女 計	0-													
	5-													
	10-													
	15-	2	5.3	3.2	7.4	3.1	1.9	4.4	9	23.9	19.4	28.4	14.2	11.5
	20-	6	15.5	11.9	19.0	9.2	7.1	11.3	48	123.8	113.7	133.8	73.4	67.4
	25-	2	4.6	2.7	6.4	2.7	1.6	3.8	35	79.7	72.1	87.3	47.3	42.8
	30-	1	2.0	0.9	3.1	1.2	0.5	1.8	49	96.1	88.3	103.8	57.0	52.4
	35-	3	4.9	3.3	6.5	2.9	2.0	3.8	28	45.6	40.8	50.4	27.0	24.2
	40-	0	0.0		0.0				27	49.3	44.0	54.6	29.2	26.1
	45-	0	0.0		0.0				18	35.6	30.9	40.3	21.1	18.3
	50-	1	2.0	0.9	3.2	1.2	0.5	1.9	20	40.7	35.6	45.8	24.1	21.1
	55-	0	0.0		0.0				14	24.5	20.8	28.1	14.5	12.3
	60-	0	0.0		0.0				15	22.2	19.0	25.4	13.2	11.3
	65+	0	0.0		0.0				27	12.8	11.4	14.2	7.6	6.8
計	15	2.1	1.8	2.4	1.2	1.1	1.4	290	40.1	38.8	41.5	23.8	23.0	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・類管炎				性器ヘルペス				
		報告数	人口10万対		報告数	人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	
03岩手 男 配偶あり	0-									
	5-									
	10-									
	15-	0	0.0		0.0	0	0.0		0.0	
	20-	1	553.3	242.5	864.1	401.1	175.8	626.5	0	0.0
	25-	1	120.2	52.7	187.8	87.2	38.2	136.2	0	0.0
	30-	1	63.7	27.9	99.5	46.2	20.2	72.1	1	63.7
	35-	4	195.2	140.4	250.1	141.5	101.8	181.3	0	0.0
	40-	3	148.3	100.2	196.5	107.5	72.7	142.4	1	49.4
	45-	1	43.5	19.1	67.9	31.5	13.8	49.2	2	87.0
	50-	0	0.0		0.0				0	0.0
	55-	1	31.6	13.9	49.4	22.9	10.0	35.8	1	31.6
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				0	0.0	
計		12	42.8	35.8	49.7	31.0	26.0	36.1	5	17.8
03岩手 男 配偶なし	0-									
	5-									
	10-									
	15-	0	0.0		0.0					
	20-	2	99.2	59.8	138.7	71.9	43.4	100.5	0	0.0
	25-	6	341.1	262.8	419.3	247.3	190.6	304.0	1	56.8
	30-	1	66.2	29.0	103.5	48.0	21.0	75.0	0	0.0
	35-	3	216.3	146.1	286.5	156.8	105.9	207.7	0	0.0
	40-	1	88.4	38.7	138.1	64.1	28.1	100.1	1	88.4
	45-	0	0.0		0.0				0	0.0
	50-	0	0.0		0.0				0	0.0
	55-	0	0.0		0.0				0	0.0
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				1	49.1	
計		13	79.6	67.2	92.1	57.7	48.7	66.7	4	24.5
03岩手 男 計	0-									
	5-									
	10-									
	15-	0	0.0		0.0				1	37.1
	20-	3	136.6	92.3	180.9	99.0	66.9	131.2	0	0.0
	25-	7	270.2	212.8	327.6	195.9	154.3	237.5	1	38.6
	30-	2	64.9	39.1	90.8	47.1	28.4	65.8	1	32.5
	35-	7	203.7	160.5	247.0	147.7	116.3	179.1	0	0.0
	40-	4	126.8	91.2	162.5	92.0	66.1	117.8	2	63.4
	45-	1	29.9	13.1	46.8	21.7	9.5	33.9	2	59.9
	50-	0	0.0		0.0				0	0.0
	55-	1	24.1	10.6	37.7	17.5	7.7	27.3	1	24.1
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				1	8.4	
計		25	56.3	50.0	62.7	40.9	36.3	45.4	9	20.3
03岩手 女 配偶あり	0-									
	5-									
	10-									
	15-	0	0.0		0.0				0	0.0
	20-	0	0.0		0.0				1	355.0
	25-	0	0.0		0.0				0	0.0
	30-	0	0.0		0.0				2	107.5
	35-	0	0.0		0.0				1	43.4
	40-	0	0.0		0.0				0	0.0
	45-	0	0.0		0.0				1	38.3
	50-	0	0.0		0.0				0	0.0
	55-	0	0.0		0.0				1	30.1
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				4	48.6	
計		0	0.0		0.0				10	35.3
03岩手 女 配偶なし	0-									
	5-									
	10-									
	15-	0	0.0		0.0				2	77.4
	20-	0	0.0		0.0				3	154.9
	25-	0	0.0		0.0				0	0.0
	30-	0	0.0		0.0				3	261.9
	35-	0	0.0		0.0				0	0.0
	40-	0	0.0		0.0				0	0.0
	45-	0	0.0		0.0				0	0.0
	50-	0	0.0		0.0				0	0.0
	55-	0	0.0		0.0				0	0.0
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				0	0.0	
計		0	0.0		0.0				8	37.2
03岩手 女 計	0-									
	5-									
	10-									
	15-	0	0.0		0.0				2	77.0
	20-	0	0.0		0.0				4	180.4
	25-	0	0.0		0.0				0	0.0
	30-	0	0.0		0.0				5	166.4
	35-	0	0.0		0.0				1	30.1
	40-	0	0.0		0.0				0	0.0
	45-	0	0.0		0.0				1	29.8
	50-	0	0.0		0.0				0	0.0
	55-	0	0.0		0.0				1	23.9
	60-	0	0.0		0.0				0	0.0
65+	0	0.0		0.0				4	22.9	
計		0	0.0		0.0				18	36.1

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
08茨城県 男 配偶あり	0-	0	0.00			0.00			0	0.0			0.0		
	5-	1	251.01	109.98	392.05	103.67	45.42	161.92	0	0.0			0.0		
	10-	2	101.71	61.30	142.12	42.00	25.32	58.69	0	0.0			0.0		
	15-	1	25.30	11.08	39.51	10.45	4.58	16.32	0	0.0			0.0		
	20-	1	17.89	7.84	27.94	7.39	3.24	11.54	0	0.0			0.0		
	25-	1	18.62	8.16	29.08	7.69	3.37	12.01	1	18.6	8.2	29.1	7.7	3.4	12.0
	30-	2	37.38	22.53	52.23	15.44	9.30	21.57	0	0.0			0.0		
	35-	3	51.63	34.88	68.38	21.32	14.41	28.24	1	17.2	7.5	26.9	7.1	3.1	11.1
	40-	2	28.02	16.88	39.15	11.57	6.97	16.17	1	14.0	6.1	21.9	5.8	2.5	9.0
	45-	0	0.00			0.00			1	12.4	5.4	19.4	5.1	2.2	8.0
	50-	0	0.00			0.00			1	5.1	2.2	8.0	2.1	0.9	3.3
	65+	13	20.54	17.34	23.74	8.48	7.16	9.81	5	7.9	5.9	9.9	3.3	2.4	4.1
	計														
08茨城県 男 配偶なし	0-	0	0.00			0.00			2	32.6	19.6	45.5	13.4	8.1	18.8
	5-	6	103.45	79.72	127.18	42.72	32.92	52.53	2	34.5	20.8	48.2	14.2	8.6	19.9
	10-	12	232.91	195.13	270.68	96.19	80.59	111.79	2	38.8	23.4	54.2	16.0	9.7	22.4
	15-	12	292.70	245.23	340.18	120.89	101.28	140.49	0	0.0			0.0		
	20-	4	105.10	75.57	134.62	43.41	31.21	55.60	0	0.0			0.0		
	25-	3	105.00	70.94	139.07	43.37	29.30	57.43	0	0.0			0.0		
	30-	1	45.40	19.89	70.91	18.75	8.21	29.29	0	0.0			0.0		
	35-	0	0.00			0.00			0	0.0			0.0		
	40-	1	51.19	22.43	79.95	21.14	9.26	33.02	0	0.0			0.0		
	45-	0	0.00			0.00			0	0.0			0.0		
	50-	0	0.00			0.00			0	0.0			0.0		
	65+	0	0.00			0.00			0	0.0			0.0		
	計	39	97.41	88.65	106.18	40.23	36.61	43.85	6	15.0	11.5	18.4	6.2	4.8	7.6
08茨城県 女 計	0-	0	0.00			0.00			2	32.5	19.6	45.4	13.4	8.1	18.7
	5-	7	112.93	88.95	136.92	46.64	36.74	56.55	2	32.3	19.4	45.1	13.3	8.0	18.6
	10-	14	196.66	167.13	226.20	81.22	69.03	93.42	2	28.1	16.9	39.3	11.6	7.0	16.2
	15-	13	161.43	136.27	186.59	66.67	56.28	77.06	0	0.0			0.0		
	20-	5	53.22	39.84	66.59	21.98	16.46	27.50	0	0.0			0.0		
	25-	4	48.62	34.96	62.28	20.08	14.44	25.72	1	12.2	5.3	19.0	5.0	2.2	7.8
	30-	3	39.72	26.83	52.60	16.40	11.08	21.72	0	0.0			0.0		
	35-	3	38.83	26.23	51.43	16.04	10.83	21.24	1	12.9	5.7	20.2	5.3	2.3	8.3
	40-	3	33.00	22.29	43.70	13.63	9.21	18.05	1	11.0	4.8	17.2	4.5	2.0	7.1
	45-	0	0.00			0.00			1	10.2	4.5	15.9	4.2	1.8	6.6
	50-	0	0.00			0.00			1	4.2	1.8	6.5	1.7	0.8	2.7
	65+	0	0.00			0.00			1	10.6	8.8	12.5	4.4	3.7	5.1
	計	52	50.33	46.41	54.25	20.79	19.17	22.41	11	10.6	8.8	12.5	4.4	3.7	5.1

  

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
08茨城県 女 配偶あり	0-	0	0.00			0.00			0	0.00			0.00		
	5-	0	0.00			0.00			1	156.91	68.74	245.07	64.80	28.39	101.21
	10-	0	0.00			0.00			2	77.62	46.78	108.46	32.06	19.32	44.79
	15-	0	0.00			0.00			1	21.61	9.47	33.76	8.93	3.91	13.94
	20-	0	0.00			0.00			4	63.96	45.99	81.93	26.41	18.99	33.84
	25-	0	0.00			0.00			1	16.99	7.44	26.53	7.02	3.07	10.96
	30-	0	0.00			0.00			3	50.90	34.39	67.42	21.02	14.20	27.84
	35-	0	0.00			0.00			3	47.57	32.14	63.01	19.65	13.27	26.02
	40-	0	0.00			0.00			4	53.46	38.44	68.48	22.08	15.88	28.28
	45-	0	0.00			0.00			2	25.43	15.33	35.53	10.50	6.33	14.67
	50-	0	0.00			0.00			1	6.40	2.80	9.99	2.64	1.16	4.13
	65+	0	0.00			0.00			22	34.81	30.64	38.98	14.38	12.66	16.10
	計	0	0.00			0.00									
08茨城県 女 配偶なし	0-	0	0.00			0.00			0	0.00			0.00		
	5-	0	0.00			0.00			6	118.79	91.54	146.04	49.06	37.81	60.32
	10-	0	0.00			0.00			1	25.51	11.18	39.85	10.54	4.62	16.46
	15-	0	0.00			0.00			4	145.63	104.71	186.54	60.14	43.25	77.04
	20-	1	41.29	18.09	64.49	17.05	7.47	26.63	1	41.29	18.09	64.49	17.05	7.47	26.63
	25-	0	0.00			0.00			2	111.07	66.94	155.20	45.87	27.65	64.10
	30-	0	0.00			0.00			1	71.57	31.36	111.79	29.56	12.95	46.17
	35-	0	0.00			0.00			0	0.00			0.00		
	40-	0	0.00			0.00			0	0.00			0.00		
	45-	0	0.00			0.00			1	52.07	22.81	81.32	21.50	9.42	33.59
	50-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	1	2.37	1.04	3.71	0.98	0.43	1.53	16	37.99	32.65	43.32	15.89	13.48	17.89
08茨城県 女 計	0-	0	0.00			0.00			0	0.00			0.00		
	5-	0	0.00			0.00			7	123.06	96.93	149.20	50.83	40.03	61.62
	10-	0	0.00			0.00			3	46.18	31.20	61.16	19.07	12.89	25.26
	15-	0	0.00			0.00			5	67.81	50.77	84.85	28.00	20.97	35.04
	20-	1	11.53	5.05	18.00	4.76	2.09	7.43	5	57.63	43.15	72.11	23.80	17.82	29.78
	25-	0	0.00			0.00			3	39.03	26.37	51.69	16.12	10.89	21.35
	30-	0	0.00			0.00			4	54.86	39.45	70.28	22.66	16.29	29.02
	35-	0	0.00			0.00			3	39.79	26.88	52.70	16.43	11.10	21.76
	40-	0	0.00			0.00			4	44.49	31.99	56.99	18.38	13.21	23.54
	45-	0	0.00			0.00			3	30.66	20.71	40.60	12.66	8.55	16.77
	50-	0	0.00			0.00			1	3.32	1.46	5.19	1.37	0.60	2.14
	65+	0	0.00			0.00			38	36.08	32.79	39.37	14.90	13.54	16.26
	計	1	0.95	0.42	1.48	0.39	0.17	0.61							

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	非淋菌性非クラミジア性尿道炎・頸管炎				報告数	性器ヘルペス							
			人口10万対		人口10万対(回収率調整)			人口10万対		人口10万対(回収率調整)					
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
12千葉 男 配偶あり	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	0	0.00		0.00		0.00		0.00						
	25-30	3	78.92	53.32	104.53	42.70	28.85	56.55	26.3	11.5	41.1	14.2	6.2	22.2	
	30-35	4	47.38	34.07	60.70	25.63	18.43	32.84	4	47.4	34.1	60.7	25.6	18.4	32.8
	35-40	6	47.71	36.76	58.65	25.81	19.89	31.73	5	39.8	29.8	49.7	21.5	16.1	26.9
	40-45	8	64.19	51.44	76.94	34.73	27.83	41.63	0	0.0		0.0			
	45-50	4	34.59	24.87	44.31	18.71	13.45	23.97	2	17.3	10.4	24.2	9.4	5.6	13.1
	50-55	3	27.17	18.36	35.99	14.70	9.93	19.47	1	9.1	4.0	14.1	4.9	2.1	7.7
	55-60	4	30.61	22.01	39.21	16.56	11.91	21.21	0	0.0		0.0			
	60-65	4	24.58	17.68	31.49	13.30	9.56	17.03	1	6.1	2.7	9.6	3.3	1.5	5.2
	65+	3	7.53	5.09	9.98	4.08	2.75	5.40	0	0.0		0.0			
	計	39	30.07	27.36	32.77	16.27	14.80	17.73	14	10.8	9.2	12.4	5.8	5.0	6.7
12千葉 男 配偶なし	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	7	55.71	43.87	67.54	30.14	23.74	36.54	2	15.9	9.6	22.2	8.6	5.2	12.0
	25-30	12	109.70	91.91	127.49	59.35	49.72	68.97	1	9.1	4.0	14.3	4.9	2.2	7.7
	30-35	8	92.47	74.10	110.84	50.03	40.09	59.97	1	11.6	5.1	18.1	6.3	2.7	9.8
	35-40	6	71.54	55.13	87.95	38.70	29.82	47.58	3	35.8	24.2	47.4	19.4	13.1	25.6
	40-45	6	95.65	73.71	117.60	51.75	39.88	63.62	1	15.9	7.0	24.9	8.6	3.8	13.5
	45-50	3	64.71	43.72	85.71	35.01	23.65	46.37	1	21.6	9.5	33.7	11.7	5.1	18.2
	50-55	0	0.00		0.00	0.00		0.00	0	0.0		0.0			
	55-60	1	27.79	12.17	43.40	15.03	6.59	23.48	0	0.0		0.0			
	60-65	0	0.00		0.00	0.00		0.00	0	0.0		0.0			
	65+	0	0.00		0.00	0.00		0.00	1	12.1	5.3	18.8	6.5	2.9	10.2
	計	43	52.10	47.64	56.56	28.19	25.77	30.60	10	12.1	10.0	14.3	6.6	5.4	7.7
12千葉 男 計	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	7	53.04	41.77	64.30	28.69	22.60	34.79	2	15.2	9.1	21.2	8.2	4.9	11.5
	25-30	15	101.76	87.00	116.53	55.05	47.07	63.04	2	13.6	8.2	19.0	7.3	4.4	10.3
	30-35	12	70.21	58.82	81.59	37.98	31.82	44.14	5	29.3	21.9	36.6	15.8	11.8	19.8
	35-40	12	57.24	47.96	66.53	30.97	25.94	35.99	8	38.2	30.6	45.7	20.6	16.5	24.7
	40-45	14	74.72	63.50	85.95	40.43	34.35	46.50	1	5.3	2.3	8.3	2.9	1.3	4.5
	45-50	7	43.21	34.03	52.38	23.38	18.41	28.34	3	18.5	12.5	24.5	10.0	6.8	13.3
	50-55	3	20.57	13.90	27.24	11.13	7.52	14.74	1	6.9	3.0	10.7	3.7	1.6	5.8
	55-60	5	30.00	22.46	37.54	16.23	12.15	20.31	0	0.0		0.0			
	60-65	4	20.03	14.40	25.66	10.84	7.79	13.88	1	5.0	2.2	7.8	2.7	1.2	4.2
	65+	3	6.23	4.21	8.26	3.37	2.28	4.47	1	2.1	0.9	3.2	1.1	0.5	1.8
	計	82	38.63	36.24	41.03	20.90	19.60	22.20	24	11.3	10.0	12.6	6.1	5.4	6.8
12千葉 女 配偶あり	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	1	91.03	39.88	142.17	49.25	21.57	76.92	3	273.08	184.50	361.66	147.74	99.81	195.66
	25-30	0	0.00		0.00	0.00		0.00	5	95.55	71.54	119.56	51.69	38.70	64.68
	30-35	0	0.00		0.00	0.00		0.00	4	39.17	28.17	50.17	21.19	15.24	27.14
	35-40	1	7.01	3.07	10.94	3.79	1.66	5.92	2	14.01	8.44	19.58	7.58	4.57	10.59
	40-45	0	0.00		0.00	0.00		0.00	6	44.81	34.53	55.09	24.24	18.68	29.80
	45-50	0	0.00		0.00	0.00		0.00	6	49.43	38.09	60.77	26.74	20.61	32.88
	50-55	0	0.00		0.00	0.00		0.00	4	34.10	24.52	43.68	18.45	13.26	23.63
	55-60	0	0.00		0.00	0.00		0.00	3	21.46	14.50	28.42	11.61	7.84	15.38
	60-65	0	0.00		0.00	0.00		0.00	3	18.06	12.20	23.92	9.77	6.60	12.94
	65+	0	0.00		0.00	0.00		0.00	1	3.18	1.39	4.97	1.72	0.75	2.69
	計	2	1.54	0.93	2.15	0.83	0.50	1.16	38	29.19	26.53	31.85	15.79	14.35	17.23
12千葉 女 配偶なし	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	1	8.93	3.91	13.94	4.83	2.12	7.54	10	89.27	73.40	105.13	48.29	39.71	56.87
	25-30	0	0.00		0.00	0.00		0.00	6	66.58	51.31	81.85	36.02	27.76	44.28
	30-35	0	0.00		0.00	0.00		0.00	3	47.95	32.39	63.50	25.94	17.52	34.36
	35-40	0	0.00		0.00	0.00		0.00	2	35.19	21.21	49.17	19.04	11.47	26.60
	40-45	0	0.00		0.00	0.00		0.00	0	0.00		0.00			
	45-50	0	0.00		0.00	0.00		0.00	0	0.00		0.00			
	50-55	1	38.06	16.67	59.45	20.59	9.02	32.16	1	38.06	16.67	59.45	20.59	9.02	32.16
	55-60	0	0.00		0.00	0.00		0.00	0	0.00		0.00			
	60-65	0	0.00		0.00	0.00		0.00	1	23.57	10.33	36.82	12.75	5.59	19.92
	65+	0	0.00		0.00	0.00		0.00	1	3.81	1.67	5.95	2.06	0.90	3.22
	計	2	2.30	1.39	3.21	1.24	0.75	1.74	24	27.60	24.43	30.76	14.93	13.22	16.64
12千葉 女 計	0-5														
	10-15	0	0.00		0.00		0.00		0.00						
	20-25	2	16.26	9.80	22.72	8.80	5.30	12.29	13	105.68	89.21	122.15	57.17	48.26	66.08
	25-30	0	0.00		0.00	0.00		0.00	11	77.22	64.14	90.30	41.78	34.70	48.85
	30-35	0	0.00		0.00	0.00		0.00	7	42.51	33.48	51.53	23.00	18.11	27.88
	35-40	1	5.01	2.20	7.83	2.71	1.19	4.23	4	20.04	14.41	25.67	10.84	7.80	13.89
	40-45	0	0.00		0.00	0.00		0.00	6	33.90	26.12	41.68	18.34	14.13	22.55
	45-50	0	0.00		0.00	0.00		0.00	6	39.04	30.08	47.99	21.12	16.28	25.96
	50-55	1	6.96	3.05	10.88	3.77	1.65	5.89	5	34.82	26.07	43.57	18.84	14.11	23.57
	55-60	0	0.00		0.00	0.00		0.00	3	17.60	11.89	23.30	9.52	6.43	12.61
	60-65	0	0.00		0.00	0.00		0.00	4	19.18	13.79	24.57	10.38	7.46	13.29
	65+	0	0.00		0.00	0.00		0.00	2	3.47	2.09	4.84	1.88	1.13	2.62
	計	4	1.84	1.32	2.36	1.00	0.72	1.28	62	28.55	26.52	30.59	15.45	14.34	16.55



県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・類管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
16富山 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00		0	0.0			0.0			
	20-	0	0.00			0.00		0	0.0			0.0			
	25-	1	159.48	69.87	249.09	105.10	46.05	164.15	0	0.0			0.0		
	30-	2	141.85	85.49	198.21	93.48	56.34	130.62	0	0.0			0.0		
	35-	1	46.74	20.48	73.00	30.80	13.49	48.11	0	0.0			0.0		
	40-	2	103.27	62.24	144.31	68.06	41.02	95.10	0	0.0			0.0		
	45-	1	52.23	22.88	81.57	34.42	15.08	53.76	0	0.0			0.0		
	50-	0	0.00			0.00			0	0.0			0.0		
	55-	0	0.00			0.00			0	0.0			0.0		
	60-	1	30.67	13.44	47.91	20.21	8.86	31.57	0	0.0			0.0		
	65+	0	0.00			0.00			0	0.0			0.0		
計	8	33.33	26.71	39.96	21.97	17.60	26.33	0	0.0			0.0			
16富山 男 配偶なし	0-														
	5-														
	10-														
	15-	2	99.63	60.04	139.21	65.66	39.57	91.74	1	49.8	21.8	77.8	32.8	14.4	51.3
	20-	3	172.51	116.55	228.47	113.69	76.81	150.56	1	57.5	25.2	89.8	37.9	16.6	59.2
	25-	4	246.81	177.48	316.15	162.65	116.96	208.34	0	0.0			0.0		
	30-	0	0.00			0.00			0	0.0			0.0		
	35-	1	78.36	34.33	122.40	51.64	22.62	80.66	1	78.4	34.3	122.4	51.6	22.6	80.7
	40-	3	333.03	225.00	441.06	219.47	148.28	290.66	0	0.0			0.0		
	45-	0	0.00			0.00			0	0.0			0.0		
	50-	1	180.92	79.26	282.57	119.22	52.24	186.21	0	0.0			0.0		
	55-	0	0.00			0.00			0	0.0			0.0		
	60-	0	0.00			0.00			0	0.0			0.0		
	65+	0	0.00			0.00			0	0.0			0.0		
計	14	109.29	92.88	125.70	72.02	61.21	82.84	3	23.4	15.8	31.0	15.4	10.4	20.4	
16富山 男 計	0-														
	5-														
	10-														
	15-	2	99.46	59.94	138.97	65.54	39.50	91.58	1	49.7	21.8	77.7	32.8	14.4	51.2
	20-	3	163.65	110.56	216.74	107.84	72.86	142.83	1	54.5	23.9	85.2	35.9	15.7	56.1
	25-	5	222.45	166.55	278.35	146.59	109.76	183.43	0	0.0			0.0		
	30-	2	71.99	43.39	100.59	47.44	28.59	66.29	0	0.0			0.0		
	35-	2	58.56	35.29	81.82	38.59	23.26	53.92	1	29.3	12.8	45.7	19.3	8.5	30.1
	40-	5	176.22	131.94	220.50	116.13	86.95	145.31	0	0.0			0.0		
	45-	1	38.61	16.91	60.30	25.44	11.15	39.74	0	0.0			0.0		
	50-	1	38.97	17.07	60.87	25.68	11.25	40.11	0	0.0			0.0		
	55-	0	0.00			0.00			0	0.0			0.0		
	60-	1	25.79	11.30	40.29	17.00	7.45	26.55	0	0.0			0.0		
	65+	0	0.00			0.00			0	0.0			0.0		
計	22	59.77	52.61	66.93	39.39	34.67	44.10	3	8.1	5.5	10.8	5.4	3.6	7.1	
16富山 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			0	0.00			0.00		
	25-	0	0.00			0.00			3	351.30	237.35	465.25	231.51	156.41	306.60
	30-	0	0.00			0.00			4	238.96	171.83	306.09	157.47	113.24	201.71
	35-	0	0.00			0.00			4	165.42	118.95	211.89	109.01	78.39	139.64
	40-	0	0.00			0.00			3	137.16	92.67	181.66	90.39	61.07	119.71
	45-	0	0.00			0.00			2	93.16	56.15	130.17	61.39	37.00	85.78
	50-	0	0.00			0.00			1	44.97	19.70	70.24	29.64	12.98	46.29
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
計	0	0.00			0.00			17	70.85	61.20	80.51	46.69	40.33	53.06	
16富山 女 配偶なし	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			5	314.25	235.29	393.21	207.09	155.06	259.13
	25-	0	0.00			0.00			2	157.69	95.04	220.34	103.92	62.63	145.21
	30-	0	0.00			0.00			4	427.01	307.06	546.96	281.40	202.35	360.45
	35-	0	0.00			0.00			0	0.00			0.00		
	40-	0	0.00			0.00			1	164.90	72.25	257.56	108.67	47.61	169.73
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
計	0	0.00			0.00			12	72.57	60.80	84.34	47.82	40.07	55.58	
16富山 女 計	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			5	284.06	212.68	355.43	187.19	140.16	234.23
	25-	0	0.00			0.00			5	235.60	176.40	294.79	155.26	116.25	194.27
	30-	0	0.00			0.00			8	306.44	245.57	367.31	201.94	161.83	242.06
	35-	0	0.00			0.00			4	122.25	87.90	156.60	80.56	57.93	103.20
	40-	0	0.00			0.00			4	143.18	102.96	183.41	94.36	67.85	120.87
	45-	0	0.00			0.00			2	76.13	45.88	106.37	50.17	30.24	70.10
	50-	0	0.00			0.00			1	37.90	16.60	59.20	24.98	10.94	39.01
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
計	0	0.00			0.00			29	71.55	64.09	79.02	47.15	42.23	52.07	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
21岐阜 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00		0	0.00			0.00			
	20-	0	0.00			0.00		0	0.00			0.00			
	25-	1	77.48	33.94	121.02	29.52	12.93	46.11	0	0.00			0.00		
	30-	1	36.13	15.83	56.43	13.77	6.03	21.50	0	0.00			0.00		
	35-	1	24.91	10.91	38.91	9.49	4.16	14.82	1	24.91	10.91	38.91	9.49	4.16	14.82
	40-	4	104.86	75.40	134.31	39.95	28.73	51.17	0	0.00			0.00		
	45-	1	25.70	11.26	40.14	9.79	4.29	15.29	0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	1	21.58	9.45	33.70	8.22	3.60	12.84	0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	9	19.86	16.14	23.58	7.57	6.15	8.99	1	2.21	0.97	3.45	0.84	0.37	1.31
21岐阜 男 配偶なし	0-														
	5-														
	10-														
	15-	2	47.35	28.54	66.17	18.04	10.87	25.21	1	23.68	10.37	36.98	9.02	3.95	14.09
	20-	2	53.72	32.38	75.07	20.47	12.34	28.60	1	26.86	11.77	41.95	10.23	4.48	15.98
	25-	3	94.68	63.97	125.40	36.07	24.37	47.78	0	0.00			0.00		
	30-	1	41.02	17.97	64.07	15.63	6.85	24.41	2	82.04	49.44	114.64	31.26	18.84	43.68
	35-	1	44.98	19.70	70.25	17.14	7.51	26.76	0	0.00			0.00		
	40-	4	245.65	176.64	314.67	93.59	67.30	119.89	1	61.41	26.91	95.92	23.40	10.25	36.55
	45-	1	79.72	34.93	124.51	30.37	13.31	47.44	0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	1	100.27	43.93	156.61	38.20	16.74	59.67	0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	15	61.36	52.45	70.26	23.38	19.99	26.77	5	20.45	15.31	25.59	7.79	5.83	9.75
21岐阜 男 計	0-														
	5-														
	10-														
	15-	2	47.23	28.46	65.99	17.99	10.84	25.14	1	23.61	10.35	36.88	9.00	3.94	14.05
	20-	2	50.51	30.44	70.58	19.25	11.60	26.89	1	25.26	11.06	39.45	9.62	4.22	15.03
	25-	4	89.70	64.50	114.91	34.18	24.58	43.78	0	0.00			0.00		
	30-	2	38.42	23.16	53.69	14.64	8.82	20.45	2	38.42	23.16	53.69	14.64	8.82	20.45
	35-	2	32.06	19.32	44.80	12.22	7.36	17.07	1	16.03	7.02	25.04	6.11	2.68	9.54
	40-	8	146.98	117.78	176.17	56.00	44.87	67.12	1	18.37	8.05	28.70	7.00	3.07	10.93
	45-	2	38.87	23.43	54.31	14.81	8.93	20.69	0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	1	17.81	7.80	27.81	6.78	2.97	10.60	0	0.00			0.00		
	60-	1	14.66	6.42	22.90	5.59	2.45	8.72	0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	24	34.41	30.46	38.35	13.11	11.61	14.61	6	8.60	6.63	10.57	3.28	2.53	4.03
21岐阜 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			0	0.00			0.00		
	25-	0	0.00			0.00			1	53.87	23.60	84.13	20.52	8.99	32.05
	30-	0	0.00			0.00			6	178.15	137.28	219.01	67.87	52.31	83.44
	35-	0	0.00			0.00			1	21.75	9.53	33.97	8.29	3.63	12.94
	40-	0	0.00			0.00			5	116.30	87.08	145.53	44.31	33.18	55.45
	45-	0	0.00			0.00			1	23.12	10.13	36.11	8.81	3.86	13.76
	50-	0	0.00			0.00			1	22.95	10.05	35.84	8.74	3.83	13.65
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			1	17.67	7.74	27.60	6.73	2.95	10.52
	65+	0	0.00			0.00			0	0.00			0.00		
	計	0	0.00			0.00			16	35.06	30.13	39.98	13.36	11.48	15.23
21岐阜 女 配偶なし	0-														
	5-														
	10-														
	15-	0	0.00			0.00			1	24.45	10.71	38.18	9.31	4.08	14.55
	20-	0	0.00			0.00			4	108.89	78.30	139.48	41.49	29.83	53.14
	25-	0	0.00			0.00			0	0.00			0.00		
	30-	0	0.00			0.00			1	57.36	25.13	89.59	21.85	9.57	34.13
	35-	0	0.00			0.00			0	0.00			0.00		
	40-	0	0.00			0.00			2	166.83	100.55	233.11	63.56	38.31	88.81
	45-	0	0.00			0.00			1	100.73	44.13	157.34	38.38	16.81	59.94
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			1	73.55	32.22	114.88	28.02	12.28	43.77
	65+	0	0.00			0.00			0	0.00			0.00		
	計	0	0.00			0.00			10	32.96	27.11	38.82	12.56	10.33	14.79
21岐阜 女 計	0-														
	5-														
	10-														
	15-	0	0.00			0.00			1	24.32	10.65	37.98	9.26	4.06	14.47
	20-	0	0.00			0.00			4	97.76	70.30	125.23	37.25	26.78	47.71
	25-	0	0.00			0.00			1	22.41	9.82	35.00	8.54	3.74	13.34
	30-	0	0.00			0.00			7	136.95	107.87	166.03	52.18	41.10	63.26
	35-	0	0.00			0.00			1	16.29	7.13	25.44	6.21	2.72	9.69
	40-	0	0.00			0.00			7	127.32	100.28	154.36	48.51	38.21	58.81
	45-	0	0.00			0.00			2	37.61	22.67	52.55	14.33	8.64	20.02
	50-	0	0.00			0.00			1	19.29	8.45	30.13	7.35	3.22	11.48
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			2	28.50	17.17	39.82	10.86	6.54	15.17
	65+	0	0.00			0.00			0	0.00			0.00		
	計	0	0.00			0.00			26	34.22	30.45	37.99	13.04	11.60	14.48

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・類管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
28兵庫 男 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	0	0.00		0.00			0	0.00		0.00				
	20-	4	119.35	85.82	152.89	95.72	68.83	122.61	2	59.68	35.97	83.39	47.86	28.84	66.88
	25-	5	68.29	51.13	85.45	54.77	41.01	68.53	6	81.95	63.15	100.75	65.72	50.65	80.80
	30-	4	36.21	26.04	46.38	29.04	20.88	37.20	3	27.16	18.35	35.97	21.78	14.71	28.85
	35-	4	28.08	18.97	37.19	22.52	15.22	29.83	5	46.81	35.04	58.57	37.54	28.11	46.97
	40-	3	38.80	27.90	49.71	31.12	22.38	39.87	5	48.51	36.32	60.70	38.90	29.13	48.68
	45-	6	60.77	46.83	74.71	48.74	37.56	59.92	1	10.13	4.44	15.82	8.12	3.56	12.69
	50-	1	8.75	3.83	13.67	7.02	3.07	10.96	1	8.75	3.83	13.67	7.02	3.07	10.96
	55-	3	20.85	14.09	27.61	16.72	11.30	22.15	3	20.85	14.09	27.61	16.72	11.30	22.15
	60-	1	2.75	1.21	4.30	2.21	0.97	3.45	8	22.02	17.65	26.40	17.66	14.15	21.17
	65+	計	31	26.86	24.15	29.57	21.54	19.37	23.72	34	29.46	26.62	32.30	23.63	21.35
28兵庫 男 配偶なし	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	3	27.12	18.32	35.91	21.75	14.69	28.80	0	0.00		0.00			
	20-	17	167.37	144.56	190.18	134.23	115.94	152.52	4	39.38	28.32	50.45	31.58	22.71	40.46
	25-	15	176.78	151.13	202.42	141.77	121.21	162.34	4	47.14	33.90	60.38	37.81	27.18	48.43
	30-	10	154.95	127.42	182.49	124.27	102.19	146.35	1	15.50	6.79	24.20	12.43	5.44	19.41
	35-	8	130.43	104.52	156.34	104.61	83.83	125.39	0	0.00		0.00			
	40-	2	43.27	26.08	60.47	34.70	20.92	48.49	0	0.00		0.00			
	45-	3	84.36	56.99	111.72	67.66	45.71	89.60	0	0.00		0.00			
	50-	1	34.52	15.12	53.91	27.68	12.13	43.24	0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				1	12.58	5.51	19.64	10.09	4.42	15.75
計	59	87.27	80.89	93.65	69.99	64.87	75.11	10	14.79	12.16	17.42	11.86	9.75	13.97	
28兵庫 男 計	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	3	27.03	18.26	35.79	21.68	14.64	28.71	0	0.00		0.00			
	20-	17	157.45	135.99	178.90	126.27	109.07	143.48	4	37.05	26.64	47.45	29.71	21.36	38.06
	25-	19	160.52	139.83	181.21	128.74	112.14	145.33	6	50.69	39.06	62.32	40.65	31.33	49.98
	30-	15	108.89	93.09	124.69	87.33	74.66	100.00	7	50.82	40.02	61.61	40.75	32.10	49.41
	35-	12	69.85	58.52	81.18	56.02	46.93	65.10	3	17.46	11.80	23.13	14.00	9.46	18.55
	40-	5	32.67	24.46	40.88	26.20	19.62	32.79	5	32.67	24.46	40.88	26.20	19.62	32.79
	45-	7	50.49	39.77	61.21	40.49	31.89	49.09	5	36.06	27.00	45.13	28.92	21.66	36.19
	50-	7	54.82	43.17	66.46	43.96	34.63	53.30	1	7.83	3.43	12.23	6.28	2.75	9.81
	55-	1	6.91	3.03	10.80	5.54	2.43	8.66	1	6.91	3.03	10.80	5.54	2.43	8.66
	60-	3	17.01	11.49	22.53	13.64	9.22	18.07	3	17.01	11.49	22.53	13.64	9.22	18.07
	65+	1	2.26	0.99	3.53	1.81	0.79	2.83	9	20.33	16.52	24.13	16.30	13.25	19.35
計	90	49.18	46.26	52.09	39.44	37.10	41.78	44	24.04	22.01	26.08	19.28	17.65	20.92	
28兵庫 女 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	0	0.00		0.00			0	0.00		0.00				
	20-	1	22.30	9.77	34.82	17.88	7.83	27.93	5	111.48	83.46	139.49	89.40	66.94	111.87
	25-	0	0.00		0.00				9	101.58	82.55	120.60	81.46	66.21	96.72
	30-	0	0.00		0.00				4	31.82	22.88	40.76	25.52	18.35	32.69
	35-	0	0.00		0.00				4	34.09	24.52	43.67	27.34	19.66	35.03
	40-	0	0.00		0.00				2	17.90	10.79	25.01	14.35	8.65	20.06
	45-	0	0.00		0.00				5	46.33	34.69	57.97	37.16	27.82	46.49
	50-	0	0.00		0.00				2	16.29	9.82	22.76	13.06	7.87	18.26
	55-	0	0.00		0.00				2	13.92	8.39	19.45	11.16	6.73	15.59
	60-	0	0.00		0.00				8	27.77	22.25	33.28	22.27	17.84	26.69
	65+	1	0.86	0.38	1.34	0.69	0.30	1.08	41	35.30	32.20	38.40	28.31	25.83	30.80
28兵庫 女 配偶なし	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	2	18.56	11.12	25.78	14.79	8.92	20.67	5	46.12	34.53	57.71	36.99	27.69	46.28
	20-	3	28.96	19.57	38.36	23.23	15.69	30.77	9	86.89	70.62	103.17	69.69	56.64	82.74
	25-	1	12.54	5.49	19.59	10.06	4.41	15.71	10	125.42	103.13	147.70	100.58	82.71	118.46
	30-	1	17.36	7.61	27.12	13.92	6.10	21.75	4	69.44	49.93	88.95	55.69	40.05	71.34
	35-	1	18.70	8.19	29.20	14.99	6.57	23.42	6	112.18	86.45	137.92	89.97	69.33	110.61
	40-	0	0.00		0.00				1	23.38	10.24	36.51	18.75	8.21	29.28
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				1	34.63	15.17	54.08	27.77	12.17	43.37
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				3	67.36	45.51	89.21	54.02	36.50	71.55
	65+	0	0.00		0.00				5	16.70	12.50	20.89	13.39	10.03	16.76
計	8	9.04	7.25	10.84	7.25	5.81	8.69	44	49.74	45.53	53.96	39.89	36.51	43.27	
28兵庫 女 計	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	2	18.45	11.12	25.78	14.79	8.92	20.67	5	46.12	34.53	57.71	36.99	27.69	46.28
	20-	3	26.41	17.84	34.98	21.18	14.31	28.05	9	79.23	64.39	94.07	63.55	51.64	75.45
	25-	2	16.05	9.67	22.43	12.87	7.76	17.99	15	120.40	102.93	137.86	96.56	82.55	110.57
	30-	1	6.84	3.00	10.68	5.49	2.40	8.57	13	88.92	75.06	102.77	71.31	60.20	82.42
	35-	1	5.58	2.44	8.72	4.48	1.96	6.99	10	55.81	45.89	65.73	44.76	36.81	52.71
	40-	0	0.00		0.00				5	31.23	23.38	39.08	25.05	18.75	31.34
	45-	0	0.00		0.00				2	13.62	8.21	19.04	10.93	6.58	15.27
	50-	0	0.00		0.00				6	43.86	33.80	53.92	35.17	27.11	43.24
	55-	0	0.00		0.00				2	12.95	7.80	18.10	10.39	6.26	14.51
	60-	0	0.00		0.00				5	26.56	19.89	33.23	21.30	15.95	26.65
	65+	0	0.00		0.00				13	22.12	18.68	25.57	17.74	14.98	20.51
計	9														

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
36徳島 男 配偶あり	0-5	0						0								
	10-15	0	0.00			0.00		0	0.00			0.00				
	20-25	0	0.00			0.00		0	0.00			0.00				
	30-35	0	0.00			0.00		0	0.00			0.00				
	35-40	1	77.92	34.14	121.71	69.90	30.62	109.17	0	0.00			0.00			
	40-45	1	82.89	36.31	129.47	74.35	32.57	116.13	0	0.00			0.00			
	45-50	0	0.00			0.00			3	231.41	156.34	306.47	207.57	140.24	274.91	
	50-55	1	66.04	28.93	103.14	59.24	25.95	92.52	1	66.04	28.93	103.14	59.24	25.95	92.52	
	55-60	1	53.70	23.53	83.87	48.17	21.10	75.23	1	53.70	23.53	83.87	48.17	21.10	75.23	
	60-65+	0	0.00			0.00			0	0.00			0.00			
	計	5	30.22	22.63	37.81	27.11	20.30	33.92	6	36.26	27.95	44.58	32.53	25.07	39.99	
	36徳島 男 配偶なし	0-5	0													
		10-15	0	0.00			0.00			0	0.00			0.00		
		15-20	2	160.33	96.63	224.03	143.82	86.68	200.96	0	0.00			0.00		
		20-25	3	274.85	185.69	364.01	246.54	166.57	326.51	1	91.62	40.14	143.10	82.18	36.00	128.36
25-30		1	118.30	51.83	184.76	106.11	46.49	165.73	1	118.30	51.83	184.76	106.11	46.49	165.73	
30-35		1	133.79	58.61	208.96	120.01	52.58	187.44	0	0.00			0.00			
35-40		0	0.00			0.00			1	176.69	77.41	275.96	158.49	69.44	247.54	
40-45		0	0.00			0.00			0	0.00			0.00			
45-50		0	0.00			0.00			0	0.00			0.00			
50-55		0	0.00			0.00			0	0.00			0.00			
55-60		0	0.00			0.00			0	0.00			0.00			
60-65+		0	0.00			0.00			0	0.00			0.00			
計		7	76.26	60.06	92.46	68.41	53.88	82.93	3	32.68	22.08	43.29	29.32	19.81	38.83	
36徳島 男 計		0-5	0													
		10-15	0	0.00			0.00			0	0.00			0.00		
	15-20	2	149.66	90.20	209.12	134.25	80.91	187.58	0	0.00			0.00			
	20-25	3	193.47	130.71	256.23	173.54	117.25	229.84	1	64.49	28.25	100.73	57.85	25.34	90.35	
	25-30	1	55.55	24.34	86.76	49.83	21.83	77.83	1	55.55	24.34	86.76	49.83	21.83	77.83	
	30-35	2	98.48	59.35	137.61	88.34	53.24	123.44	0	0.00			0.00			
	35-40	1	56.42	24.72	88.12	50.61	22.17	79.05	1	56.42	24.72	88.12	50.61	22.17	79.05	
	40-45	0	0.00			0.00			3	169.25	114.34	224.15	151.82	102.57	201.06	
	45-50	1	50.66	22.20	79.13	45.45	19.91	70.98	1	50.66	22.20	79.13	45.45	19.91	70.98	
	50-55	1	42.30	18.53	66.07	37.94	16.62	59.27	1	42.30	18.53	66.07	37.94	16.62	59.27	
	55-60	0	0.00			0.00			0	0.00			0.00			
	60-65+	1	14.39	6.31	22.48	12.91	5.66	20.17	1	14.39	6.31	22.48	12.91	5.66	20.17	
	計	12	46.65	39.08	54.22	41.84	35.06	48.63	9	34.99	28.43	41.54	31.38	25.50	37.26	
	36徳島 女 配偶あり	0-5	0													
		10-15	0	0.00			0.00			0	0.00			0.00		
15-20		0	0.00			0.00			1	706.54	309.64	1103.44	633.77	277.75	989.79	
20-25		0	0.00			0.00			0	0.00			0.00			
25-30		0	0.00			0.00			3	266.40	179.99	352.82	238.96	161.45	316.48	
30-35		0	0.00			0.00			2	133.15	80.25	186.05	119.44	71.98	166.89	
35-40		0	0.00			0.00			1	72.12	31.60	112.65	64.70	28.34	101.05	
40-45		0	0.00			0.00			1	67.17	29.43	104.92	60.26	26.40	94.11	
45-50		0	0.00			0.00			4	238.88	171.77	305.99	214.27	154.08	274.47	
50-55		0	0.00			0.00			4	205.29	147.62	262.97	184.15	132.41	235.88	
55-60		0	0.00			0.00			1	48.20	21.12	75.28	43.23	18.94	67.53	
60-65+		0	0.00			0.00			6	128.38	98.93	157.83	115.16	88.74	141.57	
計		0	0.00			0.00			23	138.18	121.99	154.37	123.95	109.43	138.47	
36徳島 女 配偶なし		0-5	0													
		10-15	0	0.00			0.00			0	0.00			0.00		
	15-20	1	81.44	35.68	127.20	73.05	32.01	114.10	5	407.21	304.90	509.52	365.27	273.49	457.04	
	20-25	0	0.00			0.00			0	0.00			0.00			
	25-30	0	0.00			0.00			1	144.09	63.13	225.05	129.25	56.62	201.87	
	30-35	0	0.00			0.00			1	158.61	69.49	247.72	142.27	62.33	222.21	
	35-40	0	0.00			0.00			1	200.57	87.88	313.27	179.91	78.83	281.00	
	40-45	0	0.00			0.00			0	0.00			0.00			
	45-50	0	0.00			0.00			0	0.00			0.00			
	50-55	0	0.00			0.00			0	0.00			0.00			
	55-60	0	0.00			0.00			0	0.00			0.00			
	60-65+	0	0.00			0.00			1	19.21	8.41	30.00	17.23	7.55	26.91	
	計	1	7.96	3.49	12.43	7.14	3.13	11.15	9	71.63	58.21	85.05	64.25	52.22	76.29	
	36徳島 女 計	0-5	0													
		10-15	0	0.00			0.00			0	0.00			0.00		
15-20		1	73.02	31.99	114.06	65.50	28.70	102.31	6	438.15	337.66	538.64	393.02	302.88	483.16	
20-25		0	0.00			0.00			0	0.00			0.00			
25-30		0	0.00			0.00			4	219.76	158.03	281.50	197.13	141.75	252.51	
30-35		0	0.00			0.00			3	140.68	95.04	186.31	126.19	85.25	167.12	
35-40		0	0.00			0.00			2	106.10	63.94	148.25	95.17	57.36	132.98	
40-45		0	0.00			0.00			1	52.09	22.82	81.36	46.72	20.47	72.98	
45-50		0	0.00			0.00			4	192.46	138.39	246.53	172.64	124.14	221.14	
50-55		0	0.00			0.00			4	164.11	118.00	210.21	147.21	105.85	188.56	
55-60		0	0.00			0.00			1	36.90	16.16	57.63	33.10	14.50	51.69	
60-65+		0	0.00			0.00			7	70.85	55.80	85.90	63.55	50.05	77.05	
計		1	3.42	1.50	5.35	3.07	1.35	4.80	32	109.56	98.67	120.44	98.27	88.51	108.03	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ			
			人口10万対		人口10万対(回収率調整)	
		推定値	95%信頼区間	推定値	95%信頼区間	
99全国	0-					
男	5-					
配偶あり	10-					
	15-	0	0.0		0.0	
	20-	0	0.0		0.0	
	25-	4	32.4	23.3	41.6	19.2
	30-	4	15.1	10.9	19.4	9.0
	35-	12	31.0	26.0	36.0	18.4
	40-	9	24.0	19.5	28.5	14.2
	45-	5	13.7	10.2	17.1	8.1
	50-	5	13.6	10.2	17.0	8.1
	55-	1	2.3	1.0	3.6	1.4
	60-	2	3.7	2.3	5.2	2.2
	65+	7	5.2	4.1	6.3	3.1
	計	49	11.6	10.7	12.5	6.9
99全国	0-					
男	5-					
配偶なし	10-					
	15-	4	10.1	7.3	13.0	6.0
	20-	15	40.3	34.4	46.1	23.9
	25-	12	37.2	31.2	43.3	22.1
	30-	11	43.4	36.0	50.7	25.7
	35-	13	54.3	45.8	62.7	32.2
	40-	8	44.5	35.7	53.3	26.4
	45-	2	14.4	8.7	20.2	8.6
	50-	2	17.6	10.6	24.6	10.4
	55-	1	8.6	3.8	13.4	5.1
	60-	0	0.0		0.0	
	65+	1	3.5	1.6	5.5	2.1
	計	69	27.3	25.4	29.1	16.2
99全国	0-					
男	5-					
計	10-					
	15-	4	10.1	7.3	12.9	6.0
	20-	15	38.0	32.4	43.5	22.5
	25-	16	35.9	30.9	41.0	21.3
	30-	15	29.0	24.8	33.2	17.2
	35-	25	39.9	35.4	44.4	23.7
	40-	17	30.6	26.5	34.8	18.2
	45-	7	13.9	10.9	16.8	8.2
	50-	7	14.5	11.4	17.6	8.6
	55-	2	3.6	2.2	5.0	2.1
	60-	2	3.1	1.9	4.3	1.8
	65+	8	4.9	3.9	5.9	2.9
	計	118	17.5	16.6	18.4	10.4

  

地域	年齢	報告数	尖圭コンジローマ			
			人口10万対		人口10万対(回収率調整)	
		推定値	95%信頼区間	推定値	95%信頼区間	
99全国	0-					
女	5-					
配偶あり	10-					
	15-	3	1416.4	957.1	1875.6	839.9
	20-	8	213.5	171.1	255.9	126.6
	25-	10	59.8	49.2	70.5	35.5
	30-	6	18.9	14.6	23.2	11.2
	35-	13	29.6	25.0	34.2	17.6
	40-	12	29.1	24.4	33.8	17.3
	45-	5	12.6	9.4	15.7	7.5
	50-	6	15.0	11.6	18.4	8.9
	55-	1	2.1	0.9	3.3	1.3
	60-	0	0.0		0.0	
	65+	2	1.9	1.1	2.6	1.1
	計	66	15.6	14.5	16.6	9.2
99全国	0-					
女	5-					
配偶なし	10-					
	15-	12	32.0	26.8	37.2	19.0
	20-	46	131.3	120.4	142.2	77.8
	25-	18	66.2	57.4	74.9	39.2
	30-	14	72.6	61.7	83.5	43.1
	35-	9	51.5	41.8	61.1	30.5
	40-	4	29.5	21.2	37.8	17.5
	45-	3	27.8	18.8	36.9	16.5
	50-	0	0.0		0.0	
	55-	1	9.5	4.1	14.8	5.6
	60-	0	0.0		0.0	
	65+	1	1.0	0.4	1.5	0.6
	計	108	36.2	34.2	38.1	21.5
99全国	0-					
女	5-					
計	10-					
	15-	15	39.8	34.0	45.6	23.6
	20-	54	139.2	128.6	149.9	82.6
	25-	28	63.8	57.0	70.5	37.8
	30-	20	39.2	34.3	44.1	23.3
	35-	22	35.8	31.5	40.1	21.2
	40-	16	29.2	25.1	33.3	17.3
	45-	8	15.8	12.7	19.0	9.4
	50-	6	12.2	9.4	15.0	7.2
	55-	2	3.5	2.1	4.9	2.1
	60-	0	0.0		0.0	
	65+	3	1.4	1.0	1.9	0.8
	計	174	24.1	23.1	25.1	14.3

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ						
			人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間				
03岩手 男 配偶あり	0-5								
	10-15	0	0.0		0.0				
	20-25	0	0.0		0.0				
	30-35	2	127.4	76.8	178.0	92.4	55.7	129.1	
	35-40	3	146.4	98.9	193.9	106.2	71.7	140.6	
	40-45	2	98.9	59.6	138.2	71.7	43.2	100.2	
	45-50	0	0.0		0.0				
	50-55	0	0.0		0.0				
	55-60	0	0.0		0.0				
	60-65	0	0.0		0.0				
	65+	2	20.2	12.2	28.2	14.6	8.8	20.5	
	計	9	32.1	26.1	38.1	23.3	18.9	27.6	
	03岩手 男 配偶なし	0-5							
		10-15	2	74.3	44.8	103.8	53.9	32.5	75.3
		20-25	3	148.9	100.6	197.1	107.9	72.9	142.9
25-30		3	170.5	115.2	225.9	123.6	83.5	163.7	
30-35		1	66.2	29.0	103.5	48.0	21.0	75.0	
35-40		2	144.2	86.9	201.5	104.5	63.0	146.1	
40-45		2	176.8	106.5	247.0	128.2	77.2	179.1	
45-50		0	0.0		0.0				
50-55		0	0.0		0.0				
55-60		1	101.8	44.6	158.9	73.8	32.3	115.2	
60-65		0	0.0		0.0				
65+		1	49.1	21.5	76.8	35.6	15.6	55.7	
計		15	91.9	78.6	105.2	66.6	57.0	76.3	
03岩手 男 計		0-5							
		10-15	2	74.1	44.7	103.6	53.7	32.4	75.1
	20-25	3	136.6	92.3	180.9	99.0	66.9	131.2	
	25-30	3	115.8	78.2	153.4	84.0	56.7	111.2	
	30-35	3	97.4	65.8	129.0	70.6	47.7	93.5	
	35-40	5	145.5	109.0	182.1	105.5	79.0	132.0	
	40-45	4	126.8	91.2	162.5	92.0	66.1	117.8	
	45-50	0	0.0		0.0				
	50-55	0	0.0		0.0				
	55-60	1	24.1	10.6	37.7	17.5	7.7	27.3	
	60-65	0	0.0		0.0				
	65+	3	25.1	17.0	33.3	18.2	12.3	24.1	
	計	24	54.1	47.9	60.3	39.2	34.7	43.7	
	03岩手 女 配偶あり	0-5							
		10-15	0	0.0		0.0			
20-25		2	710.0	428.0	992.1	514.8	310.3	719.3	
25-30		2	183.3	110.5	256.1	132.9	80.1	185.7	
30-35		1	53.8	23.6	84.0	39.0	17.1	60.9	
35-40		0	0.0		0.0				
40-45		1	42.7	18.7	66.6	30.9	13.5	48.3	
45-50		0	0.0		0.0				
50-55		0	0.0		0.0				
55-60		0	0.0		0.0				
60-65		0	0.0		0.0				
65+		0	0.0		0.0				
計		6	21.2	16.3	26.1	15.4	11.8	18.9	
03岩手 女 配偶なし		0-5							
		10-15	2	77.4	46.6	108.1	56.1	33.8	78.4
	20-25	6	309.9	238.8	381.0	224.7	173.1	276.2	
	25-30	0	0.0		0.0				
	30-35	0	0.0		0.0				
	35-40	1	98.8	43.3	154.3	71.6	31.4	111.9	
	40-45	0	0.0		0.0				
	45-50	0	0.0		0.0				
	50-55	0	0.0		0.0				
	55-60	1	116.8	51.2	182.5	84.7	37.1	132.3	
	60-65	0	0.0		0.0				
	65+	0	0.0		0.0				
	計	10	46.5	38.2	54.7	33.7	27.7	39.7	
	03岩手 女 計	0-5							
		10-15	2	77.0	46.4	107.5	55.8	33.6	78.0
20-25		8	360.7	289.1	432.4	261.5	209.6	313.5	
25-30		2	78.0	47.0	109.0	56.6	34.1	79.0	
30-35		1	33.3	14.6	52.0	24.1	10.6	37.7	
35-40		1	30.1	13.2	47.1	21.9	9.6	34.1	
40-45		1	31.3	13.7	48.9	22.7	9.9	35.4	
45-50		0	0.0		0.0				
50-55		0	0.0		0.0				
55-60		1	23.9	10.5	37.4	17.3	7.6	27.1	
60-65		0	0.0		0.0				
65+		0	0.0		0.0				
計		16	32.1	27.6	36.6	23.3	20.0	26.5	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間	推定値	95%信頼区間		
08茨城 男 配偶あり	0-	0	0.0		0.0		
	5-	0	0.0		0.0		
	10-	0	0.0		0.0		
	15-	0	0.0		0.0		
	20-	0	0.0		0.0		
	25-	0	0.0		0.0		
	30-	1	25.3	11.1	39.5	10.4	4.6
	35-	0	0.0		0.0		
	40-	3	55.9	37.7	74.0	23.1	15.6
	45-	0	0.0		0.0		
	50-	1	17.2	7.5	26.9	7.1	3.1
	55-	0	0.0		0.0		
	60-	0	0.0		0.0		
	65+	1	5.1	2.2	8.0	2.1	0.9
計	6	9.5	7.3	11.7	3.9	3.0	
08茨城 男 配偶なし	0-	0	0.0		0.0		
	5-	5	86.2	64.5	107.9	35.6	26.7
	10-	2	38.8	23.4	54.2	16.0	9.7
	15-	3	73.2	49.4	96.9	30.2	20.4
	20-	2	52.5	31.7	73.4	21.7	13.1
	25-	2	70.0	42.2	97.8	28.9	17.4
	30-	0	0.0		0.0		
	35-	0	0.0		0.0		
	40-	0	0.0		0.0		
	45-	0	0.0		0.0		
	50-	0	0.0		0.0		
	55-	0	0.0		0.0		
	60-	0	0.0		0.0		
	65+	0	0.0		0.0		
計	14	35.0	29.7	40.2	14.4	12.3	
08茨城 男 計	0-	0	0.0		0.0		
	5-	5	80.7	60.4	100.9	33.3	24.9
	10-	2	28.1	16.9	39.3	11.6	7.0
	15-	4	49.7	35.7	63.6	20.5	14.8
	20-	2	21.3	12.8	29.7	8.8	5.3
	25-	5	60.8	45.5	76.0	25.1	18.8
	30-	0	0.0		0.0		
	35-	1	12.9	5.7	20.2	5.3	2.3
	40-	0	0.0		0.0		
	45-	0	0.0		0.0		
	50-	0	0.0		0.0		
	55-	0	0.0		0.0		
	60-	0	0.0		0.0		
	65+	1	4.2	1.8	6.5	1.7	0.8
計	20	19.4	16.9	21.8	8.0	7.0	
08茨城 女 配偶あり	0-	0	0.00		0.00		
	5-	1	156.91	68.74	245.07	64.80	28.39
	10-	1	38.81	17.00	60.62	16.03	7.02
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	1	16.99	7.44	26.53	7.02	3.07
	35-	0	0.00		0.00		
	40-	1	55.54	24.33	86.74	22.94	10.05
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	3	4.75	3.21	6.29	1.96	1.32	
08茨城 女 配偶なし	0-	1	17.67	7.74	27.60	7.30	3.20
	5-	3	59.40	40.13	78.67	24.53	16.57
	10-	0	0.00		0.00		
	15-	1	36.41	15.95	56.86	15.04	6.59
	20-	0	0.00		0.00		
	25-	1	55.54	24.33	86.74	22.94	10.05
	30-	0	0.00		0.00		
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	6	14.24	10.98	17.51	5.88	4.53	
08茨城 女 計	0-	1	17.55	7.69	27.41	7.25	3.18
	5-	4	70.32	50.57	90.08	29.04	20.88
	10-	1	15.39	6.74	24.04	6.36	2.79
	15-	1	13.56	5.94	21.18	5.60	2.45
	20-	0	0.00		0.00		
	25-	2	26.02	15.68	36.35	10.75	6.48
	30-	0	0.00		0.00		
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	9	8.55	6.95	10.15	3.53	2.87	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間	推定値	95%信頼区間		
12千葉 男 配偶あり	0-						
	5-						
	10-						
	15-	0	0.0		0.0		
	20-	0	0.0		0.0		
	25-	2	52.6	31.7	73.5	28.5	17.2
	30-	0	0.0		0.0		
	35-	0	0.0		0.0		
	40-	1	8.0	3.5	12.5	4.3	1.9
	45-	1	8.6	3.8	13.5	4.7	2.0
	50-	1	9.1	4.0	14.1	4.9	2.1
	55-	0	0.0		0.0		
	60-	1	6.1	2.7	9.6	3.3	1.5
	65+	1	2.5	1.1	3.9	1.4	0.6
計	7	5.4	4.3	6.5	2.9	2.3	
12千葉 男 配偶なし	0-						
	5-						
	10-						
	15-	2	0.0	10.1	23.4	9.1	5.5
	20-	1	0.0	3.5	12.4	4.3	1.9
	25-	3	52.6	18.5	36.3	14.8	10.0
	30-	2	0.0	13.9	32.3	12.5	7.5
	35-	1	0.0	5.2	18.6	6.5	2.8
	40-	1	8.0	7.0	24.9	8.6	3.8
	45-	1	8.6	9.5	33.7	11.7	5.1
	50-	1	9.1	12.4	44.1	15.3	6.7
	55-	0	0.0		0.0		
	60-	0	6.1		0.0		
	65+	0	2.5		0.0		
計	12	14.5	12.2	16.9	7.9	6.6	
12千葉 男 計	0-						
	5-						
	10-						
	15-	2	16.7	10.1	23.3	9.0	5.4
	20-	1	7.6	3.3	11.8	4.1	1.8
	25-	5	33.9	25.4	42.4	18.4	13.7
	30-	2	11.7	7.1	16.3	6.3	3.8
	35-	1	4.8	2.1	7.5	2.6	1.1
	40-	2	10.7	6.4	14.9	5.8	3.5
	45-	2	12.3	7.4	17.3	6.7	4.0
	50-	2	13.7	8.3	19.2	7.4	4.5
	55-	0	0.0		0.0		
	60-	1	5.0	2.2	7.8	2.7	1.2
	65+	1	2.1	0.9	3.2	1.1	0.5
計	19	9.0	7.8	10.1	4.8	4.2	
12千葉 女 配偶あり	0-						
	5-						
	10-						
	15-	1	1687.47	739.91	2635.03	912.92	400.29
	20-	2	182.05	109.72	254.38	98.49	59.36
	25-	3	57.33	38.73	75.93	31.02	20.95
	30-	1	9.79	4.29	15.29	5.30	2.32
	35-	2	14.01	8.44	19.58	7.58	4.57
	40-	2	14.94	9.00	20.87	8.08	4.87
	45-	1	8.24	3.61	12.87	4.46	1.95
	50-	2	17.05	10.27	23.82	9.22	5.56
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	14	10.76	9.14	12.37	5.82	4.94	
12千葉 女 配偶なし	0-						
	5-						
	10-						
	15-	3	27.09	18.30	35.88	11.19	7.56
	20-	10	89.27	73.40	105.13	48.29	39.71
	25-	6	66.58	51.31	81.85	36.02	27.76
	30-	4	63.93	45.97	81.89	34.59	24.87
	35-	4	70.38	50.61	90.16	38.08	27.38
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	27	31.05	27.69	34.40	16.80	14.98	
12千葉 女 計	0-						
	5-						
	10-						
	15-	4	35.93	25.83	46.02	19.44	13.98
	20-	12	97.55	81.73	113.38	52.78	44.22
	25-	9	63.18	51.35	75.02	34.18	27.78
	30-	5	30.36	22.73	37.99	16.43	12.30
	35-	6	30.06	23.17	36.96	16.26	12.53
	40-	2	11.30	6.81	15.79	6.11	3.68
	45-	1	6.51	2.85	10.16	3.52	1.54
	50-	2	13.93	8.39	19.46	7.54	4.54
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
計	41	18.88	17.23	20.54	10.22	9.32	



県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間		推定値	95%信頼区間	
16富山	0-						
男	5-						
配偶あり	10-						
	15-	0	0.0		0.0		
	20-	0	0.0		0.0		
	25-	1	159.5	69.9	249.1	105.1	46.0
	30-	0	0.0		0.0		
	35-	2	93.5	56.3	130.6	61.6	37.1
	40-	1	51.6	22.6	80.7	34.0	14.9
	45-	0	0.0		0.0		
	50-	2	99.3	59.9	138.8	65.5	39.5
	55-	1	41.0	18.0	64.0	27.0	11.8
	60-	0	0.0		0.0		
	65+	1	12.3	5.4	19.1	8.1	3.5
	計	8	33.3	26.7	40.0	22.0	17.6
16富山	0-						
男	5-						
配偶なし	10-						
	15-	0	0.0		0.0		
	20-	1	57.5	25.2	89.8	37.9	16.6
	25-	0	0.0		0.0		
	30-	0	0.0		0.0		
	35-	2	156.7	94.5	219.0	103.3	62.2
	40-	0	0.0		0.0		
	45-	0	0.0		0.0		
	50-	0	0.0		0.0		
	55-	0	0.0		0.0		
	60-	0	0.0		0.0		
	65+	0	0.0		0.0		
	計	3	23.4	15.8	31.0	15.4	10.4
16富山	0-						
男	5-						
計	10-						
	15-	0	0.0		0.0		
	20-	1	54.5	23.9	85.2	35.9	15.7
	25-	1	44.5	19.5	69.5	29.3	12.8
	30-	0	0.0		0.0		
	35-	4	117.1	84.2	150.0	77.2	55.5
	40-	1	35.2	15.4	55.0	23.2	10.2
	45-	0	0.0		0.0		
	50-	2	77.9	47.0	108.9	51.4	31.0
	55-	1	33.0	14.5	51.6	21.8	9.5
	60-	0	0.0		0.0		
	65+	1	10.4	4.6	16.2	6.8	3.0
	計	11	29.9	24.8	34.9	19.7	16.4
16富山	0-						
女	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	1	591.19	259.07	923.31	389.59	170.73
	25-	1	117.10	51.30	182.90	77.17	33.81
	30-	1	59.74	26.17	93.31	39.37	17.25
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	1	44.97	19.70	70.24	29.64	12.98
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	4	16.67	11.99	21.36	10.99	7.90
16富山	0-						
女	5-						
配偶なし	10-						
	15-	1	53.00	23.22	82.78	34.93	15.30
	20-	1	62.85	27.53	98.17	41.42	18.15
	25-	2	157.69	95.04	220.34	103.92	62.63
	30-	1	106.75	46.77	166.74	70.35	30.82
	35-	0	0.00		0.00		
	40-	1	164.90	72.25	257.56	108.67	47.61
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	13.96	6.12	21.81	9.20	4.03
	計	7	42.33	33.34	51.32	27.90	21.97
16富山	0-						
女	5-						
計	10-						
	15-	1	52.80	23.13	82.47	34.80	15.24
	20-	2	113.62	68.48	158.77	74.88	45.13
	25-	3	141.36	95.50	187.21	93.15	62.94
	30-	2	76.61	46.17	107.05	50.49	30.43
	35-	0	0.00		0.00		
	40-	1	35.80	15.68	55.91	23.59	10.33
	45-	0	0.00		0.00		
	50-	1	37.90	16.60	59.20	24.98	10.94
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	7.34	3.22	11.46	4.84	2.12
	計	11	27.14	22.54	31.74	17.89	14.86

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
21岐阜 男 配偶あり	0-5						
	10-15	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	0	0.00		0.00		
	35-	3	74.73	50.49 98.98	28.47	19.24 37.71	
	40-	1	26.21	11.48 40.94	9.99	4.38 15.60	
	45-	1	25.70	11.26 40.14	9.79	4.29 15.29	
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	5	11.04	8.26 13.81	4.20	3.15 5.26	
	21岐阜 男 配偶なし	0-5					
10-15		0	0.00		0.00		
20-		1	26.86	11.77 41.95	10.23	4.48 15.98	
25-		1	31.56	13.83 49.29	12.02	5.27 18.78	
30-		3	123.06	83.14 162.98	46.89	31.68 62.10	
35-		2	89.95	54.21 125.69	34.27	20.65 47.89	
40-		0	0.00		0.00		
45-		0	0.00		0.00		
50-		1	100.49	44.03 156.96	38.29	16.77 59.80	
55-		0	0.00		0.00		
60-		0	0.00		0.00		
65+		0	0.00		0.00		
計		8	32.72	26.22 39.22	12.47	9.99 14.94	
21岐阜 男 計		0-5					
	10-15	0	0.00		0.00		
	20-	1	25.26	11.06 39.45	9.62	4.22 15.03	
	25-	1	22.43	9.82 35.03	8.54	3.74 13.35	
	30-	3	57.63	38.94 76.33	21.96	14.83 29.08	
	35-	5	80.16	60.01 100.30	30.54	22.87 38.21	
	40-	1	18.37	8.05 28.70	7.00	3.07 10.93	
	45-	1	19.43	8.51 30.36	7.40	3.24 11.57	
	50-	1	20.27	8.88 31.66	7.72	3.38 12.06	
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	13	18.64	15.73 21.54	7.10	5.99 8.21	
	21岐阜 女 配偶あり	0-5					
10-15		0	0.00		0.00		
20-		1	239.22	104.81 373.63	91.14	39.93 142.35	
25-		2	107.73	64.93 150.54	41.05	24.74 57.35	
30-		2	59.38	35.79 82.98	22.62	13.64 31.61	
35-		6	130.49	100.56 160.43	49.72	38.31 61.12	
40-		5	116.30	87.08 145.53	44.31	33.18 55.45	
45-		4	92.48	66.50 118.47	35.24	25.34 45.14	
50-		1	22.95	10.05 35.84	8.74	3.83 13.65	
55-		1	20.04	8.78 31.30	7.63	3.34 11.92	
60-		0	0.00		0.00		
65+		1	8.51	3.73 13.30	3.24	1.42 5.07	
計		23	50.39	44.49 56.30	19.20	16.95 21.45	
21岐阜 女 配偶なし		0-5					
	10-15	2	48.89	29.47 68.32	18.63	11.23 26.03	
	20-	13	353.88	298.74 409.02	134.83	113.82 155.84	
	25-	6	230.23	177.42 283.04	87.72	67.60 107.84	
	30-	2	114.72	69.14 160.30	43.71	26.34 61.07	
	35-	2	129.69	78.17 181.22	49.41	29.78 69.05	
	40-	1	83.41	36.54 130.28	31.78	13.92 49.64	
	45-	2	201.47	121.42 281.51	76.76	46.26 107.26	
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	28	92.30	82.50 102.10	35.17	31.43 38.90	
	21岐阜 女 計	0-5					
10-15		2	48.63	29.31 67.96	18.53	11.17 25.89	
20-		14	342.17	290.79 393.54	130.36	110.79 149.94	
25-		8	179.27	143.66 214.88	68.30	54.73 81.87	
30-		4	78.26	56.27 100.24	29.82	21.44 38.19	
35-		8	130.29	104.41 156.18	49.64	39.78 59.50	
40-		6	109.13	84.10 134.16	41.58	32.04 51.12	
45-		6	112.83	86.95 138.71	42.99	33.13 52.85	
50-		1	19.29	8.45 30.13	7.35	3.22 11.48	
55-		1	16.79	7.36 26.23	6.40	2.80 9.99	
60-		0	0.00		0.00		
65+		1	4.33	1.90 6.77	1.65	0.72 2.58	
計		51	67.13	61.85 72.41	25.58	23.56 27.59	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ					
			人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間			
28兵庫 男 配偶あり	0-	0	0.00		0.00			
	5-	0	0.00		0.00			
	10-	0	0.00		0.00			
	15-	0	0.00		0.00			
	20-	1	29.84	13.07	46.61	23.93	10.48	37.38
	25-	1	13.66	5.98	21.33	10.95	4.80	17.11
	30-	4	36.21	26.04	46.38	29.04	20.88	37.20
	35-	1	9.36	4.10	14.62	7.51	3.29	11.73
	40-	3	29.10	19.66	38.55	23.34	15.77	30.91
	45-	1	10.13	4.44	15.82	8.12	3.56	12.69
	50-	0	0.00			0.00		
	55-	1	6.95	3.04	10.86	5.57	2.44	8.71
	60-	2	5.51	3.32	7.69	4.42	2.66	6.17
	65+	14	12.13	10.31	13.95	9.73	8.27	11.19
計								
28兵庫 男 配偶なし	0-	0	0.00		0.00			
	5-	3	29.54	19.95	39.12	23.69	16.00	31.37
	10-	3	35.36	23.89	46.83	28.35	19.16	37.55
	15-	1	15.50	6.79	24.20	12.43	5.44	19.41
	20-	3	48.91	33.04	64.78	39.23	26.50	51.95
	25-	2	43.27	26.08	60.47	34.70	20.92	48.49
	30-	1	28.12	12.32	43.92	22.55	9.88	35.22
	35-	0	0.00			0.00		
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	13	19.23	16.23	22.23	15.42	13.02	17.83	
28兵庫 男 計	0-	0	0.00		0.00			
	5-	3	27.78	18.77	36.80	22.28	15.05	29.51
	10-	4	33.79	24.30	43.29	27.10	19.49	34.72
	15-	2	14.52	8.75	20.29	11.64	7.02	16.27
	20-	7	40.74	32.09	49.40	32.68	25.74	39.62
	25-	4	19.60	13.24	25.96	15.72	10.62	20.82
	30-	4	28.85	20.75	36.96	23.14	16.64	29.64
	35-	1	7.83	3.43	12.23	6.28	2.75	9.81
	40-	0	0.00			0.00		
	45-	1	5.67	2.48	8.86	4.55	1.99	7.10
	50-	2	4.52	2.72	6.31	3.62	2.18	5.06
	55-							
	60-							
	65+							
計	27	14.75	13.16	16.35	11.83	10.55	13.11	

  

地域	年齢	報告数	尖圭コンジローマ					
			人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間			
28兵庫 女 配偶あり	0-	2	3180.83	1918.63	4443.02	2551.02	1538.74	3563.31
	5-	1	99.87	43.75	155.98	80.09	35.09	125.10
	10-	1	22.30	9.77	34.82	17.88	7.83	27.93
	15-	1	11.29	4.94	17.63	9.05	3.97	14.14
	20-	4	31.82	22.88	40.76	25.52	18.35	32.69
	25-	3	25.57	17.27	33.87	20.51	13.85	27.16
	30-	0	0.00			0.00		
	35-	2	18.53	11.17	25.89	14.86	8.96	20.77
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	1	3.47	1.52	5.42	2.78	1.22	4.35
	65+	15	12.92	11.04	14.79	10.36	8.86	11.86
計								
28兵庫 女 配偶なし	0-	3	27.83	18.80	36.86	22.32	15.08	29.56
	5-	11	106.20	88.21	124.20	85.18	70.75	99.61
	10-	4	50.17	36.07	64.26	40.23	28.93	51.54
	15-	5	86.80	64.99	108.62	69.62	52.12	87.11
	20-	2	37.39	22.54	52.25	29.99	18.07	41.91
	25-	1	23.38	10.24	36.51	18.75	8.21	29.28
	30-	1	28.52	12.50	44.55	22.87	10.02	35.73
	35-	0	0.00			0.00		
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	27	30.52	27.22	33.82	24.48	21.83	27.13	
28兵庫 女 計	0-	5	46.12	34.53	57.71	36.99	27.69	46.28
	5-	12	105.65	88.51	122.78	84.73	70.98	98.47
	10-	5	40.13	30.05	50.22	32.19	24.10	40.27
	15-	6	41.04	31.62	50.45	32.91	25.36	40.46
	20-	6	33.49	25.80	41.17	26.86	20.70	33.02
	25-	4	24.98	17.96	32.00	20.04	14.41	25.67
	30-	1	6.81	2.98	10.64	5.46	2.39	8.53
	35-	2	14.62	8.81	20.43	11.72	7.07	16.38
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	1	1.70	0.75	2.66	1.36	0.60	2.13
	60-							
	65+							
計	42	20.53	18.75	22.31	16.46	15.04	17.89	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ					
			推定値	人口10万対		推定値	人口10万対(回収率調整)	
			95%信頼区間			95%信頼区間		
36 徳島 男 配偶あり	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	0	0.00			0.00		
	25-	0	0.00			0.00		
	30-	0	0.00			0.00		
	35-	0	0.00			0.00		
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	0	0.00			0.00			
36 徳島 男 配偶なし	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	1	80.17	35.12	125.21	71.91	31.50	112.31
	25-	0	0.00			0.00		
	30-	1	118.30	51.83	184.76	106.11	46.49	165.73
	35-	1	133.79	58.61	208.96	120.01	52.58	187.44
	40-	1	176.69	77.41	275.96	158.49	69.44	247.54
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	4	43.58	31.33	55.82	39.09	28.11	50.07	
36 徳島 男 計	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	1	74.83	32.78	116.88	67.12	29.41	104.84
	25-	0	0.00			0.00		
	30-	1	55.55	24.34	86.76	49.83	21.83	77.83
	35-	1	49.24	21.57	76.91	44.17	19.35	68.99
	40-	1	56.42	24.72	88.12	50.61	22.17	79.05
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
55-	0	0.00			0.00			
60-	0	0.00			0.00			
65+	0	0.00			0.00			
計	4	15.55	11.18	19.92	13.95	10.03	17.87	
36 徳島 女 配偶あり	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	0	0.00			0.00		
	25-	0	0.00			0.00		
	30-	0	0.00			0.00		
	35-	1	66.58	29.17	103.98	59.72	26.16	93.27
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	1	6.01	2.63	9.38	5.39	2.36	8.42	
36 徳島 女 配偶なし	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	2	162.88	98.17	227.60	146.11	88.06	204.16
	25-	0	0.00			0.00		
	30-	1	144.09	63.13	225.05	129.25	56.62	201.87
	35-	0	0.00			0.00		
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
	55-	0	0.00			0.00		
	60-	0	0.00			0.00		
	65+	0	0.00			0.00		
計	3	23.88	16.13	31.62	21.42	14.47	28.37	
36 徳島 女 計	0-							
	5-							
	10-							
	15-	0	0.00			0.00		
	20-	2	146.05	88.02	204.08	131.01	78.96	183.06
	25-	0	0.00			0.00		
	30-	1	54.94	24.07	85.81	49.28	21.59	76.97
	35-	1	46.89	20.54	73.24	42.06	18.43	65.70
	40-	0	0.00			0.00		
	45-	0	0.00			0.00		
	50-	0	0.00			0.00		
55-	0	0.00			0.00			
60-	0	0.00			0.00			
65+	0	0.00			0.00			
計	4	13.89	9.85	17.54	12.28	8.83	15.74	