

Sato E, Nishimura K, Nakajima A, Okamoto H, Shinozaki M, Inoue E, Taniguchi A, Momohara S, <u>Yamanaka H</u>	Major depressive disorder in patients with rheumatoid arthritis.	Mod Rheumatol	epub ahead of print		
<u>Yamanaka H</u> , Setio Y, Tanaka E, Furuya T, Nakajima A, Ikari K, Taniguchi A, Momohara S	Management of rheumatoid arthritis: the 2012 perspective.	Mod Rheumatol	epub ahead of print		
Hoshi D, Nakajima A, Shidara K, sato E, Kitahama M, Seto Y, Tanaka E, Urano W, Ichikawa N, Koseki Y, Momohara S, Taniguchi A, Nishimoto N, <u>Yamanaka H</u>	Incidence of serious respiratory infections in patients with rheumatoid arthritis treated with tocilizumab.	Mod Rheumatol	22(1)	122-7	2012
Nakajima A, Yoshino K, Soejima M, Kawaguchi Y, Satoh T, Kuwana M, <u>Yamanaka H</u>	High Frequencies and co-existing of myositis-specific autoantibodies in patients with idiopathic inflammatory myopathies overlapped to rheumatoid arthritis.	Rheumatol Int	32	2057-61	2012
Tanaka E, Mannalithara A, Inoue E, Iikuni N, Taniguchi A, Momohara S, Singh G, <u>Yamanaka H</u>	Effects of long-term corticosteroid usage on functional disability in patients with early rheumatoid arthritis, regardless of	Rheumatol Int.	32(3)	749-57	2012
<u>Yamanaka H</u> , Tanaka Y, Inoue E, Hoshi D, Momohara S, Hanami K, Yunoue N, Saito K, Amano K, Kameda H, Takeuchi T	Efficacy and tolerability of tocilizumab in rheumatoid arthritis patients seen in daily clinical practice in Japan: results from a retrospective study (REACTION study).	Mod Rheumatol	21	122-33	2011
Gono T, Kawaguchi Y, Ozeki E, Ota Y, Satoh T, Kuwana M, Hara M, <u>Yamanaka H</u>	Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomyositis.	Mod Rheumatol	21	223-7	2011
Seto Y, Tanaka E, Inoue E, Nakajima A, Taniguchi A, Momohara S, <u>Yamanaka H</u>	Studies of the efficacy and safety of methotrexate at dosages over 8 mg/week using the IORRA cohort database.	Mod Rheumatol	21(6)	579-93	2011

Nakajima A, Inoue E, Shidara K, Hoshi D, Sato E, Seto Y, Tanaka E, Taniguchi A, Momohara S, <u>Yamanaka H</u>	Standard treatment in daily clinical practice for early rheumatoid arthritis improved disease activity from 2001 to 2006.	Mod Rheumatol	21(6)	594-97	2011
Yamada T, Nakajima A, Inoue E, Tanaka E, Taniguchi A, Momohara S, <u>Yamanaka H</u>	Incidence of malignancy in Japanese patients with rheumatoid arthritis.	Rheumatol Int	31	1487-92	2011
Naranjo A, Toloza S, Guimaraes da Silveira I, Lazovskis J, Hetland ML, Hamoud H, Peets T, Mäkinen H, Gossec L, Herborn G, Skopouli FN, Rojkovich B, Aggarwal A, Minnock P, Cazzato M, <u>Yamanaka H</u> , Oyoo O, Rexhepi S, Andersone D, Baranauskaite A, Hajjaj-Hassouni N, Jacobs JW, Haugeberg G, Sierakowski S, Ionescu R, Karateew D, Dimic A, Henrohn D, Gogus F, Badsha H, Choy E, Bergman M, Sokka T	Smokers and non smokers with rheumatoid arthritis have similar clinical status: data from the multinational QUEST-RA database.	Clin Exp Rheumatol	28(6)	820-7	2010
Shidara K, Hoshi D, Inoue E, Yamada T, Nakajima A, Taniguchi A, Hara M, Momohara S, Kamatani N, <u>Yamanaka H</u>	Incidence of and risk factors for interstitial pneumonia in patients with rheumatoid arthritis in a large Japanese observational cohort, IORRA.	Mod Rheumatol	20	280-6	2010

Sokka T, Kautiainen H, Pincus T, Verstappen SM, Aggarwal A, Alten R, Andersone D, Badsha H, Baecklund E, Belmonte M, Craig-Müller J, da Mota LM, Dimic A, Fathi NA, Ferraccioli G, Fukuda W, Géher P, Gogus F, Hajjaj-Hassouni N, Hamoud H, Haugeberg G, Henrohn D, Horslev-Petersen K, Ionescu R, Karateew D, Kuuse R, Laurindo IM, Lazovskis J, Luukkainen R, Mofti A, Murphy E, Nakajima A, Oyoo O, Pandya SC, Pohl C, Predeteanu D, Rexhepi M, Rexhepi S, Sharma B, Shono E, Sibia J, Sierakowski S, Skopouli FN, Stropuviene S, Toloza S, Valter I, Woolf A, <u>Yamanaka H</u> ; QUEST-RA	Work disability remains a major problem in rheumatoid arthritis in the 2000s: data from 32 countries in the QUEST-RA study.	Arthritis Res Ther	12(2)	R42	2010
Nakajima A, Inoue E, Tanaka E, Singh G, Sato E, Hoshi D, Shidara K, Hara M, Momohara S, Taniguchi A, Kamatani N, <u>Yamanaka H</u>	Mortality and cause of death in Japanese patients with rheumatoid arthritis based on a large observational cohort, IORRA.	Scand J Rheumatol	39(5)	360-7	2010
<u>山中 寿</u>	抗リウマチ薬 ～Disease modifying anti-rheumatic drugs:DMARDs～	医薬ジャーナル	49	383	2013
<u>山中 寿</u>	痛風・高尿酸血症 薬物治療7つの誤解	Pharma Tribune	4	76-78	2012
<u>山中 寿</u>	寛解を目標とした関節リウマチ治療のトレンド	最新医学	67	64-68	2012
<u>山中 寿</u>	関節リウマチの診療ガイドライン	日本内科学会雑誌	10	2860-64	2012
<u>山中 寿</u>	日本の関節リウマチコホート研究 IORRA	日本内科学会雑誌	9	2447-63	2011

山中 寿、小川好子	患者パネルを用いた関節リウマチ患者の実態調査 第1報：発症から確定診断と薬物治療まで	Pharma Medica	29	97-105	2011
山中 寿、小川好子	患者パネルを用いた関節リウマチ患者の実態調査 第2報：生物学的製剤による治療	Pharma Medica	29	107-111	2011
山中 寿、小川好子	患者パネルを用いた関節リウマチ患者の実態調査 第3報：就労、医療費、情報収集の現状	Pharma Medica	29	115-121	2011
山中 寿	関節リウマチ	日本臨牀	68	1896-9	2010
山中 寿	2010年における関節リウマチ診療のABC	治療学	44	5~10	2010
山中 寿	関節リウマチに対する TNF- α 標的治療	医学のあゆみ	238	645-50	2010

(田中 良哉)

[書籍]

発表者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
田中 良哉	自己免疫疾患	矢田純一、宮坂信之編	科学評論社	2012
		サイトカインのすべて	東京	823-830
田中 良哉	関節リウマチ	河邊博史編	診断と治療社	2012
		慢性疾患患者への最新薬物療法の鉄則	東京	324-332
田中 良哉	RRR 研究から検証する	竹内勤編	医歯薬出版	2011
		“治癒”を目指す最新治療コンセンサス	東京	103-107
田中 良哉	関節リウマチ	山口徹、北原光夫、福井次矢編	医学書院	2011
		今日の治療指針 2011年版 —私はこう治療している	東京	727-729
田中 良哉	関節リウマチ(悪性関節リウマチを含む)	高久文麿、猿田享男、北村惣一郎、 福井次夫編	法研	2010
		家庭医学大百科	東京	2668-2671

[雑 誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Tanaka Y</u>	Next stage of RA treatment: TNF-inhibitor-free remission will be a possible treatment goal?	Ann Rheum Dis			in press
van der Heijde D, <u>Tanaka Y</u> , Fleischmann R, Keystone E, Kremer J, Zerbini C, Cardiel MH, Cohen S, Nash P, Song YW, Tegzová D, Wyman BT, Gruben D, Benda B, Wallenstein G, Krishnaswami S, Zwillich SH, Bradley JD, Connell CA and the ORAL Scan investigators	Tofacitinib (CP-690,550) in patients with rheumatoid arthritis on methotrexate: 12 month data from a 24 month Phase 3 randomized radiographic study.	Arthritis Rheum			in press
Takeuchi T, Yamanaka H, Ishiguro N, Miyasaka N, Mukai M, Matsubara T, Uchida s, Akama H, Kupper H, Aprora V, <u>Tanaka Y</u>	Adalimumab a human anti-TNF monoclonal antibody, outcome study for the prevention of joint damage in Japanese patients with early rheumatoid arthritis: the HOPEFUL 1 study.	Ann Rheum Dis			in press
Takeuchi T, Harigai M, <u>Tanaka Y</u> , Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-MONO study group	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying anti-rheumatic drugs: results of the Phase 2/3, multicenter, randomized, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis			in press
Kameda H, Kanbe K, Sato e, Ueki Y, Saito K, Nagaoka S, Hidaka T, Atsumi T, Tsukano M, Kasama T, Shiozawa S, <u>Tanaka Y</u> , Yamanaka H, Takeuchi T	A merged presentation of clinical and radiographic data using probability plots in a clinical trial, the JESMR study.	Ann Rheum Dis			in press
<u>Tanaka Y</u> , Maeshima Y, Yamaoaka K	In vitro and in vivo analysis of a Jak inhibitor in rheumatoid arthritis.	Ann Rheum Dis	71	i70-i74	2012

<u>Tanaka Y</u> , Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Mitasaka N, Koike T, Kanazawa M, Oba T, Baker D & the GO-FORTH study group	Golimumab, a human anti-TNF- α monoclonal antibody, injected subcutaneously every 4 weeks in Japanese patients with active rheumatoid arthritis in combination with methotrexate: results of the Phase 2/3, multicenter, randomized, double-blind, placebo-controlled GO-FORTH study through 24 weeks.	Ann Rheum Dis	71	817-824	2012
Sonomoto K, Yamaoka K, Oshita K, Fukuyo S, Zhang X, Nakano K, Okada Y, <u>Tanaka Y</u>	IL-1 β induces differentiation of human mesenchymal stem cells into osteoblasts via the Wnt5a/Ror2 pathway.	Ann Rheum Dis	64	3355-3363	2012
Maeshima K, Yamaoka K, Kubo s, Nakano K, Iwata S, Saito K, Ohishi M, Miyahara H, Tanaka S, Ishi K, Yoshimatsu H, <u>Tanaka Y</u>	A JAK inhibitor tofacitinib regulates synovitis through inhibition of IFN-g and IL-17 production by human CD4+ T cells.	Arthritis Rheum	64	1790-1798	2012
<u>Tanaka Y</u> , Takeuchi T, Mimori T, Saito K, Nawata M, Kameda H, Nojima T, Miyasaka N, Koike T	Discontinuation of infliximab after attaining low disease activity in patients with rheumatoid arthritis, RRR (remission induction by remicade in RA) study.	Ann Rheum Dis	69	1286-1291	2010

(西本 憲弘)

[書籍]

発表者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
Hirao M, Hashimoto J, <u>Nishimoto N</u>	Anti-cytokine agents to combat oxidative stress.	Alcaraz MJ, Gualillo D, Sánchez-Pernaute,O.	Springer	in press
		Studies on Arthritis and Joint Diseases.		

[雑誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Mori S, Tokuda H, Sakai F, Johkoh T, Mimori A, <u>Nishimoto N</u> , Tasaka S, Hatta K, Matsushima H, Kaise S, Kaneko A, Makino S, Minota S, Yamada T, Akagawa S, Kurashima A; and the NTM-BIORA (NTM infection in Biologic-treated RA patients) Study Investigators	Radiological features and therapeutic responses of pulmonary nontuberculous mycobacterial disease in rheumatoid arthritis patients receiving biological agents: a retrospective multicenter study in Japan.	Mod Rheumatol	22	727-37	2012
Schoels MM, van der Heijde D, Breedveld FC, Burmester GR, Dougados M, Emery P, Ferraccioli G, Gabay C, Gibofsky A, Gomez-Reino JJ, Jones G, Kvien TK, Murakami M, <u>Nishimoto N</u> , Smolen JS	Blocking the effects of interleukin-6 in rheumatoid arthritis and other inflammatory rheumatic diseases: systematic literature review and meta-analysis informing a consensus statement.	Ann Rheum Dis	Epub ahead of print		2012

Smolen JS, Schoels MM, <u>Nishimoto N</u> , Breedveld FC, Burmester GR, Dougados M, Emery P, Ferraccioli G, Gabay C, Gibofsky A, Gomez-Reino JJ, Jones G, Kvien TK, Murakami M, Betteridge N, Bingham C 3rd, Bykerk V, Choy EH, Combe B, Cutolo M, Graninger W, Lanas A, Martin-Mola E, Montecucco C, Ostergaard M, Pavelka K, Rubbert-Roth A, Sattar N, Scholte-Voshaar M, <u>Tanaka Y</u> , Trauner M, Valentini G, Winthrop KL, de Wit M, van der Heijde D	Consensus statement on blocking the effects of interleukin-6 and in particular by interleukin-6 receptor inhibition in rheumatoid arthritis and other inflammatory conditions.	Ann Rheum Dis	Epub ahead of print		2012
Hashimoto J, Garner P, van der Heijde D, Miyasaka N, Yamamoto K, Kawai S, Takeuchi T, Yoshikawa H, <u>Nishimoto N</u>	Humanized anti-interleukin-6-receptor antibody (tocilizumab) monotherapy is more effective in slowing radiographic progression in patients with rheumatoid arthritis at high baseline risk for structural damage evaluated with levels of biomarkers, radiography, and BMI: data from the SAMURAI study.	Mod Rheumatol	21	10-15	2011
Murakami M, <u>Nishimoto N</u>	The value of blocking IL-6 outside of rheumatoid arthritis: current perspective.	Curr Opin Rheumatol	23	273-7	2011
Lee HM, Sugino H, Aoki C, Shimaoka Y, Suzuki R, Ochi K, Ochi T, <u>Nishimoto N</u>	Abnormal networks of immune response-related molecules in bone marrow cells from patients with rheumatoid arthritis as revealed by DNA microarray analysis.	Arthritis Res Ther	13	R89	2011
Hirao M, Yamasaki N, Oze H, Ebina K, Nampei A, Kawato Y, Shi K, Yoshikawa H, <u>Nishimoto N</u> , Hashimoto J	Serum level of oxidative stress marker is dramatically low in patients with rheumatoid arthritis treated with tocilizumab.	Rheumatol Int	Epub ahead of print		2011
Nishimoto N	Interleukin-6 as a therapeutic target in candidate inflammatory diseases.	Clin Pharmacol Ther	87	483-487	2010

Nishimoto N, Ito K, Takagi N	Safety and efficacy profiles of tocilizumab monotherapy in Japanese patients with rheumatoid arthritis - meta-analysis of 6 initial trials and 5 long-term extensions -	Mod Rheumatol	20	222-232	2010
Sugino H, Lee HM, Nishimoto N	DNA microarray analysis of rheumatoid arthritis susceptibility genes identified by genome-wide association studies (GWAS).	Arthritis Res Ther	12	401	2010
Nishimoto N, Takagi N	Assessment of the validity of the 28-joint disease activity score using erythrocyte sedimentation rate (DAS28-ESR) as a disease activity index of rheumatoid arthritis in the efficacy evaluation of 24-week treatment with tocilizumab: subanalysis of the SATORI study.	Mod Rheumatol	20	539-47	2010

(石黒 直樹)

[書 籍]

発表者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
石黒直樹	II 疾患編 16 運動器疾患 変形性膝関節症	金澤一郎、永井良三	医学書院	2010
		今日の診断指針 第6版	東京	1526-1527
石黒直樹	第2部各疾患別NSAIDsの使い方 第2章整形外科領域 総論	佐野 統	羊土社	2010
		NSAIDsの選び方・使い方ハンドブック	東京	151-153
小嶋俊久、 石黒直樹	4. 膝痛の補助診断 膝痛の血液検査	中村耕三	中山書店	2010
		整形外科臨床パサージュ 2 膝の痛み クリニカルプラクティス	東京	116-121
石黒直樹	XII. 運動器系疾患 1. 関節リウマチ	井樋栄二、大田 健、岡本美孝、 河野 茂、武田雅俊、直江知樹、 春間 賢、本間之夫、森脇久隆、 山本哲也、吉村泰典	メディカル レビュー社	2010
		ポケット判 診療ガイドライン UP-TO DATE2010-2011	東京	553-562
石黒直樹	第7章リウマチ性疾患とその他 類縁疾患 A. 関節リウマチ	長野 昭、松下 隆、戸山芳昭、 安田和則、石黒直樹	南江堂	2010
		整形外科専門医テキスト	東京	303-314
石黒直樹	第7章リウマチ性疾患とその他 類縁疾患	長野昭、松下 隆、戸山芳昭、 安田和則、石黒直樹	南江堂	2010 314-315

	B. 悪性関節リウマチ	整形外科専門医テキスト	東京	
石黒直樹	序幕四場:変形性膝関節症を俯瞰する 軟骨の一生を振り返る-運動器を支える気丈夫な組織	井原秀俊	全日本病院出版会	2010 7-13
		老いを内包する膝 ～早期診断と早期治療～	東京	
石黒直樹	5. 関節リウマチ、慢性関節疾患 および骨壊死症 血友病性関節 症	国分正一、岩谷 力、落合直之、 佛淵孝夫	医学書院	2010 178-179
		今日の整形外科治療指針 第6版	東京	
石黒直樹	5. 関節リウマチ、慢性関節疾患 および骨壊死症 神経病性関節 症 (Charcot 関節)	国分正一、岩谷 力、落合直之、 佛淵孝夫	医学書院	2010 179-180
		今日の整形外科治療指針 第6版	東京	
石黒直樹	5. 関節リウマチ、慢性関節疾患 および骨壊死症 糖尿病性関節 症	国分正一、岩谷 力、落合直之、 佛淵孝夫	医学書院	2010 180-181
		今日の整形外科治療指針 第6版	東京	
石黒直樹	5. 関節リウマチ、慢性関節疾患 および骨壊死症 ステロイド性 関節症	国分正一、岩谷 力、落合直之、 佛淵孝夫	医学書院	2010 181-182
		今日の整形外科治療指針 第6版	東京	
石黒直樹	VI. 他科とのコンサルテーショ ン 4. 整形外科	三森径世	文光堂	2010 292-299
		リウマチ・膠原病内科クリニカルスタ ンダード	東京	

〔雑 誌〕

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Terabe K, Fukaya N, Kanayama Y, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Fujibayashi T, Kojima M, Ishiguro N	Study protocol of a multicenter registry of patients with rheumatoid arthritis starting biologic therapy in Japan: Tsurumai Biologics Communication Registry (TBCR) Study.	Mod Rheumatol.	22(3)	339-45	2012

Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Takagi H, Yabe Y, Kato T, Terabe K, Fukaya N, Tsuchiya H, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Ishiguro N	Early aggressive intervention with tocilizumab for rheumatoid arthritis increases remission rate defined using a Boolean approach in clinical practice.	Mod Rheumatol.	22(3)	370-5	2012
Hayashi M, Kojima T, Funahashi K, Kato D, Matsubara H, Shioura T, Kanayama Y, Hirano Y, Ishiguro N	Effect of total arthroplasty combined with anti-tumor necrosis factor agents in attenuating systemic disease activity in patients with rheumatoid arthritis.	Mod Rheumatol.	22(3)	363-9	2012
Hirabara S, Kojima T, Takahashi N, Hanabayashi M, Ishiguro N	Hyaluronan inhibits TLR-4 dependent cathepsin K and matrix metalloproteinase 1 expression in human fibroblasts.	Biochem Biophys Res Commun.	430(2)	519-22	2013
Ishiguro N , Yamamoto K, Katayama K, Kondo M, Sumida T, Mimori T, Soen S, Nagai K, Yamaguchi T, Hara M; Igaratimod-Clinical Study Group.	Concomitant iguratimod therapy in patients with active rheumatoid arthritis despite stable doses of methotrexate: a randomized, double-blind, placebo-controlled trial.	Mod Rheumatol.	[Epub ahead of print]		
Kojima T, Yabe Y, Kaneko A, Hirano Y, Ishikawa H, Hayashi M, Miyake H, Takagi H, Kato T, Terabe K, Wanatabe T, Tsuchiya H, Kida D, Shioura T, Funahashi K, Kato D, Matsubara H, Takahashi N, Hattori Y, Asai N, Ishiguro N	Monitoring C-reactive protein levels to predict favourable clinical outcomes from tocilizumab treatment in patients with rheumatoid arthritis.	Mod Rheumatol	[Epub ahead of print]		
Nakajima A, Saito K, Kojima T, Amano K, Yoshio T, Fukuda W, Inoue E, Taniguchi A, Momohara S, Minota S, Takeuchi T, Ishiguro N , Tanaka Y, Yamanaka H	No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan.	Mod Rheumatol.	[Epub ahead of print]		

Takahashi N, Kojima T, Terabe K, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Ishikawa H, Hayashi M, Tsuboi S, Kato D, Funahashi K, Matsubara H, Hattori Y, Hanabayashi M, Hirabara S, Yoshioka Y, Ishiguro N	Clinical efficacy of abatacept in Japanese rheumatoid arthritis patients	Mod Rheumatol.	[Epub ahead of print]		
Kaneko A, Hirano Y, Fujibayashi T, Hattori Y, Terabe K, Kojima T, Ishiguro N	Twenty-four-week clinical results of adalimumab therapy in Japanese patients with rheumatoid arthritis: retrospective analysis for the best use of adalimumab in daily practice	Mod Rheumatol.	[Epub ahead of print]		
Yabe Y, Kojima T, Kaneko A, Asai N, Kobayakawa T, Ishiguro N	A review of tocilizumab treatment in 122 rheumatoid arthritis patients included in the Tsurumi Biologics Communication Registry (TBCR) Study.	Mod Rheumatol	[Epub ahead of print]		
Hirano Y, Kojima T, Kanayama Y, Shioura T, Hayashi M, Tsuboi S, Ishiguro N	Anti-tumor necrosis factor therapy in rheumatoid arthritis patients with a history of deep prosthetic joint infection: a report of four cases.	Mod Rheumatol.	21(5)	542-7	2011
Hayashi M, Kadomatsu K, Kojima T, Ishiguro N	Keratan sulfate and related murine glycosylation can suppress murine cartilage damage in vitro and in vivo.	Biochem Biophys Res Commun.	409(4)	732-7	2011
Kanayama Y, Kojima T, Hirano Y, Shioura T, Hayashi M, Funahashi K, Ishiguro N	Radiographic progression of cervical lesions in patients with rheumatoid arthritis receiving infliximab treatment.	Mod Rheumatol.	20(3)	273-9	2010
Hirano Y, Kojima T, Kanayama Y, Shioura T, Hayashi M, Kida D, Kaneko A, Eto Y, Ishiguro N	Influences of anti-tumour necrosis factor agents on postoperative recovery in patients with rheumatoid arthritis.	Clin Rheumatol.	29(5)	495-500	2010
Hayashi M, Kadomatsu K, Ishiguro N	Keratan sulfate suppresses cartilage damage and ameliorates inflammation in an experimental mice arthritis model.	Biochem Biophys Res Commun.	401(3)	463-8	2010

Kojima M, Kojima T, Ishiguro N, Furukawa T	Exploring the link between depression and rheumatoid arthritis: prospects for optimal therapeutic success.	Int. J. Clin. Rheumatol.	5(3)	273-275	2010
石黒直樹	【関節リウマチ（第2版）寛解を目指す治療の新時代】関節リウマチの成因と病態生理 概論的事項 関節の構造と機能	日本臨床	68(増刊号5)	35-39	2010
石黒直樹	特集：変形性関節症・脊椎症－診断と治療の最前線－ 各論 8. 変形性膝関節症の治療：関節内注射（ヒアルロン酸、ステロイド）の有効性と使い方	Geriatric Medicine (老年医学)	48(3)	355-359	2010
石黒直樹	特集：関節リウマチの画像診断 単純X線所見を用いた関節リウマチの評価法と治療による関節破壊の抑制効果判定－modified Sharp scoreを用いた評価法－	Orthopaedics	23(6)	19-24	2010
石黒直樹	単純X線所見を用いた関節リウマチ関節破壊の評価方法	医学のあゆみ	234(1)	54-59	2010
石黒直樹	【関節リウマチの治療 ベーシックな治療薬と最新薬のハーモニー】使い方の実際 最新の薬物治療で手術は減ったのか？	Modern Physician	30(8)	1097-1101	2010

(針谷 正祥)

[書 籍]

発表者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
針谷正祥	膠原病に用いる生物学的製剤による薬剤性肺障害	宮坂信之	医薬ジャーナル社	2012
		膠原病の肺合併症診療マニュアル	東京	177-185
針谷正祥	生物学的製剤で副作用が起これたら?～副作用の対処方法～	宮坂信之	医薬ジャーナル社	2012
		正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	57-65
針谷正祥	B型肝炎ウイルス再活性化への対処方法は?	宮坂信之	医薬ジャーナル社	2012
		正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	66-70
針谷正祥	ステロイドと他剤との相互作用とは?	宮坂信之	医薬ジャーナル社	2012
		正しいステロイド剤の使い方(1.内用剤編)改訂3版	東京	49-52
針谷正祥	続発性免疫不全症候群	門脇 孝、永井良三	西村書店	2012
		内科学(第1版)	東京	1334-1335
針谷正祥	生物学的製剤のリスクマネジメントとインフォームドコンセントとは?	宮坂信之編	医薬ジャーナル社	2011
		関節リウマチ(生物学的製剤の正しい使い方とは?)	日本	66-73
針谷正祥	膠原病に伴う血管炎 SLE,SSc	日本脈管学会	Medical Tribune	2010
		脈管専門医のための臨床脈管学	東京	255
針谷正祥	治療薬剤:生物学的製剤	竹内勤	最新医学社	2010
		全身性エリテマトーデス 免疫 6(新しい診断と治療のABC67)	大阪	167-177
針谷正祥、田中みち	副作用・合併症への対応と対策	日本リウマチ実地医会	日本医学館	2010
		生物学的製剤によるリウマチ治療マニュアル	東京	165-183
針谷正祥	巨細胞性動脈炎(側頭動脈炎)/リウマチ性多発筋痛症	一般社団法人日本リウマチ学会生涯教育委員会、財団法人日本リウマチ財団教育研修委員会	診断と治療社	2010
		リウマチ病学テキスト初版第1刷	東京	258-262

針谷正祥	Buerger 病	一般社団法人日本リウマチ学会生涯教育委員会、財団法人日本リウマチ財団教育研修委員会	診断と治療社	2010
		リウマチ病学テキスト初版第1刷	東京	303-306
長坂憲治、 針谷正祥	ニューモシスチス肺炎	三森経世	文光堂	2010
		リウマチ・膠原病内科 クリニカルスタンダード(必携ベッドサイドで必ず役立つリウマチ・膠原病学のエッセンス)	東京	267-272
針谷正祥	生物学的製剤の標的分子からみたRAの病態	竹内勤	メジカルレビュー社	2010
		ファーマナビゲーター リウマチへ生物学的製剤編～	東京	34-42

[雑 誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
山崎隼人、 <u>針谷正祥</u>	エタネルセプトは週1回投与が可能（特集：生物学的製剤時代の関節リウマチ最新治療戦略）	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012
<u>Harigai M</u> , Tanaka Y, Maisawa S	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol	39(3)	486-495	2012
Koike T, <u>Harigai M</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int	32(6)	1617-1624	2012
Koike T, <u>Harigai M</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int	32(6)	1511-1519	2012

Tanaka Y, <u>Harigai M</u> , Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-FORTH Study Group	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis	71(6)	817-824	2012
Koike T, <u>Harigai M</u> , Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol	22(4)	498-508	2012
<u>Harigai M</u> , Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol	22(6)	814-822	2012
<u>Harigai M</u> , Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N	Erratum to: Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol	22(6)	823	2012
<u>Harigai M</u> , Tanaka Y, Maisawa S	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol	39(3)	486-495	2012
Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatsubo Y, Atsumi T, Koike T, Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, <u>Harigai M</u> ; for the REAL Study Group	Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis	71(11)	1820-1826	2012

<p>Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, Koike T, Ihata A, Ishigatubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasaka K, Miyasaka N, <u>Harigai M</u>; for the REAL Study Group</p>	<p>Time-dependent increased risk for serious infection from continuous use of tumor necrosis factor antagonists over three years in patients with rheumatoid arthritis.</p>	<p>Arthritis Care Res (Hoboken)</p>	<p>64(8)</p>	<p>1125-1134</p>	<p>2012</p>
<p>Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, <u>Harigai M</u></p>	<p>Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.</p>	<p>Mod Rheumatol</p>	<p>22(6)</p>	<p>849-858</p>	<p>2012</p>
<p>Koike T, <u>Harigai M</u>, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y</p>	<p>Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.</p>	<p>Mod Rheumatol</p>	<p>22(4)</p>	<p>498-508</p>	<p>2012</p>
<p>Koike T, <u>Harigai M</u>, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M</p>	<p>Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.</p>	<p>Rheumatol Int</p>	<p>32(6)</p>	<p>1511-1519</p>	<p>2012</p>
<p>Tanaka Y, <u>Harigai M</u>, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-FORTH Study Group</p>	<p>Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.</p>	<p>Ann Rheum Dis</p>	<p>71(6)</p>	<p>817-824</p>	<p>2012</p>

Watanabe K, Sakai R, Koike R, Sakai F, Sugiyama H, Tanaka M, Komano Y, Akiyama Y, Mimura T, Kaneko M, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Mukai M, Iwahashi M, Saito K, Tanaka Y, Nanki T, Miyasaka N, <u>Harigai M</u>	Clinical characteristics and risk factors for Pneumocystis jirovecii pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case - control study of 17 patients.	Mod Rheumatol	in press		
<u>Harigai M</u> , Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol	Epub ahead of print	2012	
Takeuchi T, <u>Harigai M</u> , Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-MONO study group	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicentre, randomised, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis	in press		
Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, <u>Harigai M</u>	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol	in press		
<u>針谷正祥</u>	日本の生物学的製剤使用ガイドライン (特集 世界のリウマチガイドラインを みわたす)	分子リウマチ 治療	4(2)	27(77)- 30(80)	2011
<u>針谷正祥</u>	日常臨床とファーマコビジランス (薬害 監視) (特集 全身性疾患と腎障害)	総合臨床	60(6)	1451-1452	2011

針谷正祥	治療目標－目標達成に向けた治療 (Treat to Target) のエビデンスと実際	別冊・医学のあゆみ (関節リウマチ” 治癒をめざす” 最新治療 コンセンサス)	別冊	14-19	2011
針谷正祥、野々村美紀、酒井良子	REAL コホートにおける検証 (特集 2010 関節リウマチ新分類基準を検証する)	分子リウマチ治療	4(4)	15-18 (193-196)	2011
渡部香織、針谷正祥	関節リウマチ患者が妊娠した場合に生物学的製剤は継続すべきか中止すべきか? (特集) 内科診療における論点	内科	107(6)	1411-1416	2011
萩山裕之、針谷正祥	抗体療法の副作用対策	医学のあゆみ	238(6)	637-642	2011
長坂憲治、針谷正祥	生物学的製剤の利点と欠点 (特集 ここまでわかった自己免疫疾患)	臨床検査 (増刊号)	55(11)	1349-1358	2011
Yamazaki H, Nanki T, Miyasaka N, <u>Harigai, M</u>	Methotrexate and trimethoprim-sulfamethoxazole use for PCP prophylaxis.	J Rheumatol.	38(4)	777	2011
Ryoko Sakai, Yukiko Komano, Michi Tanaka, Toshihiro Nanki, Ryuji Koike, Atsuo Nakajima, Tatsuya Atsumi, Shinsuke Yasuda, Yoshiya Tanaka, Kazuyoshi Saito, Shigeto Tohma, Takao Fujii, Atsushi Ihata, Naoto Tamura, Atsushi Kawakami, Takahiko Sugihara, Satoshi Ito, Nobuyuki Miyasaka, <u>Masayoshi Harigai</u> , for the REAL Study Group	The REAL database reveals no significant risk for serious infection during treatment with methotrexate over 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	444-448	2011
Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, <u>Harigai M</u>	Tacrolimus-induced Pulmonary Injury in Rheumatoid Arthritis Patients.	Pulmonary Pharmacology and Therapeutics	24(4)	401-406	2011

Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Toma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashiramoto A, Koike T, Ishigatubo Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, <u>Harigai M</u> , for the REAL Study Group	Incidence and risk factors for serious infection in rheumatoid arthritis patients treated with tumor necrosis factor (TNF) inhibitors; a report from the Registry of Japanese Rheumatoid Arthritis Patients for Long-Term Safety (REAL).	J Rheumatol.	38(7)	1258-1264	2011
Koike T, <u>Harigai M</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M	Postmarketing surveillance of safety and effectiveness of etanercept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	343-351	2011
Koike T, <u>Harigai M</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Ito K, Yamanaka H	Postmarketing surveillance of tocilizumab for rheumatoid arthritis in Japan: interim analysis of 3881 patients.	Ann Rheum Dis.	70(12)	2148-2151	2011
野々村美紀、 <u>針谷正祥</u>	生物学的製剤の副作用と使用上の注意点 (特集 関節リウマチ治療の最前線－現状と展望)	Pharma Medica	28(3)	39-42	2010
<u>針谷正祥</u> 、駒野有希子	生物学的製剤大規模試験のエビデンス－我が国における試験を中心に－REAL研究	日本臨床 増刊号 関節リウマチ(第2版)	68(5)	339-342	2010
長坂憲治、 <u>針谷正祥</u>	ステロイドはリウマチに良い?悪い? (特集 関節リウマチの治療～ベーシックな治療薬と最新薬のハーモニー～)	Modern Physician	30(8)	1042-1045	2010
田中みち、 <u>針谷正祥</u>	生物学的製剤の安全使用に向けて (関節リウマチ・治療/実地診療における薬の使いかたと留意点)	Medical Practice	27(12)	2121-2127	2010
酒井良子、 <u>針谷正祥</u>	関節リウマチにおける MTX の安全性－REAL 研究より (特集 関節リウマチ治療におけるメトトレキサート MTX の新たな位置づけ)	リウマチ科	44(5)	520-524	2010
<u>針谷正祥</u>	炎症性サイトカイン阻害と感染症 (抗体療法 確立された炎症性疾患へのアプローチ)	治療学	44(2)	74-76	2010