

## ・ 研究成果の刊行に関する一覧表

**研究成果の刊行に関する一覧表**  
**平成 24 年度(2012)**

<雑誌>

研究代表者：斎藤博久、分担研究者：松本健治、大矢幸弘

発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
Kojima R, Matsuda A, Nomura I, Matsubara O, Nonoyama S, Ohya Y, Saito H, Matsumoto K	Salivary cortisol response to stress in young children with atopic dermatitis	Pediatr Dermatol	30(1)	17-22	2013
Kojima R, Fujiwara T, Matsuda A, Narita M, Matsubara O, Nonoyama S, Ohya Y, Saito H, Matsumoto K	Factors associated with steroid phobia in caregivers of children with atopic dermatitis	Pediatr Dermatol	30(1)	29-35	2013
Fujishima H, Satake Y, Okada N, Kawashima S, Matsumoto K, Saito H	Effects of diesel exhaust particles on primary cultured healthy human conjunctival epithelium	Ann Allergy Asthma Immunol	110(1)	39-43	2013
Suzukawa M, Morita H, Nambu A, Arae K, Shimura E, Shibui A, Yamaguchi S, Suzukawa K, Nakanishi W, Oboki K, Kajiwara N, Ohno T, Ishii A, Korner H, Cua DJ, Suto H, Yoshimoto T, Iwakura Y, Yamasoba T, Ohta K, Sudo K, Saito H, Okumura K, Broide DH, Matsumoto K, Nakae S	Epithelial cell-derived IL-25, but not Th17 cell-derived IL-17 or IL-17F, is crucial for murine asthma	J Immunol	189(7)	3641-3652	2012
Okayama Y, Kashiwakura J, Sasaki-Sakamoto T, Matsumoto K, Hashimoto N, Ohmori K, Kawakami T, Saito H, Ra C	Omalizumab inhibits acceleration of FcepsilonRI-mediated responsiveness of immature human mast cells by immunoglobulin E	Ann Allergy Asthma Immunol	108(3)	188-194 e182	2012
Nomura I, Morita H, Ohya Y, Saito H, Matsumoto K	Non-IgE-mediated gastrointestinal food allergies: distinct differences in clinical	Curr Allergy Asthma Rep	12(4)	297-303	2012

	phenotype between Western countries and Japan				
Morita H, Nomura I, Orihara K, Yoshida K, Akasawa A, Tachimoto H, Ohtsuka Y, Namai Y, Futamura M, Shoda T, Matsuda A, Kamemura N, Kido H, Takahashi T, Ohya Y, Saito H, Matsumoto K	Antigen-specific T-cell responses in patients with non-IgE-mediated gastrointestinal food allergy are predominantly skewed to T(H)2	J Allergy Clin Immunol	131(2)	590-592	2013
Morita H, Arae K, Ohno T, Kajiwara N, Oboki K, Matsuda A, Suto H, Okumura K, Sudo K, Takahashi T, Matsumoto K, Nakae S	ST2 requires Th2-, but not Th17-, type airway inflammation in epicutaneously antigen-sensitized mice	Allergol Int	61(2)	265-273	2012
Matsuda A, Morita H, Unno H, Saito H, Matsumoto K, Hirao Y, Munechika K, Abe J	Anti-inflammatory effects of high-dose IgG on TNF-alpha-activated human coronary artery endothelial cells	Eur J Immunol	42(8)	2121-2131	2012
Kashiwakura JC, Ando T, Matsumoto K, Kimura M, Kitaura J, Matho MH, Zajonc DM, Ozeki T, Ra C, MacDonald SM, Siraganian RP, Broide DH, Kawakami Y, Kawakami T	Histamine-releasing factor has a proinflammatory role in mouse models of asthma and allergy	J Clin Invest	122(1)	218-228	2012
Fujishima H, Okada N, Dogru M, Baba F, Tomita M, Abe J, Matsumoto K, Saito H	The role of Staphylococcal enterotoxin in atopic keratoconjunctivitis and corneal ulceration	Allergy	67(6)	799-803	2012
Fujiwara T, Kubzansky LD, Matsumoto K, Kawachi I	The association between oxytocin and social capital.	PLoS One	7	e52018	2012

分担研究者：片山一朗

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
-------	---------	------	----	-----	-----

Kijima A, et al.	Abnormal axon reflex-mediated sweating correlates with high state of anxiety in atopic dermatitis.	Allergol Int.	61	469-473	2012
Murota H et al.	Artemin causes hypersensitivity to warm sensation, mimicking warmth-provoked pruritus in atopic dermatitis.	J Allergy Clin Immunol	130	671-682	2012
Terao M et al.	11 $\beta$ -Hydroxysteroid dehydrogenase-1 is a novel regulator of skin homeostasis and a candidate target for promoting tissue repair.	PLoS One	6	E25039	2011
片山一朗	生体の恒常性とアレルギー	アレルギー	61	1643-1648	2012

分担研究者：木戸博

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki K, Hiyoshi M, Tada H, Bando M, Ichioka T, Kamemura N, and Kido H.	Allergen diagnosis microarray with high-density immobilization capacity using diamond-like carbon-coated chips for profiling allergen-specific IgE and other immunoglobulins.	Anal Chim Acta	706(2)	321-327	2011
Kamemura N, Tada H, Shimojo N, Morita Y, Kohno Y, Ichioka T, Suzuki K, Kubota K, Hiyoshi M and Kido H.	Intrauterine sensitization of allergen-specific IgE analyzed by a highly-sensitive new allergen microarray.	J Allergy Clin Immunol	130(1)	113-121	2012
鈴木宏一、亀村典生、多田仁美、窪田賢司、澤淵貴子、木戸博	低侵襲性高感度マルチ抗原アレルギー診断チップの開発	アレルギーの臨床	32(430)	553-557	2012
木戸博、亀村典生、多田仁美、日吉峰麗	唾液を用いたアレルギー診断の新技术と今後の展望	BIO INDUSTRY	29(10)	42-47	2012
Morita H, Nomura I, Orihara K, Yoshida K, Akasawa A, Tachimoto H, Ohtsuka Y,	Antigen-specific T-cell responses in patients with non-IgE-mediated gastrointestinal food allergy are	J Allergy Clin Immunol	131(2)	590-592	2013

Namai Y, Futamura M, Shoda T, Matsuda A, Kamemura N, Kido H, Takahashi T, Ohya Y, Saito H, Matsumoto K.	predominantly skewed to T(H)2.				
木戸博、多田仁美、亀村典 生、窪田賢司、鈴木宏一	Diamond-Like Carbon を用いた 新規高感度アレルゲンマイク ロアレイの多項目抗原特異的 IgE 測定	アレルギー・免 疫	20(1)	56-62	2013

・ 研究成果の刊行物・別刷  
(主なもの)