

別紙4

研究成果の刊行に関する一覧表レイアウト

書籍

著者氏名	論文タイトル名	書籍全体 の 編集者名	書籍名	出版社名	出版地	出版年	ページ
Kaneda Y.	Future directions for gene therapy	Morishita R, Nakagami H.	E-book on “Gene Therapy; Technologies and applications”	Future Science Group	London	2012	[in press]
鳥山 一	免疫系における好塩基球の重要性	審良静男、熊ノ郷淳、竹田潔	免疫学 Update –分子病態の解明と治療への展開–	南山堂	東京	2012	46-51
樋島健治	アレルギー疾患研究 最前線	審良静男、熊ノ郷淳、竹田潔	免疫学 UPDATE	南山堂	東京	2012	146-151
樋島健治	アレルギー	熊ノ郷淳	免疫学コア講義	南山堂	東京	2012	219-224
宮地良樹	一冊でわかる皮膚アレルギー	塩原哲夫、宮地良樹、清水宏	一冊でわかる皮膚アレルギー	文光堂	東京	2012	
宮地良樹	抗ヒスタミン薬：增量か変更か	宮地良樹、岡本美孝、谷内一彦	ファーマナビゲーター 抗ヒスタミン薬	メディカルレビュー社	東京	2012	226-228
戸倉新樹	皮膚科用薬	高久史磨、堀正二、菅野健太郎、森脇孝、乾賢一、林冒洋	治療薬ハンドブック 2012	じほう	日本	2012	234-238
戸倉新樹	アダパレンの作用に関する最新の知見	古江増隆、林伸和	皮膚科臨床アセット8 変貌するざ瘡マネージメント	中山書店	日本	2012	288-291
戸倉新樹	ステロイド外用剤を長く使う場合に気を付けることは？	塩原哲夫	正しいステロイドの使い方 2. 外用剤編 改訂3版	医薬ジャーナル社	日本	2012	74-79
戸倉新樹	光線過敏テスト	塩原哲夫	1冊でわかる皮膚アレルギー	文光堂	日本	2012	65-67
戸倉新樹	外因性アトピー性皮膚炎と内因性アトピー性皮膚炎	塩原哲夫	1冊でわかる皮膚アレルギー	文光堂	日本	2012	125-126
戸倉新樹	光線過敏症はなぜ起こる	塩原哲夫	1冊でわかる皮膚アレルギー	文光堂	日本	2012	193-197
戸倉新樹	職業アレルギー	塩原哲夫	1冊でわかる皮膚アレルギー	文光堂	日本	2012	282-286

戸倉新樹	全身の潮紅と落屑 (紅皮症)をきたす 疾患 Diseases presenting with generalized diffuse scaly erythema (reythroderma)	塩原哲夫	今日の皮膚疾患治療指針 第4版	医学書院	日本	2012	41-43
戸倉新樹	光アレルギー性接触皮膚炎 Photoallergic contact dermatitis	宮地良樹	今日の皮膚疾患治療指針 第4版	医学書院	日本	2012	285-287
戸倉新樹	原発性皮膚未分化大細胞型リンパ腫 Primary cutaneous anaplastic large cell lymphoma	渡辺晋一	今日の皮膚疾患治療指針 第4版	医学書院	日本	2012	746-747
戸倉新樹	リンパ腫様丘疹症 Lymphomatoid papulosis	佐藤伸一	今日の皮膚疾患治療指針 第4版	医学書院	日本	2012	748-749
戸倉新樹	Chapter2 抗ヒスタミン薬の薬理作用 5. 抗アレルギー作用	宮地良樹、岡本美孝、谷内和彦	ファーマナビゲーター 抗ヒスタミン薬編	メディカルレビュー社	日本	2012	68-73
戸倉新樹	Chapter3 抗ヒスタミン薬の適応疾患 8. 接触皮膚炎	宮地良樹、岡本美孝、谷内和彦	ファーマナビゲーター 抗ヒスタミン薬編	メディカルレビュー社	日本	2012	130-137
戸倉新樹	薬物治療と副作用の指針 / 光接触皮膚炎の診断・治療指針	中村耕三	運動器診療 最新ガイドライン	総合医学社	日本	2012	74-75
戸倉新樹	5. 乾癬の病態 (2) 大概マミ - T細胞 (Th17) を太郎、古江 増隆 中心に) -	太郎、古江 増隆	診る・わかる・治す皮膚科臨床アセット10 ここまでわかった乾癬の病態と治療	中山書店	日本	2012	20-25
戸倉新樹	4. 皮膚リンパ腫の診断手順	岩月啓氏	皮膚科臨床アセット13 皮膚のリンパ腫 最新分類に基づく診療ガイド	中山書店	日本	2012	16-22
島内隆寿、戸倉新樹	母乳でうつる皮膚疾患にはどんなものがある?	宮地良樹	女性の皮膚トラブルFAQ	診断と治療社	日本	2012	147-150

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Abd El-Latif MI, Murota H, Terao M, Katayama I.	Effects of a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor and low-density lipoprotein on proliferation and migration of keratinocytes.	Br J Dermatol.	163	128-37	2010
Murota H, El-latif MA, Tamura T, Amano T, Katayama I.	Olopatadine hydrochloride improves dermatitis score and inhibits scratch behavior in NC/Nga mice.	Int Arch Allergy Immunol.	153	121-32	2010
Murota H, Kitaba S, Tani M, Wataya -Kaneda M, Azukizawa H, Tanemura A, Umegaki N, Terao M, Kotobuki Y, Katayama I.	Impact of sedative and non-sedative antihistamines on the impaired productivity and quality of life in patients with pruritic skin diseases.	Allergol Int.	59	345-54	2010
Murota H, Takahashi A, Nishioka M, Matsui S, Terao M, Kitaba S, Katayama I.	Showering reduces atopic dermatitis in elementary school students.	Eur J Dermatol.	20	410-1	2010
Hayashi H, Kohno T, Yasui K, Murota H, et al.	Characterization of dsRNA-induced pancreatitis model revealsthe regulatory role of IFN regulatory factor 2 (Irf2) in trypsinogen5 gene transcription.	Proc Natl Acad Sci U S A.	108	18766-71	2011
Hosoya K, Satoh T, Yamamoto Y, Saeki K, Igawa K, Okano M, Moriya T, Imamura O, Nemoto Y, Yokozeki H.	Gene silencing of STAT6 with siRNA ameliorates contact hypersensitivity and allergic rhinitis.	Allergy.	66	124-131	2011
Ito Y, Satoh T, Takayama K, Miyagishi C, Walls AF, Yokozeki H.	Basophil recruitment and activation in inflammatory skin diseases.	Allergy.	66	1107-1113	2011
Matsushima Y, Satoh T, Yamamoto Y, Nakamura M, Yokozeki H.	Distinct roles of prostaglandin D2 receptors in chronic skin inflammation.	Mol Immunol.	49	304-10	2011
Namiki T, Tanemura A, Valencia JC, Coelho SG, Passeron T, Kawaguchi M, Vieira WD, Ishikawa M, Nishijima W, Izumo T, Kaneko Y, Katayama I, Yamaguchi Y, Yin L, Polley EC, Liu H, Kawakami Y, Eishi Y, Takahashi E, Yokozeki H, Hearing VJ.	AMPkinase-related kinase NUAK2 affects tumor growth, migration, and clinical outcomeof human melanoma.	Proc Natl Acad Sci U S A.	108	6597-602	2011
Okiyama N, Kitajima T, Ito Y, Yokozeki H, Miyasaka N, Kohsaka H.	Addition of the collagen binding domain of fibronectin potentiates the biochemical availability of hepatocyte growth factor for cutaneous wound healing.	J Dermatol.	61	215-7	2011
Satoh T, Ito Y, Miyagishi C, Yokozeki H.	Basophils infiltrate skin lesions of eosinophilic pustular folliculitis (Ofuji's disease)	Acta Derm Venereol,	91	371-372	2011

Terao M, Murota H, Kimura A, Kato A, Ishikawa A, Igawa K, Miyoshi E, Katayama I.	11 β -Hydroxysteroid dehydrogenase-1 is a novel regulator of skin homeostasis and a candidate target for promoting tissue repair.	PLoS One.	6(9)	e25039	2011
Ugajin T, Satoh T, Kanamori T, Aritake K, Urade Y, Yokozeki H.	Fc ϵ RI, but not Fc γ R, signals induce prostaglandin D2 and E2 production from basophils.	Am J Pathol.	17	775-82	2011
Yamagishi H, Mochizuki Y, Hamakubo T, Obata K, Ugajin T, Sato S, Kawano Y, Minegishi Y, Karasuyama H.	Basophil-derived mouse mast cell protease 11 induces microvascular leakage and tissue edema in a mast cell-independent manner.	Biochem Biophys Res Commun.	415	709-13	2011
Yamamoto Y, Otani S, Hirai H, Nagata K, Aritake K, Urade Y, Narumiya S, Yokozeki H, Nakamura M, Satoh T.	Dual functions of prostaglandin D2 in murine contact hypersensitivity via DP and CRTH2.	Am J Pathol.	179	302-314	2011
Andoh T, Takayama Y, Yamakoshi T, Lee J.B, Sano A, Shimizu T, Kuraishi Y.	Involvement of serine protease and proteinase-activated receptor 2 in dermatophyte-associated itch in mice.	J Pharmacol Exp Ther.	343	91-96	2012
Andoh T, Yoshida T, Lee J.B, Kuraishi Y.	Cathepsin E induces itch-related response through the production of endothelin-1 in mice.	Eur J Pharmacol.	686	16-21	2012
Egawa G, Doi H, Miyachi Y, Kabashima K.	PCR-RFLP analysis for S2889X in filaggrin harbors the risk of a typing error.	Journal of Dermatological science.		[in press]	2012
Etori M, Yonekubo K, Sato E, Mizukami, Hirahara K, Karasuyama H, Maeda H, Yamashita M.	Melanocortin Receptors 1 and 5 might mediate inhibitory effects of α -melanocyte-stimulating hormone on antigen-induced chronic allergic skin inflammation in IgE transgenic mice.	J Invest Dermatol.	132	1925-1927	2012
Fukamachi S, Kawasami C, Kabashima R, Sawada Y, Sugita K, Nakamura M, Yatera K, Tokura Y.	Tuberculosis verrucosa cutis with elevation of circulating T-helper 1 and 17 cells and their reductions after successful treatment.	J Dermatol.	39	507-509	2012
Hara-Chikuma M, Chikuma S, Sugiyama Y, Kabashima K, Verkman AS, Inoue S, Miyachi Y.	Chemokine-dependent T cell migration requires aquaporin-3-mediated hydrogen peroxide uptake.	Journal of experimental medicine.	209(10)	1743-1752	2012
Hayami C, Ishiguro N, Fukuya Y, Tokura Y, Kawashima M.	Churg-Strauss syndrome presenting with severe cutaneous and intestinal ulcers.	Eur J Dermatol.	22	397-399	2012
Ikawa T, Kasuya A, Ito T, Hirakawa S, Tokura Y.	Intramuscular metastasis of malignant melanoma mimicking leg cellulitis.	Eur J Dermatol.	22	156	2012

Ito T, Tokura Y.	Alopecia areata triggered or exacerbated by swine fluivirus infection.	J Dermatol.	39	863-864	2012
Jin, G., Matsushita, T., Hamaguchi, Y., Le Huu, D., Ishii, T., Hasegawa, M., Obata, K., Karasuyama, H., Takehara, K., and Fujimoto, M.	Basophils and Mast Cells Play Critical Roles for Leukocyte Recruitment in IgE-Mediated Cutaneous Reverse Passive Arthus Reaction.	J. Dermatol. Sci.	67	181-189	2012
Kanai Y, Satoh T, Yokozeki H.	Impaired expression of Tim-3 on Th17 and Th1 cells in psoriasis.	Acta Derm-Venereol.	92(4)	367-371	2012
Kasuya A, Hashizume H, Hirakawa S, Tokura Y.	Haemodialysis-induced pseudoporphyria successfully treated with glutathione.	Eur J Dermatol.	22	137-138	2012
Kasuya A, Hirakawa S, Tokura Y.	Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma: Transformation from indolent to aggressive phase in association with CCR7-positive conversion.	Dermatol Online J.	18	5	2012
Kawano, Y, Ouchida, R, Wang, J-Y, Yoshikawa, S, Yamamoto, M, Kitamura, D, and Karasuyama, H.	A novel mechanism for the autonomous termination of pre-B cell receptor expression via induction of lysosomal-associated protein transmembrane 5.	Mol Cell Biol.	32	4462-4471	2012
Kijima A, Murota H, Matsui S, Takahashi A, Kimura A, Kitaba S, Lee JB, Katayama I.	Abnormal axon reflex mediated sweating correlates with high state of anxiety in atopic dermatitis.	Allergol Int.	61	469-73	2012
Kitaba S, Murota H, Terao M, Azukizawa H, Terabe F, Shima Y, Fujimoto M, Tanaka T, Naka T, Kishimoto T, Katayama I.	Blockade of interleukin -6 receptor alleviates disease in mouse model of scleroderma.	Am J Pathol.	180	165-76	2012
Matsushima Y, Satoh T, Yamamoto Y, Nakamura M, Yokozeki H.	Distinct roles of prostaglandin D2 receptors in chronic skin inflammation.	Mol Immunol.	49	204-310	2012
Mukai K, BenBarak M, Tachibana M, Nishida K, Karasuyama H, Taniuchi I, Galli SJ.	Critical role of P1-Runx1 in mouse basophil development.	Blood.	120	76-85	2012
Murota H, Izumi M, Abd El-Latif MI, Nishioka M, Terao M, Tani M, Matsui S, Sano S, Katayama I.	Artemin causes hypersensitivity to warm sensation, mimicking warmth provoked pruritus in atopic dermatitis.	J Allergy Clin Immunol.	130	671-682	2012
Nakahigashi K, Doi H, Otsuka A, Hirabayashi T, Murakami M, Urade Y, Tanizaki H, Egawa G, Miyachi Y, Kabashima K.	PGD(2) induces eotaxin-3 via PPAR γ from sebocytes: A possible pathogenesis of eosinophilic pustular folliculitis.	Journal of allergy and clinical immunology.	129(2)	536-543	2012

Nakajima S, Igyártó BZ, Honda T, Egawa G, Otsuka A, Hara-Chikuma M, Watanabe N, Ziegler SF, Tomura M, Inaba K, Miyachi Y, Kaplan DH, Kabashima K.	Langerhans cells are critical in epicutaneous sensitization with protein antigen via thymic stromal lymphopoietin receptor signaling.	Journal of allergy and clinical immunology.	129(4)	1048-55	2012
Nishida K, Tateishi C, Tsuruta D, Shimauchi T, Ito T, Hirakawa S, Tokura Y.	Contact urticaria caused by a fish-derived elastin-containing cosmetic cream.	Contact Dermatitis.	67	171-172	2012
Nishizawa A, Satoh T, Yokozeki H.	Erythrodermic psoriasis improved by panitumumab.	Acta Derm Venereol.	92	360-361	2012
Ogawa H, Mukai K, Kawano Y, Minegishi Y, and Karasuyama H.	Th2-inducing cytokines IL-4 and IL-33 synergistically elicit the expression of transmembrane TNF- α on macrophages through the autocrine action of IL-6.	Biochem. Biophys. Res. Commun.	420	114-118	2012
Ohmori S, Mori T, Haruyama S, Sawada Y, Hino R, Nakamura M, Tokura Y.	Occupational skin cancer arising in a patient with a high frequency of circulating regulatory T cells.	Int J Dermatol.	51	1104-1106	2012
Okiyama N, Sugihara T, Oida T, Ohata J, Yokozeki H, Miyasaka N, Kohsaka H.	T lymphocytes and muscle condition act like seeds and soil in a murine polymyositis model.	H. Arthritis Rheum.	64(11)	3741-9	2012
Ono S, Otsuka A, Miyachi Y, Kabashima K.	No filaggrin gene mutation in a patient with a combination of atopic dermatitis, alopecia areata and food allergy.	European journal of dermatology.	22(6)	809-811	2012
Sakabe JI, Yoshiki R, Sygita K, Haruyama S, Sawada Y, Kabashima R, Bito T, Nakamura M, Tokura Y.	Connexin 26 (GJB2) mutations in keratitis-ichthyosis-deafness syndrome presenting with squamous cell carcinoma.	J Dermatol.	39	814-815	2012
Sasada K, Sakabe JI, Tamura A, Kasuya A, Shimauchi T, Ito T, Hirakawa S, Tokura Y.	Photosensitive drug eruption induced by bicalutamide within the UVA action spectrum.	Eur J Dermatol.	22	402-403	2012
Satoh T, Ikeda H, Yokozeki H.	Acrosyringeal Involvement of Palmoplantar Lesions of Eosinophilic Pustular Folliculitis.	Acta Derm Venereol.	[in press]		2012
Sawada Y, Nakamura M, Hamada K, Hino R, Tokura Y.	A high serum concentration of chemerin in pustular dermatitis paradoxically induced by etanercept.	J Am Acad Dermatol.	66	e182-184	2012
Sawaguchi M, Tanaka S, Nakatani Y, Harada Y, Mukai K, Matsunaga Y, Ishiwata K, Oboki K, Kambayashi T, Watanabe N, Karasuyama H, Nakae S, Inoue H, and Kubo M.	Role of mast cells and basophils in IgE responses and in allergic airway hyperresponsiveness.	J. Immunol.	188	1809-1818	2012

Sekine R, Satoh T, Takaoka A, Saeki K, Yokozeki H.	Anti pruritic effects of topical crotamiton, capsaicin, and a corticosteroid on pruritogen-induced scratching behavior.	Exp Dermatol.	21(3)	201-4	2012
Tanaka T, Satoh T, Tanaka A, Yokozeki H.	Congenital insensitivity to pain with anhidrosis: a case with preserved itch sensation to histamine and partial pain sensation.	Br J Dermatol.	166	888-891	2012
Tanizaki H, Ikoma A, Fukuoka M, Miyachi Y, Kabashima K.	Effects of Bepotastine and Fexofenadine on Histamine-Induced Flare, Wheal and Itch.	Internal Archives of Allergy and Immunology.	158(2)	191-195	2012
Tatsuno K, Yagi H, Tokura Y.	Eruptive milium-like Syringoma showing eccrine duct origin of milia.	J Dermatol.	39	878-879	2012
Yagi Y, Muroga E, Naitoh M, Isogai Z, Matsui S, Ikebara S, Suzuki S, Miyachi Y, Utani A.	An Ex Vivo Model Employing Keloid-Derived Cell-Seeded Collagen Sponges for Therapy Development.	Journal of Investigative Dermatology.	133(2)	386-393	2012
Yu R, Satoh T, Wakabayashi T, Ueda N, Yokozeki H.	Disseminated BCG infection in severe combined immunodeficiency.	Acta Derm Venereol.	92	158-159	2012
Egawa M, Mukai K, Yoshikawa S, Iki M, Mukaida N, Kawano Y, and Minegishi Y, and Karasuyama H.	Inflammatory monocytes recruited to allergic skin acquire anti-inflammatory M2 phenotype via basophil-derived IL-4.	Immunity.		[in press]	
Ikeya S, Urano S, Tokura Y.	Linear IgA bullous dermatosis following human papillomavirus vaccination.	Eur J Dermatol.		[in press]	
Ito T, Shimomura Y, Ogai M, Sakabe J-I, Tokura Y.	Identification of a novel heterozygous mutation in the first Japanese case of Marie Unna hereditary hypotrichosis.	J Dermatol.		[in press]	
Shiraishi Y, Jia Y, Domenico J, Joetham A, Karasuyama H, Takeda K, and Gelfand E.W.	Sequential engagement of Fc ϵ RI on mast cells and basophil histamine H4 receptor and Fc ϵ RI in allergic rhinitis.	J. Immunol.		[in press]	
坂部純一 , 黒田悦史 , 戸倉新樹	PI3 キナーゼ経路による好塩基球における Th2 サイトカインの产生制御	臨床免疫・アレルギー科	56	622-627	2011
池谷茂樹 , 浦野聖子 , 小出まさよ , 戸倉新樹	顕著な炎症を伴った汗孔角化症	皮膚病診療	33	813-816	2011
澤田雄宇 , 戸倉新樹	成人T細胞性白血病 / リンパ腫皮疹型と予後判定への重要性	日本皮膚科学会雑誌	121	3091-3093	2011

安東嗣修 , 倉石 泰	温清飲による痒みの抑制機序	phil 漢方	40	26-28	2012
壱岐美紗子 , 烏山 一	好塩基球研究の進展	医学のあゆみ	243(1)	78-83	2012
鬼頭由紀子 , 笹田久美子 , 八木宏明 , 大島昭博 , 戸倉新樹	アトピー性皮膚炎との鑑別を要した若年発症 Se Zary 症候群	Visual Dermatology	11	912-914	2012
吉木竜太郎 , 中村元信 , 戸倉新樹	紫外線による皮膚における免疫抑制とその役割	J UOEH (産業医科大学雑誌)	34	77-83	2012
戸倉新樹	Bowen 病と好酸球性膿疱性毛包炎	皮膚科の臨床	54	7-12	2012
戸倉新樹	低悪性度T細胞性リンパ腫に対する薬物療法-菌状息肉症	臨床腫瘍 プラクティス	8	258-261	2012
戸倉新樹	皮膚バリアからみるアトピー性皮膚炎の全体像	臨床免疫・アレルギー科	58	295-299	2012
戸倉新樹	Th17 細胞と皮膚疾患	日本臨床免疫学会会誌	35	388-392	2012
戸倉新樹	IgE 値正常の内因性アトピー性皮膚炎の成因は如何に	皮膚アレルギーフロンティア	10	19-23	2012
戸倉新樹 , 小林美和	掌蹠膿疱症の治療 / 口キシスマシン内服療法	Visual Dermatology	11	1071-1072	2012
戸倉新樹 , 澤田雄宇 , 島内隆寿	成人 T 細胞性白血病 / リンパ腫 (adlt T-cell leukemia/lymphoma : ATLL)	Visual Dermatology	11	940-945	2012
江川真由美 , 烏山 一	好塩基球研究のアップデート	実験医学	30(6)	905-911	2012
佐藤孝浩 , 横関博雄 , 片山一朗 , 室田浩之 , 戸倉新樹 , 朴紀央 , 梶島健治 , 中溝 聰 , 高森建二 , 塩原哲夫 , 三橋善比古 , 森田栄伸	慢性痒疹診療ガイドライン	日本皮膚科学会雑誌	122	1-16	2012
坂部純一 , 秦 まき , 平川聰史 , 戸倉新樹	PCR 法による単純および帯状疱疹ウイルス感染症の迅速診断 : 成人および小児例	日小皮会誌	31	47-50	2012
菅谷誠 , 河井一浩 , 大塚幹夫 , 濱田利久 , 米倉健太郎 , 島内隆寿 , 谷 守 , 古賀弘志 , 野崎浩二 , 伊豆津宏二 , 戸倉新樹 , 濑戸山充 , 長谷哲男 , 岩月啓氏	皮膚リンパ腫診療ガイドライン 2011 年改訂版	日本皮膚科学会雑誌	122	1513-1531	2012

大日輝記 ,川口淳 ,上田説子 内小保理 ,占部和敬 ,小林美和 ,下田貴子 ,十亀良介 ,高守史子 ,田中倫子 ,寺原慶子 中園亞矢子 ,文森健明 ,師井美樹 ,山本有紀 ,渡邊徹心 ,須賀康 ,古江増隆 ,戸倉新樹 川名誠司 ,古川福実 ,山元修 ,橋本 隆	サリチル酸マクロゴーグルピーリングによる尋常性痤瘡の治療効果 -多施設無作為化二重盲検ハイフサイド対照比較試験-	Aesthetic Dermatology (日本美容皮膚科学会雑誌)	22	31-39	2012
中島沙恵子 ,榎島健治	Langerhans 細胞への TSLP の作用とアトピー性皮膚炎	臨床免疫・アレルギー科	58(3)	334-340	2012
田村愛子 ,富田浩一 ,鈴木陽子 ,戸倉新樹	小児の顔面に生じた Mycobacterium chelonae 感染症の1例	日小皮会誌	31	59-61	2012
島内隆寿 ,戸倉新樹	感染性肉芽腫との鑑別を要した肉芽腫性菌状息肉症	Visual Dermatology	11	922-923	2012
鈴木健晋 ,鈴木陽子 ,富田洋一 ,平川聰史 ,戸倉新樹	Osler 病との鑑別を要した抗セントロメア抗体高値陽性の多発毛細血管拡張	皮膚病診療	34	481-484	2012
中島沙恵子 ,榎島健治	マスター・レギュレーターとしての TSLP	Modern Physician	33(2)	198-202	2013