

- 17 Takaku Y, Nakagome K, Kobayashi T, et al. Changes in airway inflammation and hyperresponsiveness after inhaled corticosteroid cessation in allergic asthma. *Int Arch Allergy Immunol.* 2010; 152 Suppl 1: 41-6.
- 18 Sadakata R, Hatamochi A, Kodama K, et al. Ehlers-Danlos syndrome type IV, vascular type, which demonstrated a novel point mutation in the COL3A1 gene. *Intern Med.* 2010; 49: 1797-800.
- 19 Maruyama H, Morino H, Ito H, et al. Mutations of optineurin in amyotrophic lateral sclerosis. *Nature.* 2010; 465: 223-6.
- 20 Maemondo M, Inoue A, Kobayashi K, et al. Gefitinib or chemotherapy for non-small-cell lung cancer with mutated EGFR. *N Engl J Med.* 2010; 362: 2380-8.
- 21 Huqun, Fukuyama S, Morino H, et al. A quantitatively-modeled homozygosity mapping algorithm, qHomozygosityMapping, utilizing whole genome single nucleotide polymorphism genotyping data. *BMC Bioinformatics.* 2010; 11 Suppl 7: S5.
- 22 Hagiwara K, Johkoh T, Tachibana T. Pulmonary Alveolar Microlithiasis. In: Panos R, Trapnell B, McCormack F, eds. *Molecular Basis of Lung Disease, Insights from Rare Lung Disorders: Humana Press,* 2010.
- 23 2011 日本肺癌学会 「肺癌患者における A L K 遺伝子検査の手引き」 作成委員
- 24 2011 日本呼吸器学会 「特発性間質性肺炎 診断と治療の手引き」 作成委員
- 25 2009 日本肺癌学会 「肺癌患者における E G F R 遺伝子変異検査の解説」 作成委員
- 26 平成 23 年 4 月 平成 23 年度 科学技術分野の文部科学大臣表彰 科学技術賞 開発部門「EGFR 遺伝子変異迅速高感度検出法の開発」(萩原弘一, 長井良昭, 宮澤仁志, 田中知明, 小林国彦)

酒井文和 (研究分担者)

- 1 Sakai F, Tominaga J, Kaga A, et al. Imaging diagnosis of interstitial pneumonia with emphysema (combined pulmonary fibrosis and emphysema). *Pulm Med.* 2012; 2012: 816541.
- 2 Sakai F, Johkoh T, Kusumoto M, Arakawa H, Takahashi M. Drug-induced interstitial lung disease in molecular targeted therapies: high-resolution CT findings. *Int J Clin Oncol.* 2012.
- 3 Nakajima R, Sakai F, Mimura T, Tokuda H, Takahashi M, Kimura F. Acute- or Subacute-Onset Lung Complications in Treating Patients with Rheumatoid Arthritis. *Can Assoc Radiol J.* 2012.
- 4 Matsui S, Hebisawa A, Sakai F, et al. Immunoglobulin G4-related lung disease: clinicoradiological and pathological features. *Respirology.* 2012.
- 5 Kawabata Y, Takemura T, Hebisawa A, et al. Desquamative interstitial pneumonia may progress to lung fibrosis as characterized radiologically. *Respirology.* 2012; 17: 1214-21.
- 6 Kadooka Y, Tominari K, Sakai F, Yasui H. Prevention of rotavirus-induced diarrhea by preferential secretion of IgA in breast milk via maternal administration of *Lactobacillus gasseri* SBT2055. *J Pediatr Gastroenterol Nutr.* 2012; 55: 66-71.
- 7 Hosoya T, Ogawa A, Sakai F, Kadooka Y. A cheese-containing diet modulates immune responses and alleviates dextran sodium sulfate-induced colitis in mice. *J Dairy Sci.* 2012; 95: 2810-8.
- 8 Kameda H, Tokuda H, Sakai F, et al. Clinical and radiological features of acute-onset diffuse interstitial lung diseases in patients with rheumatoid arthritis receiving treatment with biological agents: importance of *Pneumocystis pneumonia* in Japan revealed by a multicenter study. *Intern Med.* 2011; 50: 305-13.
- 9 Arakawa H, Johkoh T, Sakai F, Kusumoto M, Hataji O, Taguchi O. Exacerbation of radiation fibrosis with erlotinib: another pattern of radiation recall phenomenon. *Jpn J Radiol.* 2011; 29: 587-9.
- 10 Tasaka S, Tokuda H, Sakai F, et al. Comparison of clinical and radiological features of *pneumocystis pneumonia* between malignancy cases and acquired immunodeficiency syndrome cases: a multicenter study. *Intern Med.* 2010; 49: 273-81.
- 11 Kimura F, Umezawa T, Asano T, et al. Coronary computed tomography angiography using prospective electrocardiography-gated axial scans with 64-detector computed tomography: evaluation of stair-step

artifacts and padding time. *Jpn J Radiol.* 2010; 28: 437-45.

- 12 Kimura F, Matsuo Y, Nakajima T, et al. Myocardial fat at cardiac imaging: how can we differentiate pathologic from physiologic fatty infiltration? *Radiographics.* 2010; 30: 1587-602.
- 13 Higuchi W, Mimura S, Kurosawa Y, et al. Emergence of the community-acquired methicillin-resistant *Staphylococcus aureus* USA300 clone in a Japanese child, demonstrating multiple divergent strains in Japan. *J Infect Chemother.* 2010; 16: 292-7.

田口善夫 (研究分担者)

- 1 Ikezoe K, Tanaka E, Tanizawa K, et al. Bilateral dissemination of malignant pleural mesothelioma via iatrogenic buffalo chest: a rare route of disease progression. *Gen Thorac Cardiovasc Surg.* 2012; 60: 595-8.
- 2 Taniguchi H, Kondoh Y, Ebina M, et al. The clinical significance of 5% change in vital capacity in patients with idiopathic pulmonary fibrosis: extended analysis of the pirfenidone trial. *Respir Res.* 2011; 12: 93.
- 3 Azuma A, Taguchi Y, Ogura T, et al. Exploratory analysis of a phase III trial of pirfenidone identifies a subpopulation of patients with idiopathic pulmonary fibrosis as benefiting from treatment. *Respir Res.* 2011; 12: 143.
- 4 Tanizawa K, Tanaka E, Hashimoto S, et al. Paradoxical development of a sarcoid-like reaction during successful chemotherapy for seminoma. *Intern Med.* 2010; 49: 1423-6.
- 5 Tanizawa K, Sakamoto J, Hashimoto S, et al. Chylopericardium caused by non-small cell lung cancer: a rare complication of superior vena cava syndrome. *J Thorac Oncol.* 2010; 5: 1303-4.
- 6 Tanizawa K, Kaji Y, Tanaka E, et al. Massive eosinophilic pleural effusion preceding vasculitic symptoms in Churg-Strauss syndrome. *Intern Med.* 2010; 49: 841-5.
- 7 Tanizawa K, Fukunaga K, Okumura N, et al. Successful chemotherapy for small-cell lung cancer in an elderly patient undergoing continuous ambulatory peritoneal dialysis. *Intern Med.* 2010; 49: 1179-83.
- 8 Taniguchi H, Ebina M, Kondoh Y, et al. Pirfenidone in idiopathic pulmonary fibrosis. *Eur Respir J.* 2010; 35: 821-9.

本間栄 (研究分担者)

- 1 Sugino K, Gocho K, Ishida F, et al. Acquired Hemophilia A Associated with IgG4-related Lung Disease in a Patient with Autoimmune Pancreatitis. *Intern Med.* 2012; 51: 3151-4.
- 2 Sakamoto S, Kikuchi N, Ichikawa A, et al. Everolimus-induced Pneumonitis after Drug-eluting Stent Implantation: A Case Report. *Cardiovasc Intervent Radiol.* 2012.
- 3 Isobe K, Hata Y, Sakaguchi S, et al. Pathological response and prognosis of stage III non-small cell lung cancer patients treated with induction chemoradiation. *Asia Pac J Clin Oncol.* 2012; 8: 260-6.
- 4 Isobe K, Hata Y, Kobayashi K, et al. Clinical significance of circulating tumor cells and free DNA in non-small cell lung cancer. *Anticancer Res.* 2012; 32: 3339-44.
- 5 Homma S, Suzuki A, Sato K. Pulmonary involvement in ANCA-associated vasculitis from the view of the pulmonologist. *Clin Exp Nephrol.* 2012.
- 6 Homma S, Azuma A, Taniguchi H, et al. Efficacy of inhaled N-acetylcysteine monotherapy in patients with early stage idiopathic pulmonary fibrosis. *Respirology.* 2012; 17: 467-77.
- 7 Sugino K, Hebisawa A, Uekusa T, Hatanaka K, Abe H, Homma S. Histopathological bronchial reconstruction of human bronchiolitis obliterans. *Pathol Int.* 2011; 61: 192-201.
- 8 Sakamoto S, Homma S, Mun M, Fujii T, Kurosaki A, Yoshimura K. Acute exacerbation of idiopathic interstitial pneumonia following lung surgery in 3 of 68 consecutive patients: a retrospective study. *Intern Med.* 2011; 50: 77-85.

- 9 Tanaka N, Kusunoki Y, Kaneko K, et al. Systemic lupus erythematosus complicated by recurrent pneumothorax: Case report and literature review. *Nihon Rinsho Meneki Gakkai Kaishi*. 2010; 33: 162-8.
- 10 Sakamoto S, Homma S, Miyamoto A, Kurosaki A, Fujii T, Yoshimura K. Cyclosporin A in the treatment of acute exacerbation of idiopathic pulmonary fibrosis. *Intern Med*. 2010; 49: 109-15.
- 11 Ito T, Sugino K, Satoh D, et al. Bird fancier's lung which developed in a pigeon breeder presenting organizing pneumonia. *Intern Med*. 2010; 49: 2605-8.
- 12 Hata Y, Isobe K, Sasamoto S, et al. Pulmonary hamartoma diagnosed by convex probe endobronchial ultrasound-guided transbronchial needle aspiration (EBUS-TBNA). *Intern Med*. 2010; 49: 1171-3.
- 13 Gocho K, Isobe K, Kaburaki K, et al. Malignant pleural mesothelioma presenting as an acute surgical abdomen due to metastatic jejunal perforation. *Intern Med*. 2010; 49: 597-601.

谷口博之 (研究分担者)

- 1 Watanabe N, Taniguchi H, Kondoh Y, et al. Efficacy of Chemotherapy for Advanced Non-Small Cell Lung Cancer with Idiopathic Pulmonary Fibrosis. *Respiration*. 2012.
- 2 Takashima N, Kimura T, Watanabe N, et al. Prognosis in Patients with Non-Small Cell Lung Cancer Who Received Erlotinib Treatment and Subsequent Dose Reduction due to Skin Rash. *Onkologie*. 2012; 35: 747-52.
- 3 Sumikawa H, Johkoh T, Fujimoto K, et al. Usual interstitial pneumonia and nonspecific interstitial pneumonia: correlation between CT findings at the site of biopsy with pathological diagnoses. *Eur J Radiol*. 2012; 81: 2919-24.
- 4 Sakamoto K, Taniguchi H, Kondoh Y, et al. Acute exacerbation of IPF following diagnostic bronchoalveolar lavage procedures. *Respir Med*. 2012; 106: 436-42.
- 5 Sakamoto K, Hashimoto N, Kondoh Y, et al. Differential modulation of surfactant protein D under acute and persistent hypoxia in acute lung injury. *Am J Physiol Lung Cell Mol Physiol*. 2012; 303: L43-53.
- 6 Kotani H, Kishi R, Mouri A, et al. Influence of leukotriene pathway polymorphisms on clinical responses to montelukast in Japanese patients with asthma. *J Clin Pharm Ther*. 2012; 37: 112-6.
- 7 Homma S, Azuma A, Taniguchi H, et al. Efficacy of inhaled N-acetylcysteine monotherapy in patients with early stage idiopathic pulmonary fibrosis. *Respirology*. 2012; 17: 467-77.
- 8 Fujimoto K, Taniguchi H, Johkoh T, et al. Acute exacerbation of idiopathic pulmonary fibrosis: high-resolution CT scores predict mortality. *Eur Radiol*. 2012; 22: 83-92.
- 9 Abe S, Azuma A, Mukae H, et al. Polymyxin B-immobilized fiber column (PMX) treatment for idiopathic pulmonary fibrosis with acute exacerbation: a multicenter retrospective analysis. *Intern Med*. 2012; 51: 1487-91.
- 10 Taniguchi H, Kondoh Y, Ebina M, et al. The clinical significance of 5% change in vital capacity in patients with idiopathic pulmonary fibrosis: extended analysis of the pirfenidone trial. *Respir Res*. 2011; 12: 93.
- 11 Niwa T, Hasegawa R, Ryuge M, Kawase M, Kondoh Y, Taniguchi H. Benefits and risks associated with the R100 high frequency oscillatory ventilator for patients with severe hypoxaemic respiratory failure. *Anaesth Intensive Care*. 2011; 39: 1111-9.
- 12 Nishiyama O, Taniguchi H, Kondoh Y, et al. Phase II study of S-1 monotherapy as a first-line treatment for elderly patients with advanced nonsmall-cell lung cancer: the Central Japan Lung Study Group trial 0404. *Anticancer Drugs*. 2011; 22: 811-6.
- 13 Kawanami T, Yatera K, Fukuda K, et al. Diagnosis of fulminant pneumonia caused by *Legionella pneumophila* serogroup 8 with the sequence analysis of the 16S rRNA gene. *Tohoku J Exp Med*. 2011; 225: 65-9.
- 14 Kawanami T, Fukuda K, Yatera K, Kido M, Mukae H, Taniguchi H. A higher significance of anaerobes: the clone library analysis of bacterial pleurisy. *Chest*. 2011; 139: 600-8.

- 15 Ebina M, Taniguchi H, Miyasho T, et al. Gradual increase of high mobility group protein b1 in the lungs after the onset of acute exacerbation of idiopathic pulmonary fibrosis. *Pulm Med.* 2011; 2011: 916486.
- 16 Azuma A, Taguchi Y, Ogura T, et al. Exploratory analysis of a phase III trial of pirfenidone identifies a subpopulation of patients with idiopathic pulmonary fibrosis as benefiting from treatment. *Respir Res.* 2011; 12: 143.
- 17 Arizono S, Taniguchi H, Nishiyama O, et al. Improvements in quadriceps force and work efficiency are related to improvements in endurance capacity following pulmonary rehabilitation in COPD patients. *Intern Med.* 2011; 50: 2533-9.
- 18 Yokoyama T, Kondoh Y, Taniguchi H, et al. Noninvasive ventilation in acute exacerbation of idiopathic pulmonary fibrosis. *Intern Med.* 2010; 49: 1509-14.
- 19 Usami N, Yokoi K, Hasegawa Y, et al. Phase II study of carboplatin and gemcitabine as adjuvant chemotherapy in patients with completely resected non-small cell lung cancer: a report from the Central Japan Lung Study Group, CJLSG 0503 trial. *Int J Clin Oncol.* 2010; 15: 583-7.
- 20 Taniguchi H, Ebina M, Kondoh Y, et al. Pirfenidone in idiopathic pulmonary fibrosis. *Eur Respir J.* 2010; 35: 821-9.
- 21 Sato I, Yokoyama Y, Ryuge M, Taniguchi H, Arima H, Yoshioka S. Respiratory failure was improved by growth hormone substitution in a patient with hypopituitarism. *BMJ Case Rep.* 2010; 2010.
- 22 Sakamoto K, Taniguchi H, Kondoh Y, et al. Serum KL-6 in fibrotic NSIP: Correlations with physiologic and radiologic parameters. *Respir Med.* 2010; 104: 127-33.
- 23 Nishiyama O, Taniguchi H, Kondoh Y, et al. A simple assessment of dyspnoea as a prognostic indicator in idiopathic pulmonary fibrosis. *Eur Respir J.* 2010; 36: 1067-72.
- 24 Kondoh Y, Taniguchi H, Katsuta T, et al. Risk factors of acute exacerbation of idiopathic pulmonary fibrosis. *Sarcoidosis Vasc Diffuse Lung Dis.* 2010; 27: 103-10.
- 25 Kondoh Y, Taniguchi H, Kataoka K, et al. Prognostic factors in rapidly progressive interstitial pneumonia. *Respirology.* 2010; 15: 257-64.
- 26 Aso H, Kondoh Y, Taniguchi H, et al. Noninvasive ventilation in patients with acute exacerbation of pulmonary tuberculosis sequelae. *Intern Med.* 2010; 49: 2077-83.

滝澤始 (研究分担者)

- 1 Wada H, Takizawa H. Future Treatment for COPD: Targeting Oxidative Stress and Its Related Signal. *Recent Pat Inflamm Allergy Drug Discov.* 2012.
- 2 Tsujimoto N, Saraya T, Kikuchi K, et al. High-resolution CT findings of patients with pulmonary nocardiosis. *J Thorac Dis.* 2012; 4: 577-82.
- 3 Sohara E, Saraya T, Honda K, et al. Guillain-Barre syndrome in two patients with respiratory failure and a review of the Japanese literature. *J Thorac Dis.* 2012; 4: 601-7.
- 4 Saraya T, Tanaka Y, Ohkuma K, et al. Massive tension pneumomediastinum. *Intern Med.* 2012; 51: 677.
- 5 Saraya T, Tanaka R, Fujiwara M, et al. Fluorodeoxyglucose (FDG) uptake in pulmonary rheumatoid nodules diagnosed by video-assisted thoracic surgery lung biopsy: two case reports and a review of the literature. *Mod Rheumatol.* 2012.
- 6 Nakajima A, Saraya T, Takata S, et al. The saw-tooth sign as a clinical clue for intrathoracic central airway obstruction. *BMC Res Notes.* 2012; 5: 388.
- 7 Nagatomo T, Saraya T, Masuda Y, et al. Two cases of bilateral bronchial artery varices: One with and one without bilateral coronary-to-pulmonary artery fistulas. Review and characterization of the clinical features of bronchial artery varices reported in Japan. *Clin Radiol.* 2012; 67: 1212-7.
- 8 Mikami Y, Yamauchi Y, Horie M, et al. Tumor necrosis factor superfamily member LIGHT induces epithelial-

mesenchymal transition in A549 human alveolar epithelial cells. *Biochem Biophys Res Commun.* 2012; 428: 451-7.

- 9 Kurai D, Nakagaki K, Wada H, et al. Mycoplasma pneumoniae Extract Induces an IL-17-Associated Inflammatory Reaction in Murine Lung: Implication for Mycoplasmal Pneumonia. *Inflammation.* 2012.
- 10 Takizawa H. Impact of air pollution on allergic diseases. *Korean J Intern Med.* 2011; 26: 262-73.
- 11 Kamitani S, Yamauchi Y, Kawasaki S, et al. Simultaneous stimulation with TGF-beta1 and TNF-alpha induces epithelial mesenchymal transition in bronchial epithelial cells. *Int Arch Allergy Immunol.* 2011; 155: 119-28.
- 12 Yamauchi Y, Kohyama T, Takizawa H, et al. Tumor necrosis factor-alpha enhances both epithelial-mesenchymal transition and cell contraction induced in A549 human alveolar epithelial cells by transforming growth factor-beta1. *Exp Lung Res.* 2010; 36: 12-24.
- 13 Li YJ, Takizawa H, Azuma A, et al. Nrf2 is closely related to allergic airway inflammatory responses induced by low-dose diesel exhaust particles in mice. *Clin Immunol.* 2010; 137: 234-41.
- 14 Kohyama T, Yamauchi Y, Takizawa H, Kamitani S, Kawasaki S, Nagase T. Histamine stimulates human lung fibroblast migration. *Mol Cell Biochem.* 2010; 337: 77-81.

長谷川好規 (研究分担者)

- 1 Yoshida K, Sato M, Hase T, et al. TIMELESS is overexpressed in lung cancer and its expression correlates with poor patient survival. *Cancer Sci.* 2012.
- 2 Watanabe N, Taniguchi H, Kondoh Y, et al. Efficacy of Chemotherapy for Advanced Non-Small Cell Lung Cancer with Idiopathic Pulmonary Fibrosis. *Respiration.* 2012.
- 3 Tanaka I, Imaizumi K, Hashimoto I, et al. Interstitial pneumonia and nodular regenerative hyperplasia of the liver as initial manifestations of polyarteritis nodosa. *Intern Med.* 2012; 51: 635-8.
- 4 Suganuma N, Ito S, Aso H, et al. STIM1 regulates platelet-derived growth factor-induced migration and Ca²⁺ influx in human airway smooth muscle cells. *PLoS One.* 2012; 7: e45056.
- 5 Shinjo K, Okamoto Y, An B, et al. Integrated analysis of genetic and epigenetic alterations reveals CpG island methylator phenotype associated with distinct clinical characters of lung adenocarcinoma. *Carcinogenesis.* 2012; 33: 1277-85.
- 6 Sato M, Shames DS, Hasegawa Y. Emerging evidence of epithelial-to-mesenchymal transition in lung carcinogenesis. *Respirology.* 2012; 17: 1048-59.
- 7 Sashio T, Kume H, Takeda N, et al. Possible Involvement of Sphingosine-1-Phosphate/G(i)/RhoA pathways in adherence of eosinophils to pulmonary endothelium. *Allergol Int.* 2012; 61: 283-93.
- 8 Sakamoto K, Taniguchi H, Kondoh Y, et al. Acute exacerbation of IPF following diagnostic bronchoalveolar lavage procedures. *Respir Med.* 2012; 106: 436-42.
- 9 Sakamoto K, Hashimoto N, Kondoh Y, et al. Differential modulation of surfactant protein D under acute and persistent hypoxia in acute lung injury. *Am J Physiol Lung Cell Mol Physiol.* 2012; 303: L43-53.
- 10 Ohno T, Okamoto M, Hara T, et al. Detection of loci for allergic asthma using SMXA recombinant inbred strains of mice. *Immunogenetics.* 2012.
- 11 Oguri T, Imai N, Imaizumi K, et al. Febrile complications after endobronchial ultrasound-guided transbronchial needle aspiration for intra-pulmonary mass lesions of lung cancer-a series of 3 cases. *Respir Investig.* 2012; 50: 162-5.
- 12 Ogawa S, Horio Y, Yatabe Y, et al. Patterns of recurrence and outcome in patients with surgically resected small cell lung cancer. *Int J Clin Oncol.* 2012; 17: 218-24.
- 13 Nakashima H, Hashimoto N, Aoyama D, et al. Involvement of the transcription factor twist in phenotype alteration through epithelial-mesenchymal transition in lung cancer cells. *Mol Carcinog.* 2012; 51: 400-10.

- 14 Mizutani T, Morise M, Ito Y, et al. Nongenomic effects of fluticasone propionate and budesonide on human airway anion secretion. *Am J Respir Cell Mol Biol.* 2012; 47: 645-51.
- 15 Matsuo M, Hashimoto N, Usami N, et al. Inspiratory capacity as a preoperative assessment of patients undergoing thoracic surgery. *Interact Cardiovasc Thorac Surg.* 2012; 14: 560-4.
- 16 Matsuo K, Gallus S, Negri E, et al. Time to first cigarette and upper aerodigestive tract cancer risk in Japan. *Cancer Epidemiol Biomarkers Prev.* 2012; 21: 1986-92.
- 17 Maseki S, Ijichi K, Tanaka H, et al. Acquisition of EMT phenotype in the gefitinib-resistant cells of a head and neck squamous cell carcinoma cell line through Akt/GSK-3beta/snail signalling pathway. *Br J Cancer.* 2012; 106: 1196-204.
- 18 Makino Y, Kume H, Oguma T, et al. Role of sphingosine-1-phosphate in beta-adrenoceptor desensitization via Ca(2+) sensitization in airway smooth muscle. *Allergol Int.* 2012; 61: 311-22.
- 19 Kotani H, Kishi R, Mouri A, et al. Influence of leukotriene pathway polymorphisms on clinical responses to montelukast in Japanese patients with asthma. *J Clin Pharm Ther.* 2012; 37: 112-6.
- 20 Ito S, Ko SB, Morioka M, et al. Three cases of bronchial asthma preceding IgG4-related autoimmune pancreatitis. *Allergol Int.* 2012; 61: 171-4.
- 21 Hayashi Y, Matsushima M, Nakamura T, et al. Quercetin protects against pulmonary oxidant stress via heme oxygenase-1 induction in lung epithelial cells. *Biochem Biophys Res Commun.* 2012; 417: 169-74.
- 22 Hashimoto I, Imaizumi K, Hashimoto N, et al. An aqueous fraction of *Sauropus androgynus* might be responsible for bronchiolitis obliterans. *Respirology.* 2012.
- 23 Elshazley M, Sato M, Hase T, et al. The circadian clock gene BMAL1 is a novel therapeutic target for malignant pleural mesothelioma. *Int J Cancer.* 2012; 131: 2820-31.
- 24 Aso H, Ito S, Mori A, et al. Prostaglandin E2 enhances interleukin-8 production via EP4 receptor in human pulmonary microvascular endothelial cells. *Am J Physiol Lung Cell Mol Physiol.* 2012; 302: L266-73.
- 25 Tomita Y, Okamoto A, Yamada K, Yagi T, Hasegawa Y, Ohta M. A new microarray system to detect *Streptococcus pneumoniae* serotypes. *J Biomed Biotechnol.* 2011; 2011: 352736.
- 26 Shindo Y, Hasegawa Y. Emerging problems regarding severity assessment and treatment strategies for patients with pneumonia: controversies surrounding the HCAP concept. *Intern Emerg Med.* 2011; 6: 389-91.
- 27 Saito S, Nakayama T, Hashimoto N, et al. Mesenchymal stem cells stably transduced with a dominant-negative inhibitor of CCL2 greatly attenuate bleomycin-induced lung damage. *Am J Pathol.* 2011; 179: 1088-94.
- 28 Nishiyama O, Taniguchi H, Kondoh Y, et al. Phase II study of S-1 monotherapy as a first-line treatment for elderly patients with advanced nonsmall-cell lung cancer: the Central Japan Lung Study Group trial 0404. *Anticancer Drugs.* 2011; 22: 811-6.
- 29 Nakamura T, Matsushima M, Hayashi Y, et al. Attenuation of transforming growth factor-beta-stimulated collagen production in fibroblasts by quercetin-induced heme oxygenase-1. *Am J Respir Cell Mol Biol.* 2011; 44: 614-20.
- 30 Morioka M, Parameswaran H, Naruse K, et al. Microtubule dynamics regulate cyclic stretch-induced cell alignment in human airway smooth muscle cells. *PLoS One.* 2011; 6: e26384.
- 31 Kawabe T, Matsushima M, Hashimoto N, Imaizumi K, Hasegawa Y. CD40/CD40 ligand interactions in immune responses and pulmonary immunity. *Nagoya J Med Sci.* 2011; 73: 69-78.
- 32 Kameda H, Tokuda H, Sakai F, et al. Clinical and radiological features of acute-onset diffuse interstitial lung diseases in patients with rheumatoid arthritis receiving treatment with biological agents: importance of *Pneumocystis pneumonia* in Japan revealed by a multicenter study. *Intern Med.* 2011; 50: 305-13.
- 33 Iwano S, Imaizumi K, Okada T, Hasegawa Y, Naganawa S. Virtual bronchoscopy-guided transbronchial

- biopsy for aiding the diagnosis of peripheral lung cancer. *Eur J Radiol.* 2011; 79: 155-9.
- 34 Hibino Y, Morise M, Ito Y, et al. Capsaicinoids regulate airway anion transporters through Rho kinase- and cyclic AMP-dependent mechanisms. *Am J Respir Cell Mol Biol.* 2011; 45: 684-91.
- 35 Hase T, Sato M, Yoshida K, et al. Pivotal role of epithelial cell adhesion molecule in the survival of lung cancer cells. *Cancer Sci.* 2011; 102: 1493-500.
- 36 Elshazley M, Shibata E, Hisanaga N, et al. Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. *Ind Health.* 2011; 49: 626-33.
- 37 Usami N, Yokoi K, Hasegawa Y, et al. Phase II study of carboplatin and gemcitabine as adjuvant chemotherapy in patients with completely resected non-small cell lung cancer: a report from the Central Japan Lung Study Group, CJLSG 0503 trial. *Int J Clin Oncol.* 2010; 15: 583-7.
- 38 Takeyama Y, Sato M, Horio M, et al. Knockdown of ZEB1, a master epithelial-to-mesenchymal transition (EMT) gene, suppresses anchorage-independent cell growth of lung cancer cells. *Cancer Lett.* 2010; 296: 216-24.
- 39 Shimokata T, Ando Y, Yasuda Y, et al. Prospective evaluation of pharmacokinetically guided dosing of carboplatin in Japanese patients with cancer. *Cancer Sci.* 2010; 101: 2601-5.
- 40 Sakamoto K, Taniguchi H, Kondoh Y, et al. Serum KL-6 in fibrotic NSIP: Correlations with physiologic and radiologic parameters. *Respir Med.* 2010; 104: 127-33.
- 41 Oguri T, Shimokata T, Inada M, et al. Pharmacokinetic analysis of carboplatin in patients with cancer who are undergoing hemodialysis. *Cancer Chemother Pharmacol.* 2010; 66: 813-7.
- 42 Morise M, Ito Y, Matsuno T, et al. Heterologous regulation of anion transporters by menthol in human airway epithelial cells. *Eur J Pharmacol.* 2010; 635: 204-11.
- 43 Honda T, Imaizumi K, Yokoi T, et al. Differential Th1/Th2 chemokine expression in interstitial pneumonia. *Am J Med Sci.* 2010; 339: 41-8.
- 44 Hashimoto N, Phan SH, Imaizumi K, et al. Endothelial-mesenchymal transition in bleomycin-induced pulmonary fibrosis. *Am J Respir Cell Mol Biol.* 2010; 43: 161-72.
- 45 Aso H, Kondoh Y, Taniguchi H, et al. Noninvasive ventilation in patients with acute exacerbation of pulmonary tuberculosis sequelae. *Intern Med.* 2010; 49: 2077-83.
- 46 Asano T, Kume H, Taki F, Ito S, Hasegawa Y. Thalidomide attenuates airway hyperresponsiveness and eosinophilic inflammation in a murine model of allergic asthma. *Biol Pharm Bull.* 2010; 33: 1028-32.

海老名雅仁 (研究分担者)

- 1 Wong WF, Kohu K, Nakamura A, et al. Runx1 deficiency in CD4+ T cells causes fatal autoimmune inflammatory lung disease due to spontaneous hyperactivation of cells. *J Immunol.* 2012; 188: 5408-20.
- 2 Satoh H, Tazawa R, Sakakibara T, et al. Bilateral peripheral infiltrates refractory to immunosuppressants were diagnosed as autoimmune pulmonary alveolar proteinosis and improved by inhalation of granulocyte/macrophage-colony stimulating factor. *Intern Med.* 2012; 51: 1737-42.
- 3 Satoh H, Saito R, Hisata S, et al. An ectopic ACTH-producing small cell lung carcinoma associated with enhanced corticosteroid biosynthesis in the peritumoral areas of adrenal metastasis. *Lung Cancer.* 2012; 76: 486-90.
- 4 Ohta H, Chiba S, Ebina M, Furuse M, Nukiwa T. Altered expression of tight junction molecules in alveolar septa in lung injury and fibrosis. *Am J Physiol Lung Cell Mol Physiol.* 2012; 302: L193-205.
- 5 Ohkouchi S, Ebina M, Kamei K, et al. Fatal acute interstitial pneumonia in a worker making chips from wooden debris generated by the Great East Japan earthquake and tsunami. *Respir Investig.* 2012; 50: 129-34.
- 6 Ohkouchi S, Block GJ, Katsha AM, et al. Mesenchymal stromal cells protect cancer cells from ROS-induced apoptosis and enhance the Warburg effect by secreting STC1. *Mol Ther.* 2012; 20: 417-23.

- 7 Kobayashi M, Miki Y, Ebina M, et al. Carcinoembryonic antigen-related cell adhesion molecules as surrogate markers for EGFR inhibitor sensitivity in human lung adenocarcinoma. *Br J Cancer*. 2012; 107: 1745-53.
- 8 Chiba S, Ohta H, Abe K, et al. The Diagnostic Value of the Interstitial Biomarkers KL-6 and SP-D for the Degree of Fibrosis in Combined Pulmonary Fibrosis and Emphysema. *Pulm Med*. 2012; 2012: 492960.
- 9 Taniguchi H, Kondoh Y, Ebina M, et al. The clinical significance of 5% change in vital capacity in patients with idiopathic pulmonary fibrosis: extended analysis of the pirfenidone trial. *Respir Res*. 2011; 12: 93.
- 10 Ohta H, Miyauchi E, Ebina M, Nukiwa T. A case of cutaneous infection caused by mycobacterium szulgai with progression to acute respiratory distress syndrome. *Clin Med Insights Case Rep*. 2011; 4: 29-33.
- 11 Murakami K, Tamada T, Nara M, et al. Toll-like receptor 4 potentiates Ca²⁺-dependent secretion of electrolytes from swine tracheal glands. *Am J Respir Cell Mol Biol*. 2011; 45: 1101-10.
- 12 Murakami K, Tamada T, Abe K, et al. Rapid improvement of osseous sarcoidosis after the treatment of pulmonary aspergillosis by itraconazole. *Sarcoidosis Vasc Diffuse Lung Dis*. 2011; 28: 75-8.
- 13 Hisata S, Kimura Y, Shibata N, et al. A Normal Range of KL-6/MUC1 Independent of Elevated SP-D Indicates a Better Prognosis in the Patients with Honeycombing on High-Resolution Computed Tomography. *Pulm Med*. 2011; 2011: 806014.
- 14 Ebina M, Taniguchi H, Miyasho T, et al. Gradual increase of high mobility group protein b1 in the lungs after the onset of acute exacerbation of idiopathic pulmonary fibrosis. *Pulm Med*. 2011; 2011: 916486.
- 15 Daito H, Kikuchi T, Sakakibara T, et al. Mycobacterial hypersensitivity pneumonitis requires TLR9-MyD88 in lung CD11b+ CD11c+ cells. *Eur Respir J*. 2011; 38: 688-701.
- 16 Azuma A, Taguchi Y, Ogura T, et al. Exploratory analysis of a phase III trial of pirfenidone identifies a subpopulation of patients with idiopathic pulmonary fibrosis as benefiting from treatment. *Respir Res*. 2011; 12: 143.
- 17 Taniguchi H, Ebina M, Kondoh Y, et al. Pirfenidone in idiopathic pulmonary fibrosis. *Eur Respir J*. 2010; 35: 821-9.
- 18 Satoh H, Moriguchi T, Taguchi K, et al. Nrf2-deficiency creates a responsive microenvironment for metastasis to the lung. *Carcinogenesis*. 2010; 31: 1833-43.
- 19 Koyama S, Murakami K, Sakakibara T, et al. Massive pleural effusion and bronchopleural fistula in Wegener's granulomatosis. *Sarcoidosis Vasc Diffuse Lung Dis*. 2010; 27: 76-9.
- 20 Ebina M, Shibata N, Ohta H, et al. The disappearance of subpleural and interlobular lymphatics in idiopathic pulmonary fibrosis. *Lymphat Res Biol*. 2010; 8: 199-207.

吾妻安良太 (研究分担者)

- 1 Usuki J, Matsuda K, Azuma A, Kudoh S, Gemma A. Sequential analysis of myofibroblast differentiation and transforming growth factor-beta1/Smad pathway activation in murine pulmonary fibrosis. *J Nippon Med Sch*. 2012; 79: 46-59.
- 2 Kashiwada T, Kikuchi K, Abe S, et al. Staphylococcal Enterotoxin B Toxic Shock Syndrome Induced by Community-acquired Methicillin-resistant Staphylococcus aureus (CA-MRSA). *Intern Med*. 2012; 51: 3085-8.
- 3 Kamio K, Yoshida T, Gao C, et al. alpha1,6-Fucosyltransferase (Fut8) is implicated in vulnerability to elastase-induced emphysema in mice and a possible non-invasive predictive marker for disease progression and exacerbations in chronic obstructive pulmonary disease (COPD). *Biochem Biophys Res Commun*. 2012; 424: 112-7.
- 4 Homma S, Azuma A, Taniguchi H, et al. Efficacy of inhaled N-acetylcysteine monotherapy in patients with early stage idiopathic pulmonary fibrosis. *Respirology*. 2012; 17: 467-77.
- 5 Hayashi H, Saito Y, Kokuho N, et al. Fatal pneumonia associated with temozolomide therapy in patients with

- malignant glioma. *Jpn J Clin Oncol*. 2012; 42: 632-6.
- 6 Azuma A. Pirfenidone treatment of idiopathic pulmonary fibrosis. *Ther Adv Respir Dis*. 2012; 6: 107-14.
- 7 Abe S, Azuma A, Mukae H, et al. Polymyxin B-immobilized fiber column (PMX) treatment for idiopathic pulmonary fibrosis with acute exacerbation: a multicenter retrospective analysis. *Intern Med*. 2012; 51: 1487-91.
- 8 Taniguchi H, Kondoh Y, Ebina M, et al. The clinical significance of 5% change in vital capacity in patients with idiopathic pulmonary fibrosis: extended analysis of the pirfenidone trial. *Respir Res*. 2011; 12: 93.
- 9 Minegishi Y, Sudoh J, Kuribayashi H, et al. The safety and efficacy of weekly paclitaxel in combination with carboplatin for advanced non-small cell lung cancer with idiopathic interstitial pneumonias. *Lung Cancer*. 2011; 71: 70-4.
- 10 Minegishi Y, Kuribayashi H, Kitamura K, et al. The feasibility study of Carboplatin plus Etoposide for advanced small cell lung cancer with idiopathic interstitial pneumonias. *J Thorac Oncol*. 2011; 6: 801-7.
- 11 Azuma A, Taguchi Y, Ogura T, et al. Exploratory analysis of a phase III trial of pirfenidone identifies a subpopulation of patients with idiopathic pulmonary fibrosis as benefiting from treatment. *Respir Res*. 2011; 12: 143.
- 12 Azuma A, Kudoh S, Nakashima M, Nagatake T. Antipyretic and analgesic effects of zaltoprofen for the treatment of acute upper respiratory tract infection: verification of a noninferiority hypothesis using loxoprofen sodium. *Pharmacology*. 2011; 87: 204-13.
- 13 Abe S, Hayashi H, Seo Y, et al. Reduction in serum high mobility group box-1 level by polymyxin B-immobilized fiber column in patients with idiopathic pulmonary fibrosis with acute exacerbation. *Blood Purif*. 2011; 32: 310-6.
- 14 Taniguchi H, Ebina M, Kondoh Y, et al. Pirfenidone in idiopathic pulmonary fibrosis. *Eur Respir J*. 2010; 35: 821-9.
- 15 Li YJ, Takizawa H, Azuma A, et al. Nrf2 is closely related to allergic airway inflammatory responses induced by low-dose diesel exhaust particles in mice. *Clin Immunol*. 2010; 137: 234-41.
- 16 Azuma A, Kudoh S, Nakashima M, Nagatake T. A double-blind study of zaltoprofen for the treatment of upper respiratory tract infection. *Pharmacology*. 2010; 85: 41-7.
- 17 Azuma A. Pirfenidone: antifibrotic agent for idiopathic pulmonary fibrosis. *Expert Rev Respir Med*. 2010; 4: 301-10.
- 18 Abe S, Seo Y, Hayashi H, et al. Neutrophil adsorption by polymyxin B-immobilized fiber column for acute exacerbation in patients with interstitial pneumonia: a pilot study. *Blood Purif*. 2010; 29: 321-6.
- 19 Wong WF, Kohu K, Nakamura A, et al. Runx1 deficiency in CD4+ T cells causes fatal autoimmune inflammatory lung disease due to spontaneous hyperactivation of cells. *J Immunol*. 2012; 188: 5408-20.
- 20 Satoh H, Tazawa R, Sakakibara T, et al. Bilateral peripheral infiltrates refractory to immunosuppressants were diagnosed as autoimmune pulmonary alveolar proteinosis and improved by inhalation of granulocyte/macrophage-colony stimulating factor. *Intern Med*. 2012; 51: 1737-42.
- 21 Satoh H, Saito R, Hisata S, et al. An ectopic ACTH-producing small cell lung carcinoma associated with enhanced corticosteroid biosynthesis in the peritumoral areas of adrenal metastasis. *Lung Cancer*. 2012; 76: 486-90.
- 22 Ohta H, Chiba S, Ebina M, Furuse M, Nukiwa T. Altered expression of tight junction molecules in alveolar septa in lung injury and fibrosis. *Am J Physiol Lung Cell Mol Physiol*. 2012; 302: L193-205.
- 23 Ohkouchi S, Ebina M, Kamei K, et al. Fatal acute interstitial pneumonia in a worker making chips from wooden debris generated by the Great East Japan earthquake and tsunami. *Respir Investig*. 2012; 50: 129-34.
- 24 Ohkouchi S, Block GJ, Katsha AM, et al. Mesenchymal stromal cells protect cancer cells from ROS-induced

- apoptosis and enhance the Warburg effect by secreting STC1. *Mol Ther.* 2012; 20: 417-23.
- 25 Kobayashi M, Miki Y, Ebina M, et al. Carcinoembryonic antigen-related cell adhesion molecules as surrogate markers for EGFR inhibitor sensitivity in human lung adenocarcinoma. *Br J Cancer.* 2012; 107: 1745-53.
- 26 Chiba S, Ohta H, Abe K, et al. The Diagnostic Value of the Interstitial Biomarkers KL-6 and SP-D for the Degree of Fibrosis in Combined Pulmonary Fibrosis and Emphysema. *Pulm Med.* 2012; 2012: 492960.
- 27 Ohta H, Miyauchi E, Ebina M, Nukiwa T. A case of cutaneous infection caused by mycobacterium szulgai with progression to acute respiratory distress syndrome. *Clin Med Insights Case Rep.* 2011; 4: 29-33.
- 28 Murakami K, Tamada T, Nara M, et al. Toll-like receptor 4 potentiates Ca²⁺-dependent secretion of electrolytes from swine tracheal glands. *Am J Respir Cell Mol Biol.* 2011; 45: 1101-10.
- 29 Murakami K, Tamada T, Abe K, et al. Rapid improvement of osseous sarcoidosis after the treatment of pulmonary aspergillosis by itraconazole. *Sarcoidosis Vasc Diffuse Lung Dis.* 2011; 28: 75-8.
- 30 Hisata S, Kimura Y, Shibata N, et al. A Normal Range of KL-6/MUC1 Independent of Elevated SP-D Indicates a Better Prognosis in the Patients with Honeycombing on High-Resolution Computed Tomography. *Pulm Med.* 2011; 2011: 806014.
- 31 Ebina M, Taniguchi H, Miyasho T, et al. Gradual increase of high mobility group protein b1 in the lungs after the onset of acute exacerbation of idiopathic pulmonary fibrosis. *Pulm Med.* 2011; 2011: 916486.
- 32 Daito H, Kikuchi T, Sakakibara T, et al. Mycobacterial hypersensitivity pneumonitis requires TLR9-MyD88 in lung CD11b+ CD11c+ cells. *Eur Respir J.* 2011; 38: 688-701.
- 33 Satoh H, Moriguchi T, Taguchi K, et al. Nrf2-deficiency creates a responsive microenvironment for metastasis to the lung. *Carcinogenesis.* 2010; 31: 1833-43.
- 34 Koyama S, Murakami K, Sakakibara T, et al. Massive pleural effusion and bronchopleural fistula in Wegener's granulomatosis. *Sarcoidosis Vasc Diffuse Lung Dis.* 2010; 27: 76-9.
- 35 Ebina M, Shibata N, Ohta H, et al. The disappearance of subpleural and interlobular lymphatics in idiopathic pulmonary fibrosis. *Lymphat Res Biol.* 2010; 8: 199-207.

井上義一（研究分担者）

- 1 Tachibana K, Arai T, Kagawa T, et al. A case of combined sarcoidosis and usual interstitial pneumonia. *Intern Med.* 2012; 51: 1893-7.
- 2 Arai T, Inoue Y, Tachibana K, et al. Cytomegalovirus infection during immunosuppressive therapy for diffuse parenchymal lung disease. *Respirology.* 2012.
- 3 Tachibana K, Inoue Y, Nishiyama A, et al. Polymyxin-B hemoperfusion for acute exacerbation of idiopathic pulmonary fibrosis: serum IL-7 as a prognostic marker. *Sarcoidosis Vasc Diffuse Lung Dis.* 2011; 28: 113-22.
- 4 Okada M, Kita Y, Nakajima T, et al. Novel prophylactic vaccine using a prime-boost method and hemagglutinating virus of Japan-envelope against tuberculosis. *Clin Dev Immunol.* 2011; 2011: 549281.
- 5 Okada M, Kita Y, Nakajima T, et al. Novel therapeutic vaccine: granulysin and new DNA vaccine against Tuberculosis. *Hum Vaccin.* 2011; 7 Suppl: 60-7.
- 6 Okada M, Kita Y, Kanamaru N, et al. Anti-IL-6 receptor antibody causes less promotion of tuberculosis infection than anti-TNF-alpha antibody in mice. *Clin Dev Immunol.* 2011; 2011: 404929.
- 7 Akira M, Inoue Y, Arai T, Okuma T, Kawata Y. Long-term follow-up high-resolution CT findings in non-specific interstitial pneumonia. *Thorax.* 2011; 66: 61-5.

小林国彦（研究分担者）

- 1 Tada Y, Okano T, Kaga A, et al. Dissociative stupor mimicking consciousness disorder in an advanced lung cancer patient. *Jpn J Clin Oncol.* 2012; 42: 548-51.

- 2 Oizumi S, Kobayashi K, Inoue A, et al. Quality of life with gefitinib in patients with EGFR-mutated non-small cell lung cancer: quality of life analysis of North East Japan Study Group 002 Trial. *Oncologist*. 2012; 17: 863-70.
- 3 Ohno S, Kobayashi K, Uchida S, Amano O, Sakagami H, Nagasaka H. Cytotoxicity and type of cell death induced by midazolam in human oral normal and tumor cells. *Anticancer Res*. 2012; 32: 4737-47.
- 4 Maemondo M, Minegishi Y, Inoue A, et al. First-line gefitinib in patients aged 75 or older with advanced non-small cell lung cancer harboring epidermal growth factor receptor mutations: NEJ 003 study. *J Thorac Oncol*. 2012; 7: 1417-22.
- 5 Komiya K, Kobayashi K, Minezaki S, et al. Phase I/II trial of a biweekly combination of S-1 plus docetaxel in patients with previously treated non-small cell lung cancer (KRSG-0601). *Br J Cancer*. 2012; 107: 1474-80.
- 6 Kobayashi K, Ohno S, Uchida S, Amano O, Sakagami H, Nagasaka H. Cytotoxicity and type of cell death induced by local anesthetics in human oral normal and tumor cells. *Anticancer Res*. 2012; 32: 2925-33.
- 7 Isobe K, Hata Y, Kobayashi K, et al. Clinical significance of circulating tumor cells and free DNA in non-small cell lung cancer. *Anticancer Res*. 2012; 32: 3339-44.
- 8 Inoue A, Kobayashi K, Maemondo M, et al. Updated overall survival results from a randomized phase III trial comparing gefitinib with carboplatin-paclitaxel for chemo-naive non-small cell lung cancer with sensitive EGFR gene mutations (NEJ002). *Ann Oncol*. 2012.
- 9 Hayashi H, Saito Y, Kokuho N, et al. Fatal pneumonia associated with temozolomide therapy in patients with malignant glioma. *Jpn J Clin Oncol*. 2012; 42: 632-6.
- 10 Hiramata T, Yamaguchi T, Miyazawa H, et al. Prediction of the pathogens that are the cause of pneumonia by the battlefield hypothesis. *PLoS One*. 2011; 6: e24474.
- 11 Tanaka T, Matsuoka M, Sutani A, et al. Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer*. 2010; 126: 651-5.

桑野和善 (研究分担者)

- 1 Kadota T, Shimizu K, Tsurushige C, et al. Organizing pneumonia complicated by cyst and pneumothorax formation. *Intern Med*. 2012; 51: 3155-8.
- 2 Hara H, Araya J, Takasaka N, et al. Involvement of creatine kinase B in cigarette smoke-induced bronchial epithelial cell senescence. *Am J Respir Cell Mol Biol*. 2012; 46: 306-12.
- 3 Fujii S, Hara H, Araya J, et al. Insufficient autophagy promotes bronchial epithelial cell senescence in chronic obstructive pulmonary disease. *Oncoimmunology*. 2012; 1: 630-41.
- 4 Shimizu K, Yoshii Y, Watanabe S, et al. Neurally mediated syncope associated with small cell lung cancer: a case report and review. *Intern Med*. 2011; 50: 2367-9.
- 5 Numata T, Araya J, Fujii S, et al. Insulin-dependent phosphatidylinositol 3-kinase/Akt and ERK signaling pathways inhibit TLR3-mediated human bronchial epithelial cell apoptosis. *J Immunol*. 2011; 187: 510-9.
- 6 Minagawa S, Araya J, Numata T, et al. Accelerated epithelial cell senescence in IPF and the inhibitory role of SIRT6 in TGF-beta-induced senescence of human bronchial epithelial cells. *Am J Physiol Lung Cell Mol Physiol*. 2011; 300: L391-401.

冲永壮治 (研究分担者)

- 1 Uwano C, Suzuki M, Aikawa T, et al. Rivastigmine dermal patch solves eating problems in an individual with advanced Alzheimer's disease. *J Am Geriatr Soc*. 2012; 60: 1979-80.
- 2 Oizumi S, Kobayashi K, Inoue A, et al. Quality of life with gefitinib in patients with EGFR-mutated non-small cell lung cancer: quality of life analysis of North East Japan Study Group 002 Trial. *Oncologist*. 2012; 17:

863-70.

- 3 Maemondo M, Minegishi Y, Inoue A, et al. First-line gefitinib in patients aged 75 or older with advanced non-small cell lung cancer harboring epidermal growth factor receptor mutations: NEJ 003 study. *J Thorac Oncol.* 2012; 7: 1417-22.
- 4 Inoue A, Kobayashi K, Maemondo M, et al. Updated overall survival results from a randomized phase III trial comparing gefitinib with carboplatin-paclitaxel for chemo-naive non-small cell lung cancer with sensitive EGFR gene mutations (NEJ002). *Ann Oncol.* 2012.
- 5 Tanaka T, Matsuoka M, Sutani A, et al. Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer.* 2010; 126: 651-5.

藤田結花 (研究分担者)

- 1 Soda M, Isobe K, Inoue A, et al. A Prospective PCR-Based Screening for the EML4-ALK Oncogene in Non-Small Cell Lung Cancer. *Clin Cancer Res.* 2012; 18: 5682-9.
- 2 Inoue A, Kobayashi K, Maemondo M, et al. Updated overall survival results from a randomized phase III trial comparing gefitinib with carboplatin-paclitaxel for chemo-naive non-small cell lung cancer with sensitive EGFR gene mutations (NEJ002). *Ann Oncol.* 2012.
- 3 Kawahara M, Kubo A, Komuta K, et al. A Phase I Study of Amrubicin and Fixed Dose of Irinotecan (CPT-11) in Relapsed Small Cell Lung Cancer: Japan Multinational Trial Organization LC0303. *J Thorac Oncol.* 2011.

稲瀬直彦 (研究分担者)

- 1 Sugawara E, Yamamoto K, Umeda S, et al. Giant cell carcinoma causing rapidly progressive respiratory failure as the presenting feature of AIDS. *Int J STD AIDS.* 2012; 23: e7-8.
- 2 Okamoto T, Miyazaki Y, Tomita M, Tamaoka M, Inase N. A Familial History of Pulmonary Fibrosis in Patients with Chronic Hypersensitivity Pneumonitis. *Respiration.* 2012.
- 3 Okamoto T, Miyazaki Y, Shirahama R, Tamaoka M, Inase N. Proteome analysis of bronchoalveolar lavage fluid in chronic hypersensitivity pneumonitis. *Allergol Int.* 2012; 61: 83-92.
- 4 Furusawa H, Suzuki Y, Miyazaki Y, Inase N, Eishi Y. Th1 and Th17 immune responses to viable *Propionibacterium acnes* in patients with sarcoidosis. *Respir Investig.* 2012; 50: 104-9.
- 5 Chiba S, Jinta T, Chohnabayashi N, Fujie T, Sumi Y, Inase N. Bronchiolitis obliterans organising pneumonia syndrome presenting with neutrophilia in bronchoalveolar lavage fluid after breast-conserving therapy. *BMJ Case Rep.* 2012; 2012.
- 6 Yamasaki M, Sumi Y, Sakakibara Y, et al. Pulmonary Artery Leiomyosarcoma Diagnosed without Delay. *Case Rep Oncol.* 2011; 4: 287-98.
- 7 Unoura K, Miyazaki Y, Sumi Y, Tamaoka M, Sugita T, Inase N. Identification of fungal DNA in BALF from patients with home-related hypersensitivity pneumonitis. *Respir Med.* 2011; 105: 1696-703.
- 8 Takayama S, Tamaoka M, Takayama K, et al. Synthetic double-stranded RNA enhances airway inflammation and remodelling in a rat model of asthma. *Immunology.* 2011; 134: 140-50.
- 9 Mitaka K, Miyazaki Y, Yasui M, et al. Th2-biased immune responses are important in a murine model of chronic hypersensitivity pneumonitis. *Int Arch Allergy Immunol.* 2011; 154: 264-74.
- 10 Kuramochi J, Inase N, Miyazaki Y, Kawachi H, Takemura T, Yoshizawa Y. Lung cancer in chronic hypersensitivity pneumonitis. *Respiration.* 2011; 82: 263-7.
- 11 Honda T, Tsuzaki Y, Mitaka K, et al. Tracheoesophageal fistula closed by chemoradiotherapy in lung cancer. *Case Rep Oncol.* 2011; 4: 350-7.
- 12 Fujii M, Sumi Y, Atarashi K, Takemura T, Inase N. Muscle weakness in extremities and diffuse centrilobular

- nodules in lungs. HTLV-1-associated bronchiolo-alveolar disorder. *Thorax*. 2011; 66: 546-7, 52.
- 13 Shirahama R, Miyazaki Y, Okamoto T, Inase N, Yoshizawa Y. Proteome analysis of bronchoalveolar lavage fluid in lung fibrosis associated with systemic sclerosis. *Allergol Int*. 2010; 59: 409-15.
- 14 Kuramochi J, Inase N, Takayama K, Miyazaki Y, Yoshizawa Y. Detection of indoor and outdoor avian antigen in management of bird-related hypersensitivity pneumonitis. *Allergol Int*. 2010; 59: 223-8.
- 15 Jinta T, Miyazaki Y, Kishi M, et al. The pathogenesis of chronic hypersensitivity pneumonitis in common with idiopathic pulmonary fibrosis: expression of apoptotic markers. *Am J Clin Pathol*. 2010; 134: 613-20.
- 16 Furuiye M, Yoshimura N, Kobayashi A, et al. Churg-Strauss syndrome versus chronic eosinophilic pneumonia on high-resolution computed tomographic findings. *J Comput Assist Tomogr*. 2010; 34: 19-22.

岡崎康司 (研究分担者)

- 1 Iseki H, Takeda A, Andoh T, et al. ALEX1 suppresses colony formation ability of human colorectal carcinoma cell lines. *Cancer Sci*. 2012.
- 2 Hishida T, Nozaki Y, Nakachi Y, et al. Sirt1, p53, and p38(MAPK) are crucial regulators of detrimental phenotypes of embryonic stem cells with Max expression ablation. *Stem Cells*. 2012; 30: 1634-44.
- 3 Tsuchihashi T, Mori K, Horie-Inoue K, et al. Complement factor H and high-temperature requirement A-1 genotypes and treatment response of age-related macular degeneration. *Ophthalmology*. 2011; 118: 93-100.
- 4 Sugawara H, Iwamoto K, Bundo M, et al. Hypermethylation of serotonin transporter gene in bipolar disorder detected by epigenome analysis of discordant monozygotic twins. *Transl Psychiatry*. 2011; 1: e24.
- 5 Ohte S, Shin M, Sasanuma H, et al. A novel mutation of ALK2, L196P, found in the most benign case of fibrodysplasia ossificans progressiva activates BMP-specific intracellular signaling equivalent to a typical mutation, R206H. *Biochem Biophys Res Commun*. 2011; 407: 213-8.
- 6 Hishida T, Nozaki Y, Nakachi Y, et al. Indefinite self-renewal of ESCs through Myc/Max transcriptional complex-independent mechanisms. *Cell Stem Cell*. 2011; 9: 37-49.
- 7 Hagiwara K, Morino H, Shiihara J, et al. Homozygosity mapping on homozygosity haplotype analysis to detect recessive disease-causing genes from a small number of unrelated, outbred patients. *PLoS One*. 2011; 6: e25059.
- 8 Tokuzawa Y, Yagi K, Yamashita Y, et al. Id4, a new candidate gene for senile osteoporosis, acts as a molecular switch promoting osteoblast differentiation. *PLoS Genet*. 2010; 6: e1001019.
- 9 Suzuki K, Ohbayashi F, Nikaido I, et al. Integration of exogenous DNA into mouse embryonic stem cell chromosomes shows preference into genes and frequent modification at junctions. *Chromosome Res*. 2010; 18: 191-201.
- 10 Nojima J, Kanomata K, Takada Y, et al. Dual roles of smad proteins in the conversion from myoblasts to osteoblastic cells by bone morphogenetic proteins. *J Biol Chem*. 2010; 285: 15577-86.
- 11 Ninomiya Y, Sugahara-Yamashita Y, Nakachi Y, Tokuzawa Y, Okazaki Y, Nishiyama M. Development of a rapid culture method to induce adipocyte differentiation of human bone marrow-derived mesenchymal stem cells. *Biochem Biophys Res Commun*. 2010; 394: 303-8.
- 12 Maekawa M, Iwayama Y, Arai R, et al. Polymorphism screening of brain-expressed FABP7, 5 and 3 genes and association studies in autism and schizophrenia in Japanese subjects. *J Hum Genet*. 2010; 55: 127-30.
- 13 Iwayama Y, Hattori E, Maekawa M, et al. Association analyses between brain-expressed fatty-acid binding protein (FABP) genes and schizophrenia and bipolar disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2010; 153B: 484-93.
- 14 Huqun, Fukuyama S, Morino H, et al. A quantitatively-modeled homozygosity mapping algorithm, qHomozygosityMapping, utilizing whole genome single nucleotide polymorphism genotyping data. *BMC*

迎寛 (研究分担者)

- 1 Yamashita Y, Aoki T, Hanagiri T, et al. Osteosclerotic lesions in patients treated with gefitinib for lung adenocarcinomas: a sign of favorable therapeutic response. *Skeletal Radiol.* 2012; 41: 409-14.
- 2 Ohguri T, Imada H, Yahara K, et al. Re-irradiation plus regional hyperthermia for recurrent non-small cell lung cancer: a potential modality for inducing long-term survival in selected patients. *Lung Cancer.* 2012; 77: 140-5.
- 3 Ogoshi T, Kawanami T, Yatera K, Mukae H. Dialysis-related Amyloidosis with Diffuse Parenchymal Lung Involvement. *Intern Med.* 2012; 51: 3303-4.
- 4 Ogoshi T, Ishimoto H, Yatera K, et al. A case of good syndrome with pulmonary lesions similar to diffuse panbronchiolitis. *Intern Med.* 2012; 51: 1087-91.
- 5 Noguchi S, Yatera K, Shimajiri S, et al. Intrathoracic Rosai-Dorfman disease with spontaneous remission: a clinical report and a review of the literature. *Tohoku J Exp Med.* 2012; 227: 231-325.
- 6 Kido T, Yatera K, Yamasaki K, et al. Two cases of primary ciliary dyskinesia with different responses to macrolide treatment. *Intern Med.* 2012; 51: 1093-8.
- 7 Kido T, Yatera K, Noguchi S, et al. Detection of MALT1 gene rearrangements in BAL fluid cells for the diagnosis of pulmonary mucosa-associated lymphoid tissue lymphoma. *Chest.* 2012; 141: 176-82.
- 8 Abe S, Azuma A, Mukae H, et al. Polymyxin B-immobilized fiber column (PMX) treatment for idiopathic pulmonary fibrosis with acute exacerbation: a multicenter retrospective analysis. *Intern Med.* 2012; 51: 1487-91.
- 9 Yatera K, Yamasaki K, Kawanami T, et al. A case of successful treatment with polymyxin B-immobilized fiber column direct hemoperfusion in acute respiratory distress syndrome after influenza A infection. *Intern Med.* 2011; 50: 601-5.
- 10 Yatera K, Morimoto Y, Kim HN, Myojo T, Mukae H. Foam cell formation of alveolar macrophages in Clara cell ablated mice inhaling crystalline silica. *Inhal Toxicol.* 2011; 23: 736-44.
- 11 Moon SD, Ohguri T, Imada H, et al. Definitive radiotherapy plus regional hyperthermia with or without chemotherapy for superior sulcus tumors: a 20-year, single center experience. *Lung Cancer.* 2011; 71: 338-43.
- 12 Kawanami T, Yatera K, Fukuda K, et al. Diagnosis of fulminant pneumonia caused by *Legionella pneumophila* serogroup 8 with the sequence analysis of the 16S rRNA gene. *Tohoku J Exp Med.* 2011; 225: 65-9.
- 13 Kawanami T, Fukuda K, Yatera K, Kido M, Mukae H, Taniguchi H. A higher significance of anaerobes: the clone library analysis of bacterial pleurisy. *Chest.* 2011; 139: 600-8.
- 14 Akata K, Yatera K, Ishimoto H, et al. Two cases of everolimus-associated interstitial pneumonia in patients with renal cell carcinoma. *Intern Med.* 2011; 50: 3013-7.

林龍二 (研究分担者)

- 1 Tokui K, Kawagishi Y, Inomata M, et al. Systemic dissemination of chronic necrotizing pulmonary aspergillosis in an elderly woman without comorbidity: a case report. *J Med Case Rep.* 2012; 6: 270.
- 2 Suzuki K, Hayashi R, Ichikawa T, et al. SRT1720, a SIRT1 activator, promotes tumor cell migration, and lung metastasis of breast cancer in mice. *Oncol Rep.* 2012; 27: 1726-32.
- 3 Matsui S, Taki H, Shinoda K, et al. Respiratory involvement in IgG4-related Mikulicz's disease. *Mod Rheumatol.* 2012; 22: 31-9.
- 4 Inomata M, Hayashi R, Kambara K, et al. Miliary brain metastasis presenting with calcification in a patient with lung cancer: a case report. *J Med Case Rep.* 2012; 6: 279.

- 5 Ichikawa T, Hayashi R, Suzuki K, et al. The Sirt1 Activator SRT1720 Suppresses Inflammation in an OVA-induced Mouse Model of Asthma. *Respirology*. 2012.
- 6 Inomata M, Kawagishi Y, Tokui K, et al. A history of ischemic heart disease is a common cause of wheezing in the elderly of a Japanese local community. *Intern Med*. 2011; 50: 2975-81.

柴田陽光 (研究分担者)

- 1 Nunomiya K, Shibata Y, Abe S, et al. Hyperhomocysteinaemia predicts the decline in pulmonary function in healthy male smokers. *Eur Respir J*. 2012.
- 2 Narumi T, Shishido T, Kiribayashi N, et al. Impact of insulin resistance on silent and ongoing myocardial damage in normal subjects: the takahata study. *Exp Diabetes Res*. 2012; 2012: 815098.
- 3 Kimura T, Shibata Y, Yamauchi K, et al. Oxidized phospholipid, 1-palmitoyl-2-(9'-oxo-nonanoyl)-glycerophosphocholine (PON-GPC), produced in the lung due to cigarette smoking, impairs immune function in macrophages. *Lung*. 2012; 190: 169-82.
- 4 Shibata Y, Watanabe T, Osaka D, et al. Impairment of pulmonary function is an independent risk factor for atrial fibrillation: the Takahata study. *Int J Med Sci*. 2011; 8: 514-22.
- 5 Sato M, Shibata Y, Kimura T, et al. Immunohistochemical staining for transcription factor MafB in alveolar macrophages is correlated with spirometric measures of airflow limitation in smokers. *Respirology*. 2011; 16: 124-30.
- 6 Osaka D, Shibata Y, Kanouchi K, et al. Soluble endothelial selectin in acute lung injury complicated by severe pneumonia. *Int J Med Sci*. 2011; 8: 302-8.
- 7 Nemoto T, Shibata Y, Osaka D, et al. Impact of cigarette smoking on maximal expiratory flows in a general population: the Takahata study. *Intern Med*. 2011; 50: 2547-55.
- 8 Kishi H, Shibata Y, Osaka D, et al. FEV6 and FEV1/FEV6 in Japanese participants of the community-based annual health check: the Takahata study. *Intern Med*. 2011; 50: 87-93.
- 9 Aida Y, Shibata Y, Osaka D, et al. The relationship between serum uric acid and spirometric values in participants in a health check: the Takahata study. *Int J Med Sci*. 2011; 8: 470-8.
- 10 Osaka D, Shibata Y, Abe S, et al. Relationship between habit of cigarette smoking and airflow limitation in healthy Japanese individuals: the Takahata study. *Intern Med*. 2010; 49: 1489-99.
- 11 Konta T, Takasaki S, Ichikawa K, et al. The novel and independent association between single-point SNP of NPHP4 gene and renal function in non-diabetic Japanese population: the Takahata study. *J Hum Genet*. 2010; 55: 791-5.

岸一馬 (研究分担者)

- 1 Uruga H, Takaya H, Hanada S, et al. Diagnostic efficacy of CT-guided transthoracic needle biopsy and fine needle aspiration in cases of pulmonary infectious disease. *Jpn J Radiol*. 2012; 30: 589-93.
- 2 Uruga H, Suzuki A, Hanada S, et al. Cavitory Pulmonary Infection With Mycobacterium avium Observed by Bronchoscopy. *J Bronchology Interv Pulmonol*. 2012; 19: 332-5.
- 3 Izumikawa K, Motoi N, Takaya H, et al. A case of concurrent sarcoidosis, aortitis syndrome and Crohn's disease. *Intern Med*. 2011; 50: 2915-7.
- 4 Uruga H, Kishi K, Fujii T, et al. Efficacy of gefitinib for elderly patients with advanced non-small cell lung cancer harboring epidermal growth factor receptor gene mutations: a retrospective analysis. *Intern Med*. 2010; 49: 103-7.
- 5 Kohno T, Fujimori S, Kishi K, Fujii T. Safe and effective minimally invasive approaches for small ground glass opacity. *Ann Thorac Surg*. 2010; 89: S2114-7.

今野哲 (研究分担者)

- 1 Shimizu K, Konno S, Ozaki M, et al. Dehydroxymethylepoxyquinomicin (DHMEQ), a novel NF-kappaB inhibitor, inhibits allergic inflammation and airway remodelling in murine models of asthma. *Clin Exp Allergy*. 2012; 42: 1273-81.
- 2 Shigemura M, Nasuhara Y, Konno S, et al. Effects of molecular structural variants on serum Krebs von den Lungen-6 levels in sarcoidosis. *J Transl Med*. 2012; 10: 111.
- 3 Shigemura M, Konno S, Nasuhara Y, Shimizu C, Matsuno K, Nishimura M. Impact of asthmatic control status on serum cystatin C concentrations. *Clin Chem Lab Med*. 2012; 50: 1367-71.
- 4 Nishimura M, Makita H, Nagai K, et al. Annual change in pulmonary function and clinical phenotype in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*. 2012; 185: 44-52.
- 5 Konno S, Hizawa N, Fukutomi Y, et al. The prevalence of rhinitis and its association with smoking and obesity in a nationwide survey of Japanese adults. *Allergy*. 2012; 67: 653-60.
- 6 Hattori T, Konno S, Shigemura M, et al. Total serum IgE levels and atopic status in patients with sarcoidosis. *Allergy Asthma Proc*. 2012; 33: 90-4.
- 7 Shimizu K, Hasegawa M, Makita H, Nasuhara Y, Konno S, Nishimura M. Comparison of airway remodelling assessed by computed tomography in asthma and COPD. *Respir Med*. 2011; 105: 1275-83.
- 8 Konno S, Makita H, Hasegawa M, et al. Beta2-adrenergic receptor polymorphisms as a determinant of preferential bronchodilator responses to beta2-agonist and anticholinergic agents in Japanese patients with chronic obstructive pulmonary disease. *Pharmacogenet Genomics*. 2011; 21: 687-93.
- 9 Konno S, Kurokawa M, Uede T, Nishimura M, Huang SK. Role of osteopontin, a multifunctional protein, in allergy and asthma. *Clin Exp Allergy*. 2011; 41: 1360-6.
- 10 Shimizu K, Konno S, Nasuhara Y, Tanino M, Matsuno Y, Nishimura M. A case of follicular bronchiolitis associated with asthma, eosinophilia, and increased immunoglobulin E. *J Asthma*. 2010; 47: 1161-4.
- 11 Shimizu K, Hasegawa M, Makita H, Nasuhara Y, Konno S, Nishimura M. Airflow limitation and airway dimensions assessed per bronchial generation in older asthmatics. *Respir Med*. 2010; 104: 1809-16.
- 12 Shigemura M, Nasuhara Y, Konno S, et al. Levels of transferrin in bronchoalveolar lavage fluid in sarcoidosis. *Lung*. 2010; 188: 151-7.
- 13 Konno S, Oizumi S, Shinagawa N, et al. Primary mediastinal liposarcoma, with 6 years of follow-up to autopsy, revealed histopathological features of primary and metastatic lesions. *Intern Med*. 2010; 49: 771-5.
- 14 Isada A, Konno S, Hizawa N, et al. A functional polymorphism (-603A --> G) in the tissue factor gene promoter is associated with adult-onset asthma. *J Hum Genet*. 2010; 55: 167-74.
- 15 Hattori T, Konno S, Takahashi A, et al. Genetic variants in mannose receptor gene (MRC1) confer susceptibility to increased risk of sarcoidosis. *BMC Med Genet*. 2010; 11: 151.
- 16 Hattori T, Konno S, Takahashi A, et al. The role of atopy in the clinical course of pulmonary sarcoidosis in the Japanese population. *Allergy Asthma Proc*. 2010; 31: 238-43.

須谷顯尚 (研究分担者)

- 1 Komiyama K, Kobayashi K, Minezaki S, et al. Phase I/II trial of a biweekly combination of S-1 plus docetaxel in patients with previously treated non-small cell lung cancer (KRSG-0601). *Br J Cancer*. 2012; 107: 1474-80.
- 2 Tanaka T, Matsuoka M, Sutani A, et al. Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer*. 2010; 126: 651-5.

上田哲也 (研究分担者)

- 1 Takemura M, Niimi A, Matsumoto H, et al. Clinical, physiological and anti-inflammatory effect of montelukast in patients with cough variant asthma. *Respiration*. 2012; 83: 308-15.
- 2 Suzuki M, Muro S, Ando Y, et al. A randomized, placebo-controlled trial of acupuncture in patients with chronic obstructive pulmonary disease (COPD): the COPD-acupuncture trial (CAT). *Arch Intern Med*. 2012; 172: 878-86.
- 3 Takemura M, Mitsui K, Itotani R, et al. Relationships between repeated instruction on inhalation therapy, medication adherence, and health status in chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis*. 2011; 6: 97-104.
- 4 Matsumoto H, Niimi A, Takemura M, et al. Long-term changes in airway-wall thickness on computed tomography in asthmatic patients. *J Investig Allergol Clin Immunol*. 2011; 21: 113-9.
- 5 Matsuoka H, Niimi A, Matsumoto H, et al. Inflammatory subtypes in cough-variant asthma: association with maintenance doses of inhaled corticosteroids. *Chest*. 2010; 138: 1418-25.
- 6 Jinnai M, Niimi A, Ueda T, et al. Induced sputum concentrations of mucin in patients with asthma and chronic cough. *Chest*. 2010; 137: 1122-9.

厚生労働科学研究補助金
難治性疾患克服研究事業
特発性肺線維症急性増悪及び薬剤性肺障害に関する日本人特異的遺伝素因に関する研究
平成 22 ～ 24 年度 総合研究報告書

編集, 印刷, 発行
平成 25 年 3 月 31 日
〒 350-0495 埼玉県入間郡毛呂山町毛呂本郷 38
埼玉医科大学 呼吸器内科 萩原弘一
TEL 049-276-1319, FAX 049-276-1635, E-mail hagiwark@saitama-med.ac.jp
