

Nishiwaki S, Miyamura K, Ohashi K, Kurokawa M, Taniguchi S, Fukuda T, Ikegame K, Takahashi S, Mori T, Imai K, Iida H, Hidaka M, Sakamaki H, Morishima Y, Kato K, Suzuki R, Tanaka J	for the Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation. Impact of a donor source on adult Philadelphia chromosome-negative acute lymphoblastic leukemia: a retrospective analysis from the Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Ann Oncol.	In press		2013
Yamazaki S, Nakamura F, Nannya Y, Nakagawa M, Ichikawa M, Kurokawa M.	Early-onset therapy-related myelodysplastic syndrome originating from prolonged myelosuppression after fludarabine-based therapy.	Intern Med.	51(24)	3427-30	2012
Kobayashi T, Ichikawa M, Kamikubo Y, Kurokawa M.	Acute myeloid leukemia with cryptic CBFβ-MYH11 type D.	Int J Clin Exp Pathol.	6(1)	110-2	2012
Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F.	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes.	Leuk Lymphoma.	In press		2012

Hangai S, Nakamura F, Kamikubo Y, Honda A, Arai S, Nakagawa M, Ichikawa M, Kurokawa M.	Erythroleukemia showing early erythroid and cytogenetic responses to azacitidine therapy.	Ann Hematol.	92(5)	707-9	2013
Pinheiro I, Margueron R, Shukeir N, Eisold M, Fritzscher C, Richter FM, Mittler G, Genoud C, Goyama S, Kurokawa M, Son J, Reinberg D, Lachner M, Jenuwein T.	Prdm3 and Prdm16 are H3K9me1 methyltransferases required for mammalian heterochromatin integrity.	Cell	150(5)	948-60	2012
Ogata K, Kakumoto K, Matsuda A, Tohyama K, Tamura H, Ueda Y, Kurokawa M, Takeuchi J, Shibayama H, Emi N, Motoji T, Miyazaki Y, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F.	Differences in blast immunophenotypes among disease types in myelodysplastic syndromes: a multicenter validation study.	Leuk Res.	36(10)	1229-36	2012
Kumano K, Arai S, Hosoi M, Taoka K, Takayama N, Otsu M, Nagae G, Ueda K, Nakazaki K, Kamikubo Y, Eto K, Aburatani H, Nakauchi H, Kurokawa M.	Generation of induced pluripotent stem cells from primary chronic myelogenous leukemia patient samples.	Blood	119(26)	6234-42.	2012
Yoshimi M, Goyama S, Kawazu M, Nakagawa M, Ichikawa M, Imai Y, Kumano K, Asai T, Mulloy JC, Kraft AS, Takahashi T, Shirafuji N, Kurokawa M.	Multiple phosphorylation sites are important for RUNX1 activity in early hematopoiesis and T-cell differentiation.	Eur J Immunol.	42(4)	1044-50	2012
Kataoka K, Kurokawa M.	Ecotropic viral integration site 1, stem cell self-renewal and leukemogenesis.	Cancer Sci.	103(8)	1371-7	2012
Taoka K, Kumano K, Nakamura F, Hosoi M, Goyama S, Imai Y, Hangaishi A, Kurokawa M.	The effect of iron overload and chelation on erythroid differentiation.	Int J Hematol.	95(2)	149-59	2012

Kanda J, Saji H, Fukuda T, Kobayashi T, Miyamura K, Eto T, Kurokawa M, Kanamori H, Mori T, Hidaka M, Iwato K, Yoshida T, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Suzuki R, Atsuta Y, Kanda Y.	Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study.	Blood	119(10)	2409-16	2012
Yoshiki Y, Asai T, Ichikawa M, Hangaishi A, Ota S, Imai Y, Takahashi T, Kurokawa M.	A case of myeloid sarcoma with correlation to JAK2V617F mutation, complicated by myelofibrosis and secondary acute myeloid leukemia.	Intern Med.	50(21)	2649-52	2011
Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes.	Leuk. Lymphoma			In press
Uchibori R, Tsukahara T, Mizuguchi H, Saga Y, Urabe M, Mizukami H, Kume A, Ozawa, K	NF- κ B activity regulates mesenchymal stem cell accumulation at tumor sites.	Cancer Res.	73(1)	364-372	2013
Ohba R, Furuyama K, Yoshida K, Fujiwara T, Fukuhara N, Onishi Y, Manabe A, Ito E, Ozawa K, Kojima S, Ogawa S, Harigae H:	Clinical and genetic characteristics of congenital sideroblastic anemia: comparison with myelodysplastic syndrome with ring sideroblast (MDS-RS).	Ann. Hematol.	92(1)	1-9	2013

Mimuro J, Mizukami H, Hishikawa S, Ikemoto T, Ishiwata A, Sakata A, Ohmori T, Madoiwa S, Ono F, Ozawa K, Sakata, Y	Minimizing the inhibitory effect of neutralizing antibody for efficient gene expression in the liver with adeno-associated virus 8 vectors.	Mol. Ther.	21(2)	318-323	2013
Fujiwara S-I, Muroi K, Hirata Y, Sato K, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Tanaka A, Ozawa K	Clinical features of de novo CD25(+) diffuse large B-cell lymphoma.	Hematology	18(1)	14-19	2013
Kobayashi H, Nagai T, Omine K, Sato K, Ozaki K, Suzuki T, Mori M, Muroi K, Yano T, Yamamoto H, Ozawa K	Clinical outcome of non-surgical treatment for primary small intestinal lymphoma diagnosed with double-balloon endoscopy.	Leuk. Lymphoma	54(4)	731-736	2013
Kashiwakura Y, Ohmori T, Mimuro J, Yasumoto A, Ishiwata A, Sakata A, Madoiwa S, Inoue M, Hasegawa M, Ozawa K, Sakata Y	Intra-articular injection of mesenchymal stem cells expressing coagulation factor ameliorates hemophilic arthropathy in factor VIII-deficient mice.	J. Thromb. Haemost.	10(9)	1802-13	2012
Kobayashi H, Matsuyama T, Oka S, Fujiwara S-I, Oh I, Suzuki T, Ozaki K, Mori M, Nagai T, Ozawa K, Muroi K	Autologous Hematopoietic recovery with aberrant antigen expression after allogeneic bone marrow transplantation.	J. Clin. Exp. Hematop.	52	81-3	2012
Meguro A, Ozaki K, Sato K, Oh I, Fujiwara S, Hosonuma R, Sasazaki M, Kikuchi Y, Hirata Y, Yamamoto C, Uesawa M, Kobayashi H, Matsu H, Okabe H, Uehara E, Nishikawa A, Tatara R, Hatano K, Yamamoto C, Matsuyama T, Toshima M, Ueda M, Ohmine K, Suzuki T, Mori M, Nagai T, Muroi K, Ozawa K	Rituximab plus 70% cyclophosphamide, doxorubicin, vincristine and prednisone for Japanese patients with diffuse large B-cell lymphoma aged 70 years and older.	Leuk. Lymphoma	53(1)	43-9	2012

Nagai T, Suzuki T, Komatsu N, Hosokawa K, Nakao S, Ozawa K	Alteration of chromosome 13 abnormalities after therapeutic hematopoiesis recovery in myelodysplastic syndrome.	Open J. Hematol.		3-7	2012
市川幹	家族性血小板異常症(FPD/AML)	血液内科	64(5)	590-595	2012
市川幹	MDSのリスク別治療方針	臨床血液	53(10)	1509-1515	2012
市川幹	RUNX1/AML1変異白血病, MDSの臨床像	血液内科	64(2)	156-160	2012
Ogura M, Urabe M, Akimoto T, Onishi A, Ito C, Ito T, Tsukahara T, Mizukami H, Kume A, Muto S, Kusano E, Ozawa K	Interleukin-10 expression induced by adeno-associated virus vector suppresses proteinuria in Zucker obese rats.	Gene Ther.	19(5)	476-482	2012
Oka S, Muroi K, Fujiwara S, Oh I, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Ozawa K, Hanafusa, T	Prediction of progression from refractory cytopenia with unilineage dysplasia by analysis of bone marrow blast cell composition.	J. Clin. Exp. Hematop.	52(1)	63-66	2012
Oka S, Muroi K, Sato K, Fujiwara S, Oh I, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Fukushima N, Fukushima N, Tanaka A, Ozawa, K	Flow cytometric analysis of kappa and lambda light chain expression in endoscopic biopsy specimens before the diagnosis of B-cell lymphoma	J.Clin.Exp. Hematop.	52(2)	127-31	2012
Sato K, Nagai T, Izumi T, Ohmine K, Ozaki K, Muroi K, Ozawa K	Rituximab-induced interstitial pneumonia due to CD8-positive T cell infiltration.	Acta Haematol.	128(2)	107-9	2012
Matsuda A, Taniwaki M, Jinnai I, Harada H, Watanabe M, Suzuki K, Yanagita, S, Suzuki, T, Yoshida, Y, Kimura, A, Tsudo, M, Tohyama, K, Takatoku, M, Ozawa K	Morphologic analysis in myelodysplastic syndromes with del(5q) treated with lenalidomide. A Japanese multiinstitutional study.	Leuk. Res.	36(5)	575-580	2012

Yamamoto C, Muroi K, Okabe H, Uehara E, Hirano T, Sugiyama Y, Ozawa, K	Adult-Onset Chronic Granulomatous Disease and CD10-Negativity in Neutrophils.	J. Clin. Exp. Hematol.	52(3)	219-21	2012
Yuasa M, Fujiwara S, Oh I, Yamaguchi T, Fukushima N, Morimoto A, Ozawa K	Rapidly progressing fatal adult multi-organ langerhans cell histiocytosis complicated with fatty liver disease.	J. Clin. Exp. Hematop.	52(2)	121-6	2012
西村純一, 金倉 讓	発作性夜間血色素尿症	日本内科学会雑誌	101	1953-1959	2012
Matsui T, Kinugasa Y, Tahara H, Kanakura Y, Takakura N.	Possible Role of Mural Cell-Covered Mature Blood Vessels in Inducing Drug Resistance in Cancer-Initiating Cells.	Am J Pathol	Epub		2013
Morita Y, Nishimura JI, Shimada T, Tanaka H, Serizawa K, Taniguchi Y, Tsuritani M, Kanakura Y, Matsumura I.	Successful anticoagulant therapy for two pregnant PNH patients, and prospects for the eculizumab era.	Int J Hematol	Epub		2013
Okamoto S, Miyakawa Y, Smith J, Hodgson I, Abhyankar B, Troy S, Kanakura Y.	Open-label, dose-titration and continuation study to assess efficacy, safety, and pharmacokinetics of anagrelide in treatment-naïve Japanese patients with essential thrombocythemia.	Int J Hematol	97(3)	360-368	2013
Nakazawa T, Tadokoro S, Kamae T, Kiyomizu K, Kashiwagi H, Honda S, Kanakura Y, Tomiyama Y.	Agonist stimulation, talin-1, and kindlin-3 are crucial for α (IIb) β (3) activation in a human megakaryoblastic cell line, CMK.	Exp Hematol	41(1)	79-90	2013
Sekine Y, Ikeda O, Mizushima A, Ueno Y, Muromoto R, Yoshimura A, Kanakura Y, Oritani K, Matsuda T.	STAP-2 interacts with and modulates BCR-ABL-mediated tumorigenesis.	Oncogene	31(40)	4384-4396	2012

Kiyomizu K, Kashiwagi H, Nakazawa T, Tadokoro S, Honda S, Kanakura Y, Tomiyama Y.	Recognition of highly restricted regions in the β -propeller domain of α IIb by platelet-associated anti- α IIb β 3 autoantibodies in primary immune thrombocytopenia.	Blood	120(7)	1499-1509	2012
Sudo T, Yokota T, Oritani K, Satoh Y, Sugiyama T, Ishida T, Shibayama H, Ezoe S, Fujita N, Tanaka H, Maeda T, Nagasawa T, Kanakura Y.	The endothelial antigen ESAM monitors hematopoietic stem cell status between quiescence and self-renewal.	J Immunol	189(1)	200-210	2012
Wada N, Zaki MA, Kohara M, Ogawa H, Sugiyama H, Nomura S, Matsumura I, Hino M, Kanakura Y, Inagaki H, Morii E, Aozasa K.	Diffuse large B cell lymphoma with an interfollicular pattern of proliferation shows a favourable prognosis: a study of the Osaka Lymphoma Study Group.	Histopathology	60(6)	924-932	2012
Tomiyama Y, Miyakawa Y, Okamoto S, Katsutani S, Kimura A, Okoshi Y, Ninomiya H, Kosugi H, Nomura S, Ozaki K, Ikeda Y, Hattori T, Katsura K, Kanakura Y.	A lower starting dose of eltrombopag is efficacious in Japanese patients with previously treated chronic immune thrombocytopenia.	J Thromb Haemost	10(5)	799-806	2012
Sugimoto T, Tomita A, Abe A, Iriyama C, Kiyoi H, Naoe T.	Chimeric antisense RNA derived from chromosomal translocation modulates target gene expression.	Haematologica	97(8)	1278-80.	2012
Shimada K, Tomita A, Minami Y, Abe A, Hind CK, Kiyoi H, Cragg MS, Naoe T.	CML cells expressing the TEL/MDS1/EVI1 fusion are resistant to imatinib-induced apoptosis through inhibition of BAD, but are resensitized with ABT-737.	Exp Hematol.	40(9)	724-737.	2012
Naoe T, Kiyoi H.	Genen mutations of acute myeloid leukemia in the genome era.	Int J Hematol.	97(2)	165-174	2013

Hosokawa K, Katagiri T, Sugimori N, Ishiyama K, Sasaki Y, Seiki Y, Sato-Otsubo A, Sanada M, Ogawa S, Nakao S.	Favorable outcome of patients who have 13q deletion: a suggestion for revision of the WHO 'MDS-U' designation.	Haematologica	97	1845-9	2012
Katagiri T, Kawamoto H, Nakakuki T, Ishiyama K, Okada-Hatakeyama M, Ohtake S, Seiki Y, Hosokawa K, Nakao S	Individual hematopoietic stem cells in human bone marrow of patients with aplastic anemia or myelodysplastic syndrome stably give rise to limited cell lineages	Stem cells	In press		2013
Seiki Y, Sasaki Y, Hosokawa K, Saito C, Sugimori N, Yamazaki H, Takami A, Nakao S	Increased plasma thrombopoietin levels in patients with myelodysplastic syndrome: a reliable marker for a benign subset of bone marrow failure	Haematologica	In press		2013
Takahashi N, Miura M, Niioka T, Sawada K	Influence of H2-receptor antagonists and proton pump inhibitors on dasatinib pharmacokinetics in Japanese leukemia patients.	Cancer Chemother Pharmacol	69	999-1004	2012
Takahashi N, Kyo T, Maeda Y, Sugihara T, Usuki K, Kawaguchi T, Usui N, Okamoto S, Ohe Y, Ohtake S, Kitamura K, Yamamoto M, Teshima H, Motoji T, Tamaki T, Sawada K, Ohyashiki K.	Discontinuation of imatinib in Japanese patients with chronic myeloid leukemia	Haematologica	97	903-6	2012
Liu J, Guo YM, Hirokawa M, Iwamoto K, Ubukawa K, Michishita Y, Fujishima N, Tagawa H, Takahashi N, Xiao W, Yamashita J, Ohteki T, Sawada K	A synthetic double-stranded RNA, poly I:C, induces a rapid apoptosis of human CD34(+) cells.	Exp Hematol.	40	330-41	2012
Takahashi N, Miura M, Scott SA, Niioka T, Sawada K.	Pharmacokinetics of dasatinib for Philadelphia-positive acute lymphocytic leukemia with acquired T315I mutation	J Hematol Oncol.	5	23	2012

廣川 誠、澤田賢一	赤芽球癆	日本内科学会雑誌	101	1937-1944	2012
鶴生川久美、澤田賢一	赤血球脱核のメカニズム	日本内科学会雑誌	101	2002-2009	2012
Kameoka Y, Takahashi N, Ishizawa K, Kato Y, Ito J, Sasaki O, Murai K, Noji H, Hirokawa M, Tajima K, Shichishima T, Ishida Y, Harigae H, Sawada K	Safety and feasibility of high-dose ranimustine (MCNU), carboplatin, etoposide, and cyclophosphamide (MCVC) therapy followed by autologous stem cell transplantation for malignant lymphoma	Int J Hematol.	96	624-30	2012
Noguchi S, Takahashi N, Ito M, Teshima K, Yamashita T, Michishita Y, Ohyagi H, Shida S, Nagao T, Fujishima M, Ikeda S, Ito I, Fujishima N, Kameoka Y, Saitoh H, Tagawa H, Hirokawa M, Sawada K	Safety and efficacy of low-dose liposomal amphotericin B as empirical antifungal therapy for patients with prolonged neutropenia.	Int J Clin Oncol	In press		
Michishita Y, Hirokawa M, Fujishima N, Abe Y, Fujishima M, Guo YM, Ubukawa K, Liu J, Yoshioka T, Kameoka Y, Saitoh H, Tagawa H, Takahashi N, Sawada K	CDR3-independent expansion of V δ 1 T lymphocytes in acquired chronic pure red cell aplasia	Immunol Lett	In press		
Nara M, Takahashi N, Miura M, Niioka T, Kagaya H, Fujishima N, Saitoh H, Kameoka Y, Tagawa H, Hirokawa M, Sawada K.	Effect of itraconazole on the concentrations of tacrolimus and cyclosporine in the blood of patients receiving allogeneic hematopoietic stem cell transplants	Eur J Clin Pharmacol	In press		
Nara M, Teshima K, Watanabe A, Ito M, Iwamoto K, Kitabayashi A, Kume M, Hatano Y, Takahashi N, Iida S, Sawada K, Tagawa H	Bortezomib Reduces the Tumorigenicity of Multiple Myeloma via Downregulation of Upregulated Targets in Clonogenic Side Population Cells	PLoS One	In press		
Tagawa H, Ikeda S, Sawada K	The role of microRNA in the pathogenesis of malignant lymphoma	Cancer Sci	In press		

Hirokawa M, Fukuda T, Ohhashi K, Hidaka M, Ichinohe T, Iwato K, Kanamori H, Murata M, Sakura T, Imamura M, Adachi S, Suzuki R, Yasuo Morishima Y, Sakamaki H for The PRCA Collaborative Study Group	Efficacy and Long-Term Outcome of Treatment for Pure Red Cell Aplasia following Allogeneic Stem Cell Transplantation from Major ABO-Incompatible Donors	Biol Blood Marrow Transplant	In press		
菊繁吉兼, 宮本敏浩, 赤司浩一	リンパ系腫瘍幹細胞研究の最前線	血液内科	66	113-120	2012
Kikushige Y, Akashi K	TIM-3 as a therapeutic target for malignant stem cells in acute myelogenous leukemia	Ann N Y Acad Sci	1266	118-123	2012
Kuriyama T, Takenaka K, Kohno K, Yamauchi T, Daitoku S, Yoshimoto G, Kikushige Y, Kishimoto J, Abe Y, Harada N, Miyamoto T, Iwasaki H, Teshima T, Akashi K	Engulfment of hematopoietic stem cells caused by down-regulation of CD47 is critical in the pathogenesis of hemophagocytic lymphohistiocytosis	Blood	120	4058-4067	2012
Shima T, Miyamoto T, Kikushige Y, Mori Y, Kamezaki K, Takase K, Henzan H, Numata A, Ito Y, Takenaka K, Iwasaki H, Kamimura T, Eto T, Nagafuji K, Teshima T, Kato K, Akashi K	Quantitation of hematogones at the time of engraftment is a useful prognostic indicator in allogeneic hematopoietic stem cell transplantation	Blood	121	840-848	2013
Yamauchi T, Takenaka K, Urata S, Shima T, Kikushige Y, Tokuyama T, Iwamoto C, Nishihara M, Iwasaki H, Miyamoto T, Honma N, Nakao M, Matozaki T, Akashi K	Polymorphic Sirpa is the genetic determinant for NOD-based mouse lines to achieve efficient human cell engraftment	Blood	121	1316-1325	2013

Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes	Leuk Lymphoma		in press	2013
Oki Y, Kondo Y, Yamamoto K, Ogura M, Kasai M, Kobayashi Y, Watanabe T, Uike N, Ohyashiki K, Okamoto S, Ohnishi K, Tomita A, Miyazaki Y, Tohyama K, Mukai HY, Hotta T, Tomonaga M	Phase I/II study of decitabine in patients with myelodysplastic syndrome: A multi-center study in Japan	Cancer Sci	103(10)	1839-1847	2012
Greenberg PL, Tuechler H, Schanz J, Sanz G, Garcia-Manero G, Solé F, Bennett JM, Bowen D, Fenaux P, Dreyfus F, Kantarjian H, Kuendgen A, Levis A, Malcovati L, Cazzola M, Cermak J, Fonatsch C, Le Beau MM, Slovak ML, Krieger O, Luebbert M, Maciejewski J, Magalhaes SM, Miyazaki Y, Pfeilstöcker M, Sekeres M, Sperr WR, Stauder R, Tauro S, Valent P, Vallespi T, van de Loosdrecht AA, Germing U, Haase D	Revised international prognostic scoring system for myelodysplastic syndromes	Blood	120(12)	2454-2465	2012
Tsushima H, Iwanaga M, Miyazaki Y	Late effect of Atomic bomb radiation on myeloid disorders: leukemia and myelodysplastic syndromes	Int J Hematol	95(3)	232-238	2012
澤山 靖, 宮崎泰司	骨髓異形成症候群に対する経口 azacitidine と rigosertib	血液内科	66(1)	15-20	2013

波多智子, 宮崎泰司	[教科書には載っていない 臨床検査Q&A] Question 1 MDSにおける形態異常 の判定について教えて下 さい	臨床検査	56(11) 増刊号	1146-1147	2012
宮崎泰司	MDSに対する新規治療 薬の開発と展望	血液内科	65(3)	383-387,	2012
波多智子, 宮崎泰司	MDSにおける revised international prognostics scoring system (IPSS-R)	血液フロンティ ア	22(8)	1248-1251	2012
宮崎泰司	急性骨髄性白血病	成人病と生活習 慣病	42(6)	678-683,	2012
対馬秀樹, 宮崎泰司	骨髄異形成症候群に対す る新規薬剤の臨床効果	Medical Science Digest	38(5)	207-210	2012
対馬秀樹, 宮崎泰司	骨髄異形成症候群／骨髄 異形成症候群の病因・病 態	日本臨床	70(Supp ul.2)	347-351	2012
波多智子, 宮崎泰司	骨髄異形成／骨髄増殖性 腫瘍の分類と治療	日本臨床	70(Supp ul.2)	342-346	2012
Sakamoto S, Kawabata H, Kanda J, Uchiyama T, Mizumoto C, Kondo T, Yamashita K, Ichinohe T, Ishikawa T, Kadowaki N, Takaori-Kondo A.	Differing impacts of pretransplant serum ferritin and C-reactive protein levels on the incidence of chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation.	Int J Hematol	97	109-16	2013
Chonabayashi K, Hishizawa M, Kawamata S, Nagai Y, Ohno T, Ishikawa T, Uchiyama T, Takaori-Kondo A.	Direct binding of Grb2 has an important role in the development of myeloproliferative disease induced by ETV6/FLT3.	Leukemia	In press	In press	2013
Shinohara M, Io K, Shindo K, Matsui M, Sakamoto T, Tada K, Kobayashi M, Kadowaki N, Takaori-Kondo A..	APOBEC3B can impair genomic stability by inducing base substitutions in genomic DNA in human cells.	Sci Rep	2	806.1-8	2012

Kawabata H, Doisaki S, Okamoto A, Uchiyama T, Sakamoto S, Hama A, Hosoda K, Fujikura J, Kanno H, Fujii H, Tomosugi N, Nakao K, Kojima S, Takaori-Kondo A.	A case of congenital dyserythropoietic anemia type 1 in a Japanese adult with a CDAN1 gene mutation and an inappropriately low serum hepcidin-25 level.	Intern Med	51	917-20	2012
Shimazu Y, Kondo T, Ishikawa T, Yamashita K, Takaori-Kondo A.	Human herpesvirus-6 encephalitis during hematopoietic stem cell transplantation leads to poor prognosis.	Transpl Infect Dis,			in press.
Arai Y, Yamashita K, Mizugishi K, Watanabe T, Kondo T, Kitano T, Kawabata H, Kadowaki N, Takaori-Kondo A.	Familial mediterranean fever mutations in a patient with recurrent episodes of acute respiratory distress syndrome.	Clin Immunol	147	58-60	2013
Arai Y, Yamashita K, Mizugishi K, Takaori-Kondo A, Chiba T, Watanabe T..	The implications of myelodysplastic syndrome - associated chromosomal abnormalities in the development of graft-versus-host disease.	Eur J Haematol			in press
Ito T, Akagi K, Kondo T, Kawabata H, Ichinohe T, Takaori-Kondo A.	Splenic irradiation as a component of a reduced-intensity conditioning regimen for hematopoietic stem cell transplantation in myelofibrosis with massive splenomegaly.	Tohoku J Exp Med	228	295-299	2012
Chonabayashi K, Kondo T, Yamamoto K, Tanaka Y, Nagai Y, Hishizawa M, Takaori-Kondo A.	Successful use of second cord blood transplantation to achieve long-term remission in cord blood donor cell-derived aml harboring a flt3-itd and an npml1 mutation.	Bone Marrow Transplant	47	1252-1253	2012
Araseki K, Matsuda A, Tohyama K, Ishikawa T, Kawabata H, Miyazaki Y, Nakao S, Tomonaga M, Takaori-Kondo A, Kurokawa M, Omine M, Ozawa K.	Survey on examinations for diagnosis of bone marrow failure in japan: A report from the japanese national research group on idiopathic bone marrow failure syndromes	Rinsho Ketsueki	53	691-697	2012

Oki Y, Kondo Y, Yamamoto K, Ogura M, Kasai M, Kobayashi Y, Watanabe T, Uike N, Ohyashiki K, Okamoto S, Ohnishi K, Tomita A, Miyazaki Y, Tohyama K, Mukai HY, Hotta T, Tomonaga M	Phase I/II study of decitabine in patients with myelodysplastic syndrome: A multi-center study in Japan.	Cancer Sci	103 (10)	1839-47	2012
Kunimoto H, Fukuchi Y, Sakurai M, Sadahira K, Ikeda Y, Okamoto S, Nakajima H	Tet2 disruption leads to enhanced self-renewal and altered differentiation of fetal liver hematopoietic stem cells	Sci Rep			2012
Shimizu H, Saitoh T, Tanaka M, Mori T, Sakura T, Kawai N, Kanda Y, Nakaseko C, Yano S, Fujita H, Fujisawa S, Miyawaki S, Kanamori H, Okamoto S	Allogeneic hematopoietic stem cell transplantation for adult AML patients with granulocytic sarcoma	Leukemia	26(12)	2469-13	2012
Sakai H., Okafuji I., Nishikomori R., Abe J., Izawa K., Kambe N., Yasumi T., Nakahata T., Heike T.	The CD40-CD40L axis and INF- γ play critical roles in Langerhans giant cell formation.	Int. Immunol.	24	5-15	2012
Izawa K., Hijikata A., Tanaka N., Kawai T., Saito M.K., Goldbach-Mansky R., Aksentijevich I., Yasumi T., Nakahata T., Heike T., Nishikomori R., Ohara O.	Detection of base substitution-type somatic mosaicism of the NLRP3 gene with >99.9% statistical confidence by massively parallel sequencing.	DNA Res.	19	143-152	2012
Morishima T., Nomura A., Saida S., Watanabe K., Yagi H., Matsumoto M., Fujimura Y., Heike T., Nakahata T., Adachi S.	Pediatric idiopathic TTP diagnosed with decreased ADAMTS13 activity.	Pediatr. Int.	54	422-423	2012
Tsuchiya A., Imai M., Kamimura H., Takamura M., Yamagiwa S., Sugiyama T., Nomoto M., Heike T., Nagasawa T., Nakahata T., Aoyagi Y.	Increased susceptibility to severe chronic liver damage in CXCR4 conditional knock-out mice.	Dig. Dis. Sci.	57	2892-2900	2012

Hiejima E., Komatsu H., Takeda Y., Sogo T., Inui A., Okafuji I., Nishikomori R., Nakahata T., Fujisawa T.	Acut liver failure in young children with systemic-onset juvenile idiopathic arthritis without macrophage activation syndrome: Report of two cases.	J. Pediatr. Child Health	48	E122-125	2012
Kawai T., Nishikomori R., Izawa K., Murata Y., Tanaka N., Sakai H., Saito M., Yasumi T., Takaoka Y., Nakahata T., Mizukami T., Nunoi H., Kiyohara Y., Yoden A., Mutara T., Sasaki S., Ito E., Akutagawa H., Kawai T., Imai C., Okada S., Kobayashi M., Heike T.	Frequent somatic mosaicism of NEMO in T cells of patients with X-linked anhidrotic ectodermal dysplasia and immunodeficiency.	Blood	119	5458-5466	2012
Tsumura M., Okada S., Sakai H., Yasunaga S., Ohtsubo M., Murata T., Obata H., Yasumi T., Kong X., Abhyankar A., Heike T., Nakahata T., Nishikomori R., Al-Muhsen S., Boisson-Dupuis S., Casanova J., AlZahrani M., Shehri MA., ElGhazali G., Takihara Y., Kobayashi M.	Dominant-negative STAT1 SH2 domain mutations in unrelated patients with Mendelian susceptibility to mycobacterial disease.	Human Mutation Human Mutation	33	1377-1387	2012
Kikuchi A., Hasegawa D., Ohtsuka Y., Hamamoto K., Kojima S., Okamura J., Nakahata T., Manabe A.	Outcome of children with Refractory Anaemia with Excess of Blast (RAEB) and RAEB in Transformation (RAEB-T) in the Japanese MDS99 study.	Brit. J. Haematol.	158	657-661	2012
Tanaka T., Takahashi K., Yamane M., Tomida S., Nakamura S., Oshima K., Niwa A., Nishikomori R., Kambe N., Hara H., Mitsuyama M., Morone N., Heuse J.E., Yamamoto T., Watanabe A., Sato-Otsubo A., Ozawa S., Asaka I., Heike T., Yamanaka S., Nakahata T., Saito M.K.	Induced pluripotent stem cells from CINCA syndrome patients as a model for dissecting somatic mosaicism and drug discovery.	Blood	120	1299-1308	2012

Kawai T., Saito M., Nishikomori R., Yasumi T., Izawa K., Murakami T., Okamoto N., Mori Y., Nakagawa N., Imai K., Nonoyama S., Wada T., Yatie A., Oomori K., Nakahata T., Heike T.	Multiple reversions of an IL2RG mutation restore combined immunodeficiency patient.	J. Clin. Immunol.	32	690-697	2012
Nakazawa Y., Saito S., Yanagisawa R., Suzuki T., Toshiro Ito T., Ishida F., Muramatsu H., Matsumoto K., Kato K., Ishida H., Umeda K., Souichi Adachi S., Nakahata T., Koike K.	Recipient seropositivity for adenovirus type 11 is highly predictive of the development of hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation.	Bone Marrow Transplant.			in press
Saida S., Watanabe K., Sato-Otsubo A., Terui K., Yoshida K., Okuno Y., Toki T., Wang RN., Shiraishi Y., Miyano S., Kato I., Morishima T., Fujino H., Umeda K., Hiramatsu H., Adachi S., Ito E., Ogawa S., Ito M., Nakahata T., Heike T.	Clonal selection in xenografted TAM recapitulates the evolutionary process of myeloid leukemia in Down syndrome.	Blood			in press
Yanagimachi MD, Niwa A, Tanaka T, Ozaki F, Nishimoto S, Murata Y, Yasumi T, Ito J, Tomida S, Oshima K, Asaka I, Goto H, Heike T, Nakahata T, Saito MK	Robust and highly-efficient differentiation of functional monocytic cells from human pluripotent stem cells under serum- and feeder cell- free conditions.	PLoS ONE			in press
中畑龍俊	総論 再生医療の進歩 (Ⅱ 再生医療の進歩)	小児科診療 (特集 最先端医療の進歩-臓器移植・再生医療・遺伝子治療)	75	57-63	2012
中畑龍俊	白血病治療の進歩と今後の展望	日本小児血液・がん学会雑誌	49	11-15	2012
斎藤潤、中畑龍俊	疾患特異的iPS細胞	再生医療	12	19-29	2013
大橋春彦	再生不良性貧血に対する造血幹細胞移植	血液内科	64	522-529	2012

Hagiwara K, Ito H, Murate T, Miyata Y, Ohashi H, Nagai H	PROX1 overexpression inhibits protein kinase C beta II transcription through promoter DNA methylation.	Genes Chromosomes Cancer	51	1024-1036	2012
Ohashi H, Arita K, Suzuki Y, Tomita A, Naoe T, Hattori A, Tatsumi Y, Kato K, Nagai H	Iron chelation therapy for a case of transfusion-independent MDS-RARS with significant iron overload.	International Journal of Hematology	97	151-153	2013
Shiba N, Hasegawa D, Park M-j, Murata C, Matsubara A, Ogawa C, Yagasaki H, Manabe A, Arakawa H, Ogawa S, Hayashi Y	<i>CBL</i> mutation in familial platelet disorder with propensity to acute myeloid leukemia (FPD/AML) patient in a Japanese pedigree with <i>RUNX1</i> Mutation.	Blood	119	2612-2614	2012
Matsuda K, Yoshida N, Miura S, Nakazawa Y, Sakashita K, Hyakuna N, Saito M, Kato F, Ogawa A, Watanabe A, Sotomatsu M, Kobayashi C, Ito T, Ishida F, Manabe A, Kojima S, Koike K	Long-term haematological improvement after non-intensive or no chemotherapy in juvenile myelomonocytic leukaemia and poor correlation with adult myelodysplasia spliceosome-related mutations.	Br J Haematol	157	647-650	2012
Kikuchi A, Hasegawa D, Ohtsuka Y, Hamamoto K, Kojima S, Okamura J, Nakahata T, Manabe A	Outcome of children with Refractory Anaemia with Excess of Blast (RAEB) and RAEB in Transformation (RAEB-T) in the Japanese MDS99 study.	Br J Haematol	158	657-661	2012
Ohba R, Furuyama K, Yoshida K, Fujiwara T, Fukuhara N, Onishi Y, Manabe A, Ito E, Ozawa K, Kojima S, Ogawa S, Harigae H	Clinical and genetic characteristics of congenital sideroblastic anemia: comparison with myelodysplastic syndrome with ring sideroblast (MDS-RS).	Ann Hematol	in press		

Yoshimi A, Kamachi Y, Imai K, Watanabe N, Nakadate H, Kanazawa T, Ozono S, Kobayashi R, Yoshida M, Kobayashi C, Hama A, Muramatsu H, Sasahara Y, Jakob M, Morio T, Ehl S, Manabe A, Niemeyer C, Kojima S.	Wiskott-Aldrich syndrome presenting with a clinical picture mimicking juvenile myelomonocytic leukaemia.	Pediatr Blood Cancer	in press		
Kato M, Yasui N, Seki M, Kishimoto H, Sato-Otsubo A, Hasegawa D, Kiyokawa N, Hanada R, Ogawa S, Manabe A, Takita J, Koh K	Aggressive transformation of juvenile myelomonocytic leukemia associated with duplication of oncogenic KRAS in consequence of acquired uniparental disomy.	J Pediatr	in press		
長谷川大輔、真部淳	骨髄異形成症候群／若年性骨髄単球性白血病	日本臨床70 (Suppl 2)	日本臨床増刊「造血器腫瘍学」(金倉讓編)	681-686	2012
多賀崇、真部淳	Congenital Dyserthropoietic Anemia —現状と今後の課題—	日児誌	116	1075-1080	2012
真部淳	若年性骨髄単球性白血病 (JMML) の分子機構と治療	臨床血液	53	729-733	2012
長谷川大輔、真部淳	小児のMDS	臨床検査	56	1377-1384	2012
真部淳	本邦における骨髄不全症候群の現況	小児血液・がん学会雑誌	49	249-250	2012
亀崎豊実、梶井英治	クームス陰性自己免疫性溶血性貧血	日本臨床	別冊血液症候群I	345-349	2013
亀崎豊実、梶井英治	クームス陽性自己免疫性溶血性貧血	日本臨床	別冊血液症候群I	341-344	2013
亀崎豊実、梶井英治	自己免疫性溶血性貧血	日本内科学会雑誌	101巻7号	1960-1968	2012
亀崎豊実	溶血性貧血	内科	109巻6号	1107-1110	2012
亀崎豊実	自己免疫性溶血性貧血	血液内科	64巻5号	557-565	2012
亀崎豊実	自己免疫性溶血性貧血	血液フロンティア	22巻5号	61-71	2012

Kamesaki T, Toyotsuji T, Kajii E	Characterization of direct antiglobulin test-negative autoimmune hemolytic anemia: A study of 154 cases.	Am J Hematol	88(2)	93-96	2013
Shide K, Kameda T, Shimoda H, Yamaji T, Abe H, Kamiunten A, Sekine M, Hidaka T, Katayose K, Kubuki Y, Yamamoto S, Miike T, Iwakiri H, Hasuike S, Nagata K, Marutsuka K, Iwama A, Matsuda T, Kitanaka A, Shimoda K	TET2 is essential for survival and hematopoietic stem cell homeostasis	Leukemia	26	2216-2223	2012
Matsunaga T, Imataki O, Torii E, Kameda T, Shide K, Shimoda H, Kamiunten A, Sekine M, Taniguchi Y, Yamamoto S, Hidaka T, Katayose K, Kubuki Y, Dobashi H, Bandoh S, Ohnishi H, Fukai F, Shimoda K	Elevated HIF-1 α expression of acute myelogenous leukemia stem cells in the endosteal hypoxic zone may be a cause of minimal residual disease in bone marrow after chemotherapy	Leuk Res	36	122-124	2012
Matsunaga T, Fukai F, Kameda T, Shide K, Shimoda H, Torii E, Kamiunten A, Sekine M, Yamamoto S, Hidaka T, Kubuki Y, Yokokura S, Uemura M, Matsuoka A, Waki F, Matsumoto K, Kanaji N, Ishii T, Imataki O, Dobashi H, Bandoh S, Shimoda K	Potentiated activation of VLA-4 and VLA-5 accelerates proplatelet-like formation.	Ann Hematol.	91	1633-1643	2012
Matsunaga T, Yamashita K, Kubuki Y, Toyama T, Imataki O, Maeda K, Kawano N, Satou S, Kawano H, Ishizaki J, Yoshida S, Kameda T, Sasaki T, Sekine M, Kamiunten A, Taniguchi Y, Hidaka T, Katayose K, Shimoda H, Shide K, Yamamoto S, Moritake H, Nunoi H, Makino S, Kitanaka A, Matsuoka H, Shimoda K	Acute myeloid leukemia in clinical practice: a retrospective population-based cohort study in Miyazaki Prefecture, Japan..	Int J Hematol	96	342-349	2012

Kawano N, Ochiai H, Yoshida S, Yamashita K, Shide K, Shimoda H, Hidaka T, Kubuki Y, Katayose K, Toyama T, Kawano H, Matsuoka H, Ishizaki J, Maeda K, Satou S, Yano T, Yamaguchi K, Takenaka K, Shimao Y, Oshima K, Ueda A, Shimoda K	Clinical features and treatment outcomes of isolated secondary central nervous system lymphomas in Miyazaki Prefecture	Int J Clin Oncol	17	(336-340	2012
Nakahata S, Saito Y, Marutsuka K, Hidaka T, Maeda K, Hatakeyama K, Shiraga T, Goto A, Kubuki Y, Shimoda K, Ukai Y, Kurosawa G, Morishita K	Clinical significance of CADM1/TSLC1/IgSF4 expression in Adult T-cell leukemia/lymphoma	Leukemia	26	1238-1246)	2012
幣光太郎、下田和哉	骨髄系腫瘍における TET2変異とその意義	血液内科	64 (2)	127-132	2012
北中明、下田和哉	原発性骨髄線維症の病因・病態と治療	日本臨床	70,増刊号	321-325	2012
幣光太郎、下田和哉	骨髄線維症	血液フロンティア	22(5)	73-81	2012
北中明、下田和哉	骨髄線維症の予後予測システムDIPSSの臨床的有用性	血液内科	65(6)	639-643	2012
北中明、下田和哉	骨髄線維症の外来管理：どのような場合に入院を要するか	血液内科	64(6)	674-682	2012
久富木庸子、下田和哉	骨髄線維症の新規治療薬	血液フロンティア	22(10)	110-113	2012
北中明、下田和哉	骨髄線維症の病因と病態	日本内科学会雑誌	101(7)	1906-1912	2012
Hanaoka, N., Y. Murakami, M. Nagata, S. Nagakura, Y. Yonemura, T. Sonoki, T. Kinoshita and H. Nakakuma.	Persistently high quality of life conferred by coexisting congenital deficiency of terminal complement C9 in a paroxysmal nocturnal hemoglobinuria patient.	<i>Blood,</i>	119	3866-3868	2012
Krawitz, P. M., Y. Murakami, J. Hecht, U. Krüger, S. E. Holder, G. R. Mortier, B. delle Chiaie, M. D. Thompson, T. Roscioli, S. Kielbasa, T. Kinoshita, S. Mundlos, P. N. Robinson and D. Horn.	Mutations in <i>PIGO</i> , a member of the GPI anchor synthesis pathway, cause hyperphosphatasia with mental retardation.	<i>Am. J. Hum. Genet.,</i>	91	146-151.	2012