

者等により、持ち回りで発表を行うこととする。発表者は研究代表者が研究運営委員会の了承を得て決定する。ただし、学会発表に関しては、発表準備および発表内容について研究代表者が責任を持ち、原則としてデータセンターとの連絡は研究代表者または研究事務局が行う。研究代表者、研究事務局、あるいは研究運営委員会以外の発表者が、研究代表者の了承無く、直接データセンターから集計情報や解析結果を受領することはできない。

19. 参考文献

- 1) Joly P, Mouquet H, et al. A single cycle of rituximab for the treatment of severe pemphigus. *N Engl J Med*. 2007 Aug 9; 357(6):545-52.
- 2) Goh MS, McCormack C, et al. Rituximab in the adjuvant treatment of pemphigus vulgaris: a prospective open-label pilot study in five patients. *Br J Dermatol*. 2007 May;156(5):990-6.
- 3) El Tal AK, Posner MR, et al. Rituximab: a monoclonal antibody to CD20 used in the treatment of pemphigus vulgaris. *J Am Acad Dermatol*. 2006 Sep;55(3):449-59.
- 4) Schmidt E, Bröcker EB, et al. Rituximab in treatment-resistant autoimmune blistering skin disorders. *Clin Rev Allergy Immunol*. 2008 Feb;34(1):56-64.

20. 付録 APPENDIX

- 20.1 説明文書・同意書（慶應義塾大学版）
- 20.2 天疱瘡ガイドライン
- 20.3 PDAI
- 20.4 症例報告書
- 20.5 症例登録票
- 20.6 体重別ステロイド漸減表
- 20.7 評価スケジュール
- 20.8 Common Terminology Criteria for Adverse Events v3.0 (CTCAE)

[V]

研究成果の刊行に関する一覧表

1. 雑誌

欧文

著者名	論文題目	雑誌名	巻:頁, 西暦年号
発表者氏名	論文タイトル名	発表誌名	巻号
Kamiya K, Aoyama Y , Shirafuji Y, Hamada T, Morizane S, Fujii K, Hisata K, Iwatsuki K	Detection of antibodies against the non-calcium-dependent epitopes of desmoglein 3 in pemphigus vulgaris and their pathogenic significance.	Br J Dermatol	167(2): 252-261, 2012
Yamamoto T, Hirai Y, Miyake T, Yamasaki O, Morizane S, Iwatsuki K	Oculomucosal and gastrointestinal involvement in Epstein-Barr virus-associated hydroa vacciniforme.	Eur J Dermatol	22(3): 380-383, 2012
Yanagihara K, Araki N, Watanabe S, Kinebuchi T, Kaku M, Maesaki S, Yamaguchi K, Matsumoto T, Mikamo H, Takesue Y, Kadota JI, Fujita J, Iwatsuki K , Hino H, Kaneko T, Asagoe K, Ikeda M, Yasuoka A, Kohno S	Antimicrobial susceptibility and molecular characteristics of 857 methicillin-resistant Staphylococcus aureus isolates from 16 medical centers in Japan(2008-2009) Nationwide survey of community-acquired and nosocomial MRSA.	Diagn Microbiol Infect Dis	72: 253-257, 2012
Hirai Y, Yamamoto T, Kimura H, Ito Y, Tsuji K, Miyake T, Morizane S, Suzuki D, Fujii K, Iwatsuki K	Hydroa vacciniforme is associated with increased numbers of Epstein-Barr virus-infected gdT-cells.	J Invest Dermatol	132(5): 1401-1408, 2012
Yamasaki O, Nagao Y, Sugiyama N, Otsuka M, Iwatsuki K	Surgical management of axillary necrotizing fasciitis: a case report.	J Dermatol	39: 309-311, 2012
Fujii K, Suzuki N, Ikeda K, Hamada T, Yamamoto T, Kondo T, Iwatsuki K	Proteomic study identified HSP 70 kDa protein 1A as a possible therapeutic target, in combination with histone deacetylase inhibitors, for lymphoid neoplasms.	J Proteomics	75: 1401-1410, 2012
Morizane S, Yamasaki K, Mühleisen B, Kotol PF, Murakami M, Aoyama Y , Iwatsuki K , Hata T, Gallo RL	Cathelicidin antimicrobial peptide LL-37 in psoriasis enables keratinocyte reactivity against TLR9 ligands.	J Invest Dermatol	132: 135-143, 2012
Tanaka C, Hasegawa M, Fujimoto M, Iwatsuki K , Yamamoto T, Yamada K, Kawa K, Saikawa Y, Toga A, Mase S, Wada T, Takehara K, Yachie A	Phenotypic analysis in a case of hydroa vacciniforme-like eruptions associated with chronic active Epstein-Barr virus disease of gdT cells.	Br J Dermatol	166: 216-218, 2012
Hamada T, Umemura H, Aoyama Y , Iwatsuki K	Successful Therapeutic Use of Targeted Narrow-band Ultraviolet B Therapy for Refractory Hailey-Hailey Disease.	Acta Derm Venereol	2012 Jun 27. [Epub ahead of print]
Yamamoto T, Iwatsuki K	Diversity of Epstein-Barr virus BamHI-A rightward transcripts and their expression patterns in the lytic and latent infections.	J Med Microbiol	61(Pt 10): 1445-1453, 2012
Fujii K, Suzuki N, Yamamoto T, Suzuki D, Iwatsuki K	Valproic acid inhibits proliferation of EB virus-infected natural killer cells.	Hematology	17(3): 163-169, 2012
Yamasaki O, Takeshima C, Ikeda K, Suzuki N, Otsuka M, Kimata Y, Hirakawa S, Iwatsuki K	Stewart-Treves syndrome arising in patients with lymphaticovenular anastomosis for chronic lymphedema of the leg.	Eur J Dermatol	22(4): 545-546, 2012
Morizane S, Yamasaki K, Kajita A, Ikeda K, Zhan M, Aoyama Y , Gallo RL, Iwatsuki K	T(H)2 cytokines increase kallikrein 7 expression and function in patients with atopic dermatitis.	J Allergy Clin Immunol	130(1): 259-261, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Miyake T, Yamasaki O, Sugi M, Hamada T, Otsuka M, Yanai H, Morishita Y, <u>Iwatsuki K</u>	Primary signet-ring cell/histiocytoid carcinoma of the axilla expressing human epidermal growth factor receptor 2.	J Dermatol	39 (12): 1038-1040, 2012
Wada H, Tsuboi R, Kato Y, Sugaya M, Tobinai K, Hamada T, Shimamoto T, Noguchi K, <u>Iwatsuki K</u>	Phase I and pharmacokinetic study of the oral histone deacetylase inhibitor vorinostat in Japanese patients with relapsed or refractory cutaneous T-cell lymphoma.	J Dermatol	39: 823-828, 2012
Fujii K, Aochi S, Takeshima C, Ohtsuka M, Hamada T, Asagoe K, <u>Aoyama Y</u> , Morizane S, <u>Iwatsuki K</u>	Eccrine Poromatosis Associated with Polychemotherapy.	Acta Derm Venereol	92(6): 687-690, 2012
Sugaya M, Hamada T, Kawai K, Yonekura K, Ohtsuka M, Shimauchi T, Tokura Y, Nozaki K, Izutsu K, Suzuki R, Setoyama M, Nagatani T, Koga H, Tani M, <u>Iwatsuki K</u>	Guidelines for the management of cutaneous lymphomas(2011): A consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group.	J Dermatol	2012 Aug 20. [Epub ahead of print]
Lai Y, Li D, Li C, Muehleisen B, Radek KA, Park HJ, Jiang Z, Li Z, Lei H, Quan Y, Zhang T, Wu Y, Kotol P, Morizane S, Hata TR, <u>Iwatsuki K</u> , Tang C, Gallo RL	The antimicrobial protein REG3A regulates keratinocyte proliferation and differentiation after skin injury.	Immunity	37: 74-84, 2012
Ono S, Tanioka M, Tanizaki H, Fujisawa A, Koga H, Hashimoto T, Kamiya K, Aoyama Y, <u>Iwatsuki K</u> , Miyachi Y	Concurrence of autoantibodies to bullous pemphigoid antigens and desmoglein 3: analysis of pathogenic and non-pathogenic antibodies.	Br J Dermatol	in press
Yoshizawa A, Nagai S, Baba Y, Yamada T, Matsui M, Tanaka H, Miyoshi SI, <u>Amagai M</u> , Yoshikawa T, Fukuda K, Ogawa S, Koyasu S	Autoimmunity against M(2) muscarinic acetylcholine receptor induces myocarditis and leads to a dilated cardiomyopathy-like phenotype	Eur J Immunol	42: 1152-1163, 2012
Saleh MA, Ishii K, Yamagami J, Shirakata Y, Hashimoto K, <u>Amagai M</u>	Pathogenic anti-desmoglein 3 mAbs cloned from a paraneoplastic pemphigus patient by phage display	J Invest Dermatol	132: 1141-1148, 2012
Ohyama B, Nishifuji K, Chan PT, Kawaguchi A, Yamashita T, Ishii N, Hamada T, Dainichi T, Koga H, Tsuruta D, <u>Amagai M</u> , Hashimoto T	Epitope spreading is rarely found in pemphigus vulgaris by large-scale longitudinal study using desmoglein 2-based swapped molecules	J Invest Dermatol	132: 1158-1168, 2012
Murrell DF, Daniel BS, Joly P, Borradori L, <u>Amagai M</u> , Hashimoto T, Caux F, Marinovic B, Sinha AA, Hertl M, Bernard P, Sirois D, Cianchini G, Fairley JA, Jonkman MF, Pandya AG, Rubenstein D, Zillikens D, Payne AS, Woodley D, Zamburino G, Aoki V, Pincelli C, Diaz L, Hall RP, Meurer M, Mascaro JM, Jr., Schmidt E, Shimizu H, Zone J, Swerlick R, Mimouni D, Culton D, Lipozencic J, Bince B, Grando SA, Bystryn JC, Werth VP	Definitions and outcome measures for bullous pemphigoid recommendations by an international panel of experts	J Am Acad Dermatol	66: 479-485, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Di Zenzo G, Di Lullo G, Corti D, Calabresi V, Sinistro A, Vanzetta F, Didona B, Cianchini G, Hertl M, Eming R, <u>Amagai M</u> , Ohyama B, Hashimoto T, Sloostra J, Sallusto F, Zambruno G, Lanzavecchia A	Pemphigus autoantibodies generated through somatic mutations target the desmoglein-3 cis-interface	J Clin Invest	122: 3781-379, 2012
<u>Amagai M</u> , Stanley JR	Desmoglein as a target in skin disease and beyond	J Invest Dermatol	132: 776-784, 2012
Hosoda S, Suzuki M, <u>Komine M</u> , Murata S, <u>Hashimoto T</u> , Ohtsuki M.	A case of IgG/IgA Pemphigus Presenting Malar Rash-like Erythema.	Acta Derm Venereol	92(2):164-166, 2012
Yamada H, Nobeyama Y, Matsuo K, Ishiji T, Takeuchi T, Fukuda S, <u>Hashimoto T</u> , Nakagawa H.	A case of paraneoplastic pemphigus associated with triple malignancies in combination with anti-laminin-332 mucous membrane pemphigoid.	Br J Dermatol	166(1):230-231, 2012
Fukuda S, <u>Hamada T</u> , Ishii N, Sakaguchi S, Sakai K, Akiyama M, Shimizu H, Masuda K, Izu K, Teye K, Tsuruta D, Karashima T, Nakama T, Yasumoto S, <u>Hashimoto T</u> .	Novel ATP-binding cassette, subfamily A, member 12(ABCA12) mutations associated with congenital ichthyosiform erythroderma.	Br J Dermatol	166(1):218-221, 2012
Hashikawa K, Niino D, Yasumoto S, Nakama T, Kiyasu J, Sato K, Kimura Y, Takeuchi M, Sugita Y, <u>Hashimoto T</u> , Ohshima K.	Clinicopathological features and prognostic significance of CXCL12 in blastic plasmacytoid dendritic cell neoplasm.	Am Acad Dermatol	66(2):278-291, 2012
Kiniwa Y, Ashida A, Ohashi A, Kitoh R, Fukuda S, <u>Hashimoto T</u> , Okuyama R.	A case of epidermolysis bullosa acquisita associated with laryngeal stenosis.	Acta Derm Venereol	92(1):93-94, 2012
Tsuruta D, <u>Hashimoto T</u> .	Commentary: Facial plexiform neurofibromatosis in a patient with neurofibromatosis type 1: A case report. ffat Hassan, Abid Keen, Parvaiz Ahmad Shah.	Our Dermatol Online	3(1):28, 2012
Monshi B, Richter L, <u>Hashimoto T</u> , Groiss E, Haensch N, Rappersberger K.	[IgA pemphigus of the subcorneal pustular dermatosis type : Successful therapy with a combination of dapsone and acitretin].	Hautarzt	63(6):482-486, 2012
Hanafusa T, Azukizawa H, Nishioka M, Tanemura A, Murota H, Yoshida H, Sato E, Hashii Y, Ozono K, Koga H, <u>Hashimoto T</u> , Katayama I.	Lichen planus-type chronic graft-versus-host disease complicated by mucous membrane pemphigoid with positive anti-BP180/230 and scleroderma-related autoantibodies followed by reduced regulatory T cell frequency.	Eur J Dermatol	22(1):140-142, 2012
Shibuya T, Komatsu S, Takahashi I, Honma M, Takahashi H, Ishida-Yamamoto A, Kamiya T, Fukuda S, <u>Hashimoto T</u> , Iizuka H.	Mucous membrane pemphigoid accompanied by ovarian cancer: A case with autoantibodies solely against gamma(2)-subunit of laminin-332.	J Dermatol	39(10):882-884, 2012
Koga H, Ohyama B, Tsuruta D, Ishii N, <u>Hamada T</u> , Dainichi T, Natsuaki Y, Sogame R, Fukuda S, Karashima T, Tada J, Yamashiro M, Uezato H, Chan PT, <u>Hashimoto T</u> .	Five Japanese cases of anti-Dsg1 antibody positive and anti-Dsg3 antibody negative pemphigus with oral lesions.	Br J Dermatol	166(5):976-980, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Ichimura Y, Matsushita T, Hamaguchi Y, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, <u>Hashimoto T</u> , Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, Kuwana M, Takehara K, Fujimoto M.	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy.	Ann Rheum Dis	71(5):710-713, 2012
Kurashige Y, Mitsuhashi Y, Saito M, Fukuda S, <u>Hashimoto T</u> , Tsuboi R.	Herpetiform pemphigus with anti-Dsg 1 and full-length BP180 autoantibodies.	Eur J Dermatol	22(2):269-270, 2012
Ohyama B, Nishifuji K, Chan PT, Kawaguchi A, Yamashita T, Ishii N, Hamada T, Dainichi T, Koga H, Tsuruta D, Amagai M, <u>Hashimoto T</u> .	Epitope spreading is rarely found in pemphigus vulgaris by large-scale longitudinal study using desmoglein 2-based swapped molecules.	J Invest Dermatol	132(4):1158-1168, 2012
Karashima T, Hashikawa K, Ono F, Eguchi H, <u>Hamada T</u> , Ishii N, Dainichi T, Yasumoto S, Tsuruta D, <u>Hashimoto T</u> .	Successful Treatment of Bowen's Disease with Topical Maxacalcitol.	Acta Derm Venereol	92(6):660-661, 2012
Karashima T, Tsuruta D, <u>Hamada T</u> , Ishii N, Ono F, Hashikawa K, Ohyama B, Natsuki Y, Fukuda S, Koga H, Sogame R, Nakama T, Dainichi T, <u>Hashimoto T</u> .	Interaction of plectin and intermediate filaments.	J Dermatol Sci	66(1):44-50, 2012
Komorowski L, Muller R, Vorobyev A, Probst C, Recke A, Jonkman MF, <u>Hashimoto T</u> , Kim SC, Groves R, Ludwig RJ, Zillikens D, Stocker W, Schmidt E.	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita.	J Am Acad Dermatol	2012 Feb 15. [Epub ahead of print]
Iida K, Yamaguchi F, Hibi K, Tate G, Ohyama B, Numata S, <u>Hashimoto T</u> , Sato M, Uchida T, Sueki H.	Characterisation of inflammatory infiltrates in lesions of the oral mucosa, skin, and bronchioles in a case of paraneoplastic pemphigus.	Eur J Dermatol	22(1):154-155, 2012
Hanawa F, Harada K, Andou N, Kawamura T, Shibagaki N, Fukuda S, <u>Hashimoto T</u> , Shimada S.	Case of mucous membrane pemphigoid characterized by circulating immunoglobulin A and immunoglobulin G autoantibodies to the gamma-2 subunit of laminin-332.	J Dermatol	39(11):962-963, 2012
Inaoki M, Nishijima C, Ohyama B, <u>Hashimoto T</u> .	Subepidermal blistering disease presenting with anti-plakin antibodies.	Eur J Dermatol	22(2):284-285, 2012
Inoue Y, Adachi A, Ueno M, Fukumoto T, Nishitani N, Fujiwara N, Yamada Y, Ohyama B, Tsuruta D, <u>Hashimoto T</u> .	Atypical subacute cutaneous lupus erythematosus presenting as lichen planus pemphigoides with autoantibodies to C-terminus of BP180, desmoglein 1 and SS-A/Ro antigen.	J Dermatol	39(11):960-962, 2012
Florea F, Torio-Padron N, <u>Hashimoto T</u> , Sitaru C.	Non-scarring skin blistering disease and mucosal lesions with IgA autoantibodies reactive with collagen VII and IgG reactivity with laminin γ 2.	J Dermatol	167(4):938-941, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Sato M, Ishitsuka A, Shibuya Y, Kanoh H, Koga H, Hashimoto T , Seishima M.	Time-course of the Change in Titre of Antibodies Against Type VII Collagen in a Patient with Epidermolysis Bullosa Acquisita.	Acta Derm Venereol	92(6):693-694, 2012
Licarete E, Ganz S, Recknagel M, Di Zenzo G, Hashimoto T , Hertl M, Zambruno G, Hundorfean G, Mudter J, Neurath M, Bruckner-Tuderman L, Sitaru C.	Prevalence of collagen VII-specific autoantibodies in patients with autoimmune and inflammatory diseases.	BMC Immunol	13(1):16, 2012
Tsuruta D, Nishikawa T, Yamagami J, Hashimoto T .	Unilateral bullous pemphigoid without erythema and eosinophil infiltration in a hemiplegic patient.	J Dermatol	39(9):787-789, 2012
Ishii N, Hamada T , Koga H, Sogame R, Ohyama B, Fukuda S, Natsuaki Y, Dainichi T, Karashima T, Nakama T, Tsuruta D, Hashimoto T .	Decline of disease activity and autoantibodies to desmoglein 3 and envoplakin by oral prednisolone in paraneoplastic pemphigus with benign thymoma.	Eur J Dermatol	22(4):547-549, 2012
Ono F, Yasumoto S, Furumura M, Hamada T, Ishii N, Gyotoku T, Higuchi M, Inokuchi K, Jyo K, Koga H, Komai A, Maruta K, Mashiko T, Mihara T, Miyahara H, Miyasato M, Muto K, Nagase K, Nagata M, Sakihamma H, Tanahashi T, Ueda A, Yamakawa K, Ohata C, Dainichi T, Tsuruta D, Hashimoto T .	Comparison between famciclovir and valacyclovir for acute pain in adult Japanese immunocompetent patients with herpes zoster.	J Dermatol	39(11):902-908, 2012
Hashimoto T , Ishii N, Ohata C, Furumura M.	Pathogenesis of epidermolysis bullosa acquisita, an autoimmune subepidermal bullous disease. Kasperkiewicz M, Nimmerjahn F, Wende S, et al.	J Pathol	228(1):1-7, 2012
Mitate E, Kawano S, Nakao Y, Goto Y, Kobayashi I, Onozawa K, Hashimoto T , Nakamura S.	Concurrence of Autoantibodies to Both Laminin gamma1 and gamma2 Subunits in a Patient with Kidney Rejection Response.	Acta Derm Venereol	2012 Jun 27. [Epub ahead of print]
Karashima T, Tsuruta D, Hamada T , Ono F, Ishii N, Abe T, Ohyama B, Nakama T, Dainichi T, Hashimoto T .	Oral zinc therapy for zinc deficiency-related telogen effluvium.	Dermatol Ther	25(2):210-213, 2012
Asahina A, Koga H, Suzuki Y, Hashimoto T .	IgA pemphigus associated with diffuse large B-cell lymphoma showing unique reactivity with desmocollins: Unusual clinical and histopathological features.	Br J Dermatol	2012 Jul 3. [Epub ahead of print]
Fukuda S, Ishii N, Hamada T , Ohyama B, Momosaki N, Karashima T, Nakama T, Tsuruta D, Hashimoto T	A case of herpes gestationis: follow-up study of autoantibodies using enzyme-linked immunosorbent assay and immunoblotting.	Indian J Dermatol Venereol Leprol	78(2):199-201, 2012
Kanwar AJ, Vinay K, Koga H, Hashimoto T .	Mucous membrane pemphigoid with antibodies against γ 3 subunit of laminin-332: First report from India.	Indian J Dermatol Venereol Leprol	78(4):475-479, 2012
Ohata C, Ishii N, Hamada T , Shimomura Y, Niizeki H, Dainichi T, Furumura M, Tsuruta D, Hashimoto T .	Distinct Characteristics in Japanese Dermatitis Herpetiformis: A Review of All 91 Japanese Patients over the Last 35 Years.	Clin Dev Immunol	2012:562168, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Tsuruta D, Ishii N, <u>Hashimoto T</u> .	Diagnosis and treatment of pemphigus.	Immunotherapy	4(7):735-745, 2012
Bizikova P, Dean GA, <u>Hashimoto T</u> , Olivry T.	Cloning and establishment of canine desmocollin-1 as a major autoantigen in canine pemphigus foliaceus.	Vet Immunol Immunopathol	149(3-4):197-207, 2012
<u>Hashimoto T</u> , Kawakami T, Tsuruta D, Hamada T, Natsuki Y, Fukuda S, Koga H, Sogame R, Ohyama B, Ono F, Karashima T, Nakama T, Dainichi T, Ishii N, Yasumoto S.	Low-dose cyclosporin improves the health-related quality of life in Japanese psoriasis patients dissatisfied with topical corticosteroid monotherapy.	Australas J Dermatol	53(3):202-206, 2012
Fukuchi O, Suko A, Matsuzaki H, Baba H, Yoshida H, Takeuchi T, Odawara S, Fukuda S, <u>Hashimoto T</u>	Anti-laminin-332 mucous membrane pemphigoid with autoantibodies to alpha3, beta3 and gamma2 subunits of laminin-332 as well as to BP230 and periplakin associated with adenocarcinoma from an unknown primary site.	J Dermatol	2012 Aug 20. [Epub ahead of print]
Vafia K, Groth S, Beckmann T, Hirose M, Dworschak J, Recke A, Ludwig RJ, <u>Hashimoto T</u> , Zillikens D, Schmidt E.	Pathogenicity of Autoantibodies in Anti-p200 Pemphigoid.	PLoS One	7(7):e41769, 2012
Ohata C, Koga H, Teye K, Ishii N, Hamada T, Dainichi T, Furumura M, Sato M, Sueki H, <u>Hashimoto T</u> .	Concurrence of bullous pemphigoid and herpetic pemphigus with IgG antibodies to desmogleins 1/3 and desmocollins 1-3.	Br J Dermatol	2012. Aug 27. [Epub ahead of print]
Wozniak K, <u>Hashimoto T</u> , Ishii N, Koga H, Huczek M, Kowalewski C.	Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA.	Br J Dermatol	2012. Aug 27. [Epub ahead of print]
Gunes T, Akin MA, Sarici D, Hallac K, Kurtoglu S, <u>Hashimoto T</u> .	Guaiazulene; a new treatment option for recalcitrant diaper dermatitis in nicu patients.	J Matern Fetal Neonatal Med	2012. Aug 29. [Epub ahead of print]
Choi Y, Nam KH, Lee JB, Lee JY, Ihm CW, Lee SE, Oh SH, <u>Hashimoto T</u> , Kim SC.	Retrospective analysis of 12 Korean patients with paraneoplastic pemphigus.	J Dermatol	39(12):973-981, 2012
<u>Hashimoto T</u> , Kawakami T, Ishii N, Ishii K, Karashima T, Nakama T, Tsuruta D, Dainichi T, Hide M, Hamada T	Mizoribine treatment for antihistamine-resistant chronic autoimmune urticaria.	Dermatol Ther	25(4):379-381, 2012
<u>Hashimoto T</u> , Kawakami T, Koga H, Ohyama B, Hamada T, Dainichi T, Nakama T, Yasumoto S, Tsuruta D, Ishii N.	Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus.	Dermatol Ther	25(4):382-385, 2012
Kanwar AJ, Sawatkar GU, Vinay K, <u>Hashimoto T</u> .	Childhood pemphigus vulgaris successfully treated with rituximab.	Indian J Dermatol Venereol Leprol	78(5):632-634, 2012
Shimizu A, Funakoshi T, Ishibashi M, Yoshida T, Koga H, <u>Hashimoto T</u> , <u>Amagai M</u> , Ishiko A.	IgG deposition to non-hemidesmosomal lamina lucida and the early neutrophil involvement are the characteristic features in a case with anti-p200 pemphigoid.	Br J Dermatol	2012. Sep 10. [Epub ahead of print]

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Shigeta M, Saiki M, Tsuruta D, Ohata C, Ishii N, Ono F, <u>Hamada T</u> , Dainichi T, Furumura M, Zone JJ, Karpati S, Sitaru C, <u>Hashimoto T</u> .	Two Japanese cases of dermatitis herpetiformis associated each with lung cancer and autoimmune pancreatitis but showing no intestinal symptom or circulating immunoglobulin A antibodies to any known antigens.	J Dermatol	39(12):1002-1005, 2012
Nin M, Tokunaga D, Ishii N, Komai A, <u>Hashimoto T</u> , Katoh N.	Case of coexisting psoriatic arthritis and bullous pemphigoid improved by etanercept.	J Dermatol	2012 Sep 11. [Epub ahead of print]
Wakumoto-Nakashima K, Yoshida Y, Adachi K, Yamamoto O, <u>Hashimoto T</u> .	Rare appearance of toxic epidermal necrolysis-like histopathological features in a case of atypical pemphigus with serological pemphigus vulgaris character.	J Dermatol	2012 Sep 14. [Epub ahead of print]
Di Zenzo G, Di Lullo G, Corti D, Calabresi V, Sinistro A, Vanzetta F, Didona B, Cianchini G, Hertl M, Eming R, <u>Amagai M</u> , Ohyama B, <u>Hashimoto T</u> , Sloostra J, Sallusto F, Zamburino G, Lanzavecchia A.	Pemphigus autoantibodies generated through somatic mutations target the desmoglein-3 cis-interface.	J Clin Invest	122 (10):3781-3790, 2012
<u>Hamada T</u> , Tsuruta D, Fukuda S, Ishii N, Teye K, Numata S, Dainichi T, Karashima T, Ohata C, Furumura M, <u>Hashimoto T</u> .	How do keratinizing disorders and blistering disorders overlap?	Exp Dermatol	2012 Sep 7. [Epub ahead of print]
Tsuruta D, Ohzono A, Ishii N, Ono F, <u>Hamada T</u> , Dainichi T, Ohata C, Furumura M, Noda K, <u>Hashimoto T</u> .	Overlap syndrome comprised of systemic sclerosis and systemic lupus erythematosus associated with spinocerebellar ataxia type 6 and MALT lymphoma.	Eur J Dermatol	in press
Kanwar AJ, Vinay K, Parmar NV, Koga H, Ishii N, <u>Hashimoto T</u> .	Anti-desmoglein antibody-negative paraneoplastic pemphigus with coexisting bullous pemphigoid, successfully treated with rituximab.	Int J Dermatol	in press
Tajima S, Konishi K, Koga H, <u>Hashimoto T</u> .	A case of vancomycin-induced linear IgA bullous dermatosis with circulating IgA antibodies to the NC16a domain of BP180.	Int J Dermatol	in press
Suzuki K, Nishiwaki K, Yamada H, Baba H, Hori K, Takeuchi T, Fukuda S, <u>Hashimoto T</u> .	Case of paraneoplastic pemphigus associated with retroperitoneal diffuse large B-cell lymphoma and fatal bronchiolitis obliterans-like lung disease.	J Dermatol	2012 Oct 30. [Epub ahead of print]
Ueo D, Hamada T, <u>Hashimoto T</u> , Hatano Y, Okamoto O, Fujiwara S.	Different missense mutations in a single codon of ATP2A2 are associated with late-onset Darier's disease and acrokeratosis verruciformis.	J Dermatol	in press
Higuchi F, Tsuruta D, Ishibashi Y, Imamura K, Shimoyama T, Ookawa T, Kume S, Yoshida S, Gotoh M, Noda A, Mori T, <u>Hamada T</u> , Ishii N, Dainichi T, Kobayashi H, Nagata K, <u>Hashimoto T</u> .	Psoriasis Vulgaris Caused by Ceramic Inserts Used in Total Hip Replacement.	J Cutan Med Surg	16(6):448-450, 2012
Shimizu A, Funakoshi T, Ishibashi M, Yoshida T, Koga H, <u>Hashimoto T</u> , <u>Amagai M</u> , Ishiko A.	Immunoglobulin G deposition to nonhemidesmosomal lamina lucida and early neutrophil involvement are characteristic features in a case of anti-p200 pemphigoid.	Br J Dermatol	2012 Sep 10. [Epub ahead of print]

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Parmar NV, Kanwar AJ, Minz RW, Parsad D, Vinay K, Tsuruta D, Ishii N, <u>Hashimoto T</u> .	Assessment of the therapeutic benefit of dexamethasone cyclophosphamide pulse versus only oral cyclophosphamide in phase II of the dexamethasone cyclophosphamide pulse therapy: A preliminary prospective randomized controlled study.	Indian J Dermatol Venereol Leprol	79(1):70-76, 2013
Ohata C, Mori Y, Tokita T, Koga H, Ohyama B, Sogame R, <u>Hamada T</u> , Ishii N, Furumura M, Hashimoto T.	Pemphigoid with autoantibodies to all laminin 332 subunits and BP230 developing vesicles within psoriatic plaques.	Eur J Dermatol	2012 Nov 20. [Epub ahead of print]
Haneda T, Imai Y, Koga H, <u>Hashimoto T</u> , Yamanishi K.	A case of subepidermal bullous dermatosis with IgG autoantibodies against various basement membrane zone proteins.	J Dermatol	in press
Caproni M, Fasano A, <u>Hashimoto T</u> , Fabbri P, Calabr AS	Recent Advances in Dermatitis Herpetiformis.	Clin Dev Immunol	450109, 2012
Majima Y, Yagi H, Tateishi C, Groth S, Schmidt E, Zillikens D, Koga H, <u>Hashimoto T</u> , Tokura Y.	A successful treatment with ustekinumab in a case of anti-laminin-gammal pemphigoid associated with psoriasis.	Br J Dermatol	2012. Dec 18. [Epub ahead of print]
Kanwar AJ, Tsuruta D, Vinay K, Koga H, Ishii N, Dainichi T, <u>Hashimoto T</u> .	Efficacy and safety of rituximab treatment in Indian pemphigus patients.	J Eur Acad Dermatol Venereol	27(1):e17-23, 2013
Torii H, Sato N, Yoshinari T, Nakagawa H, Japanese Influximab Study Investigators	Dramatic impact of a Psoriasis Area and Severity Index 90 response on the quality of life in patients with psoriasis: an analysis of Japanese clinical trials of infliximab.	J Dermatol	39(3): 253-259, 2012
Igarashi A, Kato T, Kato M, Song M, Nakagawa H, Japanese Ustekinumab Study Group	Efficacy and safety of ustekinumab in Japanese patients with moderate-to-severe plaque-type psoriasis: long-term results from a phase 2/3 clinical trial.	J Dermatol	39(3): 242-252, 2012
Jin Y, Murata H, <u>Sakaguchi M</u> , Kataoka K, Watanabe M, Nasu Y, Kumon H, Huh NH	Partial sensitization of human bladder cancer cells to a gene-therapeutic adenovirus carrying REIC/Dkk-3 by downregulation of BRPK/PINK1.	Oncol Rep	27: 695-699, 2012
Kataoka K, Du G, Maehara N, Murata H, <u>Sakaguchi M</u> , Huh N	Expression pattern of REIC/Dkk-3 in mouse squamous epithelia.	Clin Exp Dermatol	37: 428-431, 2012
Kawauchi K, Watanabe M, Kaku H, Huang P, Sasaki K, <u>Sakaguchi M</u> , Ochiai K, Huh NH, Nasu Y, Kumon H.	Preclinical Safety and Efficacy of in Situ REIC/Dkk-3 Gene Therapy for Prostate Cancer.	Acta Med Okayama	66: 7-16, 2012
Kataoka K, Ono T, Murata H, Morishita M, Yamamoto K, <u>Sakaguchi M</u> , Huh NH.	S100A7 promotes the migration and invasion of osteosarcoma cells via the receptor for advanced glycation end products.	Oncol Lett	3: 1149-1153, 2012
Hirata T, Watanabe M, Kaku H, Kobayashi Y, Yamada H, <u>Sakaguchi M</u> , Takei K, Huh NH, Nasu Y, Kumon H.	REIC/Dkk-3-encoding adenoviral vector as a potentially effective therapeutic agent for bladder cancer.	Int J Oncol	41: 559-564, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Sugimoto M, Watanabe M, Kaku H, Li SA, Noguchi H, Ueki H, <u>Sakaguchi M</u> , <u>Huh NH</u> , Nasu Y, Kumon H.	Preclinical biodistribution and safety study of reduced expression in immortalized cells/Dickkopf-3-encoding adenoviral vector for prostate cancer gene therapy.	Int J Oncol	28: 1645-1652, 2012
Yamamoto K, Murata H, Putranto EW, Kataoka K, Motoyama A, Hibino T, Inoue Y, <u>Sakaguchi M</u> , <u>Huh NH</u>	DOCK7 is a critical regulator of the RAGE-Cdc42 signaling axis that induces formation of dendritic pseudopodia in human cancer cells.	Oncol Rep	29(3):1073-1079, 2013
Hibino T, <u>Sakaguchi M</u> , Miyamoto S, Yamamoto M, Motoyama A, Hosoi J, Shimokata T, Ito T, Tsuboi R, <u>Huh NH</u>	S100A9 is a novel ligand of EMMPRIN that promotes melanoma metastasis.	Cance Res	73(1):172-183, 2013
Morita M, <u>Komine M</u> , Takatsuka Y, Hosoda S, Onda H, Maekawa T, Murata S, Ohtsuki M.	Case of drug-induced hypersensitivity syndrome with multiple skin ulcers caused by herpes simplex virus reactivation.	J Dermatol.	2012 Oct 22. [Epub ahead of print]
Meephansan J, <u>Komine M</u> , Hosoda S, Tsuda H, Karakawa M, Murata S, Demitsu T, Ohtsuki M.	Possible involvement of SDF-1/CXCL12 in the pathogenesis of Degos disease.	J Am Acad Dermatol.	68(1):138-143, 2013
Meephansan J, <u>Komine M</u> , Tsuda H, Ohtsuki M.	Suppressive effect of calcipotriol on the induction of matrix metalloproteinase(MMP)-9 and MMP-13 in a human squamous cell carcinoma cell line.	Clin Exp Dermatol.	37(8):889-896, 2012
Tsuda H, <u>Komine M</u> , Karakawa M, Etoh T, Tominaga S, Ohtsuki M.	Novel splice variants of IL-33: differential expression in normal and transformed cells.	J Invest Dermatol.	132(11):2661-2664, 2012
Wakatabi K, <u>Komine M</u> , Meephansan J, Matsuyama Y, Tsuda H, Tominaga S, Ohtsuki M.	The levels of soluble ST2 in sera and bullous fluid from patients with bullous pemphigoid.	Eur J Dermatol.	22(3):333-336, 2012
Hosoda S, <u>Komine M</u> , Karakawa M, Tsuda H, Ohtsuki M.	Nadifloxacin downregulates the production of matrix metalloproteinases in the human epidermal keratinocyte cell line HaCaT.	J Dermatol.	39(10):855-857, 2012
Meephansan J, <u>Komine M</u> , Tsuda H, Tominaga S, Ohtsuki M.	Ultraviolet B irradiation induces the expression of IL-33 mRNA and protein in normal human epidermal keratinocytes.	J Dermatol Sci.	65(1):72-74, 2012
Takatsuka Y, <u>Komine M</u> , Ohtsuki M.	Pemphigoid gestationis with a complete hydatidiform mole.	J Dermatol.	39(5):474-476, 2012
Matsuyama Y, Okazaki H, Hoshino M, Onishi S, Kamata Y, Nagatani K, Nagashima T, Iwamoto M, Yoshio T, Ohtozaki H, Tamemoto H, <u>Komine M</u> , Sekiya H, Tominaga S, Minota S.	Sustained elevation of interleukin-33 in sera and synovial fluids from patients with rheumatoid arthritis non-responsive to anti-tumor necrosis factor: possible association with persistent IL-1 β signaling and a poor clinical response.	Rheumatol Int.	32(5):1397-401, 2012
Natsuga K, <u>Nishie W</u> , Shinkuma S, Ujiie H, Nishimura M, Sawamura D, Shimizu H	Antibodies to Pathogenic Epitopes on Type XVII Collagen Cause Skin Fragility in a Complement-Dependent and -Independent Manner.	J Immunol	188: 5792-5799, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Fujita Y, Inokuma D, Abe R, Sasaki M, Nakamura H, Shimizu T, <u>Shimizu H</u>	Conversion from human haematopoietic stem cells to keratinocytes requires keratinocyte secretory factors.	Clin Exp Dermatol	37(6):658-64, 2012
Umemoto H, <u>Akiyama M</u> , Domon T, Nomura T, Shinkuma S, Ito K, Asaka T, Sawamura D, Uitto J, Uo M, Kitagawa Y, Shimizu H	Type VII Collagen Deficiency Causes Defective Tooth Enamel Formation due to Poor Differentiation of Ameloblasts.	Am J Pathol	181: 1659-1671, 2012
Ujiie H, Shibaki A, <u>Nishie W</u> , Shinkuma S, Moriuchi R, Qiao H, Shimizu H	Noncollagenous 16A domain of type XVII collagen-reactive CD4+ T cells play a pivotal role in the development of active disease in experimental bullous pemphigoid model.	Clin Immunol	142: 167-175, 2012
<u>Kaneda Y</u>	Virosome: a novel vector to enable multi-modal strategies for cancer therapy	Advanced Drug Delivery Reviews	64, 730-738, 2012
Shimada A, Takahashi Y, Muramatsu H, Hama A, Ismael O, Narita A, Sakaguchi H, Doisaki S, Nishio N, Tanaka M, Yoshida N, Matsumoto K, Kato K, Watanabe N, <u>Kojima S</u>	Excellent outcome of allogeneic bone marrow transplantation for Fanconi anemia using fludarabine-based reduced-intensity conditioning regimen	International journal of hematology	95:675-679, 2012
Sakaguchi H, Takahashi Y, Watanabe N, Doisaki S, Muramatsu H, Hama A, Shimada A, Yagasaki H, Kudo K, <u>Kojima S</u>	Incidence, clinical features, and risk factors of idiopathic pneumonia syndrome following hematopoietic stem cell transplantation in children.	Pediatric blood & cancer	58:780-784, 2012
Narita A, Muramatsu H, Takahashi Y, Sakaguchi H, Doisaki S, Nishio N, Hama A, Shimada A, Ito M, <u>Kojima S</u>	Autoimmune-like hepatitis following unrelated BMT successfully treated with rituximab.	Bone marrow transplantation	47:600-602, 2012
Doisaki S, Muramatsu H, Shimada A, Takahashi Y, Moriezaki M, Sato M, Kawaguchi H, Kinoshita A, Sotomatsu M, Hayashi Y, Furukawa-Hibi Y, Yamada K, Hoshino H, Kiyoi H, Yoshida N, Sakaguchi H, Narita A, Wang X, Ismael O, Xu Y, Nishio N, Tanaka M, Hama A, Koike K, <u>Kojima S</u>	Somatic mosaicism for oncogenic NRAS mutations in juvenile myelomonocytic leukemia.	Blood	120:1485-1488, 2012
Asai D, Osone S, Imamura T, Sakaguchi H, Nishio N, Kuroda H, <u>Kojima S</u>	Hosoi H. Allo-SCT in a patient with CRMCC with aplastic anemia using a reduced intensity conditioning regimen.	Bone Marrow Transplant.	47(8):1126-7, 2012
Yang L, Hashimoto K, Tohyama M, Okazaki H, Dai X, Hanakawa Y, Sayama K, <u>Shirakata Y</u>	Interactions between myofibroblast differentiation and epidermogenesis in constructing human living skin equivalents.	J Dermatol Sci.	65:50-57, 2012
Yang L, Hashimoto K, <u>Shirakata Y</u>	Epidermogenesis in a skin wound deep through the basement membrane contributes to scar formation.	J Dermatol Sci.	65:224-226, 2012
Saleh MA, Ishii K, Yamagami J, <u>Shirakata Y</u> , Hashimoto K, Amagai M	Pathogenic anti-desmoglein 3 mAbs cloned from a paraneoplastic pemphigus patient by phage display.	J Invest Dermatol.	132:1141-1148, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Tohyama M, Yang L, Hanakawa Y, Dai X, Shirakata Y, Sayama K	IFN- α enhances IL-22 receptor expression in keratinocytes: a possible role in the development of psoriasis.	J Invest Dermatol.	132:1933-1935, 2012
Soma T, Fujiwara S, Shirakata Y, Hashimoto K, Kishimoto J	Hair-inducing ability of human dermal papilla cells cultured under Wnt/ β -catenin signalling activation.	Exp Dermatol.	21:307-309, 2012
Kurosawa M, Takagi A, Tamakoshi A, Kawamura T, Inaba Y, Yokoyama K, Kitajima Y, Aoyama Y, Iwatsuki K, Ikeda S	Epidemiology and clinical characteristics of bulbous congenital ichthyosiform erythroderma(ke- ratinolytic ichthyosis)in Japan: Results from a nationwide survey.	J Am Acad Dermatol	2012 Nov 19. [Epub ahead of print]
Suzuki A, Haruna K, Mizuno Y, Kuwae Y, Ono Y, Okumura K, Negi O, Kon Y, Takeuchi K, Takamori K, Ikeda S, Suga Y	Successful treatment of three cases of generalized pustular psoriasis with granulocyte and monocyte adsorption apheresis.	Ther Apher Dial	16 (5): 445-448, 2012
Hirota T, Takahashi A, Kubo M, Tsunoda T, Tomita K, Sakashita M, Yamada T, Fuji- da S, Tanaka S, Doi S, Mi- yatake A, Enomoto T, Nishiya- ma C, Nakano N, Maeda K, Okumura K, Ogawa H, Ikeda S, Noguchi E, Sakamoto T, Hiza- wa N, Ebe K, Saeki H, Sasaki T, Ebihara T, Amagai M, Takeuchi S, Furue M, Nakamura Y, Tamari M	Genome-wide association study identifies eight new susceptibility loci for atopic dermatitis in the Japanese population.	Nat Genet	44(11): 1222-1226, 2012
Nguyen TT, Niyonsaba F, Ushio H, Akiyama T, Kiat- surayanon C, Smithrithee R, Ikeda S, Okumura K, Ogawa H	Interleukin-36 cytokines enhance the production of host defense peptides psoriasin and LL-37 by human keratinocytes through activation of MAPKs and NF- κ B.	J Dermatol Sci	68: 63-66, 2012
Furusawa K, Hasegawa T, Ikeda S	Immunosuppressant and infliximab-resistant generalized pustular psoriasis successfully treated with granulocyte and monocyte adsorption apheresis.	Ther Apher Dial	16(4): 379-380, 2012
Iida H, Hasegawa T, Okuma K, Io H, Tomino Y, Ikeda S	Successfully maintained hemodialysis for the treatment of chronic renal failure in a patient with Hallopeau-Siemens type recessive dystrophic epidermolysis bullosa.	J Dermatol	39(12): 1088-1089, 2012
Torii H, Sato N, Yoshinari T, Nakagawa H; Japanese Infliximab Study Investigators	Dramatic impact of a Psoriasis Area and Severity Index 90 response on the quality of life in patients with psoriasis: an analysis of Japanese clinical trials of infliximab.	J Dermatol	39(3): 253-259, 2012
Kitamura N, Yokoyama H, Yashiro T, Nakano N, Nishiyama M, Kanada S, Fukai T, Hara M, Ikeda S, Ogawa H, Okumura K, Nishiyama C	Role of PU.1 in MHC class II expression through transcriptional regulation of class II transactivator pI in dendritic cells.	J Allergy Clin Immunol.	129(3): 814-824, 2012
Shukuya R, Hasegawa T, Niwa Y, Okuma K, Ikeda S	Granulocyte and monocyte adsorption apheresis for generalized pustular psoriasis.	J Dermatol	38(12): 1130-1134, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Ng W, <u>Ikeda S</u>	Use of sun-protective items by Japanese pedestrians: a cross-sectional observational study.	Arch Dermatol	147(10): 1167-1170, 2012
Igarashi A, Kato T, Kato M, Song M, Nakagawa H; Japanese Ustekinumab Study Group	Efficacy and safety of ustekinumab in Japanese patients with moderate-to-severe plaque-type psoriasis: long-term results from a phase 2/3 clinical trial.	J Dermatol	39(3): 242-252, 2012
Hasegawa T, Suga Y, Mizuno Y, Haruna K, <u>Ikeda S</u>	Photodynamic therapy using intense pulsed light for cutaneous sarcoidosis.	J Dermatol	39(6): 564-565, 2012
Yasuda K, Sugiura K, Ishikawa R, Kihira M, Negishi Y, Iwayama H, Ito K, Kimura H, Kosugi I, <u>Akiyama M</u> .	Perinatal cytomegalovirus-associated bullae in an immunocompetent infant.	Arch Dermatol	148: 770-772, 2012
Sugiura K, Takeichi T, Kono M, Ogawa Y, Shimoyama Y, Muro Y, <u>Akiyama M</u> .	A novel IL36RN/IL1F5 homozygous nonsense mutation, p.Arg10X, in a Japanese patient with adult-onset generalized pustular psoriasis.	Br J Dermatol	167: 699-701, 2012
Kono M, Suganuma M, Ito Y, Ujiie H, Morimoto K, <u>Akiyama M</u> .	Novel ADAR1 mutations including single amino acid deletion in the deaminase domain underlying dyschromatosis symmetrica hereditaria in Japanese families.	Int J Dermatol	in press
Sugiura K, Takeichi T, Kono M, Ito Y, Ogawa Y, Muro Y, <u>Akiyama M</u> .	Severe chilblain lupus is associated with heterozygous missense mutations of catalytic amino acids or their adjacent in the exonuclease domains of 3'-repair exonuclease 1.	J Invest Dermatol	132: 2855-2857, 2012
Tanahashi K, Sugiura K, Takeichi T, Takama H, Shin-kuma S, Shimizu H, <u>Akiyama M</u> .	Prevalent founder mutation c.736T>A of LIPH in autosomal recessive woolly hair of Japanese leads to variable severity of hypotrichosis in adulthood.	J Eur Acad Dermatol Venereol	2012 Mar 26. [Epub ahead of print]
Sugiura K, Sugiura N, Yagi T, Iguchi M, Ohno H, Miyazaki Y, <u>Akiyama M</u> .	Cryptococcal cellulitis in a patient with bullous pemphigoid.	Acta Dermatol-Venereol	2012 Jun 12. [Epub ahead of print]
Sugiura K, Koga H, Ishikawa R, Matsumoto T, Matsubara M, Hagiwara R, Muro Y, Hashimoto T, <u>Akiyama M</u> .	Paraneoplastic pemphigus with anti-laminin-332 autoantibodies in a patient with follicular dendritic cell sarcoma.	JAMA Dermatol	149(1):111-113, 2013
Pohler E, Mamai O, Hirst J, Zamiri M, Horn H, Nomura T, Irvine AD, Moran BE, Wilson NJ, Smith FJD, Goh CSM, Sandilands A, Cole C, Barton GJ, Evans AT, Shimizu H, <u>Akiyama M</u> , Suehiro A, Konohana I, Shboul M, Teissier, Boussofara L, Denguezli M, Saad A, Gribaa M, Dopping-Hepenstal PJ, McGrath JA, Brown SJ, Goudie DR, Reversade B, Munro CS, McLean WHI.	Haploinsufficiency for AAGAB causes clinically heterogeneous forms of punctate palmoplantar keratoderma.	Nat Genet	44: 1272-1276, 2012
Takeichi T, Sugiura K, Arai H, Ishii K, Kono M, <u>Akiyama M</u> .	Sporadic VACTERL association in a Japanese family of Sjögren-Larsson syndrome with ALDH3A2 heterozygous mutations.	Acta Dermatol-Venereol	in press

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Takeichi T, Sugiura K, Matsuda K, Kono M, <u>Akiyama M</u> .	Novel ABCA12 splice site deletion mutation and ABCA12 mRNA analysis of pulled hair samples in harlequin ichthyosis.	J Dermatol Sci	2012 Nov 14. [Epub ahead of print]
<u>Ishida-Yamamoto A</u> , Kishibe M, Murakami M, Honma M, Takahashi H, Iizuka H	Lamellar granule secretion starts before the establishment of tight junction barrier for paracellular tracers in mammalian epidermis	PLoS One	7(2):e31641, 2012
Sarig O, Nahum S, Rapaport D, <u>Ishida-Yamamoto A</u> , Fuchs-Telem D, Qiaoli L, Cohen-Katsenelson K, Spiegel R, Nussbeck J, Israeli S, Borochowitz ZU, Padalon-Brauch G, Uitto J, Horowitz M, Shalev S, Sprecher E	Short stature, onychodysplasia, facial dysmorphism, and hypotrichosis syndrome is caused by a POC1A mutation	Am J Hum Genet	91(2):337-342, 2012
Kishibe M, Bando Y, Tanaka T, <u>Ishida-Yamamoto A</u> , Iizuka H, Yoshida S	Kallikrein-related peptidase 8-dependent skin wound healing is associated with upregulation of kallikrein-related peptidase 6 and PAR2	J Invest Dermatol	132(6):1717-1724, 2012
de Koning HD, van den Bogaard EH, Bergboer JG, Kamsteeg M, van Vlijmen-Willems IM, Hitomi K, Henry J, Simon M, Takashita N, <u>Ishida-Yamamoto A</u> , Schalkwijk J, Zeeuwen PL	Expression profile of cornified envelope structural proteins and keratinocyte differentiation-regulating proteins during skin barrier repair	Br J Dermatol	166(6):1245-1254, 2012
Shibuya T, Komatsu S, Takahashi I, Honma M, Takahashi H, <u>Ishida-Yamamoto A</u> , Kamiya T, Fukuda S, Hashimoto T, Iizuka H	Mucous membrane pemphigoid accompanied by ovarian cancer: a case with autoantibodies solely against $\gamma(2)$ -subunit of laminin-332	J Dermatol	39(10):882-884, 2012
Nakamura Y, <u>Muto M</u>	Subepidermal calcified nodule of the knee with transepidermal elimination of calcium.	J Dermatol	39:965-966, 2012
Nakamura Y, Wakamatsu K, <u>Muto M</u>	Drug-induced hypersensitivity syndrome induced by clindamycin.	Acta Derm Venereol	in press
Ichimiya M, Goishi K, <u>Muto M</u>	Endoscopic groin lymph node dissection as a preferable technique for malignant skin neoplasms.	J Plast Surg Hand Surg	in press
Sugawara T, Nemoto K, Adachi Y, Yamano N, Tokuda N, <u>Muto M</u> , Okuyama R, Sakai S, Owada Y	Reduced size of sebaceous gland and altered sebum lipid composition in mice lacking fatty acid binding protein 5 gene.	Exp Dermatol	21: 543-546, 2012
Farooq M, Nakai H, Fujimoto A, Fujikawa H, Matsuyama A, Kariya N, Aizawa A, Fujiwara H, Ito M, <u>Shimomura Y</u>	Mutation analysis of the IL36RN gene in 14 Japanese patient with generalized pustular psoriasis.	Hum Mutat	34: 176-183, 2013
Oka A, Mabuchi T, <u>Ozawa A</u> , Inoko H	Current understanding of human genetics and genetic analysis of psoriasis.	J Dermatol	39: 231-41, 2012
Mabuchi T, Yamaoka H, Kojima T, Kato M, Ikoma N, Tamiya S, Akasaka E, <u>Ozawa A</u>	Psoriasis affects patient's quality of life more seriously in female than in male in Japan.	Tokai J Exp Clin Med	37: 84-8, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Mabuchi T, Kojima T, Yamaoka H, Hiruma A, Ikoma N, Tamiya S, Akasaka E, Nakamura N, <u>Ozawa A</u>	Development of psoriasis 10 years after allogeneic hematopoietic cell transplantation from non-psoriatic donor: further evidences for genetics and immunopathogenesis of psoriasis.	J Dermatol	39: 1072-4, 2012
Nakagawa N, Yamamoto M, Imai Y, Sakaguchi Y, Takizawa T, Ohta N, Yagi N, Hatta I, Hitomi K, Takizawa T, Takeda J, Tsuda T, Matsuki M, <u>Yamanishi K</u> .	Knocking-in the R142C mutation in transglutaminase 1 disrupts the stratum corneum barrier and postnatal survival of mice	J Dermatol Sci	65:196-206, 2012
Takei-Taniguchi R, Imai Y, Ishikawa C, Sakaguchi Y, Nakagawa N, Tsuda T, Hollenberg MD, <u>Yamanishi K</u> .	Interleukin-17- and protease-activated receptor 2-mediated production of CXCL1 and CXCL8 modulated by cyclosporine A, vitamin D3 and glucocorticoids in human keratinocytes	J Dermatol	39:625-631, 2012
Yamamoto M, Tsuda T, Otaki Y, Nakanishi T, <u>Yamanishi K</u> .	Case of epidermolytic ichthyosis (bullous congenital ichthyosiform erythroderma) with a novel L157P mutation in KRT10 complicated by hypercalcemia	J Dermatol	39:716-718, 2012
Yamamoto M, Sakaguchi Y, Itoh M, Nakagawa N, Fukunaga A, Hitomi K, <u>Yamanishi K</u> .	Bathing suit ichthyosis with summer exacerbation: a temperature-sensitive case	Br J Dermatol	166:672-674, 2012
Yoshifuku A, Oyama K, Ibusuki A, Kawasaki M, Sakanoue M, Matsushita S, Kawai K, Kawahara K, Maruyama I, <u>Kanekura T</u>	Granulocyte and monocyte adsorption apheresis as an effective treatment of Reiter's disease.	Clin Exp Dermatol	21: 241-244, 2012
Tada K, Kawahara K, Matsushita S, Hashiguchi T, Maruyama I, <u>Kanekura T</u>	MK615, a Prunus mume Steb. Et Zucc (Ume) extract, attenuates the growth of A375 melanoma cells by inhibiting the ERK1/2-Id-1 pathway.	Phytother Res	26: 833-838, 2012
Egawa N, Kawai K, Egawa K, Honda Y, <u>Kanekura T</u> , Kiyono T	Molecular cloning and characterization of a novel human papillomavirus, HPV 126, isolated from a flat wart-like lesion with intracytoplasmic inclusion bodies and a peculiar distribution of Ki-67 and p53.	Virology	422: 99-104, 2012
Tsukimura T, Kawashima I, Togawa T, Kodama T, Suzuki T, Watanabe T, Chiba Y, Jigami Y, Fukushige T, <u>Kanekura T</u> , Sakuraba H	Efficient uptake of recombinant α -galactosidase A produced with a gene-manipulated yeast by Fabry mice kidneys.	Mol Med	18: 76-82, 2012
Lian X, Xiao R, Hu X, <u>Kanekura T</u> , Jiang H, Li Y, Wang Y, Yang Y, Zhao M, Lu Q	DNA demethylation of CD40L in CD4+ T-cells from women with systemic sclerosis - A possible explanation for female susceptibility.	Arthritis Rheum	64: 2338-2345, 2012
Togawa T, Tsukimura T, Kodama T, Tanaka T, Kawashima I, Saito S, Ohno K, Fukushige T, <u>Kanekura T</u> , Satomura A, Kang D, Lee BH, Yoo H, Doi K, Noiri E, Sakuraba H	Fabry disease: Biochemical, Pathological and Structural Studies of the α -Galactosidase A with E66Q amino acid substitution.	Mol Genet Metab	105: 615-620, 2012
Jiang H, Xiao R, Lian X, <u>Kanekura T</u> , Luo Y, Yin Y, Zhang G, Ynag Y, Wang Y, Zhao M, Lu Q	Demethylation of TNFSF7 contributes to CD70 overexpression in CD4+ T cells from patients with systemic sclerosis.	Clin Immunol	143: 39-44, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Matsushita S, Ikeda R, Fukushige T, Tajitsu Y, Gunshin K, Okumura H, Ushiyama M, Akiyama S, Kawai K, Takeda Y, Yamada K, <u>Kanekura T</u>	p53R2 is a prognostic factor of melanoma and regulates proliferation and chemosensitivity of melanoma cells.	J Dermatol Sci	68: 19-24, 2012
Ikeda S, Takahashi H, Suga Y, Eto H, Etoh T, Okuma K, Takahashi K, Kanbara T, Seishima M, Morita A, Imai Y, <u>Kanekura T</u>	Therapeutic Depletion of myeloid lineage leukocytes in patients with generalized pustular psoriasis indicates a major role for neutrophils in the immunopathogenesis of psoriasis.	J Am Acad Dermatol	in press
Nakajima H, Nakajima K, Tarutani M, <u>Sano S</u>	Clear association between serum levels of adipokines and T-helper 17-related cytokines in patients with psoriasis	Clin Exp Dermatol	2012 Oct 22. [Epub ahead of print]
Kimura U, Kinoshita A, Haruna K, Mizuno Y, Sekigawa I, Takamori K, <u>Suga Y.</u>	Generalized pustular psoriasis-like eruptions induced after the first use of adalimumab in the treatment of psoriatic arthritis.	J Dermatol	39:286-287, 2012
Kimura U, Kinoshita A, Sekigawa I, Takamori K, <u>Suga Y.</u>	Successful treatment with adalimumab in a patient with psoriatic arthritis and generalized pustular psoriasis.	J Dermatol	39:1071-1072, 2012
Kida N, Sokabe T, Kashio M, Haruna K, Mizuno Y, <u>Suga Y.</u> , Nishikawa K, Kanamaru A, Hongo M, Oba A, Tominaga M.	Importance of transient receptor potential vanilloid 4(TRPV4)in epidermal barrier function in human skin keratinocytes.	Eur J Physiol	463: 715-725, 2012

和文

著者名	論文題目	雑誌名	巻:頁, 西暦年号
宮本樹里亜、 <u>谷川瑛子</u> 、 <u>天谷雅行</u>	天疱瘡 リツキシマブは有効か?	Derma	190: 91-93, 2012
山上 淳、 <u>天谷雅行</u>	天疱瘡を通じた自己免疫疾患の発症機序解明への挑戦	医学のあゆみ	242: 811-815, 2012
名嘉真武国、 <u>橋本 隆</u>	類天疱瘡: 高齢者の非ステロイド療法.	デルマ	190 :94-99, 2012.
<u>橋本 隆</u> 、石井文人	Premune抗Dsg1抗体ELISA「コスミック」およびPremune抗Dsg3抗体ELISA「コスミック」の基礎的・臨床的検討.	医学と薬学	68(1) :149-156, 2012.
<u>橋本 隆</u> 、石井文人	Premune抗BP180抗体ELISA「コスミック」の基礎的・臨床的検討.	医学と薬学	68(1) :143-148, 2012.
福田俊平、名嘉真武国、辻 貴子、桃崎直也、濱田尚宏、田中克己、安本慎一郎、 <u>橋本 隆</u>	神経線維腫症1型に合併した口唇部悪性黒色腫の1例.	皮膚科の臨床	53(6) :905-909, 2012.
大日輝記、川口 淳、上田説子、内小保理、占部和敬、小林美和、下田貴子、十亀良介、高守史子、田中倫子、寺原慶子、中園亜矢子、文森健明、師井美樹、山本有紀、渡邊徹心、 <u>須賀 康</u> 、古江増隆、戸倉新樹、川名誠司、古川福実、山元 修、 <u>橋本 隆</u>	サリチル酸マクロゴールピーリングによる尋常性瘰癧の治療効果.	日本美容皮膚科学会雑誌	22 :31 - 39, 2012.
今村和子、鶴田大輔、 <u>橋本 隆</u>	薬物アレルギー.	臨床と研究	89(3) :327-333, 2012.

著者名	論文題目	雑誌名	巻:頁, 西暦年号
難波千佳、白方裕司、宮脇さおり、藤山幹子、花川 靖、白石研、岡崎秀規、小田富美子、村上信司、橋本公二、佐山浩二、福田俊平、橋本 隆	Ⅶ型コラーゲンが高原と思われた粘膜類天疱瘡の1例.	西日本皮膚科	73(6):581-585, 2012.
横山洋子、武石恵美子、浪江智、福田俊平、荒川正崇、石井文人、橋本 隆	妊娠初期に発症し人口流産後も遷延した難治性妊娠性疱瘡の1例.	西日本皮膚科	73(6):563-567, 2012.
廣川景子、西村景子、菅谷直樹、鈴木加余子、福田俊平、橋本 隆、松永佳世子	大量免疫グロブリン静注 (IVIG) 療法が奏功した抗ラミニン332型粘膜類天疱瘡の1例.	日本皮膚科学会雑誌	122(8):2097-2104, 2012.
越後岳士、折戸秀光、濱口儒人、藤本 学、竹原和彦、小林 颯、橋本 隆	各種局所療法や羊膜移植が有用であった粘膜類天疱瘡の3例.	日本皮膚科学会雑誌	122(11):2647-2654, 2012.
名嘉真武国、橋本 隆	水疱症.	Geriatric Medicine	50(7):825-830, 2012.
藤澤智美、村瀬香奈、太和田知里、清島真理子、石井文人、濱田尚宏、橋本 隆	単純型表皮水疱症の孤発例.	日小皮会誌	31(2):41 - 44, 2012.
石井文人、橋本 隆	水疱症に対する使い方, 予期せぬ結果とその対策.	J Visual Dermatology	11(6):600-604, 2012.
松井佐起、前田七瀬、清水裕希、西野 洋、片岡葉子、遠藤 薫、福田俊平、橋本 隆	結節性類天疱瘡の合併が判明したアトピー性皮膚炎.	皮膚病診療	34(1):41 - 44, 2012.
神山由佳、長谷川道子、永井弥生、石川 治、福田俊平、橋本 隆	免疫グロブリン大量静注療法が著効した後天性表皮水疱症が疑われた1例.	臨床皮膚科	66(1):35 - 40, 2012.
宮崎久美子、稲富 徹、小林優人、谷川 宗、照井 正	腹部の単発性皮下腫瘍から診断されたびまん性第細胞型B細胞倫の亜種の1例	臨床皮膚科	66(1):69-72, 2012
伊藤瞳子、三橋真理子、川名愛、稲富 徹、照井 正	Basedow 病に合併した好中球性皮膚炎の1例	臨床皮膚科	66(4):299-303, 2012
大竹映香、稲富 徹、馬場俊一、川端寛樹、高野 愛、小笠原由美子、安藤秀二、照井 正	臨床像からライム病が強く疑われた1例	臨床皮膚科	66(4):362-66, 2012
山崎研志、大槻マミ太郎、照井正、相場節也、土田哲也、宮地良樹、飯島正文	日本皮膚科学会ボランティア皮膚科診療支援報告 ボランティア診療参加者に対するアンケート調査より	日本皮膚科学会雑誌	122(2):321-336, 2012
鳥居秀嗣、大槻マミ太郎、照井正、森田明理、飯塚 一、中川秀己、渡辺彰	乾癬におけるインフリキシマブの使用指針作製ワークグループ. 乾癬におけるインフリキシマブの使用指針	臨床皮膚科	66(2):171-175, 2012
照井 正	【皮膚科最新治療のすべて】掌蹠膿疱症の治療戦略	Derma	190:137-41, 2012
大竹映香、篠島由一、稲富 徹、照井 正	サリドマイド誘導体(レナリドミド)による薬疹が考えられた1例	皮膚科の臨床	54(7):1038-39, 2012
照井 正	【乾燥肌】アトピー性乾皮症	Derma	196:17-21, 2012
藤澤大輔、照井 正	【掌蹠膿疱症の治療-あの手この手】 (Part1)臨床 (Topic 01) ダーモスコピー所見	Visual Dermatology	11(10):1022-23, 2012
森田真紀子、唐川 大、塚原理恵子、高塚由佳、藤田有理香、細田里美、池田雄一、菅井順一、小宮根真弓、大槻マミ太郎	インフリキシマブによる治療中に局面型の皮疹を生じ、アダリムマブへの変更で寛解を得た汎発性膿疱性乾癬の1例	皮膚科の臨床	54 巻5 号 Page725-728 (2012.05)

著者名	論文題目	雑誌名	巻：頁，西暦年号
金田安史	体内細胞動員による再生治療	Drug Delivery System	27 (4), 246-256, 2012.
白方裕司	表皮水疱症の再生医療	日本小児皮膚科学会誌	31:171-176, 2012
込山悦子、池田志孝	水疱症—最新の治療— Bullous dermatosis— treatment up-to-date—	日本臨牀	70(3): 509-517, 2012
池田志孝	アトピー性皮膚炎モデルマウスに対する抑肝散の作用と今後の可能性	Science of Kampo Medicine 漢方医学	36: 43-46, 2012
中原とも子、込山悦子、浜埜康晴、小松則夫、池田志孝	多発性有痛性皮下結節を呈した成人T細胞白血病/リンパ腫の1例	皮膚科の臨床	54(3): 520-521, 2012
平澤祐輔、宿谷涼子、池田志孝	皮膚 Rosai-Dorfman 病の長期観察経験	臨床皮膚科	66(3): 223, 2012
澤村大輔、池田志孝、鈴木民夫、錦織千佳子、武藤正彦、清水宏	皮膚疾患遺伝子治療ガイドライン(第1版)	日本皮膚科学会雑誌	122(3): 561-573, 2012
古澤杏子、長谷川敏男、奥山泰裕、池田志孝	治療に難渋した汎発性膿胞製乾癬	皮膚病診療	34(7): 679-682, 2012
小出純子、高木 敦、北村奈緒、大月亜希子、込山悦子、池田志孝	順天堂大学皮膚科における円形脱毛症の調査	臨床皮膚科	66(8): 643-645, 2012
坂本 淳、平澤祐輔、高木 敦、池田志孝、荒川 敦	左腋窩に発生したアポクリン腺癌	SkinCanser	27(2): 143-147, 2012
中原とも子、小川尊資、高木敦、塚田信弘、小松則夫、細根勝、池田志孝	Multicentric Castlemah's disease の1例	SkinCanser	27(2): 211-214, 2012
大久保ゆかり、福地 修、伊藤寿啓、奥山泰裕、池田志孝、坪井良治、中川秀己	尋常性乾癬に対するカルシポトリオール軟膏およびベタメゾン酪酸エステルプロピオン酸エステル軟膏により異なる配合比率での外用療法の検討	新薬と臨牀 J New Ren. & Clin.	61(11): (2315) 131- (2323) 139
高井敏朗、池田志孝	Q デニアレルギーとアレルギー A デニアレルギーは、バリア機能の低下した皮膚から表皮内に侵入し、自然免疫応答および獲得免疫応答を誘導する	週刊 日本医事新報	2 月 号 :57-59, 2012
池田志孝	アトピー性皮膚炎の病態と接触アレルギーの関与	Seminaria Dermatologia マルホ皮膚科セミナー〔ラジオNIKKEI〕放送内容集	216(66) :20-22, 2012
長谷川敏男、池田志孝	患者さんからのよくある質問 a 皮膚科領域におけるおまな質問	带状疱疹 Up-to-Date—带状疱疹からPHNまで—	156-157, 2012
池田志孝	アフレスシ療法	今日の皮膚疾患治療方針	第4版、269, 2012
山本明美、井川哲子、岸部麻里	皮膚疾患の病態 コルネオデスモソームが異常になる疾患 Netherton 症候群と炎症型 peeling skin 症候群	臨床皮膚科	2012 :66 :59-62
武藤正彦	医療訴訟の病理学	西日本皮膚科	74: 477-483, 2012
根本 圭、武藤正彦	新しい治療への期待—顆粒球吸着療法—	日本皮膚科学雑誌	122:3219-3221, 2012

著者名	論文題目	雑誌名	巻：頁，西暦年号
馬淵智生、小澤 明	乾癬	MEDICAMENT NEWS	2098: 4-5, 2012
中島英貴、志賀建夫、高田智也、樽谷勝仁、佐野栄紀	アダリムマブが奏効した関節炎を伴う汎発性膿疱性乾癬(原著論文)	Visual Dermatology	11:544-548, 2012
佐野栄紀	【成人に対する生物学的製剤と免疫抑制薬】リウマチ領域 生物学的製剤 乾癬(解説/特集)	アレルギー・免疫	19:82-88, 2012
佐野栄紀	IL-36ファミリーと乾癬：自然免疫およびIL-23/Th17 axisとの新たなリンク	細胞工学	31:802-806, 2012
佐野栄紀	乾癬の発症におけるIL-17とIL-23の役割	臨床免疫・アレルギー科	58:25-32, 2012
佐野栄紀	皮膚免疫学-免疫臓器としての意義と病態 乾癬の発症機序にかかわる皮膚免疫	医学のあゆみ	242:799-804, 2012
佐野栄紀	乾癬・関節症性乾癬の病態と治療	日本脊椎関節炎学会	4:7-12, 2012
佐野栄紀	1.リウマチ領域 2.生物学的製剤 4)乾癬	アレルギー・免疫	19:82-88
佐野栄紀	乾癬	日本臨床 (分子標的薬 がんから他疾患までの治療をめざして)	70:550-554, 2012
鈴木明子、須賀 康	顆粒球吸着療法が奏効した膿疱性乾癬	皮膚病診療	34: 687-690, 2012
横山華央、春名邦隆、濱田尚宏、橋本 隆、須賀 康	ケラチン1に遺伝子変異を認めた水疱型先天性魚鱗癬様紅皮症の1例	第27回角化症研究会記録集	協和企画 東京 2012