

72. Takigawa M, Kiso K, Noda T, Kurita T, Yamada Y, Okamura H, Satomi K, Suyama K, Aihara N, Nanasato M, Hirayama H, Kamakura S, **Shimizu W**, Ishida Y. Usefulness of scintigraphy to predict electrical storms in severe idiopathic dilated cardiomyopathy. *Ann Nucl Med*: - , 2013 (in press)
73. **Shimizu W**: Diagnostic evaluation of Long QT syndrome. in Priori SG (ed): Cardiac electrophysiology clinics, Long QT syndrome, p. 29-37, Elsevier, Philadelphia, 2012
74. 清水 渉: I-7. 無症状のBrugada型心電図: どうする!?(分担), 不整脈診療のトラブルシューティング (山下武志, 高橋 淳, 栗田隆志編集): p. 24-27, 南江堂, 2011
75. 清水 渉: I-8. QT延長症候群・QT短縮症候群の診断はどうする!?. (分担), 不整脈診療のトラブルシューティング (山下武志, 高橋 淳, 栗田隆志編集): p. 28-31, 南江堂, 2011
76. 清水 渉: Brugada症候群. 6.循環器疾患 (分担), 『今日の治療指針』2012年版 (山口 徹, 北原光夫, 福井次矢編集): p. 352-353, 医学書院, 2012
77. **Shimizu W**, Horie M: Phenotypic manifestations of mutations in genes encoding subunits of cardiac potassium channels. *Circ Res* 109: 97-109, 2011
78. Aiba T, **Shimizu W**: Editorial Commentary. Molecular screening of long-QT syndrome: risk is there or rare? *Heart Rhythm* 8: 420-421, 2011
79. Goldenberg I, Horr S, Moss AJ, Lopes CM, Barsheshet A, McNitt S, Zareba W, Andrews ML, Robinson JL, Locati EH, Ackerman MJ, Benhorin J, Kaufman ES, Napolitano C, Platonov PG, Priori SG, Qi M, Schwartz PJ, **Shimizu W**, Towbin JA, Vincent GM, Wilde AA, Zhang L: Risk for Life-threatening cardiac events in patients with genotype-confirmed long-QT syndrome and normal-range corrected QT intervals. *J Am Coll Cardiol* 57:51-59, 2011
80. Jons C, O-Uchi J, Moss AJ, Reumann M, Rice JJ, Goldenberg I, Zareba W, Wilde AA, **Shimizu W**, Kanters JK, McNitt S, Hofman N, Robinson JL, Lopes CM: Use of mutant-specific ion channel characteristics for risk stratification of long QT syndrome patients. *Sci Transl Med* 3: 76ra28, 2011
81. Migdalovich D, Moss AJ, Lopes CM, Costa J, Ouellet G, Barsheshet A, McNitt S, Polonsky S, Robinson JL, Zareba W, Ackerman MJ, Benhorin J, Kaufman ES, Platonov PG, **Shimizu W**, Towbin JA, Vincent GM, Wilde AA, Goldenberg I: Mutation and gender specific risk in type-2 long QT syndrome: Implications for risk stratification for life-threatening cardiac events in patients with long QT syndrome. *Heart Rhythm* 8: 1537-1543, 2011
82. van der Werf C, Kannankeril PJ, Sacher F, Krahn AD, Viskin S, Leenhardt S, **Shimizu W**, Sumitomo N, Fish FA, Bhuiyan ZA, Willems AR, van der Veen MJ, Watanabe H, Laborde J, Haïssaguerre M, Knollmann BC, Wilde AAM: Flecainide therapy reduces exercise-induced ventricular arrhythmias in patients with catecholaminergic polymorphic ventricular tachycardia. *J Am Coll Cardiol* 57:2244-2254, 2011
83. 清水 渉: 10. Brugada 症候群. X.不整脈 (分担), 「循環器疾患 最新の治療

- 2010-2011」(堀 正二, 永井良三編集): p. 323-326, 南江堂, 2010
84. 清水 渉: 9. QT 延長症候群. B. 不整脈. 第 4 章 各疾患のみかたと対応. (分担), 循環器研修ノート (永井良三総編集): p. 446-449, 診断と治療社, 2010
85. 清水 渉: QT 延長症候群. D. 心室細動 4 章: 心室性不整脈の薬物治療 (分担), シリーズ《今日の循環器病の臨床》⑥「不整脈の薬物治療」(永井良三, 山下武志編集): p. 148-154, 中山書店, 2010
86. 清水 渉: 心室細動(QT 延長症候群、Brugada 症候群を含む). 第 4 章 不整脈・突然死・失神 (分担), 『カラー版 循環器病学 基礎と臨床』(川名正敏, 北風政史, 小室一成, 室原豊明, 山崎力, 山下武志編集): p. 564-581, 西村書店, 2010
87. 清水 渉: N. QT 延長症候群. VI 章 検査と治療の実際. (分担), 読める! 使える! 治せる! EPS (村川裕二, 山下武志編集): p. 331-339, 南江堂, 2010
88. 清水 渉: 3. QT 延長症候群. D. 心室細動. 4 章: 心室性不整脈の薬物治療. (分担), 患者アウトカムからみた不整脈の薬物治療 (山下武志編集): p. 148-154, 中山書店, 2010
89. Shimizu W: Editorial Commentary. Diagnostic values of bipolar precordial leads in Brugada syndrome: More accurate, more simple, or more theoretical? *Heart Rhythm* 7: 216-217, 2010
90. Shimizu W: How the knowledge of genetic "makeup" and cellular data can affect the analysis of repolarization in surface ECG. *J Electrocardiol* 43: 583-587, 2010
91. Yokokawa M, Okamura H, Noda T, Satomi K, Suyama K, Kurita T, Aihara N, Kamakura S, Shimizu W: Neurally-mediated syncope as a cause of syncope in patients with Brugada electrocardiogram. *J Cardiovasc Electrophysiol* 21: 186-192, 2010
92. Kapplinger JD, Tester DJ, Alders M, Benito B, Berthet M, Brugada J, Brugada P, Fressart V, Guerchicoff A, Harris-Kerr C, Kamakura S, Kyndt F, Koopmann TT, Miyamoto Y, Pfeiffer R, Pollevick GD, Probst V, Zumhagen S, Vatta M, Towbin JA, Shimizu W, Schulze-Bahr E, Antzelevitch C, Salisbury BA, Guicheney P, Wilde AA, Brugada R, Schott JJ, Ackerman MJ: An international compendium of mutations in the SCN5A-encoded cardiac sodium channel in patients referred for Brugada syndrome genetic testing. *Heart Rhythm* 7: 33-46, 2010
93. Horigome H, Nagashima M, Sumitomo N, Yoshinaga M, Ushinohama H, Iwamoto M, Shiono J, Ichihashi K, Hasegawa S, Yoshikawa T, Matsunaga T, Goto H, Waki K, Arima M, Takasugi H, Tanaka Y, Tauchi N, Ikoma M, Inamura N, Takahashi H, Shimizu W, Horie M: Clinical characteristics and genetic background of congenital long QT syndrome diagnosed in fetal, neonatal and infantile life. A nation-wide questionnaire survey in Japan. *Circ Arrhythmia and Electrophysiol* 3: 10-17, 2010

94. Nakano Y, **Shimizu W**, Ogi H, Suenari K, Oda N, Makita Y, Kajihara K, Hira Y, Sairaku A, Tokuyama T, Tonouchi Y, Ueda S, Sueda T, Chayama K, Kihara Y: Spontaneous type 1 electrocardiogram pattern in the V2 lead is an independent predictor of ventricular fibrillation in Brugada syndrome. *Europace* 12: 410-416, 2010
95. Nagaoka I, **Shimizu W**, Mizusawa Y, Sakaguchi T, Itoh H, Ohno S, Makiyama T, Yamagata K, Makimoto H, Miyamoto Y, Kamakura S, Horie M: Heart rate-dependent variability of cardiac events in LQT2 form of congenital long-QT syndrome. *Europace* 12: 1623-1629, 2010
96. Oka Y, Itoh H, Ding WG, **Shimizu W**, Makiyama T, Ohno S, Nishio Y, Sakaguchi T, Miyamoto A, Kawamura M, Matsuura H, Horie M: Atrioventricular block-induced torsades de pointes with clinical and molecular backgrounds similar to congenital long QT syndrome. *Circ J* 74: 2562-2571, 2010
97. Goldenberg I, Horr S, Moss AJ, Lopes CM, Barsheshet A, McNitt S, Zareba W, Andrews ML, Robinson JL, Locati EH, Ackerman MJ, Benhorin J, Kaufman ES, Napolitano C, Platonov PG, Priori SG, Qi M, Schwartz PJ, **Shimizu W**, Towbin JA, Vincent GM, Wilde AA, Zhang L: Risk for Life-threatening cardiac events in patients with genotype-confirmed long-QT syndrome and normal-range corrected QT intervals. *J Am Coll Cardiol* 57:51-59, 2010
98. Wang Q, Ohno S, Kato K, Fukuyama M, Makiyama T, Kimura H, Naiki N, Kawamura M, Hayashi H, **Horie M**. Genetic Screening of KCNJ8 in Japanese Patients with J-wave Syndromes or Idiopathic Ventricular Fibrillation. *Journal of Arrhythmia (in press)*
99. Ohno S, Nagaok I, Fukuyama M, Kimura H, Itoh H, Makiyama T, Shimizu A, **Horie M**. Age-dependent clinical and genetic characteristics in Japanese patients with arrhythmic right ventricular cardiomyopathy/dysplasia. *Circulation Journal (in press)*
100. Lin L, Horigome H, Nishigami N, Ohno S, **Horie M**, Sumazaki R. Drug-induced QT-interval prolongation and recurrent torsade de pointes in a child with heterotaxy syndrome and KCNE1 D85N polymorphism. *Journal of Electrocardiology* 45:770-3, 2012.
101. Miyamoto A, Hayashi H, Yoshino T, Kawaguchi T, Taniguchi A, Ito H, Sugimoto Y, Ito M, Makiyama T, Xue JQ, Murakami Y, **Horie M**. Clinical and electrocardiographic characteristics of patients with short QT interval in a large hospital-based population. *Heart Rhythm* 9: 66-74, 2012.
102. Hattori T, Makiyama T, Akao M, Ehara E, Ohno S, Iguchi M, Nishio Y, Sasaki K, Itoh H, Yokode M, Kita T, **Horie M**, Kimura T. A novel gain-of-function KCNJ2 mutation associated with short QT syndrome impairs inward rectification of Kir2.1 currents. *Cardiovasc Res*. 93: 666-673, 2012.

103. Wu J, Ding WG, Matsuura H, Horie M. Regulatory mechanisms underlying the modulation of GIRK1/GIRK4 heteromeric channels by P2Y receptors. *Pflugers Arch*. 463: 625-33, 2012.
104. Aizawa Y, Sato A, Watanabe H, Chinushi M, Furushima H, Horie M, Kaneko Y, Imaizumi T, Okubo K, Watanabe I, Shinozaki T, Aizawa Y, Fukuda, Joo K, Haissaguerre M. Dynamicity of the J wave in idiopathic ventricular fibrillation with a special reference to pause-dependent augmentation of the J wave. *Journal of American College of Cardiology* 59: 1948- 1953, 2012.
105. Okayasu H, Ozeki Y, Fujii K, Takano Y, Saeki Y, Hori H, Horie M, Higuchi T, Kunugi H, Shimoda K. Pharmacotherapeutic determinants for QTc interval prolongation in Japanese patients with mood disorder. *Pharmacopsychiatry* 45:279-83, 2012.
106. Kinoshita T, Asai T, Suzuki T, Matsubayashi K, Horie M. Time course and prognostic implications of QT interval in patients with coronary artery disease undergoing coronary bypass surgery. *J Cardiovasc Electrophysiol*. 23: 645-9, 2012.
107. Watanabe H, Nogami A, Ohkubo K, Kawata H, Hayashi Y, Ishikawa T, Makiyama T, Nagao S, Yagihara N, Takehara N, Kawamura Y, Sato A, Okamura K, Hosaka Y, Sato M, Fukae S, Chinushi M, Oda H, Okabe M, Kimura A, Maemura K, Watanabe I, Kamakura S, Horie M, Aizawa Y, Shimizu W, Makita N. Response to Letter Regarding Article, "Electrocardiographic Characteristics and SCN5A Mutations in Idiopathic Ventricular Fibrillation Associated With Early Repolarization". *Circ Arrhythm Electro- physiol*. 5: e60-1, 2012.
108. Kimura H, Zhou J, Kawamura M, Itoh H, Mizusawa Y, Ding WG, Wu J, Ohno S, Makiyama T, Miyamoto A, Naiki N, Wang Q, Xie Y, Suzuki T, Tateno S, Nakamura Y, Zang WJ, Ito M, Matsuura H, Horie M. Phenotype Variability in Patients Carrying KCNJ2 Mutations. *Circulation Cardiovas- cular Genetics* 5: 344-353, 2012.
109. Nakajima T, Wu J, Kaneko Y, Ohno S, Irie T, Ding WG, Matsuura H, Kurabayashi M, Horie M. KCNE3 T4A as a genetic background of Brugada-pattern electrocar- diogram. *Circulation Journal* 76: 2763-72, 2012.
110. Kawaguchi T, Hayashi H, Miyamoto A, Yoshino T, Taniguchi A, Naiki N, Sugimoto Y, Ito M, Xue JQ, Murakami Y, Horie M. Prognostic implications of progressive cardiac conduction disease. *Circulation Journal* 77:60-7, 2012.
111. Horie M, Nakazawa Y, Ito M, Ozawa T. Prolonged ventricular asystole and acquired Brugada syndrome. *Intern Med*. 51:1799, 2012.
112. Kaneshiro T, Naruse Y, Nogami A, Tada H, Yoshida K, Sekiguchi Y, Murakoshi N, Kato Y, Horigome H, Kawamura M, Horie M, Aonuma K. Successful catheter ablation of bidirectional ventricular premature contractions triggering

- ventricular fibrillation in catecholaminergic polymorphic ventricular tachycardia with RyR2 mutation. *Circulation Arrhythmia and Electrophysiology* 5; e14-e17, 2012.
113. Hayashi H, Kitoh K, Mitsunami K, Horie M. Agranulocytosis immediately after oral administration of cibenzoline and dabigatran in a patient with paroxysmal atrial fibrillation. *Intern Med.* 51: 1987-90, 2012.
114. Lin L, Horigome H, Nishigami N, Ohno S, Horie M, Sumazaki R. Drug-induced QT-interval prolongation and recurrent torsade de pointes in a child with heterotaxy syndrome and KCNE1 D85N polymorphism. *Journal of Electrocardiology* 45:770-3, 2012.
115. Aizawa Y, Sato A, Watanabe H, Chinushi M, Furushima H, Horie M, Kaneko Y, Imaizumi T, Okubo K, Watanabe I, Shinozaki T, Aizawa Y, Fukuda, Joo K, Haissaguerre M. Dynamicity of the J wave in idiopathic ventricular fibrillation with a special reference to pause-dependent augmentation of the J wave. *Journal of American College of Cardiology* (in press)
116. Kuramoto Y, Furukawa Y, Yamada T, Okuyama Y, Horie M, Fukunami M. Andersen-Tawil Syndrome Associated With Aborted Sudden Cardiac Death: Atrial Pacing Was Effective for Ventricular Arrhythmias. *AJMS* (in press)
117. Okayasu H, Ozeki Y, Fujii K, Takano Y, Saeki Y, Hori H, Horie M, Higuchi T, Kunugi H, Shimoda K. Pharmacotherapeutic determinants for QTc interval prolongation in Japanese patients with mood disorder. *Pharmacopsychiatry* (in press)
118. Hattori T, Makiyama T, Akao M, Ehara E, Ohno S, Iguchi M, Nishio Y, Sasaki K, Itoh H, Yokode M, Kita T, Horie M, Kimura T. A novel gain-of-function KCNJ2 mutation associated with short QT syndrome impairs inward rectification of Kir2.1 currents. *Cardiovascular Research* 93(4); 666-673, 2012.
119. Wu J, Ding WG, Matsuura H, Horie M. Regulatory mechanisms underlying the modulation of GIRK1/GIRK4 heteromeric channels by P2Y receptors. *European Journal of Physiology* 463(4); 625-33, 2012.
120. Miyamoto A, Hayashi H, Yoshino T, Kawaguchi T, Taniguchi A, Ito H, Sugimoto Y, Ito M, Makiyama T, Xue JQ, Murakami Y, Horie M. Clinical and electrocardiographic characteristics of patients with short QT interval in a large hospital-based population. *Heart Rhythm* 9(1); 66-74, 2012.
121. Makita N, Seki A, Sumitomo N, Fukuhara S, Watanabe H, Shimizu W, Bezzina CR., Hasdemir C, Mugishima H, Makiyama T, Baruteau A, Baron E, Horie M, Hagiwara N, Wilde AA.M, Probst V, Marec HL, Delmar M, Roden DM, Mochizuki N, Schott JJ. A. Connexin 40 mutation associated with a malignant variant of familial progressive heart block type-1. *Circulation Arrhythmia and Electrophysiology* 5: 163-172, 2012.
122. Kaneshiro T, Naruse Y, Nogami A, Tada H, Yoshida K, Sekiguchi Y, Murakoshi N, Kato Y, Horigome H, Kawamura M, Horie M, Aonuma K. Successful catheter ablation of bidirectional ventricular premature contractions triggering ventricular fibrillation in

- catecholaminergic polymorphic ventricular tachycardia with RyR2 mutation. *Circulation Arrhythmia and Electrophysiology* 5; e14-e17, 2012.
123. Li P, Ninomiya H, Kurata Y, Kato M, Miake J, Yamamoto Y, Igawa O, Nakai A, Higaki K, Toyoda F, Wu J, **Horie M**, Shirayoshi Y, Hiraoka M, Hisatome I. Reciprocal control of hERG stability by Hsp70 and Hsc70 with implication for restoration of LQT2 mutant stability. *Circulation Research* 108; 458-468, 2011.
124. Miyamoto A, Hayashi H, Makiyama T, Yoshino T, Mizusawa Y, Sugimoto Y, Ito M, Xue JQ, Murakami Y, **Horie M**. Risk determinants in individuals with a spontaneous type 1 Brugada ECG. *Circulation Journal* 7; 844-851, 2011.
125. Ohno S, Zankov DP, Ding WG, Itoh H, Makiyama T, Doi T, Shizuta S, Hattori T, Miyamoto A, Naiki N, Hancox JC, Matsuura H, **Horie M**. KCNE5 (KCNE1L) variants are novel modulators of brugada syndrome and idiopathic ventricular fibrillation. *Circ Arrhythm Electrophysiol.* 4(3); 352-61, 2011.
126. Doi T, Makiyama T, Morimoto T, Haruna Y, Tsuji K, Ohno S, Akao M, Takahashi Y, Kimura T, **Horie M**. A novel KCNJ2 nonsense mutation, S369X, impedes trafficking and causes a limited form of Andersen-Tawil syndrome. *Circulation: Cardiovascular Genetics* 4; 253-260, 2011.
127. Tsuji K, Akao M, Ishii TM, Ashihara T, Makiyama T, Ohno S, Toyoda F, Nishio Y, Sakaguchi T, Matsuura H, **Horie M**. Identification and functional characterization of KCNQ1 mutations around the exon7-intron7 junction affecting the splicing process. *BBA-Molecular Basis of Disease* 1812; 1452-1459, 2011.
128. Hayashi H, **Horie M**. Heritability of early repolarization: A population-based study. *Circulation Cardiovascular Genetics* 4(5); e20, 2011.
129. Kimura H, Mizusawa Y, Itoh H, Miyamoto A, Kawamura M, Kawaguchi T, Naiki N, Oka Y, Ohno S, Makiyama T, Ito M, **Horie M**. Carvedilol, a non-selective β -with α 1-blocker is effective in long QT syndrome type 2. *Journal of Arrhythmia* 27; 324-331, 2011.
130. Miyamoto A, Hayashi H, Ito M, **Horie M**. Remission of abnormal conduction and repolarization in the right ventricle after chemotherapy in patients with anterior mediastinal tumor. *J Cardiovasc Electrophysiol.* 22; 350, 2011.
131. 佐野 幹、渡邊榮一、牧山 武、内山達司、祖父江嘉洋、奥田健太郎、山本真由美、堀江 稔、尾崎行男：ペースメーカー植え込み同胞霊位認められた新たな Lamin A/C 変異 心電図 31(1);18-24,2011.
132. 堀江 稔：働き盛りの心臓突然死、QT 延長症候群、抗うつ薬との関係—薬物性 torsade de pointes— 大津市医師会誌 34; 20-25, 2010.
133. 伊藤英樹、堀江 稔、井本敬二：遺伝性不整脈疾患とシミュレーション。不整脈+PLUS 3;9,2011.
134. 定 翼、国分則人、堀江 稔、阿部百佳、駒ヶ嶺朋子、平田幸一：KCNJ2 変異を伴う Andersen-Tawil 症候群の神経生理所見。臨床神経生理学 39(1): 18—23, 2011.
135. 堀江 稔：循環器疾患における遺伝的背景と発症機序理解のための多面的アプローチ 循環器内科 70; 421-422, 2011.

136. 脇坂啓子、堀江 稔：スプライシング異常と循環器疾患 循環器内科 70; 523-529, 2011.
137. Ozeki Y, Fujii K, Kuromoto N, Yamada N, Okawa M, Aoki T, Takahashi J, Narita M, Ishida N, Saito O, **Horie M**, Kunugi H: QTc prolongation and antipsychotic medication in 1017 patients with schizophrenia. *Prog Neuropsychopharmacol Biol Psychiatry*. 2010; 34: 401-405.
138. Ishida K, Hayashi H, Miyamoto A, Sugimoto Y, Ito M, Murakami Y, **Horie M**: P-wave and the development of atrial fibrillation. *Heart Rhythm* 2010; 7: 289-294.
139. Toyoda F, Ding WG, Zankov DP, Omatsu-Kanbe M, Isono T, **Horie M**, Matsuura H: Characterization of the rapidly activating delayed rectifier potassium current, I_{Kr} , in HL-1 mouse atrial myocytes. *Journal of Membrane Biology* 2010; 235: 73-87.
140. Yasuda S, Hiramatsu S, Odashiro K, Maruyama T, Tsuji K, **Horie M**: A family of hereditary long QT syndrome caused by Q738X HERG mutation. *Int J Cardiol*. 2010; 144: 69-72.
141. Yamamura K, Muneuchi J, Uike K, Ikeda K, Inoue H, Takahata Y, Shiokawa Y, Yoshikane Y, Makiyama T, **Horie M**, Hara T: A novel SCN5A mutation associated with the linker between III and IV domains of Na(v)1.5 in a neonate with fatal long QT syndrome. *Int J Cardiol*. 2010; 145: 61-64.
142. **Horie M**: Bi-directional ventricular tachycardia revised. *Journal of Arrhythmia* 2010; 26: 3-4.
143. Hayashi H, Miyamoto A, Ishida K, Yoshino T, Sugimoto Y, Ito M, **Horie M**: Prevalence and QT interval of early repolarization in a hospital-based population. *Journal of Arrhythmia* 2010; 26: 127-133.
144. Ejima K, Shoda M, Miyazaki S, Yashiro B, Wakisaka O, Manaka T, Hagiwara N. Localized reentrant tachycardia in the aorta contiguity region mimicking perimitral atrial flutter in the context of atrial fibrillation ablation. *Heart Vessels*. 2012 Oct 19. Epub
145. Sekiguchi H, Ii M, Jujo K, Thorne T, Ito A, Klyachko E, Hamada H, Kessler JA, Tabata Y, Kawana M, Asahi M, Hagiwara N, Losordo DW. Estradiol promotes neural stem cell differentiation into endothelial lineage and angiogenesis in injured peripheral nerve. *Angiogenesis*. 2012 Sep 2;16(1):45-58
146. Momose M, Miyake Y, Fukushima K, Nakajima T, Kondo C, Hagiwara N, Sato A, Uchigata Y, Sakai S. Prognostic Value of (123)I-Betamethyl-p-Iodophenyl-Pentadecanoic Acid Single-Photon Emission Computed Tomography in Diabetic Patients With Suspected Ischemic Heart Disease. *Circ J*. 2012 Oct 25;76(11):2633-9.
147. Matsuura K, Wada M, Shimizu T, Haraguchi Y, Sato F, Sugiyama K, Konishi K, Shiba Y, Ichikawa H, Tachibana A, Ikeda U, Yamato M, Hagiwara N, Okano T. Creation of human cardiac cell sheets using pluripotent stem cells. *Biochem Biophys Res Commun*. 2012 Aug 24;425(2):321-7.
148. Ejima K, Shoda M, Manaka T, Hagiwara N. Ratchet syndrome. *Intern Med*. 2012;51(9):1139.

149. Yashiro B, Shoda M, Tomizawa Y, Manaka T, Hagiwara N. Long-term results of a cardiovascular implantable electronic device wrapped with an expanded polytetrafluoroethylene sheet. *J Artif Organs*. 2012 Sep;15(3):244-9.
150. Sekiguchi H, Ii M, Jujo K, Renault MA, Thorne T, Clarke T, Ito A, Tanaka T, Klyachko E, Tabata Y, Hagiwara N, Losordo D. Estradiol triggers sonic-hedgehog-induced angiogenesis during peripheral nerve regeneration by downregulating hedgehog-interacting protein. *Lab Invest*. 2012 Apr;92(4):532-42.
151. Naganuma M, Shiga T, Sato K, Murasaki K, Hashiguchi M, Mochizuki M, Hagiwara N. Clinical outcome in Japanese elderly patients with non-valvular atrial fibrillation taking warfarin: a single-center observational study. *Thromb Res*. 2012 Jul;130(1):21-6.
152. Kawarai H, Kajimoto K, Minami Y, Hagiwara N, Kasanuki H. Risk of sudden death in end-stage hypertrophic cardiomyopathy. *J Card Fail*. 2011 ;17(6):459-64.
153. Ando K, Koyama J, Abe Y, Sato T, Shoda M, Soga Y, Nobuyoshi M, Honda T, Nakao K, Terata K, Kadowaki K, Maeda A, Ogawa S, Manaka T, Hagiwara N, Doi K. Feasibility evaluation of a remote monitoring system for implantable cardiac devices in Japan. *Int Heart J*. 2011;52(1):39-43.
154. Shiga T, Suzuki A, Naganuma M, Hosaka F, Shoda M, Hagiwara N. Clinical outcome in patients with paroxysmal or persistent atrial fibrillation receiving bepridil. *Circ J*. 2011;75(6):1334-42.
155. Matsuura K, Masuda S, Haraguchi Y, Yasuda N, Shimizu T, Hagiwara N, Zandstra PW, Okano T. Creation of mouse embryonic stem cell-derived cardiac cell sheets. *Biomaterials*. 2011;32(30):7355-62.
156. Suzuki T, Shiga T, Kuwahara K, Kobayashi S, Suzuki S, Nishimura K, Suzuki A, Omori H, Mori F, Ishigooka J, Kasanuki H, Hagiwara N. Depression and outcomes in hospitalized Japanese patients with cardiovascular disease. – Prospective single-center observational study-. *Circ J*. 2011 ;75(10):2465-73.
157. Fukushima K, Momose M, Kondo C, Hagiwara N, Sakai S. Accelerated BMIPP uptake immediately after reperfused ischemia in the isolated rat heart model. *Ann Nucl Med*. 2011 ;25(8):560-5.
158. Minami Y, Kajimoto K, Terajima Y, Yashiro B, Okayama D, Haruki S, Nakajima T, Kawashiro N, Kawana M, Hagiwara N. Clinical implications of midventricular obstruction in patients with hypertrophic cardiomyopathy. *J Am Coll Cardiol*. 2011 ;57(23):2346-55.
159. Stone GW, Teirstein PS, Meredith IT, Farah B, Dubois CL, Feldman RL, Dens J, Hagiwara N, Allocco DJ, Dawkins KD; PLATINUM Trial Investigators. A prospective, randomized evaluation of a novel everolimus-eluting coronary stent:

- the PLATINUM (a Prospective, Randomized, Multicenter Trial to Assess an Everolimus-Eluting
160. Coronary Stent System [PROMUS Element] for the Treatment of Up to Two de Novo Coronary Artery Lesions) trial. *J Am Coll Cardiol*. 2011;57(16):1700-8.
161. Momose M, Okayama D, Nagamatsu H, Kondo C, Hagiwara N, Sakai S. Long-term prognostic stratification by a combination of (123) I-metaiodobenzylguanidine scintigraphy and ejection fraction in dilated cardiomyopathy. *Ann Nucl Med*. 2011;25(6):419-24.
162. Higashitani M, Mori F, Yamada N, Arashi H, Kojika A, Hoshi H, Minami Y, Yamaguchi J, Yamauchi T, Takagi A, Ogawa H, Hagiwara N. Efficacy of paclitaxel-eluting stent implantation in hemodialysis patients. *Heart Vessels*. 2011. 26(6):582-9.
163. Kanai S, Uto K, Honda K, Hagiwara N, Oda H. Eicosapentaenoic acid reduces warfarin-induced arterial calcification in rats. *Atherosclerosis*. 2011;215(1):43-51.
164. Matsuura K, Hagiwara N. The pleiotropic effects of ARB in vascular endothelial progenitor cells. *Curr Vasc Pharmacol*. 2011;9(2):153-7.
165. Take Y, Morita H, Toh N, et al. Identification of high-risk syncope related to ventricular fibrillation in patients with Brugada syndrome. *Heart rhythm* : 2012; 9: 752-759.
166. Take Y, Morita H, Wu J, et al.. Spontaneous electrocardiogram alterations predict ventricular fibrillation in brugada syndrome. *Heart rhythm* : 2011; 8: 1014-1021.
167. Murakami M, Nakamura K, Kusano KF et al : Low-dose Bepridil for Prevention of Ventricular Fibrillation in Brugada Syndrome Patients with and without SCN5A Mutation. *J Cardiovasc Pharmacol* 2010; 56: 389-95
168. 上山剛、土居正浩、大宮俊秀、吉田雅昭、平塚淳史、福田昌和、加藤孝佳、松崎益徳、清水昭彦 : Brugada 症候群における下壁側壁誘での J 波出現頻度と臨床的特徴. *心電図* 32 (S1) : 82-86、2012
169. Hiratsuka A, Shimizu A, Uekyama T, Yoshiga Y, Doi M, Ohmiya T, Yoshida M, Fukuda M, Matsuzaki M. Characteristic of induced ventricular fibrillation cycle length in symptomatic Brugada syndrome. *Circ J* 2012;76:624-633.
170. Sugi M. Variables associated with the inducibility of VF during electrophysiologic stimulation test in patients without apparent organic heart disease? *J Cardiol* 2010;56:35-43.
171. Morisaki H, Yamanaka I, Iwai N, Miyamoto Y, Kokubo Y, Okamura T, Okayama A, Morisaki T. CDH13 Gene Coding T-Cadherin Influences Variations in Plasma Adiponectin Levels in the Japanese Population. *Hum Mutat* 2012; 33 (2): 402-10.

2. 学会発表
1. **Kamakura S**: Debate: Could Brugada syndrome be treated without ICD; Con. 5th APHRS 2012, Taipei, 2012.10.4
2. 鎌倉史郎: Jwave(波)症候群. 第76回日本循環器学会学術集会モーニングレクチャー, 福岡, 2012
3. Kobayashi T, **Kamakura S**, Miyamoto K, Yamada Y, Okamura H, Noda T, Satomi K, Aiba T, Yasuda S, Shimizu W. Distribution of J waves on 87-lead body surface map in patients with inferolateral early repolarization syndrome. ESC Congress 2012, Munich, 2012
4. Iwakami N, **Kamakura S**, Okamura H, Noda T, Satomi K, Shimizu W, Takaki H, Sugimachi M. Is J-wave a manifestation of ventricular repolarization abnormality? AHA2012, Los Angeles, 2012, Circulation 2012;126:A10813
5. Aiba T, Yokoyama T, **Kamakura S**, Takaki H, Nakajima I, Miyamoto K, Yamada Y, Okamura H, Noda T, Satomi K, Shimizu W, Sugimachi M. Noninvasive evaluation of arrhythmic substrate in the Brugada syndrome using high resolution magnetocardiography. AHA2012, Los Angeles, 2012, Circulation 2012;126:A15888.
6. **Kamakura S**: Clinical characteristics of Brugada syndrome in Japan. 14th world society of arrhythmias congress. (2011. Dec 11-14 Athens)
7. Usami S, Takaki H, Hashimoto S, Oishi S, Yamada Y, Okamura H, Noda T, Shimizu W, Sugimachi M, **Kamakura S**: Prediction of clinical response to cardiac resynchronization therapy using magnetocardiography. ESC2011 (2011. Aug 27-31 Paris)
8. Takahama H, Yokoyama H, Sekiguchi K, Kanzaki H, Hashimura K, Goto Y, **Kamakura S**, Nonogi H, Kitakaza M: Heart rate reduction during heart failure hospitalization is powerful predictor of cardiac events in patients with acute decompensated heart failure regardless heart rate at discharge. ESC 2011 (Aug 27-31, Paris)
9. Sakane K, Takaki H, Okamura T, Noda T, Satomi K, Aiba T, Shimizu W, Aihara N, **Kamakura S**, Sugimachi M: Visualization of intra-QRS fragmented activation in patients with hypertrophic cardiomyopathy and life-threatening ventricular arrhythmia using magnetocardiography. ESC 2011 (Aug 27-31, Paris)
10. Kusano K, **Kamakura S**, Morimoto S: Clinical factors and management of ventricular arrhythmias in patients with cardiac sarcoidosis. AHA 2011 (Nov 12-16, Orlando)
11. Makimoto H, Horie M, Ogawa S, Aizawa Y, Ohe T, Kusano K, Yamagishi M, Makita N, Tanaka T, Makiyama T, Yoshinaga M, Hagiwara N, Sumitomo N, Itoh H, Miyamoto K, Yamada Y, Okamura H, Noda T, Aiba T, Aihara N, **Kamakura S**, Miyamoto Y, Shimizu W: What influences beta blocker resistance for secondary prevention of cardiac events in patients with congenital long QT syndrome? AHA 2011 (Nov 12-16, Orlando)
12. Kawakami S, Takaki H, Hashimoto S, Yamada Y, Okamura H, Noda T, Aiba T, Aihara N, **Kamakura S**, Sugimachi M: Magnetocardiography can disclose left intraventricular conduction delay in

- patients with left ventricular dysfunction and complete right bundle branch block. AHA 2011(Nov 12-16, Orlando)
13. Aiba T, Makimoto H, Yamagata K, Horie M, Ogawa S, Aizawa Y, Ohe T, Kusano K, Yamagishi M, Makita N, Tanaka T, Makiyama T, Yoshinaga M, Hagiwara N, Sumitomo N, Toyoda F, Matsuura H, **Kamakura S**, Miyamoto Y, Shimizu W: Mutation site-specific differences in arrhythmic risk in the LOT3 form of congenital long QT syndrome: Multicenter study in Japan. AHA 2011(Nov 12-16, Orlando)
 14. Kamakura T, Kawata H, Yamada Y, Okamura H, Noda T, Aiba T, Satomi K, Shimizu W, Aihara N, **Kamakura S**: Inferolateral early repolarization syndrome consists of two types of sudden death syndrome showing different clinical profiles. AHA 2011(Nov 12-16, Orlando)
 15. Kawata H, Morita H, Noda T, Makimoto K, Yamada Y, Okamura H, Satomi K, Aiba T, Aihara N, **Kamakura S**, Nagase S, Nakamura K, Kusano K, Ito H, Shimizu W: Prognostic significance of early repolarization in inferolateral leads in Brugada patients with documented ventricular fibrillation. AHA 2011(Nov 12-16, Orlando)
 16. Kawata H, Morita H, Miyamoto K, Yamada Y, Okamura H, Noda T, Satomi K, Aiba T, Aihara N, Kusano K, Itoh H, **Kamakura S**, Shimizu W: Clinical and electrocardiographic characteristics in relation to ryanodine receptor(RyR29 gene mutations in patients with catecholaminergic polymorphic ventricular tachycardia multicenter study. AHA 2011(Nov 12-16, Orlando)
 17. Sakane K, Takaki H, Okamura T, Noda T, Satomi K, Aiba T, Shimizu W, Aihara N, **Kamakura S**, Sugimachi M: Visualization of intra-QRS fragmented activation in patients with hypertrophic cardiomyopathy and life-threatening ventricular arrhythmia using magnetocardiography. AHA 2011(Nov 12-16, Orlando)
 18. Usami S, Takaki H, Hashimoto S, Oishi S, Yamada Y, Okamura H, Noda T, Satomi K, Aiba T, Shimizu W, Aihara N, **Kamakura S**, Sugimachi M: Magnetocardiography can predict reverse remodeling and long-term prognosis after cardiac resynchronization therapy. AHA 2011(Nov 12-16, Orlando)
 19. Nakajima I, Noda T, Miyamoto K, Yamada Y, Okamura H, Satomi K, Aiba T, Shimizu W, Aihara N, **Kamakura S**: Effectiveness of cardiac resynchronization therapy in patients with end-stage phase of hypertrophic cardiomyopathy: comparison with idiopathic dilated cardiomyopathy. AHA 2011(Nov 12-16, Orlando)
 20. Ise T, Hasegawa T, Morita Y, Yamada N, Funada A, Takahama H, Amaki M, Kanzaki H, Okamura H, **Kamakura S**, Kitakaze M: Extent of late gadolinium enhancement on cardiovascular magnetic response predicts improvement in left ventricular function and adverse outcomes after steroid therapy in patients with cardiac sarcoidosis. AHA 2011(Nov 12-16, Orlando)
 21. Kokubo Y, Shimizu W, **Kamakura S**, Watanabe M, Kada A, Kawanishi K, Miyamoto Y: Obesity index and the risk of atrial fibrillation in an urban Japanese cohort: the suite study. AHA 2011(Nov 12-16, Orlando)
 22. Sato H, Takaki H, Oishi S, Shimizu W, **Kamakura S**, Sugimachi M:

- Magnetocardiography (MCG) can detect electrophysiological abnormalities associated with idiopathic ventricular fibrillation. ESC2010 (2010. Aug 28-31 Stockholm)
23. Makimoto H, Takaki H, Yamada Y, Okamura H, Noda T, Satomi K, Suyama K, Aihara N, **Kamakura S**, Shimizu W: Role of vagal reactivation early strenuous exercise on ST-segment elevation and prognosis in patients with Brugada syndrome. ESC2010 (2010. Aug 28-31 Stockholm)
 24. Oishi S, Satomi K, Yamada Y, Okamura H, Noda T, Suyama K, Shimizu W, Takaki H, Aihara N, **Kamakura S**: Atrial tachyarrhythmias exacerbate heart failure in arrhythmogenic right ventricular cardiomyopathy : a report from long-term observational study of 74 Asian cases. ESC 2010 (Aug 28-31, Stockholm)
 25. Kamakura T, Kawata H, Yamada Y, Okamura H, Noda T, Aiba T, Satomi K, Shimizu W, Aihara N, **Kamakura S**: Patients with non-type 1 Brugada-pattern ECGs show clinical profiles similar to Brugada syndrome in the inferolateral early repolarization syndrome. AHA2010 (2010.Nov 13-17, Chicago)
 26. Kawata H, Noda T, Makimoto H, Doi A, Yokoyama T, Yamada Y, Okamura H, Satomi K, Aihara N, **Kamakura S**, Shimizu W: Clinical characteristics of idiopathic ventricular fibrillation with early repolarization and response of early repolarization to sodium channel blocker: comparison to Brugada syndrome with ventricular fibrillation. AHA2010 (2010.Nov 13-17, Chicago)
 27. Kawakami S, Takaki H, Sato H, Shimizu W, **Kamakura S**, Sugimachi M: A novel magnetocardiographic approach for estimating the whole ventricular activation with use of 3-directional recordings. AHA 2010 (November 13-17, Chicago)
 28. Makimoto H, **Kamakura S**, Aihara N, Noda T, Nakajima I, Yokoyama T, Doi A, Kawata H, Yamada Y, Okamura H, Satomi K, Aiba T, Shimizu W: Clinical impact of the number of extrastimuli and minimal coupling interval in programmed electrical stimulation in patients with Brugada Syndrome. AHA 2010 (November 13-17, Chicago)
 29. **Shimizu W**: Relation to Brugada Syndrome. Joint symposium 2, J wave syndrome:From cell to bedside. Heart Rhythm Society 2012. Boston, USA. 2012.5. 10.
 30. **Shimizu W**: ECG Diagnosis and Risk Stratification of Brugada Syndrome. THU-201DE-3-2: Inherited Arrhythmias. 5th Asia-Pacific Heart Rhythm Society Scientific Session 2012, Taipei, 2012. 10. 4.
 31. **Shimizu W**: Risk Stratification and ICD Implant in Patients with Long QT Syndrome. Session II: Dilemmas in prevention of Sudden Death. XV International Symposium on Progress in Clinical Pacing. EURO-JAPAN ARRHYTHMIA FORUM (EJAF), Rome, 2012. 12. 6.
 32. **Shimizu W**: Clinical manifestation and risk stratification of Brugada syndrome. Joint Session with Asia Pacific Heart Rhythm Society. Topic: Inherited Arrhythmic Disorders in the Asia Pacific Region. CardioRhythm 2011, Hong

- Kong, 2011. 2. 26.
33. **Shimizu W**: Understanding QT Syndromes. In honor of Professor Douglas Zipes - Special Symposium in Basic EP. CardioRhythm 2011, Hong Kong, 2011. 2. 26.
 34. **Shimizu W**: Mutations associated with idiopathic VF. JHRS-EHRA Joint Session: Idiopathic VT and VF. Europace 2011, Madrid, 2011. 6. 28.
 35. 清水 渉, 相庭武司: ヒトiPS細胞由来心筋細胞を用いた先天性QT延長症候群のテーラメイド医療および病態解明の可能性. 会長特別企画「ヒトiPS細胞由来心筋樹立による家族性突然死症候群の病態解明と治療法の確立」第75回日本循環器学会学術集会 (横浜), 2011. 8. 4. *Circulation Journal* 75 (Suppl I); 2011.
 36. Makita N, Makiyama T, Seki A, Nogami A, Ohkubo K, Watanabe I, Shimizu W, Watanabe H, Sumitomo N, **Horie M**, Delmar M. Clinical features and genetic basis of 63 patients with progressive cardiac conduction defect. *The Heart Rhythm Society's 33rd Annual Scientific Sessions (2012.05.09-12, Boston, MA, U.S.A.)*
 37. Kimura H, Ohno S, Itoh H, Kawamura M, Naiki N, Wang Q, Makiyama T, Ito M, **Horie M**. KCNJ2-R218Q/W is a hot spot with strong phenotype in Andersen-tawil syndrome. *The Heart Rhythm Society's 33rd Annual Scientific Sessions (2012.05.09-12, Boston, MA, U.S.A.)*
 38. Fukuyama M, Ohno S, Wang Q, Kimura H, Miyamoto A, Makiyama T, Itoh H, Itoh M, **Horie M**. Novel CACNA1C mutations identified in Japanese patients caused both Brugada syndrome and Idiopathic Ventricular Fibrillation without QT shortening. *ESC CONGRESS 2012 (2012.08.25-29, Munich, Germany)*
 39. **Horie M**. Hypertension and atrial fibrillation involvement of RAS, role of candesartan - *The 1st International Forum of Wuhan Geriatrics Society 2012 (2012.09.22, 2012 Wuhan, China)*
 40. **Horie M**. Inherited arrhythmia in Asia. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 41. Sasaki K, Makiyama T, Wuryanghai Y, Chen J, Kamakura T, Kimura T, Yoshida Y, Yamanaka S, Ohno S, **Horie M**. One year assessment of ion channel gene expression in cardiomyocytes derived from human induced pluripotent stem cells. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03- 06 Taipei, Taiwan)*
 42. **Horie M**. Acquired long QT syndrome. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 43. Ohno S, Nishio Y, Nagaoka I, Fukuyama M, Kimura H, Itoh H, Makiyama T, Shimizu A, **Horie M**. Age dependent clinical and genetic characteristics in Japanese patients with arrhythmogenic

- right ventricular cardiomyopathy/dysplasia. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
44. Wang Q, Ohno S, Miyamoto A, Ding WG, Wu J, Kimura H, Itoh H, Makiyama T, Matsuura H, Horie M. Functional analysis of novel KCNH2. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 45. Kawamura M, Ohno S, Naiki N, Nagaoka I, Dohchi K, Kimura H, Hasegawa K, Wang Q, Itoh H, Makiyama T, Horie M. Mutations identified in Brugada syndrome patients with or without ventricular fibrillation. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 46. Hasegawa K, Ohno S, Itoh H, Makiyama T, Horie M. A Rare KCNE1 Polymorphism, D85N, is a Genetic Modifier in Congenital Long QT Syndrome. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 47. Makiyama T, Sasaki K, Kamakura T, Shizuta S, Cheng J, Wuriyanghai Y, Ohno S, Itoh H, Horie M, Kimura T. Genotype-Phenotype Relationships in Patients with Familial Bradyarrhythmias; SCN5A Versus LMNA Gene Mutations. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 48. Fukuyama M, Ohno S, Wang Q, Kimura H, Itoh H, Makiyama T, Ito M, Horie M. CACNA1C Mutations in Japanese Patients with Brugada Syndrome or Idiopathic Ventricular Fibrillation. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
 49. Fumimoto T, Fukuda M, Katoh T, Shimizu A, Ueyama T, Yoshiga Y, Doi M, Matuzaki M, Ohno S, Horie M. The Smaller R/S Ratio in Lead I is Characteristic of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia in Patients having Desmosomal Gene Mutations. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012. 10 03-06 Taipei, Taiwan)*
 50. Kamakura T, Makiyama T, Wuriyanghai Y, Chen J, Sasaki K, Shizuta S, Hasegawa K, Ohno S, Horie M, Kimura T. Genetic Backgrounds in Patients with

- Early-Onset and Familial Atrial Fibrillation. *The 5th Asia-Pacific Heart Rhythm Society Scientific Session (APHRS) in conjunction with The 8th Asia-Pacific Atrial Fibrillation Symposium (APAFS) (2012.10.03-06 Taipei, Taiwan)*
51. Aiba T, Toyoda F, Makita N, Matsuura H, Makimoto H, Yamagata K, Horie M, Fukushima N, Ogawa S, Aizawa Y, Ohe T, Kusano KF, Yamagishi M, Tanaka T, Makiyama T, Yoshinaga M, Hagiwara N, Sumitomo N, Kamakura S, Shimizu W. Biophysical Properties of Na Channel in the S5-S6 High Risk LQT3 Mutations of the Long QT Syndrome. *AHA Scientific Sessions 2012 . (2012.11.03-07, Los Angeles, California,U.S.A.)*
 52. Yagihara N, Watanabe H, Atack TC, Ohno S, Shimizu W, Chatel S, Koopmann TT, Ping Yang, Marylyn D Ritchie, Turner S, Hasegawa K, Wakasugi M, Onodera O, Kuwano R, Duboscq-Bidot L, Horie M, Schott JJ, Takayama M, Nakano Y, Bezzina CR, Wilde AAM, Momotsu T, Endo N, Darbar D, Roden DM, Makita N. Arrhythmia-associated variants in the *SCN5A* promoter and regulatory regions. *AHA Scientific Sessions 2012 . (2012.11.03-07, Los Angeles, California,U.S.A.)*
 53. Yamada Y, Sakaguchi T, Nakajima I, Miyamoto K, Okamura H, Noda T, Satomi K, Aiba T, Anzai T, Ishihara M, Yasuda S, Ogawa H, Kamakura S, Horie M, Shimizu W. Different response to exercise testing between Andersen-Tawil syndrome and catecholaminergic polymorphic ventricular tachycardia. *AHA Scientific Sessions 2012 . (2012.11.03-07, Los Angeles, California,U.S.A.)*
 54. Kawaguchi T, Hayashi H, Miyamoto A, Yoshino T, Naiki N, Taniguchi A, Sugimoto Y, Itoh M, Murakami Y, Horie M. Prognostic significance of temporal increase in QRS duration and morphological development of QRS complex. *AHA Scientific Sessions 2012. (2012.11.03-07, Los Angeles, California,U.S.A.)*
 55. Hasegawa K, Ohno S, Itoh H, Hattori T, Makiyama T, Toyoda F, Ding WG, Chinushi M, Matsuura H, Horie M. Novel *KCNQ1* missense mutation associated with juvenile-onset atrial fibrillation. *AHA Scientific Sessions 2012. (2012.11.03-07, Los Angeles, California,U.S.A.)*
 56. Watanabe H, Werf Cv, Roses-Noguer F, Viskin S, Sumitomo N, Veltmann C, Rosso R, Bhuiyan Z, Till J, Kannankeril P, Horie M, Knollmann B, Wilde A. Effects of flecainide on exercise-induced arrhythmias and recurrences in genotype-negative patients with catecholaminergic polymorphic ventricular tachycardia. *AHA Scientific Sessions 2012 . (2012.11.03-07, Los Angeles, California,U.S.A.)*
 57. 堀江 稔:心筋イオンチャネル病:疾患群としての概要と発症機序。厚生労働科学研究難治性疾患克服研究事業奨励研究分野3班合同ワークショップ (2012.01.22 大阪)

58. Hattori T, Makiyama, Ohno S, Sasaki K, Kamakura T, Hayashi H, Itoh H, Horie M, Kimura T. Genetic analysis of candidate gene mutations in patients with short QT syndrome. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
59. Sato A, Watanabe H, Louise H, Makiyama T, Shimizu W, Sonoda K, Hasegawa K, Yagihara N, Iijima K, Izumi D, Furushima H, Roden DM., Horie M, Chinushi M, Aizawa Y. The various unusual phenotypes and overlaps caused by a D1275N mutation in SCN5A. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
60. Hattori T, Makiyama T, Akao M, Ehara E, Ohno S, Iguchi M, Sasaki K, Kamakura T, Itoh H, Horie M, Kimura T. Overexpression of heterozygous KCNJ2-M301K channels identified in short QT syndrome abbreviated action potential durations in neonatal rat ventricular myocytes. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
61. Dochi K, Ohno S, Itoh H, Itoh M, Horie M. Clinical characterisation of the patient with a common splicing mutation, KCNQ1-A344A. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
62. Naiki N, Hayashi H, Miyamoto A, Yoshino T, Kawaguchi T, Taniguchi A, Sugimoto Y, Itoh M, Horie M. Comparison of J Wave and Interventricular Conduction Defect: Mechanistic Insights into Arrhythmogenic J Wave. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
63. Kawaguchi T, Hayashi H, Miyamoto A, Yoshino T, Naiki N, Taniguchi A, Sugimoto Y, Itoh M, Horie M. Clinical impact of supra-ventricular and ventricular progressive cardiac conduction disturbance on heart failure hospitalization.
64. Kawaguchi T, Hayashi H, Miyamoto A, Yoshino T, Naiki N, Taniguchi A, Sugimoto Y, Itoh M, Horie M. Prognostic Value of Temporal Increase in QRS Duration: Does QRS Morphology Matter? 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
65. Dochi K, Kawamura M, Naiki N, Ohno S, Itoh M, Horie M. Combination therapy with beta-blocker and flecainide effectively prevents ventricular arrhythmias in CPVT patients with RyR2 mutations. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
66. Aizawa Y, Sato A, Hasegawa K, Chinushi M, Furushima H, Sato M, Horie M, Imaizumi T, Watanabe I, Aizawa Y, Fukuda K, Kaneko Y, Kurabayashi M, Shinozaki T, Aonuma K, Kuwano H, Haissaguerre M. Dynamicity of J Wave in Idiopathic Ventricular Fibrillation with a Special Reference to Pause-dependent Augmentation of J Wave. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
67. Makiyama T, Yoshida Y, Sasaki K, Kamakura T, Hattori T, Shizuta S, Doi T, Ohno S, Horie M, Yamanaka S, Kimura

- T. Analysis of Cardiomyocytes Differentiated from Disease-specific Induced Pluripotent Stem Cells in Lamin A/C-related Cardiomyopathy. 第76回日本循環器学会学術集会 (2012.03.16-18 福岡)
68. Horie M, Ohno S, Nagaoka I, Fukuyama M, Kimura H, Itoh H : Genetic Background for Arrhythmogenic Right Ventricular Cardio myopathy/ Dysplasia (ARVC/D) in Japan. 第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
69. 大久保公恵、渡辺一郎、奥村恭男、園田和正、永嶋孝一、真野博明、小船雅義、中井俊子、國本 聡、平山篤志、堀江 稔：ダイエットが契機となり Torsades de Pointes を発症したと考えられる QT 延長症候群の1症例。第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
70. 小澤友哉、伊藤 誠、市川麻理、加藤浩一、道智賢市、宮本 証、中澤優子、芦原貴司、杉本喜久、堀江 稔：先天性心疾患の根治術後に乳頭筋起源の心室頻拍を認めた症例。第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
71. 中島 忠、金古善明、入江忠信、加藤寿光、飯島貴史、倉林正彦、呉 捷、大野聖子、福山 恵、堀江 稔、丹下正一：本邦 Brugada 症候群の遺伝的異質性：遺伝子型に基づくリスク層別化およびマネジメント戦略の構築に向けて。第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
72. 蒔田直昌、堀江 稔、清水 渉、住友直方、関 明子、牧山 武、渡部 裕、赤星正純：進行性心臓伝導障害の全国レジストリー。第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
73. 相庭武司、牧本久樹、山形研一郎、中島育太郎、宮本康二、山田優子、岡村英夫、野田 崇、里見和浩、石原正治、安齊俊久、安田 聡、小川久雄、鎌倉史郎、宮本恵宏、清水 渉、堀江 稔、小川 聡、相澤義房、大江 透、草野研吾、山岸正和、蒔田直昌。田中敏博、牧山 武、吉永正夫、萩原誠久、住友直方：先天性 QT 延長症候群における遺伝子変異領域と予後・治療の選択。第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
74. 伊藤英樹、Berthet Myriam、Maugenre Svetlana、Guicheney Pascale、Denjoy Isabelle、Didier Klug、水澤有香、Hofman Nynke、Wilder Arthur、牧山武、Tezenas Sophie、Schulze-Bahr Eric、清水 渉、堀江 稔：QT 延長症候群における変異遺伝子の伝達乖離—多施設国際共同研究—第27回日本不整脈学会学術大会 (2012.07.05-7 横浜)
75. 林 秀樹、飛田 良、柴田沙智子、澁川武志、平岩康之、木下妙子、長谷川奏恵、大野聖子、川村美朋子、道智賢市、牧山 武、小澤友哉、伊藤 誠、堀江 稔：心肺蘇生後、心臓リハビリテーションを施行し ICD を植え込み復学に成功したカテコラミン感受性多形心室頻拍症。第25回京滋奈良ハートリズム研究会 (2012.07.21 京都)
76. 児玉浩志、浅田紘平、芦原貴司、小澤友哉、中澤優子、伊藤英樹、伊藤 誠、堀江 稔：心室細動による ICD 作動

- 抑制にキニジン内服が著効した SCN5A 陰性の Brugada 症候群の一例。第 25 回京滋奈良ハートリズム研究会 (2012.07.21 京都)
77. 福山 恵、大野聖子、長谷川奏恵、加藤浩一、道智賢市、服部哲久、川村美朋子、木村紘美、伊藤英樹、山本 孝、伊藤 誠、堀江 稔：日本人の遺伝性不整脈患者における表現型とカルシウムチャネル遺伝子変異との関係について。第 10 回呼吸循環器フォーラム (2012.08.04 滋賀)
78. 堀江 稔：遺伝性不整脈の診断・治療。第 37 回東海不整脈研究会 (2012.09.15 愛知)
79. 堀江 稔：心房細動の Up to Date—遺伝子異常から最近の抗凝固療法まで—第 29 回日本心電学会学術集会 (2012.10.12-13 千葉)
80. 文本朋子、清水昭彦、上山 剛、古賀康裕、土居正浩、福田昌和、加藤孝佳、石口博智、堀江 稔、松崎益徳：デスモゾーム関連淡泊の遺伝子変異を認めた不整脈源性右室心筋症の心電図的特徴 第 29 回日本心電学会学術集会 (2012.10.12-13 千葉)
81. 堀江 稔：iPS 細胞を利用した疾患研究の可能性。第 143 回草津栗東医師会循環器研究会 (2012.12.05 滋賀)
82. 堀江 稔：遺伝性突然死症候群の実態に迫る 第 25 回日本心臓病学会教育セミナー (2011.02.20 大阪)
83. **Horie M**: Molecular genetics of ARVC. Cardiorhythm 2011 (2011.02.25-27, Hong Kong, China)
84. 堀江 稔：家族性 QT 延長症候群の遺伝診断と治療 第 5 回愛媛発達心臓病研究会 (2011.04.09 愛媛)
85. 堀江 稔：不整脈の Up To Date 循環器 合同エキスパートミーティング (2011.04.16 岡山)
86. **Horie M**: Genetics and Molecular mechanisms of ventricular tachyarrhythmia. Taiwan Society of Cardiology -2011 Annual Meeting (2011.05.14-15 Taipei, Taiwan)
87. **Horie M**: Challenging ECG of sudden cardiac death. Taiwan Society of Cardiology -2011 Annual Meeting (2011.05.14-15 Taipei, Taiwan)
88. 堀江 稔：遺伝性不整脈の診断と治療における iPS 細胞利用の可能性 iPS アカデミアジャパン研修会 (2011.05.20 京都)
89. 岡川浩人、鹿野真由美、西山敬三、松井俊樹、山岡 修、大村 具子、伊藤誠、堀江 稔：学校検診にて発見された早期再分極症候群(J wave syndrome) の疑われる一例。第 70 回滋賀県循環器疾患研究会 (2011.06.11 滋賀)
90. Takigawa M, Kawamura M, Noda T, Yamada Y, Okamura H, Satomi K, Aiba T, Aihara N, Kamakura S, Sakaguchi T, Mizusawa Y, Itoh H, **Horie M**, Shimizu W: Seasonal and circadian distributions of occurrence of cardiac events in genotyped patients with congenital long QT syndrome. 第 75 回日本循環器学会総会・学術集会 (2011.08.3-4 横浜)
91. Makimoto H, **Horie M**, Ogawa S, Aizawa Y, Ohe T, Kusano K, Yamagishi M, Makita N, Tanaka T, Makiyama T, Yoshinaga M, Hagiwara N, Sumitomo N, Itoh H, Yamada Y, Okamura , Noda T, Aiba T, Kamakura S, Miyamoto Y, Shimizu W: What influences β -blocker resistance for secondary prevention of cardiac events in patients with congenital long QT syndrome. 第 75 回日本循環器学会総会・学術集会 (2011.08.3-4 横浜)

92. Makiyama T, Yoshida Y, Sasaki K, Shizuta S, Doi T, Hattori T, **Horie M**, Kimura T: Establishment of disease-specific induced pluripotent stem cells from a patient with Lamin A/C-related cardiomyopathy. 第75回日本循環器学会総会・学術集会 (2011.08.3-4 横浜)
93. Kimura H, Zhou J, Itoh H, Mizusawa Y, Miyamoto A, Jitoh Y, Kawamura M, Sakaguchi T, Nishio Y, Ding WG, Makiyama T, Ito M, Matsuura H, **Horie M**: Genotype-phenotype correlation in Japanese patients with andersen-tawil syndrome. 第75回日本循環器学会総会・学術集会 (2011.08.3-4 横浜)
94. Kawaguchi T, Hayashi H, Miyamoto A, Yoshino T, Taniguchi A, Sugimoto Y, Ito M, **Horie M**: Prognostic implications of progressive cardiac conduction disease. 第75回日本循環器学会総会・学術集会 (2011.08.3-4 横浜)
95. Kimura H, Zhou J, Itoh H, Mizusawa Y, Miyamoto A, Kawamura M, Makiyama T, Ito M, Matsuura H, Horie H. Phenotype variability in patients carrying KCNJ2 mutations. ESC Congress 2011 (2011.08.27-31, Paris, France)
96. Hattori T, Makiyama T, Akao M, Ehara E, Ohno S, Iguchi M, Sasaki K, Itoh H, **Horie M**, Kimura T. Over-expression of heterozygous KCNJ2-M301K channels, identified in a patient with short QT syndrome, shortened action potential durations in neonatal rat ventricular myocytes. ESC Congress 2011 (2011.08.27-31, Paris, France)
97. **Horie M**, Ohno S, Wu J, Zankov DP, Toyoda F, Ding WG, Matsuura H: Mutations of KCNE gene family in inherited arrhythmia syndromes. Special Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
98. **Horie M**, Itoh H, Shimizu W, Hayashi K, Ohno S, Makiyama T, Yamagishi M, Kamakura S: Long QT Syndromes are heterogeneous disease entities presenting not only QT prolongation but multiple phenotypes Cases with compound heterozygous mutations. JHRS-JSE Joint Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
99. **Horie M**: Renin- Angiotensin - Aldosterone system and atrial fibrillation. Evening Seminar 1 (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
100. Makimoto H, **Horie M**, Ogawa S, Aizawa Y, Ohe T, Yamagishi M, Makita N, Makiyama T, Aiba T, Kamakura S, Miyamoto Y, Shimizu W: Clinical and genetic features of Japanese patient with congenital long QT syndrome. JHRS-JSE Joint Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
101. Wu J, Naiki N, Ding WG, Matsuura H, **Horie M**: A weak dominant negative mutation of KCNQ1-G269S affects PKA-Mediated up-regulation of IKs channels and causes adrenergic triggered long QT syndrome. Mini-Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
102. Naiki N, Hayashi H, Miyamoto A, Sugimoto Y, Ito M, **Horie M**. Prognostic significance of J wave in patients who underwent device therapy for ventricular defibrillation. Mini-Symposium (APHRS 2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)

103. Nakazawa Y, Ashihara T, Miyamoto A, Ozawa T, Sugimoto Y, Ito M, **Horie M**: Importance of long-term follow-up after pulmonary vein isolation: A study using event-ECG monitors. Mini-Symposium (APHRS 2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
104. Ozawa T, Ito M, Nakazawa Y, Ashihara T, Miyamoto A, Sugimoto Y, Yao T, **Horie M**: Ventricular fibrillation triggered during radiofrequency energy delivery for verapamil - sensitive idiopathic left ventricular tachycardia. Mini-Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
105. Makita N, Makiyama T, Nogami A, Watanabe H, Seki A, Sumitomo N, Shimizu W, **Horie M**: Clinical features and genetic basis of progressive cardiac conduction defect: Japanese PCCD registry. JHRS-JSE Joint Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
106. Ashihara T, Haraguchi R, Inada S, Nakazawa K, Ozawa T, Nakazawa Y, Ito M, **Horie M**, Trayanova N: Mechanisms of complex fractionated electrogram - targeted ablation in a model for chronic atrial fibrillation. Mini - Symposium (APHRS 2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
107. Wang Q, Ohno S, Makiyama T, Kimura H, Naiki N, Kawamura M, Kato K, **Horie M**: Mutation analysis of the KCNJ8 gene in Japanese patients with J-wave syndrome and idiopathic ventricular fibrillation. Mini-Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
108. Nakashima T, Ohkusa T, Yoshida M, Yamada J, Okamura T, Ueyama T, Miura T, Shimizu A, **Horie M**, Matsuzaki M: New diagnostic test for arrhythmogenic right ventricular cardiomyopathy. Mini - Symposium (APHRS 2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
109. Taniguchi A, Hayashi H, Miyamoto A, Yoshino T, Kawaguchi T, Naiki N, Nakae I, Matsumoto T, **Horie M**: Relationship between nonspecific electrocardiographic abnormalities and left ventricular performance in coronary atherosclerosis. Poster Session (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
110. Yoshino T, Hayashi H, Miyamoto A, Taniguchi A, Kawaguchi T, Naiki N, Sugimoto Y, Ito M, **Horie M**: Biphase P wave in lead II is a novel electrophysiologic marker for atrial fibrillation. Poster Session (APHRS 2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
111. Kawamura M, Nagaoka I, Kenichi, Nishio Y, Itoh H, Kimura H, Miyamoto A, Mizusawa Y, Jito Y, Ishida K, Ito M, Makiyama T, Ohno S, Sumitomo N, Oyama K, **Horie M**: Mutations of the cardiac ryanodine Receptor (RyR2) gene in catecholaminergic polymorphic ventricular tachycardia. (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)
112. Ozawa T, Ito M, Itoh H, Nakazawa Y, Sugimoto Y, Yao T, Miyamoto A, Ashihara T, **Horie M**: Site-specific arrhythmogenesis in structurally normal heart of non-brugada patients with ventricular arrhythmias originating from ventricular outflow tract. Mini-Symposium (APHRS2011 & 26th JHRS 28th JSE 合同学会 2011.09.18-22 福岡)