

. 研究成果の刊行に関する一覧表

Japanese Congenital Cytomegalovirus Infection Immunoglobulin Fetal Therapy Study Group.

Yamada H, Morizane M, Tanimura K, Morioka I, Ebina Y, Matsuda H, Yoshida M, Wakamatsu H, Furuya K, Murotsuki J, Saito S, Kawabata I, Takahashi Y, Ueda T, Sato Y, Kamitomo M, Maruyama Y, Hirano H, Yamada T, Minakami H, Yaegashi N, Minematsu T, Matsuoka R, Banzai M, Ikenoue T. A trial of immunoglobulin fetal therapy for symptomatic congenital cytomegalovirus infection. 2012 Sep;95(1-2):73-9. J Reprod Immunol

Taketomi S, Hiraoka H, Nakagawa T, Miyamoto Y, Kuribayashi S, Fukuda A, Takeda H, Fukai A, Hirota J, Nakajima K, Haga N, Nakamura K: Osteochondral autograft for medial femoral condyle chondral lesions in a patient with multiple epiphyseal dysplasia: long-term result. J Orthop Sci 17: 507-511, 2012

Susami T, Mori Y, Tamura K, Ohkubo K, Nagahara K, Takahashi N, Uchino N, Uwatoko K, Haga N, Takato T: Facial morphology and occlusion of a patient with fibrodysplasia ossificans progressiva (FOP): Follow-up from 8 to 21 years of age. Spec Care Dentist 32: 165-170, 2012

Jiao S, Zhang Y, Ma W, Haga N: FOP in China and Japan: an overview from domestic literatures. Am J Med Genet Part A 161A: 892-893, 2013

Tsutsumi S, Maekawa A, Obata M, Morgan T, Robertson SP, Kurachi H. A Case of Boomerang Dysplasia with a Novel Causative Mutation in Filamin B: Identification of Typical Imaging Findings on Ultrasonography and 3D-CT Imaging. Fetal Diagn Ther. 2012

Yamada T, Takagi M, Nishimura G, Akaishi R, Furuta I, Morikawa M, Yamada T, Cho K, Sawai H, Ikegawa S, Hasegawa T, Minakami H. Recurrence of osteogenesis imperfecta due to maternal mosaicism of a novel COL1A1 mutation. Am J Med Genet A. 2012 Nov;158A(11):2969-71.

Kagami M, Kato F, Matsubara K, Sato T, Nishimura G, Ogata T*: Relative frequency of underlying genetic causes for the development of UPD(14)pat-like phenotype. Eur J Hum Genet 20 (9): 928-932, 2012.

厚生労働科学研究費補助金（難治性疾患克服研究事業）
総合研究報告書

Fuke-Sato T, Yamazawa K, Nakabayashi K, Matsubara K, Matsuoka K, Hasegawa T, Dobashi K, Ogata T*: Mosaic upd(7)mat in a patient with Silver-Russell syndrome: correlation between phenotype and mosaic ratio in the body and the placenta. Am J Med Genet A 158A (2): 465-468, 2012.

Hiura H, Okae H, Miyauchi N, Sato F, Sato A, Van De Pette M, John RM, Kagami M, Nakai K, Soejima H, Ogata T, Arima T*: Characterization of DNA methylation errors in patients with imprinting disorders conceived by assisted reproduction technologies. Hum Reprod 27 (8): 2541-2548, 2012.

Kagami M, Matsuoka K, Nagai T, Yamanaka M, Kurosawa K, Suzumori N, Sekita Y, Miyado M, Matsubara K, Fuke T, Kato F, Fukami M, Ogata T*: Paternal uniparental disomy 14 and related disorders: placental gene expression analyses and histological examinations. Epigenetics 7 (10): 1142-1150, 2012.

Nagasaki K*, Tsuchuya S, Saitoh A, Ogata T, Fukami M: Neuromuscular symptoms in a patient with familial pseudohypoparathyroidism type Ib diagnosed by methylation-specific multiplex ligation-dependent probe amplification. Endocr J (accepted).

Fuke T, Mizuno S, Nagai T, Hasegawa T, Horikawa R, Miyoshi Y, Muroya K, Kondoh T, Numakura C, Sato S, Nakabayashi K, Tayama C, Hata K, Sano S, Matsubara K, Kagami M, Tamazawa K, Ogata T*: Molecular and clinical studies in 138 Japanese patients with Silver-Russell syndrome. PLoS One (accepted).

Ayabe T, Matsubara K, Ogata T, Ayabe A, Murakami N, Nagai T, Fukami M*: Birth seasonality in Prader-Willi syndrome resulting from chromosome 15 microdeletion. Am J Med Genet A (accepted).

Matsubara K, Ogata T*: Advanced maternal age at childbirth and the development of uniparental disomy. A commentary on the proportion of uniparental disomy is increased in Prader-Willi syndrome due to an advanced maternal childbearing age in Korea. J Hum Genet. 2013 Jan 31. doi: 10.1038/jhg.2013.4.

Iida A, Okamoto N, Miyake N, Nishimura G, Minami S, Sugimoto T, Nakashima M, Tsurusaki Y, Saitsu H, Shiina M, Ogata K, Watanabe S, Ohashi H, Matsumoto N, Ikegawa S. Exome

厚生労働科学研究費補助金（難治性疾患克服研究事業）
総合研究報告書

sequencing identifies a novel INPPL1 mutation in opismodysplasia. *J Hum Genet.* 2013 Apr 4. doi: 10.1038/jhg.2013.25. [Epub ahead of print]

Semba K, Araki K, Matsumoto K, Suda H, Ando T, Sei A, Mizuta H, Takagi K, Nakahara M, Muta M, Yamada G, Nakagata N, Iida A, Ikegawa S, Nakamura Y, Araki M, Abe K, Yamamura K. Ectopic expression of Ptf1a induces spinal defects, urogenital defects, and anorectal malformations in Danforth's short tail mice. *PLoS Genet.* 2013 9(2):e1003204

Yamada T, Takagi M, Nishimura G, Akaishi R, Furuta I, Morikawa M, Yamada T, Cho K, Sawai H, Ikegawa S, Hasegawa T, Minakami H. Recurrence of osteogenesis imperfecta due to maternal mosaicism of a novel COL1A1 mutation. *Am J Med Genet A.* 158A(11):2969-71, 2012.

Cho TJ, Lee KE, Lee SK, Song SJ, Kim KJ, Jeon D, Lee G, Kim HN, Lee HR, Eom HH, Lee ZH, Kim OH, Park WY, Park SS, Ikegawa S, Yoo WJ, Choi IH, Kim JW. A single recurrent mutation in the 5'-UTR of IFITM5 causes osteogenesis imperfecta Type V. *Am J Hum Genet.* 91(2):343-8, 2012.

Miyake N, Elcioglu NH, Iida A, Isguven P, Dai J, Murakami N, Takamura K, Cho TJ, Kim OH, Hasegawa T, Nagai T, Ohashi H, Nishimura G, Matsumoto N, Ikegawa S. PAPSS2 mutations cause autosomal recessive brachyolmia. *J Med Genet.* 49(8):533-8, 2012.

Cho TJ, Matsumoto K, Fano V, Dai J, Kim OH, Chae JH, Yoo WJ, Tanaka Y, Matsui Y, Takigami I, Monges S, Zabel B, Shimizu K, Nishimura G, Lausch E, Ikegawa S. TRPV4-pathway manifesting both skeletal dysplasia and peripheral neuropathy: A report of three patients. *Am J Med Genet A.* 158A(4):795-802, 2012.

Daniel PB, Morgan T, Alanay Y, Bijlsma E, Cho TJ, Cole T, Collins F, David A, Devriendt K, Faivre L, Ikegawa S, Jacquemont S, Jesic M, Krakow D, Liebrecht D, Maitz S, Marlin S, Morin G, Nishikubo T, Nishimura G, Prescott T, Scarano G, Shafeghati Y, Skovby F, Tsutsumi S, Whiteford M, Zenker M, Robertson SP. Disease-associated mutations in the actin-binding domain of filamin B cause cytoplasmic focal accumulations correlating with disease severity. *Hum Mutat.* 33(4):665-73, 2012.

Sasagawa S, Takemori H, Uebi T, Ikegami D, Hiramatsu K, Ikegawa S, Yoshikawa H, Tsumaki N. SIK3 is essential for chondrocyte hypertrophy during skeletal development in mice.

厚生労働科学研究費補助金（難治性疾患克服研究事業）
総合研究報告書

Development. 139(6):1153-63, 2012.

Dateki S, Kosaka K, Hasegawa K, Tanaka H, Azuma N, Yokoya S, Muroya K, Adachi M, Tajima T, Motomura K, Kinoshita E, Moriuchi H, Sato N, Fukami M, Ogata T*. Heterozygous OrX2 mutations are associated with variable pituitary phenotype J Clin Endocrinol Metab 95 (2) 756-764 2010

Dateki S, Fukami M, Uematsu A, Kawai M, Iso M, One M, Mizota M, Yokoya S, Motomura K, Kinoshita E, Moriuchi H, Ogata T* Mutation and gene copy number analyses of six pituitary transcription factor genes in 71 patients with combined pituitary hormone deficiency: identification of a single patient with LHX4 deletion J Clin Endocrinol Metab 95 (8) 4043-4047 2010

Kagami M, O'sullivan MJ, Green AJ, Watabe Y, Arisaka O, Masawa N, Matsuoka K, Fukami M, Matsubara K, Kato F, Ferguson-Smith AC, Ogata T The IG-DMR and the MEG3-DMR at human chromosome 14q32.2: hierarchical interaction and distinct functional properties as imprinting control centers. PLoS Genet 6 (6) 100992 2010

Yamazawa K, Nakabayashi K, Kagami M, Sato T, Saitoh S, Horikawa R, Hizuka N, Ogata T Parthenogenetic chimaerism/mosaicism with a Silver-Russell Syndrome-like Phenotype. J Med Genet 47 47(11) 782-785 2010

Kato H, Yoshida R, Tsukamoto K, Suga H, Eto H, Higashino T, Araki J, Ogata T, Yoshimura K Familial cases of atypical clinical features genetically diagnosed as LEOPARD syndrome (multiple lentigines syndrome) Int J Dermatol 152A (12) 3189-3192 2010

Suzumori N*, Ogata T, Mizutani E, Hattori Y, Matsubara K, Kagami M, Sugiura-Ogasawara M. Prenatal diagnosis of paternal uniparental disomy 14: delineation of further patient Am J Med Genet A 152A 3189-3192 2010

Inoue H*, Kangawa N, Kinouchi A, Sakamoto Y, Kimura C, Horikawa R, Shigematsu Y, Itakura M, Ogata T, Fujieda K. Identification and functional analysis of novel human growth hormone-releasing hormone receptor (GHRHR) gene mutations in Japanese subjects with short stature J Clin Endocrinol Metab NOV 17 1365-2265 2010

厚生労働科学研究費補助金(難治性疾患克服研究事業)
総合研究報告書

Yamazawa K, Nakabayashi K, Matsuoka K, Matsubara K, Hata K, Horikawa R, Ogata T' Androgenetic/biparental mosaicism in a girl with Beckwith-Wiedemann syndrome-like and upd(14)pat-like phenotypes J Hum Genet 56 (1) 91-93 2011

Dateki S, Fukami M, Tanaka Y, Sasaki G, Moriochi H, Ogata T Identification of chromosome 15q terminal deletion with telomere sequences and its bearing on genotype-phenotype analysis Endocr J (accepted)

Miyazaki O*, Nishimura G, Kagami M, Ogata T Radiological evaluation of dysmorphic thorax in paternal uniparental disomy for chromosome 14. Ped Radiol (accepted).

Yamazawa K, Ogata T Ferguson-Smith AC Uniparental disomy and human disease: an overview. Am J Med Genet C (Seminars in Medical Genetics) 154C (3) 329-334 2010

Furuichi T, Dai J, Cho TJ, Sakazume S, Ikeda M, Matsui Y, Baynam G, Nagai T, Miyake N, Matsumoto N, Ohashi H, Unger S, Superti-Furga A, Kim OH, Nishimura G, Ikegawa S. CANT1 mutation is also responsible for Desbuquois dysplasia, type 2 and Kim variant. J Med Genet. 48(1) 32-37 2011

Wada R, Sawai H, Nishimura G, Isono K, Minagawa K, Takenobu T, Harada K, Tanaka H, Ishikura R, Komori S. Prenatal diagnosis of Kniest dysplasia with three-dimensional helical computed tomography. J Matern Fetal Neonatal Med. Jan 20. Epub ahead of print 2011

Watanabe A, Karasugi T, Sawai H, Naing BT, Ikegawa S, Orimo H, Shimada T. Prevalence of c.1559delT in ALPL, a common mutation resulting in the perinatal (lethal) form of hypophosphatasia in Japanese and effects of the mutation on heterozygous carriers. J Hum Genet. 56(2): 166-8. 2011

Yamada T, Nishimura G, Nishida K, Sawai H, Omatsu T, Kimura T, Nishihara H, Shono R, Shimada S, Morikawa M, Mizushima M, Yamada T, Cho K, Tanaka S, Shirato H, Minakami H. Prenatal diagnosis of short-rib polydactyly syndrome type 3 (Verma-Naumoff type) by three-dimensional helical computed tomography. J Obstet Gynaecol Res. ;37(2) 151-5. 2011

厚生労働科学研究費補助金（難治性疾患克服研究事業）
総合研究報告書

Sago H, Hayashi S, Saito M, Hasegawa H, Kawamoto H, Kato N, Nanba Y, Ito Y, Takahashi Y, Murotsuki J, Nakata M, Ishii K, Murakoshi Y. The outcome and prognostic factors of twin-twin transfusion syndrome following fetoscopic laser surgery. *Prenat Diagn.* 30 1185-91 2010

Kitoh H, Kaneko H, Kondo M, Yamamoto T, Ishiguro N, Nishimura G. Spondylometaphyseal dysplasia with cone-rod dystrophy. *Am J Med Genet A.* Mar 15. Epub ahead of print 2011

Nakashima Y, Haga N, Kitoh H, Kamizono J, Tozawa K, Katagiri T, Susami T, Fukushi J, Iwamoto Y. Deformity of the great toe in fibrodysplasia ossificans progressiva. *J Orthop Sci.* 15(6) 804-9 2010

Nishimura G, Dai J, Lausch E, Unger S, Megarbané A, Kitoh H, Kim OH, Cho TJ, Bedeschi F, Benedicenti F, Mendoza-Londono R, Silengo M, Schmidt-Rimpler M, Spranger J, Zabel B, Ikegawa S, Superti-Furga A. Spondylo-epiphyseal dysplasia, Maroteaux type (pseudo-Morquio syndrome type 2), and parastremmatic dysplasia are caused by TRPV4 mutations. *Am J Med Genet A.* 152A(6): 1443-9. 2010