
Animal: 10107

Sex: Male

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Kidney : Cell Infiltration, Lymphocyte; interstitium, minimal

Harderian Gland : Cell Infiltration, Lymphocyte; interstitium, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland;
Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum);
Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Urinary Bladder; Testis; Epididymis; Prostate; Seminal Vesicle;
Mammary Gland; Pituitary; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Femoral Muscle;
Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	10108		Sex:	Male
Material:	P092	Dose:	0 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:**Histo Pathology - The following Tissues were Within Normal Limits:**

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Testis; Epididymis; Prostate; Seminal Vesicle; Mammary Gland; Pituitary; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions] (G): Gross Pathology]

Animal: 10109

Sex: Male

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Liver : Cell Infiltration, Inflammatory; focal, minimal

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Testis; Epididymis; Prostate; Seminal Vesicle; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10110

Sex: Male

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Prostate : Cell Infiltration, Lymphocyte; interstitium, minimal

Thyroid : Ectopic Thymic Tissue; minimal

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland;
Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum);
Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Testis; Epididymis; Seminal Vesicle;
Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral
Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50101

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Liver : Cell Infiltration, Inflammatory; focal, minimal

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50102

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Liver : Cell Infiltration, Inflammatory; focal, minimal

Pituitary : Cyst, Intermediate Lobe; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50103

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Parotid Gland : Cell Infiltration, Inflammatory; focal, minimal

Kidney : Basophilic Tubule; minimal

Pituitary : Aberrant Craniopharyngeal Tissue; intermediate lobe, minimal

Pituitary : Cyst, Anterior Lobe; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50104

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Kidney : Basophilic Tubule; minimal

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	50105		Sex:	Female
Material:	P092	Dose:	0 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50106

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions] (G): Gross Pathology]

Animal: 50107

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Liver : Cell Infiltration, Inflammatory; focal, minimal

Thyroid : Ectopic Thymic Tissue; minimal

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: {(TGL): Trackable Gross Lesions } (G): Gross Pathology}

Animal: 50108

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	50109		Sex:	Female
Material:	P092	Dose:	0 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Thyroid : Ultimobranchial Remnant; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50110

Sex: Female

Material: P092

Dose: 0 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Histo Pathology - The following Tissues were Within Normal Limits:

Tongue; Esophagus; Stomach; Duodenum; Jejunum; Ileum; Cecum; Colon; Rectum; Liver; Pancreas; Submandibular Gland; Sublingual Gland; Parotid Gland; Trachea; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Heart; Aorta; Kidney; Urinary Bladder; Ovary; Uterus; Vagina; Mammary Gland; Pituitary; Thyroid; Parathyroid; Adrenal; Brain; Spinal Cord; Optic Nerve; Sciatic Nerve; Eyeball; Harderian Gland; Femoral Muscle; Femur; Sternum; Knee Joint; Skin

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10201

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Liver : Cell Infiltration, Inflammatory; focal, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	10202		Sex: Male
Material:	P092	Dose: 5 mg/kg	
		Removal Reason: Scheduled Sacrifice	
		Study Day (Week) of Death: 29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Mesenteric Lymph Node : Necrosis; macrophage, sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	10203		Sex:	Male
Material:	P092	Dose:	5 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10204

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10205

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10206

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Kidney : Basophilic Tubule; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]