
Animal: 10207

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Jejunum : Vacuolation, Mucosal Epithelium; minimal

Jejunum : Accumulation, Foam Cell; lamina propria, minimal

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Kidney : Basophilic Tubule; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum);

Mandibular Lymph Node; Mesenteric Lymph Node

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10208

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10209

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Present

Epididymis : Nodule; unilateral, one (TGL)

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Kidney : Hyaline Cast; minimal

Epididymis : Spermatic Granuloma; minimal [Epididymis : Nodule; unilateral, one (G)]

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10210

Sex: Male

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Jejunum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Kidney : Mineralization; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum);

Mandibular Lymph Node; Mesenteric Lymph Node

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50201

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50202

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50203

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50204	Sex: Female
Material: P092	Dose: 5 mg/kg
	Removal Reason: Scheduled Sacrifice
	Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50205

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50206

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions] (G): Gross Pathology]

Animal: 50207

Sex: Female

Material: P092

Dose: 5 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal:	50208		Sex:	Female
Material:	P092	Dose:	5 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 50209		Sex: Female
Material: P092	Dose: 5 mg/kg	
	Removal Reason: Scheduled Sacrifice	
	Study Day (Week) of Death: 29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions] [(G): Gross Pathology]

Animal:	50210	Sex:	Female
Material:	P092	Dose:	5 mg/kg
		Removal Reason:	Scheduled Sacrifice
		Study Day (Week) of Death:	29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Stomach; Duodenum; Jejunum; Cecum; Colon; Rectum; Liver; Lungs (And Bronchus); Thymus; Spleen; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Mesenteric Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10301

Sex: Male

Material: P092

Dose: 20 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Duodenum : Accumulation, Foam Cell; lamina propria, minimal

Jejunum : Vacuolation, Mucosal Epithelium; minimal

Jejunum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Cell Infiltration, Neutrophil; lamina propria, minimal

Liver : Vacuolation, Bile Ductal Epithelium; minimal

Lungs (And Bronchus) : Accumulation, Foam Cell, Alveolus; minimal

Spleen : Accumulation, Foamy Macrophage; minimal

Spleen : Vacuolation; macrophage, marginal zone, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Cecum; Colon; Rectum; Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10302

Sex: Male

Material: P092

Dose: 20 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Jejunum : Vacuolation, Mucosal Epithelium; minimal

Jejunum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Cell Infiltration, Neutrophil; lamina propria, minimal

Cecum : Vacuolation, Mucosal Epithelium; minimal

Liver : Vacuolation, Bile Ductal Epithelium; minimal

Spleen : Accumulation, Foamy Macrophage; minimal

Spleen : Vacuolation; macrophage, marginal zone, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Colon; Rectum; Lungs (And Bronchus); Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]

Animal: 10303

Sex: Male

Material: P092

Dose: 20 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Jejunum : Vacuolation, Mucosal Epithelium; minimal

Jejunum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Cecum : Vacuolation, Mucosal Epithelium; minimal

Liver : Vacuolation, Bile Ductal Epithelium; minimal

Liver : Vacuolation, Kupffer Cell; minimal

Spleen : Accumulation, Foamy Macrophage; minimal

Spleen : Vacuolation; macrophage, marginal zone, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, mild

Mesenteric Lymph Node : Necrosis; macrophage, sinus, mild

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Colon; Rectum; Lungs (And Bronchus); Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

Animal:	10304		Sex:	Male
Material:	P092	Dose:	20 mg/kg	
		Removal Reason:	Scheduled Sacrifice	
		Study Day (Week) of Death:	29 (5)	

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Duodenum : Vacuolation, Mucosal Epithelium; minimal
Jejunum : Vacuolation, Mucosal Epithelium; minimal
Jejunum : Accumulation, Foam Cell; lamina propria, minimal
Ileum : Vacuolation, Mucosal Epithelium; minimal
Ileum : Accumulation, Foam Cell; lamina propria, mild
Liver : Vacuolation, Bile Ductal Epithelium; minimal
Lungs (And Bronchus) : Osseous Metaplasia; minimal
Spleen : Accumulation, Foamy Macrophage; minimal
Spleen : Vacuolation; macrophage, marginal zone, minimal
Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, mild
Kidney : Basophilic Tubule; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Cecum; Colon; Rectum; Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node

Animal: 10305

Sex: Male

Material: P092

Dose: 20 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Jejunum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Cecum : Vacuolation, Mucosal Epithelium; minimal

Liver : Vacuolation, Bile Ductal Epithelium; minimal

Spleen : Accumulation, Foamy Macrophage; minimal

Spleen : Vacuolation; macrophage, marginal zone, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, mild

Histo Pathology - The following Tissues were Within Normal Limits:

Duodenum; Colon; Rectum; Lungs (And Bronchus); Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node; Kidney

Animal: 10306

Sex: Male

Material: P092

Dose: 20 mg/kg

Removal Reason: Scheduled Sacrifice

Study Day (Week) of Death: 29 (5)

Gross Pathology Observations [Correlation]:

Necropsy Findings : Absent

Histo Pathology Observations [Correlation]:

Duodenum : Vacuolation, Mucosal Epithelium; minimal

Jejunum : Accumulation, Foam Cell; lamina propria, mild

Ileum : Vacuolation, Mucosal Epithelium; minimal

Ileum : Accumulation, Foam Cell; lamina propria, mild

Cecum : Vacuolation, Mucosal Epithelium; minimal

Rectum : Vacuolation, Mucosal Epithelium; minimal

Liver : Vacuolation, Bile Ductal Epithelium; minimal

Spleen : Accumulation, Foamy Macrophage; minimal

Spleen : Vacuolation; macrophage, marginal zone, minimal

Mesenteric Lymph Node : Accumulation, Foamy Macrophage; sinus, minimal

Kidney : Basophilic Tubule; minimal

Histo Pathology - The following Tissues were Within Normal Limits:

Colon; Lungs (And Bronchus); Thymus; Bone Marrow (Femur); Bone Marrow (Sternum); Mandibular Lymph Node

General Footnote: [(TGL): Trackable Gross Lesions || (G): Gross Pathology]