

Table 1

## Clinical Sign - Summary

B120717

---

Day numbers relative to Start Date

Group	Sex	Clinical Sign	14	15
			a.m.	a.m.
1	m	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
2	m	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Vomitus (Dosing solution)	.	.
		Loose stool	.	.
3	m	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Vomitus (Food)	.	.
		Vomitus (Dosing solution)	.	.
		Diarrhea	.	.
		Watery diarrhea	.	.
4	m	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Vomitus (Food)	.	.
		Vomitus (Dosing solution)	.	.
		Diarrhea	.	.

---

Table 1

## Clinical Sign - Summary

B120717

		Day numbers relative to Start Date											
Group Sex	Clinical Sign	-6 a.m.	-5 a.m.	-4 a.m.	-3 a.m.	-2 a.m.	-1 a.m.	1 Before dosing	1 Time 10	1 Time 20	1 Time 30	1 Time 40	1 Time 50
1	f												
	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
	ANIMALS NORMAL	2	3	3	3	3	3	3	3	3	3	3	3
	Menses	1	.	.	.	.	.	.	.	.	.	.	.
	Loose stool	.	.	.	.	.	.	.	.	.	.	.	.
2	f												
	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
	ANIMALS NORMAL	3	3	2	2	2	3	3	3	3	2	1	2
	Vomitus (Dosing solution)	.	.	.	.	.	.	.	.	.	1	2	.
	Menses	.	.	1	1	1	.	.	.	.	.	.	.
	Loose stool	.	.	.	.	.	.	.	.	.	.	.	.
	Diarrhea	.	.	.	.	.	.	.	.	.	.	.	.
	Watery diarrhea	.	.	.	.	.	.	.	.	.	.	.	1
3	f												
	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
	ANIMALS NORMAL	3	3	2	2	1	2	2	3	3	2	1	1
	Vomitus (Food)	.	.	.	.	.	.	.	.	.	.	.	2
	Vomitus (Dosing solution)	.	.	.	.	.	.	.	.	.	1	2	.
	Menses	.	.	1	1	1	1	1	.	.	.	.	.
	Loose stool	.	.	.	.	1	.	.	.	.	.	.	.
	Diarrhea	.	.	.	.	.	.	.	.	.	.	.	2
4	f												
	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
	ANIMALS NORMAL	3	3	3	3	3	3	3	3	3	3	3	1
	Vomitus (Food)	.	.	.	.	.	.	.	.	.	.	.	2
	Vomitus (Frothy material)	.	.	.	.	.	.	.	.	.	.	.	1
	Loose stool	.	.	.	.	.	.	.	.	.	.	.	.
	Diarrhea	.	.	.	.	.	.	.	.	.	.	.	1
	No-stool	.	.	.	.	.	.	.	.	.	.	.	.

GROUP 1 - 0 mg/kg      GROUP 2 - 250 mg/kg      GROUP 3 - 500 mg/kg      GROUP 4 - 1000 mg/kg

Table 1

## Clinical Sign - Summary

B120717

			Day numbers relative to Start Date											
			2	3	4	5	6	7	8	9	10	11	12	13
			a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.
Group	Sex	Clinical Sign												
1	f	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
		ANIMALS NORMAL	3	3	3	3	3	3	1	3	3	3	3	3
		Menses	.	.	.	.	.	.	1	.	.	.	.	.
		Loose stool	.	.	.	.	.	.	1	.	.	.	.	.
2	f	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
		ANIMALS NORMAL	1	1	2	2	3	3	3	3	3	2	3	3
		Vomitus (Dosing solution)	.	.	.	.	.	.	.	.	.	.	.	.
		Menses	.	.	1	1	.	.	.	.	.	.	.	.
		Loose stool	.	2	.	.	.	.	.	.	.	1	.	.
		Diarrhea	2	.	.	.	.	.	.	.	.	.	.	.
		Watery diarrhea	.	.	.	.	.	.	.	.	.	.	.	.
3	f	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
		ANIMALS NORMAL	1	0	0	2	2	3	3	2	2	2	3	3
		Vomitus (Food)	1	.	.	.	.	.	.	.	.	.	.	.
		Vomitus (Dosing solution)	.	.	.	.	.	.	.	.	.	.	.	.
		Menses	.	.	.	.	.	.	.	.	.	.	.	.
		Loose stool	.	.	.	.	.	.	.	.	.	1	.	.
		Diarrhea	2	3	3	1	1	.	.	1	1	1	.	.
4	f	ANIMALS ALIVE	3	3	3	3	3	3	3	3	3	3	3	3
		ANIMALS NORMAL	1	1	2	2	2	2	2	2	2	2	2	2
		Vomitus (Food)	.	.	.	.	.	.	.	.	.	.	.	.
		Vomitus (Frothy material)	.	.	.	.	.	.	.	.	.	.	.	.
		Loose stool	.	.	.	.	.	1	1	.	.	.	.	.
		Diarrhea	2	2	1	1	1	.	.	.	.	.	.	.
		No-stool	.	.	.	.	.	.	.	1	1	1	1	1

- 745 -

Group 1 0 mg/kg Group 2 250 mg/kg Group 3 500 mg/kg Group 4 1000 mg/kg

Table 1

## Clinical Sign - Summary

B120717

Day numbers relative to Start Date

Group	Sex	Clinical Sign	14	15
			a.m.	a.m.
1	f	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Menses	.	.
		Loose stool	.	.
2	f	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Vomitus (Dosing solution)	.	.
		Menses	.	.
		Loose stool	.	.
		Diarrhea	.	.
		Watery diarrhea	.	.
3	f	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	3	3
		Vomitus (Food)	.	.
		Vomitus (Dosing solution)	.	.
		Menses	.	.
		Loose stool	.	.
		Diarrhea	.	.
4	f	ANIMALS ALIVE	3	3
		ANIMALS NORMAL	2	2
		Vomitus (Food)	.	.
		Vomitus (Frothy material)	.	.
		Loose stool	.	.
		Diarrhea	.	.
		No-stool	1	1

Table 2 Body Weight - Summary

B120717

Bodyweight (kg)

Sex: Male		Day(s) Relative to Start Date							
		-6	-2	1	2	4	8	11	15
0 mg/kg	Mean	3.40 1 <sup>1</sup>	3.47 1 <sup>1</sup>	3.43 1 <sup>1</sup>	3.47 1 <sup>1</sup>	3.47 1 <sup>1</sup>	3.63 1 <sup>1</sup>	3.70 1 <sup>1</sup>	3.73 1 <sup>1</sup>
	SD	0.10	0.06	0.15	0.12	0.12	0.06	0.10	0.06
	N	3	3	3	3	3	3	3	3
250 mg/kg	Mean	3.40	3.47	3.40	3.43	3.40	3.47	3.57	3.57
	SD	0.17	0.15	0.17	0.15	0.26	0.29	0.29	0.21
	N	3	3	3	3	3	3	3	3
500 mg/kg	Mean	3.40	3.50	3.43	3.40	3.40	3.60	3.60	3.67
	SD	0.10	0.10	0.21	0.20	0.17	0.17	0.17	0.15
	N	3	3	3	3	3	3	3	3
1000 mg/kg	Mean	3.30	3.47	3.43	3.30	3.23	3.40	3.43	3.50
	SD	0.17	0.12	0.15	0.10	0.21	0.26	0.21	0.17
	N	3	3	3	3	3	3	3	3

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

- 749 -

1 [1 - Automatic Transformation: Identity]

Table 2 Body Weight - Summary

B120717

Bodyweight (kg)

Sex: Female		Day(s) Relative to Start Date							
		-6	-2	1	2	4	8	11	15
0 mg/kg	Mean	2.67 1'	2.73 1'	2.67 1'	2.73 1'	2.73 1'	2.77 1'	2.83 1'	2.80 1'
	SD	0.12	0.15	0.12	0.15	0.15	0.12	0.15	0.10
	N	3	3	3	3	3	3	3	3
250 mg/kg	Mean	2.67	2.70	2.67	2.63	2.67	2.70	2.73	2.77
	SD	0.12	0.10	0.12	0.15	0.12	0.00	0.06	0.06
	N	3	3	3	3	3	3	3	3
500 mg/kg	Mean	2.70	2.73	2.63	2.57	2.47	2.63	2.67	2.73
	SD	0.10	0.15	0.15	0.12	0.12	0.25	0.21	0.15
	N	3	3	3	3	3	3	3	3
1000 mg/kg	Mean	2.63	2.70	2.57	2.53	2.53	2.53	2.50	2.43
	SD	0.06	0.10	0.12	0.15	0.21	0.31	0.44	0.47
	N	3	3	3	3	3	3	3	3

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

Table 3 Food Consumption - Summary

B120717

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date												
		-5	-4	-3	-2	-1	1	2	3	4	5	6	7	8
0 mg/kg	Mean	100.0 I <sup>1</sup>	100.0 R <sup>2</sup>	100.0 R <sup>2</sup>	100.0 R <sup>2</sup>	100.0 R <sup>2</sup>	94.6 I <sup>1</sup>	95.6 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	98.4 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 R <sup>2</sup>
	SD	0.0	0.0	0.0	0.0	0.0	6.8	7.5	0.0	0.0	2.8	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
250 mg/kg	Mean	90.7	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	75.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0 n <sup>3</sup>
	SD	16.0	0.0	0.0	0.0	0.0	212	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	95.1	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	86.9	56.4	71.1	100.0	100.0	100.0	100.0	100.0 n <sup>3</sup>
	SD	8.5	0.0	0.0	0.0	0.0	22.6	47.8	26.6	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
1000 mg/kg	Mean	100.0	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	97.8	79.3	64.6	76.0	85.3	94.0	97.5	100.0 n <sup>3</sup>
	SD	0.0	0.0	0.0	0.0	0.0	3.8	18.0	53.1	41.5	25.5	10.4	4.3	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

1 [I - Automatic Transformation: Identity]  
 3 [n - Data not appropriate for statistical analysis]

2 [R - Automatic Transformation: Rank]

Table 3 Food Consumption - Summary

B120717

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date							
		9	10	11	12	13	14	15	
0 mg/kg	Mean	100.0 R <sup>1</sup>	100.0 R <sup>1</sup>	100.0 R <sup>1</sup>	100.0 R <sup>1</sup>	97.0 I <sup>2</sup>	100.0 R <sup>1</sup>	99.5 I <sup>2</sup>	
	SD	0.0	0.0	0.0	0.0	5.2	0.0	0.9	
	N	3	3	3	3	3	3	3	
250 mg/kg	Mean	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0	100.0 n <sup>3</sup>	100.0	
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	N	3	3	3	3	3	3	3	
500 mg/kg	Mean	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0	100.0 n <sup>3</sup>	100.0	
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	N	3	3	3	3	3	3	3	
1000 mg/kg	Mean	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0 n <sup>3</sup>	100.0	100.0 n <sup>3</sup>	100.0	
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	N	3	3	3	3	3	3	3	

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

1 [R - Automatic Transformation: Rank]  
 3 [n - Data not appropriate for statistical analysis]

2 [I - Automatic Transformation: Identity]



Table 3 Food Consumption - Summary

B120717

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date													
		-5	-4	-3	-2	-1	1	2	3	4	5	6	7	8	
0 mg/kg	Mean	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	75.5 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	100.0 I <sup>1</sup>	97.8 I <sup>1</sup>	94.5 I <sup>1</sup>	94.0 I <sup>1</sup>	96.5 R <sup>2</sup>	
	SD	0.0	0.0	0.0	0.0	0.0	23.7	0.0	0.0	0.0	1.9	9.6	5.4	3.8	
	N	3	3	3	3	3	3	3	3	3	3	3	3	3	
250 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	95.6	80.9	100.0	100.0	100.0	100.0	100.0	100.0	
	SD	0.0	0.0	0.0	0.0	0.0	4.1	28.9	0.0	0.0	0.0	0.0	0.0	0.0	
	N	3	3	3	3	3	3	3	3	3	3	3	3	3	
500 mg/kg	Mean	72.8	82.6	97.8	100.0	97.0	64.6	22.7 d <sup>3</sup>	14.4 dd <sup>4</sup>	45.0	81.5	88.5	90.0	96.5	
	SD	47.2	30.2	3.8	0.0	5.2	26.4	213	23.2	43.7	32.1	20.0	17.4	6.1	
	N	3	3	3	3	3	3	3	3	3	3	3	3	3	
1000 mg/kg	Mean	86.4	91.8	100.0	97.8	94.6	54.2	45.4	41.7 d <sup>3</sup>	66.7	70.0	72.9	72.4	70.4	
	SD	19.5	14.2	0.0	3.8	9.4	5.9	46.8	32.9	57.7	51.9	47.0	47.8	51.3	
	N	3	3	3	3	3	3	3	3	3	3	3	3	3	

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

1 [I - Automatic Transformation: Identity]  
3 [d - Test: Dunnett 2 Sided p < 0.05]

2 [R - Automatic Transformation: Rank]  
4 [dd - Test: Dunnett 2 Sided p < 0.01]

Table 3 Food Consumption - Summary

B120717

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date						
		9	10	11	12	13	14	15
0 mg/kg	Mean	95.0 1'	100.0 1'	100.0 1'	97.5 1'	87.5 1'	97.0 1'	96.0 1'
	SD	8.7	0.0	0.0	4.3	10.9	5.2	7.0
	N	3	3	3	3	3	3	3
250 mg/kg	Mean	100.0	100.0	100.0	100.0	92.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	13.9	0.0	0.0
	N	3	3	3	3	3	3	3
500 mg/kg	Mean	97.5	97.5	100.0	100.0	100.0	100.0	100.0
	SD	4.3	4.3	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3
1000 mg/kg	Mean	72.4	75.9	74.9	70.4	70.4	69.9	66.7
	SD	47.8	41.7	43.5	51.3	51.3	52.2	57.7
	N	3	3	3	3	3	3	3

Statistical Test: Generalised Anova/Ancova Test Transformation: Automatic

Table 4 Plasma Concentrations and Toxicokinetic Parameters

Study No. B120717

<Male>											
Dose (mg/kg)	Animal No.	Plasma concentration of P092 (ng/mL)							C <sub>max</sub> (ng/mL)	T <sub>max</sub> (h)	AUC <sub>0-120h</sub> (ng·h/mL)
		1 h	2 h	4 h	8 h	24 h	72 h	120 h			
0	10101	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	10102	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	10103	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	Mean	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	SD	NC	NC	NC	NC	NC	NC	NC	--	--	--
	250	10201	5.91	7.29	14.8	12.0	BLQ	BLQ	BLQ	14.8	4
	10202	7.34	10.9	16.7	13.1	7.86	5.84	BLQ	16.7	4	737
	10203	BLQ	8.18	10.0	5.57	BLQ	BLQ	BLQ	10.0	4	98.0
	Mean	BLQ	8.79	13.8	10.2	BLQ	BLQ	BLQ	13.8	4.0	339
	SD	NC	1.88	3.5	4.1	NC	NC	NC	3.5	0.0	347
500	10301	6.56	16.0	27.6	17.1	13.9	16.2	8.18	27.6	4	1700
	10302	14.7	15.2	21.2	16.3	9.23	7.46	5.79	21.2	4	1060
	10303	5.45	11.5	19.9	20.4	11.9	11.7	8.80	20.4	8	1440
	Mean	8.90	14.2	22.9	17.9	11.7	11.8	7.59	23.1	5.3	1400
	SD	5.05	2.4	4.1	2.2	2.3	4.4	1.59	3.9	2.3	322
	1000	10401	5.44	9.19	15.8	17.1	19.7	17.5	12.0	19.7	24
	10402	26.1	33.9	61.3	41.2	107	73.3	33.4	107	24	8420
	10403	20.3	26.7	18.7	11.1	7.29	7.54	5.57	26.7	2	956
	Mean	17.3	23.3	31.9	23.1	44.7	32.8	17.0	51.1	16.7	3792
	SD	10.7	12.7	25.5	15.9	54.3	35.4	14.6	48.5	12.7	4042

BLQ: Below the lower limit of quantification (&lt;5 ng/mL)

NC: Not calculated

Table 4 Plasma Concentrations and Toxicokinetic Parameters

Study No. B120717

&lt;Female&gt;

Dose (mg/kg)	Animal No.	Plasma concentration of P092 (ng/mL)							C <sub>max</sub> (ng/mL)	T <sub>max</sub> (h)	AUC <sub>0-120h</sub> (ng·h/mL)
		1 h	2 h	4 h	8 h	24 h	72 h	120 h			
0	50101	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	50102	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	50103	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	Mean	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ	--	--	--
	SD	NC	NC	NC	NC	NC	NC	NC	--	--	--
250	50201	5.66	6.46	7.81	6.24	BLQ	BLQ	BLQ	7.81	4	101
	50202	5.02	6.69	13.1	12.0	5.84	BLQ	BLQ	13.1	4	361
	50203	5.04	10.7	14.7	15.3	10.2	7.46	6.47	15.3	8	1060
	Mean	5.24	7.95	11.9	11.2	5.35	BLQ	BLQ	12.1	5.3	507
	SD	0.36	2.38	3.6	4.6	5.12	NC	NC	3.8	2.3	496
500	50301	8.73	26.1	38.1	37.4	36.2	30.4	16.1	38.1	4	3540
	50302	16.4	29.9	41.8	37.3	57.9	36.4	13.8	57.9	24	4490
	50303	17.6	17.4	23.0	10.2	12.9	17.3	9.38	23.0	4	1680
	Mean	14.2	24.5	34.3	28.3	35.7	28.0	13.1	39.7	10.7	3237
	SD	4.8	6.4	10.0	15.7	22.5	9.8	3.4	17.5	11.5	1429
1000	50401	19.2	23.4	48.0	18.6	13.0	12.7	6.21	48.0	4	1560
	50402	6.73	12.1	16.0	23.3	59.6	96.9	27.8	96.9	72	7530
	50403	5.48	11.8	18.5	9.93	10.5	7.66	BLQ	18.5	4	882
	Mean	10.5	15.8	27.5	17.3	27.7	39.1	11.3	54.5	26.7	3324
	SD	7.6	6.6	17.8	6.8	27.7	50.1	14.6	39.6	39.3	3658

BLQ: Below the lower limit of quantification (&lt;5 ng/mL)

NC: Not calculated

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

- 737 -

Severity Codes: X = Present

Group 1: 100 mg/kg, Group 2: 500 mg/kg, Group 3: 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 0 mg/kg      Group 2 250 mg/kg      Group 3 500 mg/kg      Group 4 1000 mg/kg

---

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X

- 759 -

---

Severity Codes: X = Present

Group 1 - 0 mg/kg      Group 2 - 250 mg/kg      Group 3 - 500 mg/kg      Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20	
2	m	10201	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.	.
		10202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.	.
		10203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg



## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7	
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
2	m	10201	No Abnormalities Detected		.	X	.	.	.	X	X	X	X	
			Vomitus (Dosing solution)		X	.	.	.	.	.	.	.	.	.
			Loose stool		.	.	X	X	X	.	.	.	.	.
		10202	No Abnormalities Detected		X	.	X	.	.	X	X	X	X	X
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	X	.	.	.	.	.	.
		10203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
2	m	10201	No Abnormalities Detected		X	X	X	X	X	X	X	X	
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.
		10202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.
		10203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

- 749 -

Severity Codes: X = Present

Group 1 0 mg/kg Group 2 250 mg/kg Group 3 500 mg/kg Group 4 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.	.
		10302	Watery diarrhea		.	.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
		10303	Diarrhea		.	.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.		
			Diarrhea		.	.	.	.	.	.	.	.		

- 743 -

Severity Codes: X = Present

Group 1 0 mg/kg Group 2 250 mg/kg Group 3 500 mg/kg Group 4 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7	
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	.	.	.	.	X	X	X	
			Vomitus (Food)		.	.	X	.	.	.	.	.	.	.
			Diarrhea		.	.	.	X	X	X	.	.	.	.
			Watery diarrhea		.	.	X	.	.	.	.	.	.	.
		10302	No Abnormalities Detected		X	.	X	.	.	.	X	X	X	X
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	X	X	.	.	.	.	.
		10303	No Abnormalities Detected		X	.	.	.	X	X	X	X	X	X
			Vomitus (Food)		.	.	X	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.
			Diarrhea		.	.	X	.	.	.	.	.	.	.

- 79 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg