

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.
					Watery diarrhea		.	.	.	.	.	.	.
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
Vomitus (Dosing solution)			.	.	.	.	.	.	.	.	.		
Diarrhea			.	.	.	.	.	.	.	.	.		

- 743 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date										
					-6 a.m.	-5 a.m.	-4 a.m.	-3 a.m.	-2 a.m.	-1 a.m.	1 Before dosing	1 Time 10	1 Time 20		
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.	.
		10402	Diarrhea		.	.	.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.
		10403	Diarrhea		.	.	.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.	
			Diarrhea		.	.	.	.	.	.	.	.	.	.	.

- 746 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7	
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	m	10401	No Abnormalities Detected		X	.	.	.	X	X	X	X	X	
			Vomitus (Food)		.	.	X	X	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.
				10402	Diarrhea		.	.	X	.	.	.	.	.
		No Abnormalities Detected			X	X	.	.	.	.	X	X	X	
		Vomitus (Food)			.	.	X	.	.	.	.	.	.	
				10403	Diarrhea		.	.	X	X	X	X	.	.
		No Abnormalities Detected			.	.	.	X	X	X	X	X	X	X
		Vomitus (Food)			.	.	X	.	.	.	.	.	.	.
		Vomitus (Dosing solution)			X	X	.	.	.	.	.	.	.	.
			Diarrhea		.	.	X	.	.	.	.	.		

- 745 -

Severity Codes: X = Present

Group 1: 250 mg/kg    Group 2: 500 mg/kg    Group 3: 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
		10402	Diarrhea		.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
		10403	Diarrhea		.	.	.	.	.	.	.	.	.
			No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
					Diarrhea		.	.	.	.	.	.	.

- 746 -

Severity Codes: X = Present

GROUP 1 - 0 mg/kg      GROUP 2 - 250 mg/kg      GROUP 3 - 500 mg/kg      GROUP 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20	
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	
			Menses		.	.	.	.	.	.	.	.	.	.
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses		.	.	.	.	.	.	.	.	.	.
		50103	No Abnormalities Detected		.	X	X	X	X	X	X	X	X	X
			Menses		X	.	.	.	.	.	.	.	.	.
		Loose stool		.	.	.	.	.	.	.	.	.		

- 769 -

Severity Codes: X = Present

Group 1 0 mg/kg Group 2 250 mg/kg Group 3 500 mg/kg Group 4 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7	
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	
			Menses		.	.	.	.	.	.	.	.	.	.
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses		.	.	.	.	.	.	.	.	.	.
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Loose stool		.	.	.	.	.	.	.	.	.	.

Severity Codes: X = Present

Group 1 - 0 mg/kg      Group 2 - 250 mg/kg      Group 3 - 500 mg/kg      Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
1	f	50101	No Abnormalities Detected		.	X	X	X	X	X	X	X	
			Menses		X	.	.	.	.	.	.	.	.
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses		.	.	.	.	.	.	.	.	.
		50103	No Abnormalities Detected		.	X	X	X	X	X	X	X	X
			Menses		.	.	.	.	.	.	.	.	.
				Loose stool		X	.	.	.	.	.	.	.

- 799 -

Severity Codes: X = Present

Group 1 = 0 mg/kg    Group 2 = 250 mg/kg    Group 3 = 500 mg/kg    Group 4 = 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					-6 a.m.	-5 a.m.	-4 a.m.	-3 a.m.	-2 a.m.	-1 a.m.	1 Before dosing	1 Time 10	1 Time 20	
2	f	50201	No Abnormalities Detected		X	X	.	.	.	X	X	X	X	
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
			Menses		.	.	X	X	X	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.	.
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
			Menses		.	.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.	.
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.	.
			Watery diarrhea		.	.	.	.	.	.	.	.	.	.

- 739 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg



## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date										
					1 Time 30	1 Time 40	1 Time 50	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.		
2	f	50201	No Abnormalities Detected		.	X	X	X	.	X	X	X	X	X	
			Vomitus (Dosing solution)	X	.	.	.	.	.	.	.	.	.	.	
			Menses	.	.	.	.	.	.	.	.	.	.	.	
				50202	Loose stool	.	.	.	.	X	.	.	.	.	.
		No Abnormalities Detected	X		.	X	.	.	.	.	.	X	X		
		Vomitus (Dosing solution)	.		X	.	.	.	.	.	.	.	.		
				50203	Menses	.	.	.	.	.	X	X	X	X	X
		Loose stool	.		.	.	.	X	.	.	.	.	.		
		Diarrhea	.		.	.	X	.	.	.	.	.	.		
				50203	No Abnormalities Detected	X	.	.	.	X	X	X	X	X	X
		Vomitus (Dosing solution)	.		X	.	.	.	.	.	.	.	.	.	
		Diarrhea	.		.	.	X	.	.	.	.	.	.		
			Watery diarrhea	.	.	X	.	.	.	.	.	.	.		

- 733 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
2	f	50201	No Abnormalities Detected		X	X	X	.	X	X	X	X	
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Menses		.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	X	.	.	.	.	.
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Menses		.	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.
			Watery diarrhea		.	.	.	.	.	.	.	.	.

- 734 -

Severity Codes: X = Present

Group 1 0 mg/kg    Group 2 250 mg/kg    Group 3 500 mg/kg    Group 4 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1		
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20		
3	f	50301	No Abnormalities Detected		X	X	.	.	.	.	.	X	X		
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.	
			Menses		.	.	X	X	X	X	X	.	.	.	
			Diarrhea		.	.	.	.	.	.	.	.	.	.	
					.	.	.	.	.	.	.	.	.	.	
		50302		No Abnormalities Detected		X	X	X	X	.	X	X	X	X	
				Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.	.
				Loose stool		.	.	.	.	X	.	.	.	.	.
				Diarrhea		.	.	.	.	.	.	.	.	.	.
						.	.	.	.	.	.	.	.	.	.
						.	.	.	.	.	.	.	.	.	.
	50303		No Abnormalities Detected		X	X	X	X	X	X	X	X	X		
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	
			Diarrhea		.	.	.	.	.	.	.	.	.	.	

- 733 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	1	1	1	2	3	4	5	6	7	
					Time 30	Time 40	Time 50	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	f	50301	No Abnormalities Detected		.	.	.	.	.	.	X	X	X	
			Vomitus (Food)		.	.	X	X	.	.	.	.	.	.
			Vomitus (Dosing solution)		X	X	.	.	.	.	.	.	.	.
			Menses		.	.	.	.	.	.	.	.	.	.
		50302	Diarrhea		.	.	X	X	X	X	.	.	.	.
			No Abnormalities Detected		X	.	X	.	.	.	.	.	.	X
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.
			Loose stool		.	.	.	.	.	.	.	.	.	.
		50303	Diarrhea		.	.	.	X	X	X	X	X	X	X
			No Abnormalities Detected		X	X	.	X	.	.	X	X	X	X
			Vomitus (Food)		.	.	X	.	.	.	.	.	.	.
			Diarrhea		.	.	X	.	X	X	.	.	.	.

- 734 -

Severity Codes: X = Present

GROUP 1 0 mg/kg    GROUP 2 250 mg/kg    GROUP 3 500 mg/kg    GROUP 4 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	f	50301	No Abnormalities Detected		X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	.	.	.	.	.	.	.	.
			Menses		.	.	.	.	.	.	.	.	.
				50302	No Abnormalities Detected		X	.	.	X	X	X	X
					Vomitus (Dosing solution)		.	.	.	.	.	.	.
					Loose stool		.	.	X	.	.	.	.
					Diarrhea		.	X	X	X	.	.	.
				50303	No Abnormalities Detected		X	X	X	X	X	X	X
					Vomitus (Food)		.	.	.	.	.	.	.
					Diarrhea		.	.	.	.	.	.	.

- 739 -

Severity Codes: X = Present

Group 1: 0 mg/kg    Group 2: 250 mg/kg    Group 3: 500 mg/kg    Group 4: 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-6	-5	-4	-3	-2	-1	1	1	1	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	Before dosing	Time 10	Time 20	
4	f	50401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	
			Vomit (Food)		.	.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.	.
		50402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Loose stool		.	.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.	.
		50403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Vomit (Food)		.	.	.	.	.	.	.	.	.	.
			Vomit (Frothy material)		.	.	.	.	.	.	.	.	.	.

- 736 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date								
					1 Time 30	1 Time 40	1 Time 50	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.
4	f	50401	No Abnormalities Detected		X	X	.	.	.	X	X	X	X
			Vomitus (Food)	.	.	X	.	.	.	.	.	.	.
			Diarrhea	.	.	X	X	X	.	.	.	.	.
		50402	No Abnormalities Detected	X	X	X	.	.	.	.	.	.	.
			Loose stool	.	.	.	.	.	.	.	.	.	X
			Diarrhea	.	.	.	X	X	X	X	X	X	.
		50403	No Abnormalities Detected	X	X	.	X	X	X	X	X	X	X
			Vomitus (Food)	.	.	X	.	.	.	.	.	.	.
			Vomitus (Frothy material)	.	.	X	.	.	.	.	.	.	.

- 739 -

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	8	9	10	11	12	13	14	15	
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	f	50401	No Abnormalities Detected		X	X	X	X	X	X	X	X	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.
		50402	No Abnormalities Detected		.	.	.	.	.	.	.	.	.
			Loose stool		X	.	.	.	.	.	.	.	.
			Diarrhea		.	.	.	.	.	.	.	.	.
		50403	No Abnormalities Detected		.	X	X	X	X	X	X	X	X
			Vomitus (Food)		.	.	.	.	.	.	.	.	.
			Vomitus (Frothy material)		.	.	.	.	.	.	.	.	.

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 250 mg/kg    Group 3 - 500 mg/kg    Group 4 - 1000 mg/kg



Appendix 2 Body Weight

B120717

Sex: Male Bodyweight (kg)

0 mg/kg	Day(s) Relative to Start Date							
	-6	-2	1	2	4	8	11	15
10101	3.4	3.5	3.4	3.4	3.4	3.6	3.6	3.7
10102	3.5	3.5	3.6	3.6	3.6	3.7	3.8	3.8
10103	3.3	3.4	3.3	3.4	3.4	3.6	3.7	3.7

Appendix 2 Body Weight

B120717

Sex: Male Bodyweight (kg)

250 mg/kg	Day(s) Relative to Start Date							
	-6	-2	1	2	4	8	11	15
10201	3.5	3.6	3.6	3.6	3.7	3.8	3.9	3.8
10202	3.5	3.5	3.3	3.4	3.3	3.3	3.4	3.4
10203	3.2	3.3	3.3	3.3	3.2	3.3	3.4	3.5

Appendix 2 Body Weight

B120717

Sex: Male Bodyweight (kg)

500 mg/kg	Day(s) Relative to Start Date							
	-6	-2	1	2	4	8	11	15
10301	3.5	3.6	3.6	3.6	3.5	3.7	3.7	3.8
10302	3.3	3.4	3.2	3.2	3.2	3.4	3.4	3.5
10303	3.4	3.5	3.5	3.4	3.5	3.7	3.7	3.7

Appendix 2 Body Weight

B120717

Sex: Male Bodyweight (kg)

1000 mg/kg	Day(s) Relative to Start Date							
	-6	-2	1	2	4	8	11	15
10401	3.5	3.6	3.6	3.4	3.4	3.6	3.6	3.6
10402	3.2	3.4	3.3	3.2	3.0	3.1	3.2	3.3
10403	3.2	3.4	3.4	3.3	3.3	3.5	3.5	3.6