

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date												
		-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39
0 mg/kg	Mean	95.6	100.0	100.0	100.0	83.7	100.0	100.0	67.9	100.0	94.6	97.8	96.7	100.0
	SD	7.5	0.0	0.0	0.0	14.5	0.0	0.0	32.7	0.0	9.4	3.8	5.7	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	94.6	100.0	100.0	100.0	100.0	100.0	100.0	57.5	94.0	96.2	96.7	100.0	100.0
	SD	9.4	0.0	0.0	0.0	0.0	0.0	0.0	20.9	9.0	6.6	5.7	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	90.2	97.3	100.0	100.0	100.0	100.0	100.0	49.9	100.0	100.0	100.0	100.0	100.0
	SD	17.0	4.7	0.0	0.0	0.0	0.0	0.0	12.4	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	96.2	90.7	97.3	100.0	96.7	100.0	100.0	86.9	98.4	100.0	100.0	100.0	100.0
	SD	6.6	8.4	4.7	0.0	5.7	0.0	0.0	17.3	2.8	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date												
		-38	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.3	97.3	97.3
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.7	3.4
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.5
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date												
		-25	-24	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	96.7	94.6	100.0	88.6	94.6	100.0	100.0	100.0	90.7	100.0	100.0	93.5
	SD	0.0	5.7	9.4	0.0	19.8	9.4	0.0	0.0	0.0	16.0	0.0	0.0	11.3
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date											
		-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	96.2	100.0	100.0	100.0	98.4	100.0	100.0	95.6	100.0	97.8	100.0
	SD	0.0	6.6	0.0	0.0	0.0	2.8	0.0	0.0	7.5	0.0	3.8	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.3	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date												
		1	2	3	4	5	6	7	8	9	10	11	12	13
0 mg/kg	Mean	100.0	98.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	90.2	97.0	94.0	93.5	71.4	97.5	95.0	93.5	73.9	35.2	69.4	68.9
	SD	0.0	17.0	3.0	10.4	8.8	31.1	4.3	8.7	11.3	45.2	24.9	36.5	32.5
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	85.3	62.4	64.4	52.3	38.1	55.8	39.3	38.8	6.9	7.7	18.0	13.5
	SD	0.0	14.7	19.9	10.6	33.9	33.6	32.2	25.3	21.6	6.0	13.4	25.6	15.7
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	77.1	58.6	51.8	36.0	22.5	44.3	7.8	2.9	1.8	2.6	.	.
	SD	0.0	26.7	52.2	42.0	39.9	20.4	42.6	11.1	3.2	2.6	3.6	.	.
	N	3	3	3	3	3	3	2	2	2	2	2	.	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Male		Day(s) Relative to Start Date	
		14	15
0 mg/kg	Mean	100.0	100.0
	SD	0.0	0.0
	N	3	3
50 mg/kg	Mean	39.8	58.7
	SD	52.9	47.9
	N	3	3
150 mg/kg	Mean	0.0	.
	SD	0.0	.
	N	3	.
500 mg/kg	Mean	.	.
	SD	.	.
	N	.	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date												
		-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	57.0	89.7	100.0	92.9	94.6	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.6	12.4	0.0	12.3	9.4	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	95.1	94.0	100.0	100.0	79.8	100.0	100.0	63.5	96.7	100.0	100.0	100.0	100.0
	SD	8.5	10.4	0.0	0.0	24.5	0.0	0.0	10.9	2.8	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.8	94.6	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9.4	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	71.7	76.6	97.3	100.0	63.0	80.9	93.5	37.4	91.8	86.4	88.6	100.0	100.0
	SD	8.4	36.4	4.7	0.0	25.3	33.0	11.3	29.3	5.7	9.4	1.6	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date												
		-38	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26
0 mg/kg	Mean	97.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	100.0	100.0	99.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	96.2	100.0	93.5	97.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.6	94.6
	SD	6.6	0.0	11.3	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	9.4
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.2
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date												
		-25	-24	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	100.0	95.6	97.3	100.0	100.0	100.0	100.0	96.7	100.0	96.2	100.0	100.0	99.5
	SD	0.0	7.5	4.7	0.0	0.0	0.0	0.0	5.7	0.0	6.6	0.0	0.0	0.9
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	100.0	89.7	91.8	100.0	94.6	94.6	90.7	91.8	88.0	85.8	89.7	100.0	95.1
	SD	0.0	17.9	7.1	0.0	9.4	9.4	16.0	14.2	20.8	24.5	17.9	0.0	4.3
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date											
		-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1
0 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	95.1	94.6
	SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	9.4
	N	3	3	3	3	3	3	3	3	3	3	3	3
150 mg/kg	Mean	98.4	94.6	100.0	100.0	100.0	98.9	100.0	100.0	90.7	91.3	100.0	98.4
	SD	2.8	9.4	0.0	0.0	0.0	1.9	0.0	0.0	16.0	15.1	0.0	2.8
	N	3	3	3	3	3	3	3	3	3	3	3	3
500 mg/kg	Mean	92.9	94.0	100.0	100.0	100.0	100.0	100.0	100.0	96.7	95.1	91.3	93.5
	SD	6.2	5.3	0.0	0.0	0.0	0.0	0.0	0.0	5.7	8.5	15.1	11.3
	N	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date												
		1	2	3	4	5	6	7	8	9	10	11	12	13
0 mg/kg	Mean	100.0	100.0	100.0	95.5	100.0	97.5	100.0	100.0	100.0	97.5	95.0	100.0	100.0
	SD	0.0	0.0	0.0	7.8	0.0	4.3	0.0	0.0	0.0	4.3	8.7	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	97.3	64.5	80.4	64.2	74.4	54.6	56.8	9.8	1.4	1.7	0.0	0.0	0.0
	SD	4.7	55.9	33.9	55.7	41.8	48.5	36.3	5.2	1.9	3.0	0.0	0.0	0.0
	N	3	3	3	3	3	3	3	3	3	3	2	2	2
150 mg/kg	Mean	96.2	91.8	83.4	80.4	83.4	69.9	82.9	50.8	58.3	42.8	27.5	26.0	59.3
	SD	6.6	14.2	17.4	24.2	28.7	30.1	16.0	43.0	48.5	40.7	27.4	22.8	27.7
	N	3	3	3	3	3	3	3	3	3	3	3	3	2
500 mg/kg	Mean	100.0	69.5	46.8	39.8	22.3	36.4	37.5	44.0	97.0	81.9	53.3	.	.
	SD	0.0	21.9	31.0	46.0	38.6	51.5	52.2	62.2
	N	3	3	3	3	3	2	2	2	1	1	1	.	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 3 Food Consumption - Summary

B120719

Food Consumption(g) :Feed 100g

Sex: Female		Day(s) Relative to Start Date	
		14	15
0 mg/kg	Mean	97.5	97.0
	SD	4.3	5.2
	N	3	3
50 mg/kg	Mean	1.8	24.7
	SD	2.6	12.8
	N	2	2
150 mg/kg	Mean	27.0	72.1
	SD	13.8	22.4
	N	2	2
500 mg/kg	Mean	.	.
	SD	.	.
	N	.	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		Red Blood Cell Count (10 ⁶ /uL)	Red Blood Cell Count (10 ⁶ /uL)	Red Blood Cell Count (10 ⁶ /uL)	Red Blood Cell Count (10 ⁶ /uL)	Hemoglobin conc. (g/dL)	Hemoglobin conc. (g/dL)	Hemoglobin conc. (g/dL)	Hemoglobin conc. (g/dL)	Hematocrit (%)	Hematocrit (%)	Hematocrit (%)	Hematocrit (%)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	5.787	5.877	.	5.617	13.87	14.03	.	13.37	45.63	46.30	.	44.27
	SD	0.451	0.386	.	0.456	1.25	0.76	.	0.84	3.32	2.59	.	3.13
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	5.657	5.600	.	5.780	13.93	13.87	.	14.23	46.07	45.97	.	45.77
	SD	0.146	0.135	.	0.485	0.67	0.74	.	0.90	2.63	2.46	.	2.51
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	5.570	5.693	.	6.405	13.93	14.30	.	15.80	46.43	47.73	.	47.60
	SD	0.261	0.318	.	0.021	0.42	0.62	.	0.00	1.92	2.86	.	1.13
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	5.603	5.617	6.785	.	13.37	13.43	16.00	.	43.67	43.40	47.05	.
	SD	0.578	0.217	0.064	.	0.83	0.21	0.57	.	3.33	0.87	0.21	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		MCV	MCV	MCV	MCV	MCH	MCH	MCH	MCH	MCHC	MCHC	MCHC	MCHC
		(fL)	(fL)	(fL)	(fL)	(pg)	(pg)	(pg)	(pg)	(g/dL)	(g/dL)	(g/dL)	(g/dL)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	78.87	78.80	.	78.87	23.97	23.90	.	23.83	30.37	30.30	.	30.20
	SD	1.02	1.25	.	1.50	1.20	1.11	.	1.10	1.22	0.95	.	0.85
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	81.50	82.13	.	79.40	24.63	24.77	.	24.67	30.27	30.13	.	31.10
	SD	5.00	4.45	.	4.95	0.80	1.07	.	0.97	1.23	0.64	.	0.70
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	83.43	83.87	.	74.30	25.00	25.13	.	24.65	30.00	30.00	.	33.20
	SD	3.50	3.40	.	1.56	0.89	0.67	.	0.07	0.36	0.61	.	0.85
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	78.07	77.33	69.35	.	23.97	23.97	23.55	.	30.63	30.97	34.00	.
	SD	2.98	1.69	0.92	.	1.00	1.03	1.06	.	0.55	0.67	0.99	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		Reticulocyte	Reticulocyte	Reticulocyte	Reticulocyte	Reticulocyte	Reticulocyte	Reticulocyte	Reticulocyte	Platelet Count	Platelet Count	Platelet Count	Platelet Count
		(%)	(%)	(%)	(%)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	0.573	0.787	.	1.207	33.13	45.77	.	67.20	367.3	361.7	.	377.3
	SD	0.015	0.175	.	0.350	1.76	7.29	.	17.83	105.5	95.6	.	103.3
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	0.680	0.880	.	0.720	38.27	49.43	.	41.07	310.7	306.3	.	453.3
	SD	0.226	0.173	.	0.195	11.66	10.70	.	8.45	25.3	43.8	.	100.0
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	0.593	0.660	.	0.620	33.10	37.57	.	39.70	317.3	286.0	.	570.5
	SD	0.025	0.010	.	0.212	2.95	1.70	.	13.72	69.9	59.9	.	205.8
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	0.607	0.783	0.575	.	34.53	44.57	39.10	.	401.0	354.0	575.5	.
	SD	0.157	0.380	0.247	.	11.89	23.10	17.11	.	58.9	67.1	111.0	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		PT	PT	PT	PT	APTT	APTT	APTT	APTT	White Blood Cell Count (10 ³ /uL)	White Blood Cell Count (10 ³ /uL)	White Blood Cell Count (10 ³ /uL)	White Blood Cell Count (10 ³ /uL)
		(sec)	(sec)	(sec)	(sec)	(sec)	(sec)	(sec)	(sec)				
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	9.33	9.37	.	8.93	21.43	22.93	.	22.53	9.153	10.527	.	8.263
	SD	0.49	0.64	.	0.49	1.97	1.46	.	1.82	1.145	0.732	.	0.454
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	9.40	9.43	.	8.67	23.63	25.03	.	24.47	7.077	7.190	.	6.357
	SD	0.26	0.12	.	0.12	2.61	1.15	.	1.46	1.019	1.610	.	1.623
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	9.00	9.03	.	8.60	19.40	20.47	.	22.30	8.413	8.210	.	9.700
	SD	0.10	0.06	.	0.42	0.30	0.42	.	2.40	2.410	1.206	.	0.735
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	9.43	9.70	9.65	.	22.47	23.17	28.95	.	7.960	8.237	12.070	.
	SD	0.93	0.89	1.20	.	3.25	3.66	1.91	.	2.233	2.040	0.311	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		Lymphocyte	Lymphocyte	Lymphocyte	Lymphocyte	Neutrophil	Neutrophil	Neutrophil	Neutrophil	Eosinophil	Eosinophil	Eosinophil	Eosinophil
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	62.07	68.57	.	56.47	33.93	24.77	.	37.93	0.83	3.33	.	1.70
	SD	18.50	13.74	.	8.34	20.06	12.03	.	7.22	0.55	2.60	.	1.15
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	58.83	72.63	.	59.90	37.20	21.67	.	35.27	0.67	2.13	.	0.70
	SD	15.14	1.27	.	1.66	15.07	1.25	.	2.32	0.23	0.97	.	0.36
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	61.70	63.00	.	37.80	34.10	33.17	.	56.75	0.37	0.23	.	0.40
	SD	6.43	4.21	.	3.54	6.87	3.11	.	5.02	0.15	0.15	.	0.14
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	52.23	62.23	36.25	.	43.40	33.40	58.20	.	0.30	0.93	0.00	.
	SD	14.99	16.24	3.61	.	13.62	15.04	5.80	.	0.20	0.68	0.00	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		Basophil	Basophil	Basophil	Basophil	Monocyte	Monocyte	Monocyte	Monocyte	Lymphocyte	Lymphocyte	Lymphocyte	Lymphocyte
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	0.03	0.03	.	0.03	3.13	3.30	.	3.87	5.593	7.190	.	4.673
	SD	0.06	0.06	.	0.06	1.19	0.26	.	1.00	1.329	1.391	.	0.765
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	0.07	0.07	.	0.00	3.23	3.50	.	4.13	4.267	5.210	.	3.823
	SD	0.12	0.12	.	0.00	1.68	0.44	.	1.17	1.754	1.095	.	1.066
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	0.03	0.00	.	0.00	3.80	3.60	.	5.05	5.220	5.190	.	3.680
	SD	0.06	0.00	.	0.00	1.11	1.39	.	1.63	1.690	0.940	.	0.622
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	0.07	0.00	0.00	.	4.00	3.43	5.55	.	4.027	5.073	4.370	.
	SD	0.06	0.00	0.00	.	1.66	1.33	2.19	.	1.028	1.799	0.325	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology											
		Neutrophil (10 ³ /uL)	Neutrophil (10 ³ /uL)	Neutrophil (10 ³ /uL)	Neutrophil (10 ³ /uL)	Eosinophil (10 ³ /uL)	Eosinophil (10 ³ /uL)	Eosinophil (10 ³ /uL)	Eosinophil (10 ³ /uL)	Basophil (10 ³ /uL)	Basophil (10 ³ /uL)	Basophil (10 ³ /uL)	Basophil (10 ³ /uL)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	3.200	2.637	.	3.127	0.077	0.350	.	0.143	0.003	0.003	.	0.003
	SD	1.976	1.364	.	0.608	0.051	0.276	.	0.102	0.006	0.006	.	0.006
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	2.533	1.567	.	2.217	0.043	0.163	.	0.040	0.003	0.003	.	0.000
	SD	0.786	0.392	.	0.440	0.012	0.107	.	0.010	0.006	0.006	.	0.000
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	2.857	2.713	.	5.485	0.030	0.023	.	0.040	0.003	0.000	.	0.000
	SD	1.030	0.422	.	0.064	0.017	0.015	.	0.014	0.006	0.000	.	0.000
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	3.557	2.783	7.035	.	0.027	0.080	0.000	.	0.007	0.000	0.000	.
	SD	1.948	1.585	0.884	.	0.021	0.069	0.000	.	0.006	0.000	0.000	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 4 Hematology - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Hematology			
		Monocyte	Monocyte	Monocyte	Monocyte
		(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)	(10 ³ /uL)
		-46	-4	11	14
0 mg/kg	Mean	0.280	0.347	.	0.317
	SD	0.075	0.006	.	0.064
	N	3	3	.	3
50 mg/kg	Mean	0.230	0.247	.	0.277
	SD	0.121	0.031	.	0.133
	N	3	3	.	3
150 mg/kg	Mean	0.303	0.283	.	0.495
	SD	0.067	0.071	.	0.191
	N	3	3	.	2
500 mg/kg	Mean	0.343	0.300	0.665	.
	SD	0.234	0.165	0.247	.
	N	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]