

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Blood Chemistry											
		Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)
		-46	-4	11	14	-46	-4	11	14	-46	-4	11	14
0 mg/kg	Mean	0.79	0.81	.	0.80	1.08	0.99	.	0.95	0.92	0.95	.	1.02
	SD	0.13	0.15	.	0.16	0.27	0.30	.	0.29	0.04	0.10	.	0.06
	N	3	3	.	3	3	3	.	3	3	3	.	3
50 mg/kg	Mean	0.63	0.57	.	0.63	1.10	0.99	.	1.05	0.82	0.79	.	0.76
	SD	0.06	0.10	.	0.05	0.09	0.13	.	0.06	0.16	0.13	.	0.15
	N	3	3	.	3	3	3	.	3	3	3	.	3
150 mg/kg	Mean	0.80	0.74	.	0.93	1.17	1.03	.	1.04	0.93	0.93	.	0.76
	SD	0.12	0.16	.	0.00	0.21	0.04	.	0.18	0.12	0.20	.	0.00
	N	3	3	.	2	3	3	.	2	3	3	.	2
500 mg/kg	Mean	0.92	0.78	1.02	.	1.17	0.98	1.18	.	0.91	0.92	0.65	.
	SD	0.08	0.07	0.02	.	0.14	0.12	0.19	.	0.04	0.17	0.12	.
	N	3	3	2	.	3	3	2	.	3	3	2	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		ASAT	ASAT	ASAT	ASAT	ASAT	ASAT	ALAT	ALAT	ALAT	ALAT	ALAT	
		(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	39.7	26.7	.	.	.	33.3	77.3	51.0	.	.	.	64.7
	SD	16.9	5.0	.	.	.	8.6	42.6	25.7	.	.	.	44.4
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	31.3	27.0	.	104.0	.	58.0	43.3	35.7	.	38.0	.	64.5
	SD	2.5	1.7	.	.	.	15.6	6.4	9.1	.	.	.	29.0
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	39.3	28.7	.	.	.	89.0	54.3	30.3	.	.	.	103.5
	SD	15.0	14.2	.	.	.	62.2	19.6	6.5	.	.	.	2.1
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	32.7	31.0	70.0	.	77.0	.	37.7	38.0	155.0	.	79.0	.
	SD	2.1	3.5	6.1	8.2
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		LDH	LDH	LDH	LDH	LDH	LDH	Gamma GT	Gamma GT	Gamma GT	Gamma GT	Gamma GT	Gamma GT
		(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)	(U/L)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	248.3	184.0	.	.	.	270.7	62.7	58.7	.	.	.	51.0
	SD	80.3	54.9	.	.	.	97.4	12.2	11.0	.	.	.	6.6
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	216.3	184.0	.	468.0	.	375.0	67.3	68.0	.	37.0	.	16.5
	SD	70.6	38.2	.	.	.	52.3	11.6	14.8	.	.	.	17.7
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	312.3	219.0	.	.	.	437.5	50.7	54.7	.	.	.	18.5
	SD	37.4	26.6	.	.	.	21.9	6.4	7.0	.	.	.	19.1
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	250.3	228.0	955.0	.	524.0	.	65.0	67.3	54.0	.	62.0	.
	SD	78.1	23.3	18.1	19.9
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		ALP (U/L)	ALP (U/L)	ALP (U/L)	ALP (U/L)	ALP (U/L)	ALP (U/L)	Creatine Kinase (U/L)	Creatine Kinase (U/L)	Creatine Kinase (U/L)	Creatine Kinase (U/L)	Creatine Kinase (U/L)	Creatine Kinase (U/L)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	1193.0	1049.7	.	.	.	1171.3	120.3	49.3	.	.	.	106.0
	SD	276.0	115.9	.	.	.	168.9	107.6	5.9	.	.	.	17.7
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	876.7	854.0	.	768.0	.	552.0	75.3	56.3	.	3674.0	.	494.0
	SD	87.8	233.2	.	.	.	8.5	37.6	24.6	.	.	.	124.5
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	654.3	735.3	.	.	.	660.0	78.0	56.7	.	.	.	600.0
	SD	144.0	242.7	.	.	.	147.1	8.2	15.2	.	.	.	140.0
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	862.0	865.7	1544.0	.	530.0	.	67.7	86.3	1773.0	.	540.0	.
	SD	227.8	328.4	40.0	14.5
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Total Bilirubin (mg/dL)	Total Bilirubin (mg/dL)	Total Bilirubin (mg/dL)	Total Bilirubin (mg/dL)	Total Bilirubin (mg/dL)	Total Bilirubin (mg/dL)	Urea Nitrogen (mg/dL)	Urea Nitrogen (mg/dL)	Urea Nitrogen (mg/dL)	Urea Nitrogen (mg/dL)	Urea Nitrogen (mg/dL)	Urea Nitrogen (mg/dL)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	0.17	0.07	.	.	.	0.17	18.90	17.97	.	.	.	17.67
	SD	0.06	0.06	.	.	.	0.06	3.26	1.25	.	.	.	2.03
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	0.23	0.07	.	0.50	.	0.40	15.00	17.00	.	178.50	.	108.40
	SD	0.06	0.06	.	.	.	0.14	2.95	2.15	.	.	.	114.55
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	0.17	0.10	.	.	.	0.35	17.77	20.57	.	.	.	35.25
	SD	0.06	0.10	.	.	.	0.07	0.91	1.21	.	.	.	16.05
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	0.20	0.10	0.40	.	0.20	.	18.00	18.33	125.30	.	19.50	.
	SD	0.00	0.00	4.71	2.80
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Creatinine	Creatinine	Creatinine	Creatinine	Creatinine	Creatinine	Glucose	Glucose	Glucose	Glucose	Glucose	
		(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	0.93	0.90	.	.	.	0.90	78.7	74.3	.	.	.	86.0
	SD	0.15	0.20	.	.	.	0.10	5.9	1.5	.	.	.	14.0
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	0.80	0.80	.	3.90	.	1.65	74.7	82.7	.	77.0	.	95.0
	SD	0.00	0.00	.	.	.	0.92	7.6	11.9	.	.	.	21.2
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	0.70	0.70	.	.	.	0.90	70.0	76.3	.	.	.	83.0
	SD	0.10	0.00	.	.	.	0.14	3.6	8.0	.	.	.	18.4
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	0.80	0.80	5.70	.	0.70	.	78.0	76.7	124.0	.	69.0	.
	SD	0.10	0.17	3.5	7.2
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Total Cholesterol (mg/dL)	Total Cholesterol (mg/dL)	Total Cholesterol (mg/dL)	Total Cholesterol (mg/dL)	Total Cholesterol (mg/dL)	Total Cholesterol (mg/dL)	Phospholipid (mg/dL)	Phospholipid (mg/dL)	Phospholipid (mg/dL)	Phospholipid (mg/dL)	Phospholipid (mg/dL)	Phospholipid (mg/dL)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	126.3	129.0	.	.	.	117.0	171.3	165.7	.	.	.	162.7
	SD	23.9	27.8	.	.	.	15.1	14.3	25.7	.	.	.	7.0
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	108.3	106.7	.	121.0	.	142.0	167.0	157.3	.	210.0	.	177.5
	SD	17.2	11.2	.	.	.	91.9	22.9	26.2	.	.	.	89.8
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	91.7	101.3	.	.	.	70.0	133.3	146.0	.	.	.	101.0
	SD	9.9	10.1	.	.	.	29.7	20.6	13.1	.	.	.	31.1
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	119.7	119.3	166.0	.	118.0	.	169.7	169.3	322.0	.	162.0	.
	SD	8.1	15.0	20.7	18.6
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Triglyceride (mg/dL)	Triglyceride (mg/dL)	Triglyceride (mg/dL)	Triglyceride (mg/dL)	Triglyceride (mg/dL)	Triglyceride (mg/dL)	Total Protein (g/dL)	Total Protein (g/dL)	Total Protein (g/dL)	Total Protein (g/dL)	Total Protein (g/dL)	
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	25.7	27.7	.	.	.	31.3	8.33	7.97	.	.	.	7.77
	SD	6.0	7.6	.	.	.	11.0	0.42	0.12	.	.	.	0.38
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	27.3	29.0	.	54.0	.	79.5	7.83	7.40	.	7.10	.	7.60
	SD	12.0	4.4	.	.	.	0.7	0.25	0.10	.	.	.	0.57
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	20.7	24.0	.	.	.	35.0	7.53	7.47	.	.	.	6.85
	SD	3.1	7.9	.	.	.	14.1	0.21	0.60	.	.	.	0.49
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	29.7	50.7	90.0	.	56.0	.	8.07	7.97	10.80	.	7.30	.
	SD	19.0	36.6	0.29	0.32
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Ca	Ca	Ca	Ca	Ca	Ca	Inorganic Phosphorus	Inorganic Phosphorus	Inorganic Phosphorus	Inorganic Phosphorus	Inorganic Phosphorus	
		(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	11.37	10.57	.	.	.	10.07	5.00	5.60	.	.	.	5.33
	SD	0.15	0.83	.	.	.	0.21	0.36	0.70	.	.	.	0.51
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	10.30	10.03	.	9.70	.	10.35	4.50	4.57	.	12.00	.	6.30
	SD	0.20	0.15	.	.	.	0.07	1.05	0.90	.	.	.	3.96
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	10.23	10.17	.	.	.	9.30	4.27	4.43	.	.	.	4.00
	SD	0.35	0.31	.	.	.	0.42	0.87	0.55	.	.	.	1.41
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	10.63	10.37	9.90	.	10.10	.	5.10	4.97	21.40	.	2.20	.
	SD	0.87	0.21	0.40	0.55
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Na	Na	Na	Na	Na	Na	K	K	K	K	K	
		(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	161.7	156.7	.	.	.	149.7	5.87	5.63	.	.	.	4.43
	SD	4.0	7.5	.	.	.	2.3	0.49	0.87	.	.	.	0.15
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	153.3	152.0	.	108.0	.	126.0	5.00	4.87	.	7.30	.	4.05
	SD	0.6	1.0	.	.	.	17.0	0.30	0.15	.	.	.	0.35
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	152.7	151.7	.	.	.	130.0	5.07	5.13	.	.	.	4.50
	SD	1.2	1.5	.	.	.	5.7	0.60	0.25	.	.	.	2.40
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	156.0	155.3	138.0	.	149.0	.	5.77	5.40	8.70	.	6.40	.
	SD	4.4	1.5	1.08	0.10
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Cl	Cl	Cl	Cl	Cl	Cl	A/G Ratio	A/G Ratio	A/G Ratio	A/G Ratio	A/G Ratio	A/G Ratio
		(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)	(mmol/L)						
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	115.0	115.0	.	.	.	110.7	1.430	1.443	.	.	.	1.427
	SD	2.0	1.7	.	.	.	1.5	0.056	0.040	.	.	.	0.076
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	111.3	111.0	.	62.0	.	71.0	1.437	1.440	.	1.300	.	1.240
	SD	0.6	1.0	.	.	.	24.0	0.049	0.053	.	.	.	0.042
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	111.3	111.3	.	.	.	87.0	1.443	1.440	.	.	.	1.355
	SD	0.6	1.5	.	.	.	4.2	0.140	0.171	.	.	.	0.134
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	113.0	114.7	87.0	.	108.0	.	1.337	1.400	0.980	.	1.290	.
	SD	1.7	0.6	0.093	0.056
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin	Albumin
		(%)	(%)	(%)	(%)	(%)	(%)	(g/dL)	(g/dL)	(g/dL)	(g/dL)	(g/dL)	(g/dL)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	58.83	59.07	.	.	.	58.77	4.90	4.71	.	.	.	4.56
	SD	0.96	0.71	.	.	.	1.32	0.28	0.03	.	.	.	0.21
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	58.90	58.97	.	56.60	.	55.35	4.62	4.37	.	4.01	.	4.20
	SD	0.87	0.85	.	.	.	0.78	0.18	0.04	.	.	.	0.25
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	59.00	58.83	.	.	.	57.45	4.44	4.41	.	.	.	3.93
	SD	2.31	2.86	.	.	.	2.47	0.06	0.57	.	.	.	0.12
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	57.17	58.30	49.60	.	56.40	.	4.61	4.64	5.35	.	4.11	.
	SD	1.72	1.01	0.27	0.13
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Alpha1 Globulin (%)	Alpha1 Globulin (%)	Alpha1 Globulin (%)	Alpha1 Globulin (%)	Alpha1 Globulin (%)	Alpha1 Globulin (%)	Alpha2 Globulin (%)	Alpha2 Globulin (%)	Alpha2 Globulin (%)	Alpha2 Globulin (%)	Alpha2 Globulin (%)	Alpha2 Globulin (%)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	3.13	3.50	.	.	.	3.40	8.77	9.07	.	.	.	9.93
	SD	0.12	0.36	.	.	.	0.36	2.32	2.30	.	.	.	1.07
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	2.83	3.20	.	8.20	.	6.45	8.27	8.40	.	8.90	.	10.85
	SD	0.12	0.79	.	.	.	0.64	0.93	1.10	.	.	.	3.32
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	3.17	3.80	.	.	.	5.60	8.60	9.30	.	.	.	7.95
	SD	0.06	0.36	.	.	.	0.42	0.95	1.99	.	.	.	1.63
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	3.53	2.97	9.80	.	4.40	.	9.83	10.17	14.10	.	9.90	.
	SD	0.35	0.21	1.66	1.01
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Beta Globulin (%)	Beta Globulin (%)	Beta Globulin (%)	Beta Globulin (%)	Beta Globulin (%)	Beta Globulin (%)	Gamma Globulin (%)	Gamma Globulin (%)	Gamma Globulin (%)	Gamma Globulin (%)	Gamma Globulin (%)	Gamma Globulin (%)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	16.17	15.40	.	.	.	14.90	13.10	12.97	.	.	.	13.00
	SD	2.53	1.99	.	.	.	2.23	4.36	4.24	.	.	.	4.30
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	17.57	16.30	.	17.60	.	18.55	12.43	13.13	.	8.70	.	8.80
	SD	0.96	0.78	.	.	.	2.47	1.33	1.69	.	.	.	0.99
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	14.83	14.53	.	.	.	16.70	14.40	13.53	.	.	.	12.30
	SD	1.94	1.46	.	.	.	0.14	1.37	0.64	.	.	.	1.13
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	14.73	14.93	16.10	.	17.50	.	14.73	13.63	10.40	.	11.80	.
	SD	1.89	2.15	0.71	0.64
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Alpha1 Globulin (g/dL)	Alpha1 Globulin (g/dL)	Alpha1 Globulin (g/dL)	Alpha1 Globulin (g/dL)	Alpha1 Globulin (g/dL)	Alpha1 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)	Alpha2 Globulin (g/dL)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	0.26	0.28	.	.	.	0.26	0.72	0.72	.	.	.	0.77
	SD	0.00	0.03	.	.	.	0.02	0.16	0.19	.	.	.	0.05
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	0.22	0.24	.	0.58	.	0.49	0.65	0.62	.	0.63	.	0.82
	SD	0.02	0.06	.	.	.	0.08	0.09	0.09	.	.	.	0.19
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	0.24	0.28	.	.	.	0.38	0.65	0.69	.	.	.	0.55
	SD	0.01	0.02	.	.	.	0.00	0.07	0.11	.	.	.	0.15
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	0.28	0.24	1.06	.	0.32	.	0.80	0.81	1.52	.	0.72	.
	SD	0.03	0.01	0.16	0.06
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 5 Blood Chemistry - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Blood Chemistry											
		Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Beta Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)	Gamma Globulin (g/dL)
		-46	-4	5	10	11	14	-46	-4	5	10	11	14
0 mg/kg	Mean	1.34	1.23	.	.	.	1.15	1.10	1.03	.	.	.	1.02
	SD	0.15	0.17	.	.	.	0.12	0.42	0.33	.	.	.	0.38
	N	3	3	.	.	.	3	3	3	.	.	.	3
50 mg/kg	Mean	1.38	1.21	.	1.25	.	1.42	0.97	0.97	.	0.62	.	0.67
	SD	0.10	0.04	.	.	.	0.29	0.08	0.13	.	.	.	0.13
	N	3	3	.	1	.	2	3	3	.	1	.	2
150 mg/kg	Mean	1.12	1.08	.	.	.	1.14	1.09	1.01	.	.	.	0.85
	SD	0.18	0.13	.	.	.	0.09	0.12	0.04	.	.	.	0.14
	N	3	3	.	.	.	2	3	3	.	.	.	2
500 mg/kg	Mean	1.18	1.19	1.74	.	1.28	.	1.19	1.09	1.12	.	0.86	.
	SD	0.11	0.21	0.04	0.05
	N	3	3	1	.	1	.	3	3	1	.	1	.

[Day 5 and 10 : Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	3.27	67.07	2.0548	52.3	1.601	226.3	6.879	204.3	6.230	430.7	13.109	2.987	91.17
	SD	0.15	2.15	0.0755	3.8	0.060	64.2	1.655	40.0	0.957	103.6	2.587	0.557	13.85
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	3.13	65.10	2.0936	72.7	2.314	212.3	6.605	228.0	7.054	440.3	13.659	1.460	45.73
	SD	0.31	2.86	0.2555	16.2	0.432	101.5	2.754	126.6	3.435	225.5	6.097	0.544	13.27
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Submand. GL (L) (g)	Submand. GLs (L)Ratio (^-3%)	Submand. GL (R) (g)	Submand. GLs (R)Ratio (^-3%)	Submand. GLs (g)	Submand. GLs Ratio (^-3%)	Lungs (g)	Lungs Ratio (%)	Heart (g)	Heart Ratio (%)	Liver (g)	Liver Ratio (%)	Spleen (g)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	1.147	35.28	1.267	39.13	2.413	74.41	15.993	0.4885	10.827	0.3302	49.23	1.508	2.913
	SD	0.430	13.41	0.440	14.54	0.846	27.20	2.277	0.0541	2.463	0.0631	2.08	0.059	1.174
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	1.267	40.95	1.197	38.92	2.463	79.88	15.530	0.4976	9.900	0.3143	58.37	1.858	2.347
	SD	0.536	17.60	0.516	17.65	1.046	35.05	0.610	0.0308	1.973	0.0415	9.69	0.182	0.304
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Spleen Ratio (%)	Pancreas (g)	Pancreas Ratio (%)	Kidney (L) (g)	Kidney (L) Ratio (%)	Kidney (R) (g)	Kidney (R) Ratio (%)	Kidneys (g)	Kidneys Ratio (%)	Adrenal (L) (mg)	Adrenal (L) Ratio (^-3%)	Adrenal (R) (mg)	Adrenal (R) Ratio (^-3%)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	0.0883	6.087	0.1862	5.217	0.1595	5.363	0.1639	10.580	0.3234	252.3	7.667	188.7	5.733
	SD	0.0319	1.004	0.0283	0.700	0.0176	0.782	0.0195	1.481	0.0371	73.1	1.892	54.0	1.396
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	0.0748	6.320	0.2004	5.923	0.1905	6.087	0.1958	12.010	0.3863	280.3	9.099	194.3	6.301
	SD	0.0048	1.610	0.0408	0.207	0.0226	0.616	0.0299	0.820	0.0515	46.6	2.368	30.7	1.559
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Adrenals (mg)	Adrenals Ratio (^-3%)	Testis (L) (g)	Testis (L)Ratio (^-3%)	Testis (R) (g)	Testis (R)Ratio (^-3%)	Testes (g)	Testes Ratio (^-3%)	Prostate (g)	Prostate Ratio (^-3%)	Seminal vesicle (g)	Seminal ves. Ratio (^-3%)	Epididymis (L) (g)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	441.0	13.400	1.743	52.85	1.560	47.22	3.303	100.08	0.747	22.76	1.493	45.35	0.697
	SD	127.0	3.288	1.831	55.36	1.644	49.75	3.474	105.08	0.168	4.24	0.455	11.91	0.217
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	474.7	15.399	1.453	47.41	1.453	47.65	2.907	95.06	1.283	42.38	1.327	42.38	0.577
	SD	77.2	3.925	0.344	16.24	0.485	20.91	0.827	37.07	0.560	23.00	0.150	3.30	0.101
	N	3	3	3	3	3	3	3	3	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]