

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)				
		Epididymis (L)Ratio (^3%)	Epididymis (R) (g)	Epididymis (R)Ratio (^3%)	Epididymides (g)	Epididymides Ratio (^3%)
		15	15	15	15	15
0 mg/kg	Mean	21.17	0.670	20.39	1.367	41.57
	SD	5.97	0.165	4.32	0.382	10.29
	N	3	3	3	3	3
50 mg/kg	Mean	18.31	0.610	19.40	1.187	37.71
	SD	1.69	0.101	1.54	0.192	2.53
	N	3	3	3	3	3

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		11	11	11	11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	3.00	62.80	2.1027	64.5	2.156	309.5	10.252	312.0	10.346	621.5	20.598	0.580	19.62
	SD	0.28	0.00	0.1982	2.1	0.133	70.0	1.367	63.6	1.146	133.6	2.513	0.127	6.09
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Submand. GL (L) (g)	Submand. GLs (L)Ratio (^3%)	Submand. GL (R) (g)	Submand. GLs (R)Ratio (^3%)	Submand. GLs (g)	Submand. GLs Ratio (^3%)	Lungs (g)	Lungs Ratio (%)	Heart (g)	Heart Ratio (%)	Liver (g)	Liver Ratio (%)	Spleen (g)
		11	11	11	11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	1.125	37.97	1.130	38.04	2.255	76.00	15.815	0.5298	11.355	0.3799	66.80	2.246	2.440
	SD	0.191	9.94	0.127	7.83	0.318	17.77	0.163	0.0554	0.177	0.0299	5.94	0.410	0.552
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Spleen Ratio (%)	Pancreas (g)	Pancreas Ratio (%)	Kidney (L) (g)	Kidney (L)Ratio (%)	Kidney (R) (g)	Kidney (R)Ratio (%)	Kidneys (g)	Kidneys Ratio (%)	Adrenal (L) (mg)	Adrenal (L)Ratio (^-3%)	Adrenal (R) (mg)	Adrenal (R)Ratio (^-3%)
		11	11	11	11	11	11	11	11	11	11	11	11	
500 mg/kg	Mean	0.0808	4.790	0.1602	7.400	0.2480	7.315	0.2452	14.715	0.4932	499.0	16.692	385.0	12.958
	SD	0.0108	0.085	0.0123	0.141	0.0281	0.177	0.0290	0.318	0.0571	9.9	1.244	42.4	2.636
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Adrenals (mg)	Adrenals Ratio (^-3%)	Testis (L) (g)	Testis (L)Ratio (^-3%)	Testis (R) (g)	Testis (R)Ratio (^-3%)	Testes (g)	Testes Ratio (^-3%)	Prostate (g)	Prostate Ratio (^-3%)	Seminal vesicle (g)	Seminal ves. Ratio (^-3%)	Epididymis (L) (g)
		11	11	11	11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	884.0	29.650	0.995	33.01	0.960	31.99	1.955	65.00	0.750	24.75	1.260	41.27	0.560
	SD	32.5	3.880	0.191	3.25	0.099	0.28	0.290	3.54	0.226	5.21	0.580	15.44	0.113
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)				
		Epididymis (L)Ratio (^3%)	Epididymis (R) (g)	Epididymis (R)Ratio (^3%)	Epididymides (g)	Epididymides Ratio (^3%)
		11	11	11	11	11
500 mg/kg	Mean	18.57	0.505	16.85	1.065	35.42
	SD	2.02	0.035	0.41	0.148	1.61
	N	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR
150 mg/kg	Mean	2.83	63.80	2.0581	65.0	2.097	244.0	7.871	245.0	7.903	489.0	15.774	0.550	17.74
	SD	0.25	-	-	-	-	-	-	-	-	-	-	-	-
	N	3	1	1	1	1	1	1	1	1	1	1	1	1
500 mg/kg	Mean	2.50	-	-	-	-	-	-	-	-	-	-	-	-
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	-	-	-	-	-	-	-	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Submand. GL (L) (g)	Submand. GLs (L)Ratio (^3%)	Submand. GL (R) (g)	Submand. GLs (R)Ratio (^3%)	Submand. GLs (g)	Submand. GLs Ratio (^3%)	Lungs (g)	Lungs Ratio (%)	Heart (g)	Heart Ratio (%)	Liver (g)	Liver Ratio (%)	Spleen (g)
		MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR
150 mg/kg	Mean	0.960	30.97	0.980	31.61	1.940	62.58	15.660	0.5052	10.170	0.3281	58.40	1.884	1.600
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1
500 mg/kg	Mean	-	-	-	-	-	-	-	-	-	-	-	-	-
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	-	-	-	-	-	-	-	-	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Spleen Ratio (%)	Pancreas (g)	Pancreas Ratio (%)	Kidney (L) (g)	Kidney (L)Ratio (%)	Kidney (R) (g)	Kidney (R)Ratio (%)	Kidneys (g)	Kidneys Ratio (%)	Adrenal (L) (mg)	Adrenal (L)Ratio (^-3%)	Adrenal (R) (mg)	Adrenal (R)Ratio (^-3%)
		MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR
150 mg/kg	Mean	0.0516	3.180	0.1026	6.700	0.2161	7.190	0.2319	13.890	0.4481	365.0	11774	308.0	9.935
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1
500 mg/kg	Mean	-	-	-	-	-	-	-	-	-	-	-	-	-
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	-	-	-	-	-	-	-	-	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)												
		Adrenals (mg)	Adrenals Ratio (^-3%)	Testis (L) (g)	Testis (L)Ratio (^-3%)	Testis (R) (g)	Testis (R)Ratio (^-3%)	Testes (g)	Testes Ratio (^-3%)	Prostate (g)	Prostate Ratio (^-3%)	Seminal vesicle (g)	Seminal ves. Ratio (^-3%)	Epididymis (L) (g)
		MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR
150 mg/kg	Mean	673.0	21.710	2.250	72.58	2.350	75.81	4.600	148.39	2.190	70.65	3.190	102.90	0.580
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1
500 mg/kg	Mean	-	-	-	-	-	-	-	-	-	-	-	-	-
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	-	-	-	-	-	-	-	-	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Male		Organ Weights (Monkey)				
		Epididymis (L)Ratio (^3%)	Epididymis (R) (g)	Epididymis (R)Ratio (^3%)	Epididymides (g)	Epididymides Ratio (^3%)
		MOR	MOR	MOR	MOR	MOR
150 mg/kg	Mean	18.71	0.620	20.00	1.200	38.71
	SD	-	-	-	-	-
	N	1	1	1	1	1
500 mg/kg	Mean	-	-	-	-	-
	SD	-	-	-	-	-
	N	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	3.07	65.80	2.1687	62.0	2.037	167.3	5.268	138.3	4.432	305.7	9.700	2.200	71.20
	SD	0.38	3.03	0.2946	2.0	0.195	95.3	2.355	52.6	1.266	146.3	3.529	0.537	10.93
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	2.55	58.75	2.3036	64.5	2.531	234.0	9.223	231.5	9.115	465.5	18.338	0.270	10.67
	SD	0.07	2.19	0.0221	0.7	0.098	79.2	3.361	60.1	2.610	139.3	5.971	0.141	5.84
	N	2	2	2	2	2	2	2	2	2	2	2	2	2
150 mg/kg	Mean	2.45	66.30	2.7186	66.0	2.714	189.5	7.561	177.5	7.176	367.0	14.737	0.415	17.26
	SD	0.35	5.37	0.1730	2.8	0.276	85.6	2.401	48.8	0.956	134.4	3.357	0.049	4.51
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Submand. GL (L) (g)	Submand. GLs (L)Ratio (^-3%)	Submand. GL (R) (g)	Submand. GLs (R)Ratio (^-3%)	Submand. GLs (g)	Submand. GLs Ratio (^-3%)	Lungs (g)	Lungs Ratio (%)	Heart (g)	Heart Ratio (%)	Liver (g)	Liver Ratio (%)	Spleen (g)
		15	15	15	15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	0.833	26.77	0.843	27.03	1.677	53.80	13.777	0.4524	10.310	0.3350	51.77	1.684	4.930
	SD	0.272	5.69	0.294	6.22	0.565	11.89	0.490	0.0382	1.812	0.0241	8.71	0.115	2.846
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	0.745	29.28	0.750	29.46	1.495	58.74	16.650	0.6541	8.825	0.3461	58.35	2.284	1.635
	SD	0.092	4.42	0.071	3.59	0.163	8.01	1.598	0.0808	0.205	0.0016	8.98	0.289	0.643
	N	2	2	2	2	2	2	2	2	2	2	2	2	2
150 mg/kg	Mean	0.910	36.99	1.030	42.02	1.940	79.01	13.405	0.5510	8.725	0.3580	53.90	2.201	1.830
	SD	0.184	2.17	0.156	0.29	0.339	2.45	0.629	0.0538	0.615	0.0266	7.50	0.012	0.354
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Spleen Ratio (%)	Pancreas (g)	Pancreas Ratio (%)	Kidney (L) (g)	Kidney (L)Ratio (%)	Kidney (R) (g)	Kidney (R)Ratio (%)	Kidneys (g)	Kidneys Ratio (%)	Adrenal (L) (mg)	Adrenal (L)Ratio (^-3%)	Adrenal (R) (mg)	Adrenal (R)Ratio (^-3%)
		15	15	15	15	15	15	15	15	15	15	15	15	
0 mg/kg	Mean	0.1556	5.023	0.1637	5.147	0.1677	5.113	0.1663	10.260	0.3340	272.3	8.911	235.7	7.704
	SD	0.0755	0.644	0.0007	0.668	0.0010	0.809	0.0058	1.476	0.0068	24.7	0.555	31.8	0.860
	N	3	3	3	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	0.0638	4.360	0.1707	6.015	0.2355	6.130	0.2401	12.145	0.4756	374.5	14.679	279.0	10.928
	SD	0.0235	0.622	0.0197	0.926	0.0298	0.651	0.0189	1.577	0.0486	23.3	0.508	31.1	0.917
	N	2	2	2	2	2	2	2	2	2	2	2	2	2
150 mg/kg	Mean	0.0744	5.820	0.2406	4.705	0.1908	4.720	0.1915	9.425	0.3823	298.0	12.657	226.5	9.723
	SD	0.0037	0.184	0.0422	1.082	0.0166	1.075	0.0162	2.157	0.0329	123.0	6.848	128.0	6.627
	N	2	2	2	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)									
		Adrenals (mg)	Adrenals Ratio (^-3%)	Ovary (L) (mg)	Ovary (L)Ratio (^-3%)	Ovary (R) (mg)	Ovary (R)Ratio (^-3%)	Ovaries (mg)	Ovaries Ratio (^-3%)	Uterus (g)	Uterus Ratio (^-3%)
		15	15	15	15	15	15	15	15	15	15
0 mg/kg	Mean	508.0	16.614	172.3	5.589	199.7	6.268	372.0	11.858	5.330	168.29
	SD	55.8	1.381	33.6	0.441	120.0	2.950	153.1	3.332	2.898	69.32
	N	3	3	3	3	3	3	3	3	3	3
50 mg/kg	Mean	653.5	25.608	107.5	4.235	117.5	4.578	225.0	8.812	6.190	243.04
	SD	54.4	1.425	31.8	1.365	58.7	2.175	26.9	0.809	0.368	21.16
	N	2	2	2	2	2	2	2	2	2	2
150 mg/kg	Mean	524.5	22.380	97.5	4.120	100.0	4.272	197.5	8.392	3.330	136.51
	SD	251.0	13.476	33.2	1.951	49.5	2.637	82.7	4.588	0.283	8.15
	N	2	2	2	2	2	2	2	2	2	2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		11	11	11	11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	2.90	59.10	2.0379	67.0	2.310	222.0	7.655	250.0	8.621	472.0	16.276	0.880	30.34
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Submand. GL (L) (g)	Submand. GLs (L)Ratio (^3%)	Submand. GL (R) (g)	Submand. GLs (R)Ratio (^3%)	Submand. GLs (g)	Submand. GLs Ratio (^3%)	Lungs (g)	Lungs Ratio (%)	Heart (g)	Heart Ratio (%)	Liver (g)	Liver Ratio (%)	Spleen (g)
		11	11	11	11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	1.220	42.07	1.200	41.38	2.420	83.45	14.530	0.5010	9.370	0.3231	67.70	2.334	2.670
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Spleen Ratio (%)	Pancreas (g)	Pancreas Ratio (%)	Kidney (L) (g)	Kidney (L)Ratio (%)	Kidney (R) (g)	Kidney (R)Ratio (%)	Kidneys (g)	Kidneys Ratio (%)	Adrenal (L) (mg)	Adrenal (L)Ratio (^-3%)	Adrenal (R) (mg)	Adrenal (R)Ratio (^-3%)
		11	11	11	11	11	11	11	11	11	11	11	11	
500 mg/kg	Mean	0.0921	5.760	0.1986	5.740	0.1979	6.490	0.2238	12.230	0.4217	289.0	9.966	267.0	9.207
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)									
		Adrenals (mg)	Adrenals Ratio (^-3%)	Ovary (L) (mg)	Ovary (L)Ratio (^-3%)	Ovary (R) (mg)	Ovary (R)Ratio (^-3%)	Ovaries (mg)	Ovaries Ratio (^-3%)	Uterus (g)	Uterus Ratio (^-3%)
		11	11	11	11	11	11	11	11	11	11
500 mg/kg	Mean	556.0	19.172	130.0	4.483	205.0	7.069	335.0	11552	5.940	204.83
	SD	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Table 6 Organ Weight - Summary

B120719

Day(s) Relative to Start Date

Sex: Female		Organ Weights (Monkey)												
		Final Body Weight (Kg)	Brain (g)	Brain Ratio (%)	Pituitary (mg)	Pituitary Ratio (^-3%)	Thyroid (L) (mg)	Thyroid (L)Ratio (^-3%)	Thyroid (R) (mg)	Thyroid (R)Ratio (^-3%)	Thyroids (mg)	Thyroids Ratio (^-3%)	Thymus (g)	Thymus Ratio (^-3%)
		MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR	MOR
50 mg/kg	Mean	2.60	67.50	2.5962	59.0	2.269	253.0	9.731	275.0	10.577	528.0	20.308	0.510	19.62
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	1	1	1	1	1	1	1	1	1	1	1	1
150 mg/kg	Mean	2.80	-	-	-	-	-	-	-	-	-	-	-	-
	SD	-	-	-	-	-	-	-	-	-	-	-	-	-
	N	1	-	-	-	-	-	-	-	-	-	-	-	-
500 mg/kg	Mean	2.55	-	-	-	-	-	-	-	-	-	-	-	-
	SD	0.07	-	-	-	-	-	-	-	-	-	-	-	-
	N	2	-	-	-	-	-	-	-	-	-	-	-	-

[MOR : Death or Moribundity.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]