

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-16 a.m.	-15 a.m.	-14 a.m.	-13 a.m.	-12 a.m.	-11 a.m.	-10 a.m.	-9 a.m.	-8 a.m.
2	m	10201	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

---

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-7 a.m.	-6 a.m.	-5 a.m.	-4 a.m.	-3 a.m.	-2 a.m.	-1 a.m.
2	m	10201	No Abnormalities Detected		X	X	X	X	X	X	X
		10202	No Abnormalities Detected		X	X	X	X	X	X	X
		10203	No Abnormalities Detected		X	X	X	X	X	X	X

---

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

---

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-52	-51	-50	-49	-48	-47	-46	-45	-44
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

---

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-43	-42	-41	-40	-39	-38	-37	-36	-35
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-34 a.m.	-33 a.m.	-32 a.m.	-31 a.m.	-30 a.m.	-29 a.m.	-28 a.m.	-27 a.m.	-26 a.m.
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-25	-24	-23	-22	-21	-20	-19	-18	-17
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-16	-15	-14	-13	-12	-11	-10	-9	-8
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

---

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-7 a.m.	-6 a.m.	-5 a.m.	-4 a.m.	-3 a.m.	-2 a.m.	-1 a.m.
3	m	10301	No Abnormalities Detected		X	X	X	X	X	X	X
		10302	No Abnormalities Detected		X	X	X	X	X	X	X
		10303	No Abnormalities Detected		X	X	X	X	X	X	X

---

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]



## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-52	-51	-50	-49	-48	-47	-46	-45	-44
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-43	-42	-41	-40	-39	-38	-37	-36	-35
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-34 a.m.	-33 a.m.	-32 a.m.	-31 a.m.	-30 a.m.	-29 a.m.	-28 a.m.	-27 a.m.	-26 a.m.
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-25	-24	-23	-22	-21	-20	-19	-18	-17
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-16 a.m.	-15 a.m.	-14 a.m.	-13 a.m.	-12 a.m.	-11 a.m.	-10 a.m.	-9 a.m.	-8 a.m.
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

---

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-7	-6	-5	-4	-3	-2	-1
					a.m.	a.m.	a.m.	a.m.	a.m.	a.m.	a.m.
4	m	10401	No Abnormalities Detected		X	X	X	X	X	X	X
		10402	No Abnormalities Detected		X	X	X	X	X	X	X
		10403	No Abnormalities Detected		X	X	X	X	X	X	X

---

Severity Codes: X = Present

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					1 Before dosing	1 Time 10	2 Before dosing	2 Time 10	3 Before dosing	3 Time 10	4 Before dosing	4 Time 10	5 Before dosing	
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	5		6		7		8		9	
					Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]



## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					10 Before dosing	10 Time 10	11 Before dosing	11 Time 10	12 Before dosing	12 Time 10	13 Before dosing	13 Time 10	14 Before dosing	
1	m	10101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
		10103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	14	15
					Time 10	a.m.
1	m	10101	No Abnormalities Detected		X	X
		10102	No Abnormalities Detected		X	X
		10103	No Abnormalities Detected		X	X

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date										
					1 Before dosing	1 Time 10	2 Before dosing	2 Time 10	3 Before dosing	3 Time 10	4 Before dosing	4 Time 10	5 Before dosing		
2	m	10201	No Abnormalities Detected		X	X	.	.	.	.	.	X	.	X	
			Vomitus (Dosing formulation)		.	.	.	.	.	.	.	.	1	.	
			Vomitus (Food)		.	.	X	.	X	.	.	.	.	.	
			Vomitus (Frothy material)		.	.	.	.	.	.	.	.	.	.	
		10202	No Abnormalities Detected		X	.	.	X	.	.	X	.	X	.	X
			Vomitus (Dosing formulation)		.	.	.	.	.	.	.	.	.	1	.
			Vomitus (Food)		.	.	X	.	X	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	X	.	.	.	.	.	.	.	.	.
		10203	No Abnormalities Detected		X	.	X	.	.	X	.	X	.	X	X
			Vomitus (Dosing formulation)		.	.	.	.	.	.	.	.	.	1	.
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.
			Vomitus (Frothy material)		.	.	.	.	.	.	.	.	.	.	.
			Vomitus (Dosing solution)		.	X	.	X	.	X	.	.	.		

- 189 -

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

## Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	5		6		7		8		9			
					Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing	Time 10	Before dosing		
2	m	10201	No Abnormalities Detected		.	X	.	X	.	X	.	X	.	X		
			Vomitus (Dosing formulation)		.	.	1	.	.	.	.	.	.	.	.	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.	
			Vomitus (Frothy material)		.	.	.	.	.	.	.	X	.	.	.	
		10202	No Abnormalities Detected		.	X	.	X	.	X	.	X	.	X	.	X
			Vomitus (Dosing formulation)		.	.	1	.	.	.	.	.	.	.	.	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.	
			Vomitus (Dosing solution)		X	.	.	.	X	.	X	.	X	.	.	
		10203	Diarrhea		.	.	.	.	.	.	.	.	.	.	.	
			No Abnormalities Detected		.	X	.	X	.	X	.	X	.	X	.	
			Vomitus (Dosing formulation)		.	.	1	.	.	.	.	.	.	.	.	
			Vomitus (Food)		.	.	.	.	.	.	.	.	.	.	.	
			Vomitus (Frothy material)		.	.	.	.	.	.	.	.	.	.	X	
			Vomitus (Dosing solution)		X	.	.	.	.	X	.	X	.	X	.	
					.	.	.	.	.	.	.	.	.	.	.	

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg    Group 2 - 50 mg/kg    Group 3 - 150 mg/kg    Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]