

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					10 Before dosing	10 Time 10	11 Before dosing	11 Time 10	12 Before dosing	12 Time 10	13 Before dosing	13 Time 10	14 Before dosing	
2	m	10201	No Abnormalities Detected		.	X	X	.	X	.	X	.	X	
			Vomitus (Dosing formulation)	
			Vomitus (Food)		X	.	.	X
			Vomitus (Frothy material)	
		10202	Vomitus (Dosing solution)		X	.	X	.	X
			No Abnormalities Detected		X	X	.	.	.	X	X	X	X	X
			Vomitus (Dosing formulation)	
			Vomitus (Food)		.	.	X	X	X
		10203	Vomitus (Dosing solution)	
			Diarrhea	
			No Abnormalities Detected		X	.	X	.	X	.	X	.	X	.
			Vomitus (Dosing formulation)	
			Vomitus (Food)		.	.	.	X
			Vomitus (Frothy material)	
			Vomitus (Dosing solution)		.	X	.	.	.	X	.	X	.	X

- 191 -

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	14	15
					Time 10	a.m.
2	m	10201	No Abnormalities Detected		X	X
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
		10202	Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
			No Abnormalities Detected		X	X
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Dosing solution)		.	.
		10203	Diarrhea		.	.
			No Abnormalities Detected		.	X
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		X	.

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date										
					1 Before dosing	1 Time 10	2 Before dosing	2 Time 10	3 Before dosing	3 Time 10	4 Before dosing	4 Time 10	5 Before dosing		
3	m	10301	No Abnormalities Detected		X	X	.	X	
			Death		
			Vomitus (Dosing formulation)		1	.	.	
			Vomitus (Food)		.	.	X	.	X	.	X	.	.	.	
			Vomitus (Frothy material)		.	.	X	
			Vomitus (Dosing solution)		X	
			Loose stool		X	X	X	.	.	
		Diarrhea		X	X	.	.	.	X		
		No-stool			
		10302	No Abnormalities Detected		X	.	X	.	X	.	X	.	X	.	X
			Moribundity	
			Decrease in Locomotor activity	
			Vomitus (Dosing formulation)		1	.	.
			Vomitus (Food)	
			Vomitus (Frothy material)	
			Vomitus (Dosing solution)		.	X	.	X	.	X
		Diarrhea		
		10303	No Abnormalities Detected		X	.	X	X	.	.	X
			Moribundity	
			Vomitus (Dosing formulation)		1	.	.
			Vomitus (Food)		X
Vomitus (Dosing solution)			.	X	.	X	.	X		
No-stool				

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	5	6	6	7	7	8	8	9	9	
					Time 10	Before dosing	Time 10							
3	m	10301	No Abnormalities Detected		
			Death	
			Vomitus (Dosing formulation)		.	.	1
			Vomitus (Food)		X	.
			Vomitus (Frothy material)		X
			Vomitus (Dosing solution)		X	.	.	.	X	.	X	.	.	.
			Loose stool	
			Diarrhea		.	.	.	X	X
			No-stool		.	X	.	.	.	X
		10302	No Abnormalities Detected		.	X	.	X	.	X	.	X	.	X
			Moribundity	
			Decrease in locomotor activity	
			Vomitus (Dosing formulation)		.	.	1
			Vomitus (Food)	
			Vomitus (Frothy material)	
			Vomitus (Dosing solution)		X	.	.	.	X	.	X	.	.	.
			Diarrhea	
			10303	No Abnormalities Detected		.	X	X	.	X
		Moribundity		
		Vomitus (Dosing formulation)			.	.	1
		Vomitus (Food)			.	.	.	X
Vomitus (Dosing solution)		X		X	.	X	.	.		
No-stool			

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					10 Before dosing	10 Time 10	11 Before dosing	11 Time 10	12 Before dosing	12 Time 10	13 Before dosing	13 Time 10	14 Before dosing	
3	m	10301	No Abnormalities Detected		X	.	.	X	X	.	.	.		
			Death	X		
			Vomitus (Dosing formulation)		
			Vomitus (Food)	X	.	X	X		
			Vomitus (Frothy material)		
			Vomitus (Dosing solution)	X	X	.		
			Loose stool		
		Diarrhea			
		No-stool	X	.	.			
		10302	No Abnormalities Detected	.	.	X	.	.	X	.	X	.		
			Moribundity		
			Decrease in Locomotor activity		
			Vomitus (Dosing formulation)		
			Vomitus (Food)	.	.	.	X	X		
			Vomitus (Frothy material)	X		
			Vomitus (Dosing solution)	.	X		
		Diarrhea	X	.	X	.	X			
		10303	No Abnormalities Detected	X	.	X	.	X	.	X	.	X		
			Moribundity		
			Vomitus (Dosing formulation)		
			Vomitus (Food)		
Vomitus (Dosing solution)	.		X	.	X	.	X	.	X	.				
No-stool	X				

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	14	15
					Time 10	a.m.
3	m	10301	No Abnormalities Detected		.	.
			Death		.	.
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
			Loose stool		.	.
			Diarrhea		.	.
			No-stool		.	.
		10302	No Abnormalities Detected		.	.
			Moribundity		X	.
			Decrease in locomotor activity		1	.
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
			Diarrhea		.	.
		10303	No Abnormalities Detected		.	.
			Moribundity		X	.
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Dosing solution)		X	.
			No-stool		.	.

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date										
					1 Before dosing	1 Time 10	2 Before dosing	2 Time 10	3 Before dosing	3 Time 10	4 Before dosing	4 Time 10	5 Before dosing		
4	m	10401	No Abnormalities Detected		X
			Vomitus (Dosing formulation)		1	.	
			Vomitus (Food)		.	.	X	
			Vomitus (Frothy material)		.	.	X	
			Vomitus (Dosing solution)		.	X	.	X	.	X	
			Loose stool		X	.	X	.	.	X	
			Diarrhea		
		No-stool			
		10402	No Abnormalities Detected		X	.	X	.	.	X	.	X	.	.	X
			Vomitus (Dosing formulation)		1	.	
			Vomitus (Food)		
			Vomitus (Frothy material)		X	
			Vomitus (Dosing solution)		.	X	.	X	.	X	
		10403	No Abnormalities Detected		X
			Death		
			Lateral position		
			Vomitus (Food)		X	
			Vomitus (Frothy material)		.	.	X	.	.	.	X	.	.	.	
			Vomitus (Dosing solution)		.	X	.	X	.	X	
			Loose stool		.	.	X	
			Diarrhea		.	.	.	X	X	.	X	X	.	.	
Watery diarrhea					
No-stool		X				

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	5		6		7		8		9		
					Time 10	Before dosing									
4	m	10401	No Abnormalities Detected		.	X	.	X	
			Vomitus (Dosing formulation)		.	.	1
			Vomitus (Food)		X	.	.
			Vomitus (Frothy material)		X
			Vomitus (Dosing solution)		X	X	.	X	.	.	.
			Loose stool	
		10402	Diarrhea		.	.	X	X	X	X	.
			No-stool		X
			No Abnormalities Detected		.	X	.	X	X
			Vomitus (Dosing formulation)		.	.	1
			Vomitus (Food)		X	.	.
			Vomitus (Frothy material)	
		10403	Vomitus (Dosing solution)		X	X	.	X	.	.	.
			Diarrhea		X	X
			No Abnormalities Detected	
			Death		X
			Lateral position		X
			Vomitus (Food)	
			Vomitus (Frothy material)	
			Vomitus (Dosing solution)		X	.	.	.	X
			Loose stool	
	Diarrhea		X	X	.	.	X		
	Watery diarrhea		.	.	X		
	No-stool			
				

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date												
					10 Before dosing	10 Time 10	11 Before dosing	11 Time 10	12 Before dosing	12 Time 10	13 Before dosing	13 Time 10	14 Before dosing				
4	m	10401	No Abnormalities Detected		.	X		
			Vomitus (Dosing formulation)		
			Vomitus (Food)	
			Vomitus (Frothy material)		X	.	X
			Vomitus (Dosing solution)	
			Loose stool	
			Diarrhea	
		No-stool		X
		10402	No Abnormalities Detected	
			Vomitus (Dosing formulation)	
			Vomitus (Food)		X
			Vomitus (Frothy material)		.	.	X
			Vomitus (Dosing solution)		.	X
		10403	No Abnormalities Detected	
			Death	
			Lateral position	
			Vomitus (Food)	
			Vomitus (Frothy material)	
			Vomitus (Dosing solution)	
			Loose stool	
			Diarrhea	
Watery diarrhea				
No-stool				

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	14	15
					Time 10	a.m.
4	m	10401	No Abnormalities Detected		.	.
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
			Loose stool		.	.
			Diarrhea		.	.
		No-stool		.	.	
		10402	No Abnormalities Detected		.	.
			Vomitus (Dosing formulation)		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
		10403	No Abnormalities Detected		.	.
			Death		.	.
			Lateral position		.	.
			Vomitus (Food)		.	.
			Vomitus (Frothy material)		.	.
			Vomitus (Dosing solution)		.	.
			Loose stool		.	.
			Diarrhea		.	.
Watery diarrhea			.	.		
No-stool		.	.			

Severity Codes: X = Present; 1 = Slight

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date								
					-52 a.m.	-51 a.m.	-50 a.m.	-49 a.m.	-48 a.m.	-47 a.m.	-46 a.m.	-45 a.m.	-44 a.m.
1	f	50101	No Abnormalities Detected		X	X	X	X	X
			Menses		.	X	X	X	X
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-43	-42	-41	-40	-39	-38	-37	-36	-35
					a.m.								
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses	
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-34	-33	-32	-31	-30	-29	-28	-27	-26
					a.m.								
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses		-	-	-	-	-	-	-	-	-
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-25	-24	-23	-22	-21	-20	-19	-18	-17
					a.m.								
1	f	50101	No Abnormalities Detected		X	X	X	.	.	.	X	X	X
			Menses		.	.	.	X	X	X	.	.	.
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-16	-15	-14	-13	-12	-11	-10	-9	-8
					a.m.								
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses	
		50102	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X	X	

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-7	-6	-5	-4	-3	-2	-1
					a.m.						
1	f	50101	No Abnormalities Detected		X	X	X	X	X	X	X
			Menses	
		50102	No Abnormalities Detected		X	X	X	X	X	X	X
		50103	No Abnormalities Detected		X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date								
					-52 a.m.	-51 a.m.	-50 a.m.	-49 a.m.	-48 a.m.	-47 a.m.	-46 a.m.	-45 a.m.	-44 a.m.
2	f	50201	No Abnormalities Detected		X	X	X	X	X
			Menses		.	.	X	X	X	X	.	.	.
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses	
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Day numbers relative to Start Date

Group	Sex	Animal	Clinical Sign	Site	-43	-42	-41	-40	-39	-38	-37	-36	-35
					a.m.								
2	f	50201	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses	
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X
			Menses	
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10 , 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					-34 a.m.	-33 a.m.	-32 a.m.	-31 a.m.	-30 a.m.	-29 a.m.	-28 a.m.	-27 a.m.	-26 a.m.	
2	f	50201	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses	
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses	
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Group	Sex	Animal	Clinical Sign	Site	Day numbers relative to Start Date									
					-25 a.m.	-24 a.m.	-23 a.m.	-22 a.m.	-21 a.m.	-20 a.m.	-19 a.m.	-18 a.m.	-17 a.m.	
2	f	50201	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses	
		50202	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X
			Menses	
		50203	No Abnormalities Detected		X	X	X	X	X	X	X	X	X	X

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 50 mg/kg Group 3 - 150 mg/kg Group 4 - 500 mg/kg Group 5 - 500 mg/kg

Time 10, 2h after dosing;

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]