

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

150 mg/kg	Day(s) Relative to Start Date							
	-52	-45	-42	-35	-28	-21	-14	-7
50301	2.5	2.5	2.6	2.6	2.5	2.6	2.6	2.6
50302	3.0	2.9	2.9	2.9	2.9	3.0	2.9	2.9
50303	2.8	2.8	2.8	3.0	3.0	3.2	3.2	3.2

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

500 mg/kg	Day(s) Relative to Start Date							
	-52	-45	-42	-35	-28	-21	-14	-7
50401	3.0	2.9	2.9	3.0	3.0	3.0	3.0	3.0
50402	2.7	2.6	2.7	2.8	2.8	2.8	2.8	2.9
50403	3.2	3.1	3.0	3.0	3.0	3.0	3.0	3.0

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

0 mg/kg	Day(s) Relative to Start Date							
	1	4	5	8	10	11	12	14
50101	3.6	3.6	-	3.6	-	3.6	-	3.5
50102	3.0	3.0	-	2.9	-	3.0	-	2.9
50103	2.9	2.8	-	2.7	-	2.9	-	2.8

[Day 5, Day 10 and 12 : Final Body Weight.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

50 mg/kg	Day(s) Relative to Start Date							
	1	4	5	8	10	11	12	14
50201	2.9	2.8	-	2.6	2.6	-	-	-
50202	3.1	3.0	-	2.8	-	2.7	-	2.5
50203	3.2	3.2	-	3.0	-	2.9	-	2.7

[Day 5, Day 10 and 12 : Final Body Weight.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

150 mg/kg	Day(s) Relative to Start Date							
	1	4	5	8	10	11	12	14
50301	2.6	2.5	-	2.4	-	2.4	-	2.2
50302	2.9	2.9	-	2.9	-	2.8	-	2.6
50303	3.2	3.1	-	3.0	-	2.9	2.8	-

[Day 5, Day 10 and 12 : Final Body Weight.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 2 Body Weight

B120719

Sex: Female Bodyweight (kg)

500 mg/kg	Day(s) Relative to Start Date							
	1	4	5	8	10	11	12	14
50401	3.1	2.8	-	2.6	-	-	-	-
50402	2.9	2.6	2.5	-	-	-	-	-
50403	2.9	2.9	-	2.8	-	2.9	-	-

[Day 5, Day 10 and 12 : Final Body Weight.]

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
10101	100	100	100	100	100	100	100	69	100	100	93	100	100	100
10102	87	100	100	100	79	100	100	35	100	84	100	90	100	100
10103	100	100	100	100	72	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
10101	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10102	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10103	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
10101	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10102	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10103	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
10101	100	100	100	100	100	100	100	100	100
10102	100	100	100	100	100	100	100	100	100
10103	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
10201	84	100	100	100	100	100	100	53	98	100	100	100	100	100
10202	100	100	100	100	100	100	100	80	100	100	100	100	100	100
10203	100	100	100	100	100	100	100	40	84	89	90	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
10201	100	100	100	100	100	100	100	100	100	92	92	93	100	90
10202	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10203	100	100	100	100	100	100	100	100	100	100	100	98	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
10201	84	100	66	84	100	100	100	72	100	100	80	100	89	100
10202	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10203	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
10201	100	100	95	100	100	87	100	93	100
10202	100	100	100	100	100	100	100	100	100
10203	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
10301	100	100	100	100	100	100	100	44	100	100	100	100	100	100
10302	71	100	100	100	100	100	100	41	100	100	100	100	100	100
10303	100	92	100	100	100	100	100	64	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
10301	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10302	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10303	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
10301	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10302	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10303	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
10301	100	100	100	100	100	100	100	100	100
10302	100	100	100	100	100	100	100	100	100
10303	100	100	100	100	100	100	92	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
10401	100	89	100	100	100	100	100	93	95	100	100	100	100	100
10402	89	84	92	100	90	100	100	67	100	100	100	100	100	100
10403	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
10401	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10402	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10403	100	100	100	100	100	100	100	100	100	100	100	98	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5. ]