

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
10401	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10402	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10403	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
10401	100	100	100	100	100	100	100	100	100
10402	100	100	100	100	100	100	100	100	100
10403	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
10101	100	100	100	100	100	100	100	100	100	100	100	100	100	100
10102	100	97	100	100	100	100	100	100	100	100	100	100	100	100
10103	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date
	15
10101	100
10102	100
10103	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
10201	100	71	94	82	83	76	92	85	80	22	11	28	71	19
10202	100	100	100	100	97	100	100	100	100	100	34	85	35	1
10203	100	100	97	100	100	38	100	100	100	100	61	95	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date
	15
10201	6
10202	70
10203	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
10301	100	71	40	74	19	0	19	17	14	0	0	7	0	0
10302	100	100	77	65	52	50	73	34	55	10	0	0	10	0
10303	100	85	70	53	86	64	76	67	47	11	23	47	31	0

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date
10301	.
10302	.
10303	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
10401	100	84	76	71	29	40	14	0	5	0	0	.	.	.
10402	100	100	100	80	79	28	74	16	1	4	5	.	.	.
10403	100	48	0	4	0	0

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Male Food Consumption(g) :Feed 100g

500 mg/kg	Day(s) Relative to Start Date
	15
10401	.
10402	.
10403	.

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
50101	100	100	100	100	100	100	100	58	75	100	79	84	100	92
50102	100	100	100	100	100	100	100	85	98	100	100	100	100	100
50103	100	100	100	100	100	100	100	28	95	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
50101	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50102	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50103	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
50101	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50102	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50103	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

0 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
50101	100	100	100	100	100	100	100	100	100
50102	100	100	100	100	100	100	100	100	100
50103	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
50201	100	100	100	100	100	100	100	51	98	100	100	100	100	100
50202	85	82	100	100	53	100	100	71	98	100	100	100	100	100
50203	100	100	100	100	87	100	100	69	93	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
50201	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50202	100	100	98	100	100	100	100	100	100	100	100	100	100	100
50203	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date													
	-23	-22	-21	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10
50201	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50202	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50203	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

50 mg/kg	Day(s) Relative to Start Date								
	-9	-8	-7	-6	-5	-4	-3	-2	-1
50201	100	100	100	100	100	100	100	85	84
50202	100	100	100	100	100	100	100	100	100
50203	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	-51	-50	-49	-48	-47	-46	-45	-44	-43	-42	-41	-40	-39	-38
50301	100	100	100	100	100	100	100	100	93	84	100	100	100	89
50302	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50303	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 3 Food Consumption

B120719

Sex: Female Food Consumption(g) :Feed 100g

150 mg/kg	Day(s) Relative to Start Date													
	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24
50301	100	80	93	100	100	100	100	100	100	100	87	84	100	87
50302	100	100	100	100	100	100	100	100	100	100	100	100	100	100
50303	100	100	100	100	100	100	100	100	100	100	100	100	100	100

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]