

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 0 mg/kg | Hematology | | | | | | | | | | | |
|---------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10101 | 1.08 | 1.56 | . | 3.27 | 0.09 | 0.38 | . | 0.10 | 0.00 | 0.01 | . | 0.01 |
| 10102 | 3.53 | 4.17 | . | 3.65 | 0.12 | 0.61 | . | 0.26 | 0.01 | 0.00 | . | 0.00 |
| 10103 | 4.99 | 2.18 | . | 2.46 | 0.02 | 0.06 | . | 0.07 | 0.00 | 0.00 | . | 0.00 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Sex: Male Day(s) Relative to Start Date

| 0 mg/kg | Hematology | | | |
|---------|-----------------------|-----------------------|-----------------------|-----------------------|
| | Monocyte | Monocyte | Monocyte | Monocyte |
| | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) |
| | -46 | -4 | 11 | 14 |
| 10101 | 0.36 | 0.35 | . | 0.39 |
| 10102 | 0.27 | 0.35 | . | 0.27 |
| 10103 | 0.21 | 0.34 | . | 0.29 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4

Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|--|--|--|--|-------------------------|-------------------------|-------------------------|-------------------------|----------------|----------------|----------------|----------------|
| | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 5.68 | 5.64 | . | 6.06 | 13.5 | 13.3 | . | 14.3 | 43.1 | 43.4 | . | 44.9 |
| 10202 | 5.50 | 5.45 | . | 6.06 | 13.6 | 13.6 | . | 15.1 | 47.0 | 46.2 | . | 48.6 |
| 10203 | 5.79 | 5.71 | . | 5.22 | 14.7 | 14.7 | . | 13.3 | 48.1 | 48.3 | . | 43.8 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|------------|------|------|------|------|------|------|------|--------|--------|--------|--------|
| | MCV | MCV | MCV | MCV | MCH | MCH | MCH | MCH | MCHC | MCHC | MCHC | MCHC |
| | (fL) | (fL) | (fL) | (fL) | (pg) | (pg) | (pg) | (pg) | (g/dL) | (g/dL) | (g/dL) | (g/dL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 75.9 | 77.0 | . | 74.1 | 23.8 | 23.6 | . | 23.6 | 31.3 | 30.6 | . | 31.8 |
| 10202 | 85.5 | 84.8 | . | 80.2 | 24.7 | 25.0 | . | 24.9 | 28.9 | 29.4 | . | 31.1 |
| 10203 | 83.1 | 84.6 | . | 83.9 | 25.4 | 25.7 | . | 25.5 | 30.6 | 30.4 | . | 30.4 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------|----------|----------|----------|
| | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Platelet | Platelet | Platelet | Platelet |
| | (%) | (%) | (%) | (%) | (10 ⁹ /L) | (10 ⁹ /L) | (10 ⁹ /L) | (10 ⁹ /L) | Count | Count | Count | Count |
| | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | | | | | | | | |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 0.57 | 0.79 | . | 0.73 | 32.4 | 44.6 | . | 44.2 | 282 | 256 | . | 340 |
| 10202 | 0.94 | 0.77 | . | 0.52 | 51.7 | 42.0 | . | 31.5 | 330 | 336 | . | 529 |
| 10203 | 0.53 | 1.08 | . | 0.91 | 30.7 | 61.7 | . | 47.5 | 320 | 327 | . | 491 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|---------------|--|--|--|--|
| | PT (sec) | PT (sec) | PT (sec) | PT (sec) | APTT (sec) | APTT (sec) | APTT (sec) | APTT (sec) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 9.6 | 9.5 | . | 8.8 | 23.9 | 25.0 | . | 24.0 | 6.65 | 7.23 | . | 6.67 |
| 10202 | 9.1 | 9.3 | . | 8.6 | 20.9 | 23.9 | . | 23.3 | 8.24 | 8.78 | . | 7.80 |
| 10203 | 9.5 | 9.5 | . | 8.6 | 26.1 | 26.2 | . | 26.1 | 6.34 | 5.56 | . | 4.60 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | Lymphocyte | Lymphocyte | Lymphocyte | Lymphocyte | Neutrophil | Neutrophil | Neutrophil | Neutrophil | Eosinophil | Eosinophil | Eosinophil | Eosinophil |
| | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 51.9 | 71.9 | . | 59.2 | 45.9 | 22.9 | . | 35.6 | 0.8 | 1.9 | . | 0.6 |
| 10202 | 76.2 | 71.9 | . | 61.8 | 19.8 | 21.7 | . | 32.8 | 0.4 | 3.2 | . | 0.4 |
| 10203 | 48.4 | 74.1 | . | 58.7 | 45.9 | 20.4 | . | 37.4 | 0.8 | 1.3 | . | 1.1 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|------------|----------|----------|----------|----------|----------|----------|----------|-----------------------|-----------------------|-----------------------|-----------------------|
| | Basophil | Basophil | Basophil | Basophil | Monocyte | Monocyte | Monocyte | Monocyte | Lymphocyte | Lymphocyte | Lymphocyte | Lymphocyte |
| | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 0.0 | 0.0 | . | 0.0 | 1.4 | 3.3 | . | 4.6 | 3.45 | 5.20 | . | 3.95 |
| 10202 | 0.0 | 0.0 | . | 0.0 | 3.6 | 3.2 | . | 5.0 | 6.28 | 6.31 | . | 4.82 |
| 10203 | 0.2 | 0.2 | . | 0.0 | 4.7 | 4.0 | . | 2.8 | 3.07 | 4.12 | . | 2.70 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | | | | | | | | | |
|----------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10201 | 3.06 | 1.65 | . | 2.37 | 0.05 | 0.14 | . | 0.04 | 0.00 | 0.00 | . | 0.00 |
| 10202 | 1.63 | 1.91 | . | 2.56 | 0.03 | 0.28 | . | 0.03 | 0.00 | 0.00 | . | 0.00 |
| 10203 | 2.91 | 1.14 | . | 1.72 | 0.05 | 0.07 | . | 0.05 | 0.01 | 0.01 | . | 0.00 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 50 mg/kg | Hematology | | | |
|----------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | Monocyte (10 ³ /uL) | Monocyte (10 ³ /uL) | Monocyte (10 ³ /uL) | Monocyte (10 ³ /uL) |
| | -46 | -4 | 11 | 14 |
| 10201 | 0.09 | 0.24 | . | 0.31 |
| 10202 | 0.30 | 0.28 | . | 0.39 |
| 10203 | 0.30 | 0.22 | . | 0.13 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|--|--|--|--|-------------------------|-------------------------|-------------------------|-------------------------|----------------|----------------|----------------|----------------|
| | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 5.30 | 5.44 | . | . | 13.8 | 14.1 | . | . | 46.1 | 47.5 | . | . |
| 10302 | 5.82 | 6.05 | . | 6.39 | 14.4 | 15.0 | . | 15.8 | 48.5 | 50.7 | . | 46.8 |
| 10303 | 5.59 | 5.59 | . | 6.42 | 13.6 | 13.8 | . | 15.8 | 44.7 | 45.0 | . | 48.4 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|------------|------|------|------|------|------|------|------|--------|--------|--------|--------|
| | MCV | MCV | MCV | MCV | MCH | MCH | MCH | MCH | MCHC | MCHC | MCHC | MCHC |
| | (fL) | (fL) | (fL) | (fL) | (pg) | (pg) | (pg) | (pg) | (g/dL) | (g/dL) | (g/dL) | (g/dL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 87.0 | 87.3 | . | . | 26.0 | 25.9 | . | . | 29.9 | 29.7 | . | . |
| 10302 | 83.3 | 83.8 | . | 73.2 | 24.7 | 24.8 | . | 24.7 | 29.7 | 29.6 | . | 33.8 |
| 10303 | 80.0 | 80.5 | . | 75.4 | 24.3 | 24.7 | . | 24.6 | 30.4 | 30.7 | . | 32.6 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|--------------|--------------|--------------|--------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Reticulocyte | Platelet | Platelet | Platelet | Platelet |
| | (%) | (%) | (%) | (%) | (10 ⁹ /L) | (10 ⁹ /L) | (10 ⁹ /L) | (10 ⁹ /L) | Count | Count | Count | Count |
| | (%) | (%) | (%) | (%) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 0.57 | 0.66 | . | . | 30.2 | 35.9 | . | . | 289 | 241 | . | . |
| 10302 | 0.62 | 0.65 | . | 0.47 | 36.1 | 39.3 | . | 30.0 | 397 | 354 | . | 716 |
| 10303 | 0.59 | 0.67 | . | 0.77 | 33.0 | 37.5 | . | 49.4 | 266 | 263 | . | 425 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|-------------|-------------|-------------|-------------|---------------|---------------|---------------|---------------|--|--|--|--|
| | PT (sec) | PT (sec) | PT (sec) | PT (sec) | APTT (sec) | APTT (sec) | APTT (sec) | APTT (sec) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) | White Blood Cell Count (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 9.1 | 9.0 | . | . | 19.1 | 20.6 | . | . | 5.66 | 6.98 | . | . |
| 10302 | 9.0 | 9.1 | . | 8.9 | 19.4 | 20.0 | . | 24.0 | 9.44 | 8.26 | . | 9.18 |
| 10303 | 8.9 | 9.0 | . | 8.3 | 19.7 | 20.8 | . | 20.6 | 10.14 | 9.39 | . | 10.22 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | Lymphocyte | Lymphocyte | Lymphocyte | Lymphocyte | Neutrophil | Neutrophil | Neutrophil | Neutrophil | Eosinophil | Eosinophil | Eosinophil | Eosinophil |
| | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 58.5 | 59.0 | . | . | 36.3 | 35.7 | . | . | 0.4 | 0.1 | . | . |
| 10302 | 69.1 | 67.4 | . | 35.3 | 26.4 | 29.7 | . | 60.3 | 0.5 | 0.2 | . | 0.5 |
| 10303 | 57.5 | 62.6 | . | 40.3 | 39.6 | 34.1 | . | 53.2 | 0.2 | 0.4 | . | 0.3 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|------------|----------|----------|----------|----------|----------|----------|----------|-----------------------|-----------------------|-----------------------|-----------------------|
| | Basophil | Basophil | Basophil | Basophil | Monocyte | Monocyte | Monocyte | Monocyte | Lymphocyte | Lymphocyte | Lymphocyte | Lymphocyte |
| | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (%) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 0.0 | 0.0 | . | . | 4.8 | 5.2 | . | . | 3.31 | 4.12 | . | . |
| 10302 | 0.0 | 0.0 | . | 0.0 | 4.0 | 2.7 | . | 3.9 | 6.52 | 5.57 | . | 3.24 |
| 10303 | 0.1 | 0.0 | . | 0.0 | 2.6 | 2.9 | . | 6.2 | 5.83 | 5.88 | . | 4.12 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | | | | | | | | | |
|-----------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Neutrophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Eosinophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) | Basophil (10 ³ /uL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10301 | 2.06 | 2.49 | . | . | 0.02 | 0.01 | . | . | 0.00 | 0.00 | . | . |
| 10302 | 2.49 | 2.45 | . | 5.53 | 0.05 | 0.02 | . | 0.05 | 0.00 | 0.00 | . | 0.00 |
| 10303 | 4.02 | 3.20 | . | 5.44 | 0.02 | 0.04 | . | 0.03 | 0.01 | 0.00 | . | 0.00 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Sex: Male Day(s) Relative to Start Date

| 150 mg/kg | Hematology | | | |
|-----------|-----------------------|-----------------------|-----------------------|-----------------------|
| | Monocyte | Monocyte | Monocyte | Monocyte |
| | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) | (10 ³ /uL) |
| | -46 | -4 | 11 | 14 |
| 10301 | 0.27 | 0.36 | . | . |
| 10302 | 0.38 | 0.22 | . | 0.36 |
| 10303 | 0.26 | 0.27 | . | 0.63 |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 500 mg/kg | Hematology | | | | | | | | | | | |
|-----------|--|--|--|--|-------------------------|-------------------------|-------------------------|-------------------------|----------------|----------------|----------------|----------------|
| | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Red Blood Cell Count (10 ⁶ /uL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hemoglobin conc. (g/dL) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) | Hematocrit (%) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10401 | 6.23 | 5.85 | 6.83 | . | 14.3 | 13.5 | 15.6 | . | 47.5 | 44.4 | 46.9 | . |
| 10402 | 5.09 | 5.42 | 6.74 | . | 12.7 | 13.6 | 16.4 | . | 41.5 | 42.9 | 47.2 | . |
| 10403 | 5.49 | 5.58 | . | . | 13.1 | 13.2 | . | . | 42.0 | 42.9 | . | . |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]

Appendix 4 Hematology

B120719

Sex: Male Day(s) Relative to Start Date

| 500 mg/kg | Hematology | | | | | | | | | | | |
|-----------|------------|------|------|------|------|------|------|------|--------|--------|--------|--------|
| | MCV | MCV | MCV | MCV | MCH | MCH | MCH | MCH | MCHC | MCHC | MCHC | MCHC |
| | (fL) | (fL) | (fL) | (fL) | (pg) | (pg) | (pg) | (pg) | (g/dL) | (g/dL) | (g/dL) | (g/dL) |
| | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 | -46 | -4 | 11 | 14 |
| 10401 | 76.2 | 75.9 | 68.7 | . | 23.0 | 23.1 | 22.8 | . | 30.1 | 30.4 | 33.3 | . |
| 10402 | 81.5 | 79.2 | 70.0 | . | 25.0 | 25.1 | 24.3 | . | 30.6 | 31.7 | 34.7 | . |
| 10403 | 76.5 | 76.9 | . | . | 23.9 | 23.7 | . | . | 31.2 | 30.8 | . | . |

[Dose level was changed from 500 mg/kg to 250 mg/kg on Day 5.]