

<p>Sekino Y Endo H Yamada E Sakai E Ohkubo H Higurashi T Iida H Hosono K Takahashi H Koide T Nonaka T Abe Y Gotoh E Maeda S <u>Nakajima A</u> Inamori M (Corresponding author)</p>	<p>Clinical associations and risk factors for bleeding from colonic angiectasia: a case-controlled study.</p>	<p>Colorectal Disease</p>	<p>14(10)</p>	<p>e740-6</p>	<p>2012</p>
<p>Imajo K Fujita K Yoneda M Nozaki Y Ogawa Y Shinohara Y Kato S Mawatari H Shibata W Kitani H Ikejima K Kirikoshi H Nakajima N Saito S Maeyama S Watanabe S Wada K <u>Nakajima A</u></p>	<p>Hyperresponsivity to low-dose endotoxin during progression to nonalcoholic steatohepatitis is regulated by leptin-mediated signaling.</p>	<p>Cell Metab</p>	<p>16(1)</p>	<p>44-54</p>	<p>2012</p>
<p>Sekino Y Yamada E Sakai E Ohkubo H Higurashi T Iida H Endo H Takahashi H Koide T Sakamoto Y Nonaka T Gotoh E Maeda S <u>Nakajima A</u> Inamori M</p>	<p>Influence of sumatriptan on gastric accommodation and on antral contraction in healthy subjects assessed by ultrasonography.</p>	<p>Neurogastroenterology and Motility</p>	<p>24(12)</p>	<p>1083-e564</p>	<p>2012</p>

Nakajima T Matsuhashi N Nara S <u>Nakajima A</u> Imura J Kihara A Murata K Fukushima J Horiuchi H	An adult case of midgut volvulus in familial visceral myopathy.	Pathol Int	62(8)	554-8	2012
Sakamoto Y Sekino Y Yamada E Higurashi T Ohkubo H Sakai E Endo H Iida H Nonaka T Fujita K Yoneda M Koide T Takahashi H Goto A Abe Y Gotoh E Maeda S <u>Nakajima A</u> Inamori M	Effect of sumatriptan on gastric emptying: A crossover study using the BreathID system.	World J Gastroenterol	18(26)	3415-9	2012
Imajo K Fujita K Yoneda M Shinohara Y Suzuki K Mawatari H Takahashi J Nozaki Y Sumida Y Kirikoshi H Saito S Nakamuta M <u>Matsuhashi N</u> Wada K <u>Nakajima A</u>	Plasma free choline is a novel non-invasive biomarker for early-stage non-alcoholic steatohepatitis: A multi-center validation study.	Hepato Res	42(8)	757-66	2012
Sato T Kato S Watanabe S Hosono K Kobayashi N <u>Nakajima A</u> Kubota K	Primary leiomyoma of the pancreas diagnosed by endoscopic ultrasound-guided fine-needle aspiration.	Dig Endosc	24(5)	380	2012

Uchiyama T Takahashi H Endo H Kato S Sakai E Hosono K Yoneda M Inamori M Hippo Y Nakagama H <u>Nakajima A</u>	Number of aberrant crypt foci in the rectum is a useful surrogate marker of colorectal adenoma recurrence.	Dig Endosc	24(5)	353-7	2012
Nakamura A Tajima K Zolzaya K Sato K Inoue R Yoneda M Fujita K Nozaki Y Kubota KC Haga H Kubota N Nagashima Y <u>Nakajima A</u> Maeda S Kadowaki T Terauchi Y	Protection from non-alcoholic steatohepatitis and liver tumourigenesis in high fat-fed insulin receptor substrate-1-knockout mice despite insulin resistance.	Diabetologia	55(12)	3382-91	2012
Sekino Y Inamori M Yamada E Ohkubo H Sakai E Higurashi T Iida H Hosono K Endo H Nonaka T Takahashi H Koide T Abe Y Gotoh E Koyano S Kuroiwa Y Maeda S <u>Nakajima A</u>	Characteristics of intestinal pseudo-obstruction in patients with mitochondrial diseases.	World J Gastroenterol	18(33)	4557-62	2012

Higurashi T Hosono K Endo H Takahashi H Iida H Uchiyama T Ezuka A Uchiyama S Yamada E Ohkubo H Sakai E Maeda S Morita S Natsumeda Y Nagase H <u>Nakajima A</u>	Eicosapentaenoic acid (EPA) efficacy for colorectal aberrant crypt foci (ACF): a double-blind randomized controlled trial.	BMC Cancer	12(1)	413	2012
Kubota K Sato T Kato S Watanabe S Hosono K Kobayashi N Hisatomi K Matsuhashi N <u>Nakajima A</u>	Needle-knife precut papillotomy with a small incision over a pancreatic stent improves the success rate and reduces the complication rate in difficult biliary cannulations.	J Hepatobiliary Pancreat Sci			2012
Nonaka T Kessoku T Ogawa Y Yanagisawa S Shiba T Sakaguchi T Atsukawa K Takahashi H Sekino Y Iida H Endo H Sakamoto Y Koide T Takahashi H Yoneda M Maeda S <u>Nakajima A</u> Gotoh E Inamori M (Corresponding author)	Comparative Study of 2 Different Questionnaires in Japanese Patients: The Quality of Life and Utility Evaluation Survey Technology Questionnaire (QUEST) Versus the Frequency Scale for the Symptoms of Gastroesophageal Reflux Disease Questionnaire (FSSG).	J Neurogastroenterol Motil	19(1)	54-60	2012

Endo H Sakai E Higurashi T Yamada E Ohkubo H Iida H Koide T Yoneda M Abe Y Inamori M Hosono K Takahashi H Kubota K <u>Nakajima A</u>	Differences in the severity of small bowel mucosal injury based on the type of aspirin as evaluated by capsule endoscopy.	Dig Liver Dis	44(10)	833-8	2012
Kadomatsu Y Kojima T Kohara M Inamori M	Hepatic Portal Venous Gas Following Percutaneous Endoscopic Gastrostomy.	Internal Medicine	52(1)	153	2012
Hirata K Katayama K <u>Nakajima A</u> Takada K Kamisaki Y Wada K	Role of leukotriene B(4) receptor signaling in human preadipocyte differentiation.	Biochem Biophys Res Commun	429(3-4)	197-203	2012
Hosono K Yamada E Endo H Takahashi H Inamori M Hippo Y Nakagama H <u>Nakajima A</u>	Increased tumor necrosis factor receptor 1 expression in human colorectal adenomas.	World J Gastroenterol	18(38)	5360-8	2012

Yoneda M Imajo K Eguchi Y Fujii H Sumida Y Hyogo H Ono M Suzuki Y Kawaguchi T Aoki N Sata M Kanemasa K Kohgo Y Saibara T Chayama K Itoh Y Yoshikawa T Anzai K Fujimoto K Okanoue T <u>Nakajima A</u> Japan Study Group of Nonalcoholic Fatty Liver Disease (JSG-NAFLD)	Noninvasive scoring systems in patients with nonalcoholic fatty liver disease with normal alanine aminotransferase levels.	J Gastroenterol	Epub ahead of print		2012
Yagi K Takahashi H Akagi K Matsusaka K Seto Y Aburatani H <u>Nakajima A</u> Kaneda A	Intermediate methylation epigenotype and its correlation to KRAS mutation in conventional colorectal adenoma.	Am J Pathol	180(2)	616-25	2012
<u>松本主之</u> 江崎幹宏 中村昌太郎	バルーン内視鏡のすべて[小腸疾患へのアプローチ]小腸狭窄疑い	消化器内視鏡	24(6)	1011-1016	2012
Yanai S Nakamura S Hirahashi M Ueki T <u>Matsumoto T</u> Kitazono T	MALT lymphoma of the small bowel accompanied by NSAID enteropathy	J Gastroenterol Hepatol	27	1126	2012
<u>松本主之</u> 江崎幹宏 中村昌太郎	小腸狭窄疑いに対するアプローチ	消化器内視鏡	24(6)	1011-1016	2012
Yanai S Nakamura S Hirahashi M Ueki T <u>Matsumoto T</u> Kitazono T	MALT lymphoma of the small bowel accompanied by NSAID enteropathy	J Gastroenterol Hepatol	27	1126	2012
<u>松本主之</u>	非特異性多発性小腸潰瘍症	Modern Physician	32	857-859	2012

藤岡 審 松本主之	炎症性腸疾患における内視鏡診断の 進め方	Medical Practice	29	1125-1129	2012
松本主之	非特異性多発性小腸潰瘍症	消化器内視鏡	24	212-215	2012
松本主之 江崎幹宏 中村昌太郎	小腸狭窄疑いに対するアプローチ	消化器内視鏡	24(6)	1011-16	2012
Yanai S Nakamura S Hirahashi M Ueki T Matsumoto T Kitazono T	MALT lymphoma of the small bowel accompanied by NSAID enteropathy	J Gastroenterol Hepatol	27	1126	2012
松本主之	非特異性多発性小腸潰瘍症	Modern Physician	32	857-9	2012
藤岡 審 松本主之	炎症性腸疾患における内視鏡診断の 進め方	Medical Practice	29	1125-9	2012
松本主之	非特異性多発性小腸潰瘍症	消化器内視鏡	24	212-5	2012
平井郁仁 別府孝浩 高津典孝 矢野 豊 小野陽一郎 二宮風夫 金城 健 佐藤祐邦 別府剛志 高橋晴彦 高木靖寛 松井敏幸 東 大二郎 二見喜太郎 大重要人 池田圭祐 岩下明徳	主題 高齢者非腫瘍性疾患の特徴 小腸病変(炎症性腸疾患を除く)	胃と腸	47(12)	1829-39	2012
Ono Y Hirai F Matsui T Beppu T Yano Y Takatsu N Takaki Y Nagahama T Hisabe T Yao K Higashi D Futami K	Value of concomitant endoscopic balloon dilation for intestinal stricture during long-term infliximab therapy in patients with crohn's disease.	Dig Endosc	24(6)	432-8	2012

矢野 豊 松井敏幸 大原次郎 別府孝浩 佐藤祐邦 久部高司 長浜 孝 高木靖寛 平井郁仁 八尾建史 東 大二郎 二見喜太郎	主題 難治性腸管合併症の特徴と治療戦略 Crohn病に伴う慢性腸管不全患者の特徴－在宅中心静脈栄養療法例を中心に	胃と腸	47(10)	1526-36	2012
Hirai F Ishihara H Yada S Esaki M Ohwan T Nozaki R Ashizuka S Inatsu H Ohi H Aoyagi K Mizuta Y <u>Matsumoto T</u> <u>Matsui T</u>	Effectiveness of concomitant enteral nutrition therapy and infliximab for maintenance treatment of Crohn's disease in adults.	Dig Dis Sci	Epub ahead of print		2012
Kinoshita Y Furuta K Ishimaura N Ishihara S Sato S Maruyama R Ohara S <u>Matsumoto T</u> Sakamoto C <u>Matsui T</u> Ishikawa S Chiba T	Clinical characteristics of Japanese patients with eosinophilic esophagitis and eosinophilic gastroenteritis.	J Gastroenterol	Epub ahead of print		2012
Andoh A Kuzuoka H Tsujiyama T Nakamura S Hirai F Suzuki Y <u>Matsui T</u> Fujiyama Y <u>Matsumoto T</u>	Multicenter analysis of fecal microbiota profiles in Japanese patients with Crohn's disease.	J Gastroenterol	47(12)	1298-307	2012
Ninomiya K Yao K <u>Matsui T</u> Sato Y Kishi M Karashima Y Ishihara H Hirai F	Effectiveness of magnesium citrate as preparation for capsule endoscopy: a randomized, prospective, open-label, inter-group trial.	Digestion	86(1)	27-33	2012

Yamazaki K Umeno J Takahashi Airano A Johnson TA Kumasaka N Morizono T Hosono N Kawaguchi T Takazoe M Yamada T Suzuki Y Tanaka H Motoya S Hosokawa M Arimura Y Shinomura Y <u>Matsui T</u> <u>Matsumoto T</u> Iida M Tsunoda T Nakamura Y Kamatani N Kubo M	A genome-wide association study identifies 2 susceptibility loci for Crohn's disease in a Japanese population.	Gastroenterology Dec 22	Epub ahead of print		2012
Hirai F Beppu T <u>Matsui T</u>	Endoscopic balloon dilation of intestinal strictures in Crohn's disease.	Nihon Shokakibyō Gakkai Zasshi	109(3)	386-92	2012
Hirano A Yamazaki K Umeno J Ashikawa K Aoki M <u>Matsumoto T</u> Takamura S Ninomiya T <u>Matsui T</u> Hirai F Kawaguchi T Takazoe M Tanaka H Motoya S Kiyohara Y Kitazono T Nakamura Y Kamatani N Kubo M	Association study of 71 European Crohn's disease susceptibility loci in a Japanese population.	Inflamm Bowel Dis	19(3)	526-33	2013
Hirai F Takatsu N <u>Matsui T</u>	Short-term efficacy of tacrolimus in steroid-refractory ulcerative colitis.	Aliment Pharmacol Ther	37(4)	501	2013

<u>Hibi T</u> Sakuraba A <u>Watanabe M</u> Motoya S Ito H Motegi K Kinouchi Y Takazoe M Suzuki Y <u>Matsumoto T</u> Kawakami K Matsumoto T <u>Hirata I</u> Tanaka S Ashida T <u>Matsui T</u>	Retrieval of serum infliximab level by shortening the maintenance infusion interval is correlated with clinical efficacy in Crohn's disease.	Inflamm Bowel Dis	18(8)	1480-7	2012
Ueno F <u>Matsui T</u> <u>Matsumoto T</u> <u>Matsuoka K</u> <u>Watanabe M</u> <u>Hibi T</u>	Evidence-based clinical practice guidelines for Crohn's disease, integrated with formal consensus of experts in Japan.	J Gastroenterol	48(1)	31-72	2012
Higashiyama M Hokari R Kurihara C Ueda T Watanabe C Tomita K Komoto S Okada Y Kawaguchi A Nagao S <u>Miura S</u>	Indomethacin-induced small intestinal injury is ameliorated by cilostazol, a specific PDE-3 inhibitor.	Scand J Gastroenterol	8-9 (47)	993-1002	2012
Tsujiimoto H Ogata S Yaguchi Y Kumano I Takahata Ra Ono S Yamamoto J Nagao S <u>Miura S</u> Hase K	Predictive value of the pathological extent of tumor invasion in endoscopic resection margins positive for residual tumor cells in surgically resected specimens of early gastric cancer.	Exp Ther Med	4(3)	507-513	2012
Nakamizo H Suzuki H <u>Miura S</u> Mogami S Kishikawa H Yoshida H Matsui H <u>Hibi T</u>	Transmural pressure loading enhances gastric mucosal cell proliferation.	Dig Dis Sci	57 (10)	2545-54	2012

Nakashita M Suzuki H <u>Miura S</u> Taki T Uehara K Mizushima T Nagata H <u>Hibi T</u>	Attenuation of Acetic Acid-Induced Gastric Ulcer Formation in Rats by Glucosylceramide Synthase Inhibitors.	Dig Dis Sci	Epub ahead of print		2012
Miura S Hokari R Tsuzuki Y	Mucosal immunity in gut and lymphoid cell trafficking.	Annals of Vascular Diseases	5 (1)	275-281	2012
Miwa H Ghoshal UC Gonlacharvit S Gwee KA Ang TL Chang FY Fock KM Hongo M Hou X Kachintorn U Ke M Lai KH Lee KJ Lu CL Mahadeva S <u>Miura S</u> Park H Rhee PL Sugano K Vilaichone RK Wong BCY Bak YT	Asian Consensus Report on Functional Dyspepsia.	J Neurogastroenterol Motil	18(2)	150-168	2012
Higashiyama M Hokari R Hozumi H Kurihara C Ueda T Watanabe C Tomita K Nakamura M Komoto S Okada Y Kawaguchi A Nagao S Suematsu M Goda N <u>Miura S</u>	HIF-1 in T cells ameliorated dextran sodium sulfate-induced murine colitis.	J Leukoc Biol	91 (6)	901-9	2012
<u>Miura S</u> Hokari R	Seeking an optimal eradication therapy for Helicobacter pylori infection.	J Gastroenterol Hepatol	27(1)	7-9	2012
高本俊介 <u>三浦総一郎</u>	高齢者の便通異常-憩室症や虚血性大腸炎との関連も含め	medicina (メディチーナ)	49	286-89	2012

八月朔日秀明 三浦総一郎	炎症性腸疾患の免疫学的要因 リンパ球ホーミング、接着分子の関与	日本臨牀	70 (増刊号1)	101-5	2012
八月朔日秀明 穂苺量太 佐藤伸悟 上田俊秀 東山正明 岡田義清 栗原千枝 渡辺知佳子 高本俊介 中村光康 富田謙吾 川口 淳 永尾重昭 三浦総一郎	腸管粘膜の微小血管における autotaxin/lysophospholipase Dの発現とリンパ球マイグレーションに伴なう腸管障害との関連	消化器と免疫	48	116-9	2012
永尾重昭 清水基規 高城 健 丸田紘史 成松和幸 佐藤宏和 川口 淳 三浦総一郎	赤外線内視鏡	Frontiers in Gastroenterology	17 (2)	147-51	2012
穂苺量太 三浦総一郎	蛋白漏出性胃腸症、吸収不良症候群	日本医師会雑誌	141 (特別号)	188-90	2012
三浦総一郎	慢性下痢、成人	新臨牀栄養学第2版		520-8	2012
清水誠治 三宅清花 南 竜城 川浦由起子 横溝千尋 森 敬弘	IBDの内視鏡診断における鑑別診断のピットフォール	IBD Research	6(2)	76-81	2012
清水誠治	collagenous colitis 薬剤との関連と内視鏡所見を中心に	臨床消化器内科	28(1)	121-5	2013
Ohkubo H Iida H Takahashi H Yamada E Sakai E Higurashi T Sekino Y Endo H Sakamoto Y Inamori M Sato H Fujimoto K Nakajima A	An epidemiologic survey of chronic intestinal pseudo-obstruction and evaluation of the newly proposed diagnostic criteria.	Digestion	86(1)	12-9	2012

Masaki T Sugihara K Nakajima A Muto T	Nationwide survey on adult type chronic intestinal pseudo-obstruction in surgical institutions in Japan.	Surg Today	42(3)	264-71	2012
Ito T Ohata K Ono A Chiba H Tsuji Y Sato H Matsuhashi N	Prospective controlled study on the effects of polyethylene glycol in capsule endoscopy.	W J Gastroenterol	18(15)	1789-92	2012
Kojima A Nakano K Wada K Takahashi H Katayama K Yoneda M Higurashi T Nomura R Hokamura K Muranaka Y Matsuhashi N Umemura K Kamisaki Y Nakajima A Ooshima T	Infection of specific strains of Streptococcus mutans, oral bacteria, confers a risk of ulcerative colitis.	Sci Rep	2	332:1-11	2012
Tsuji Y Ohata K Sekiguchi M Ohno A Ito T Chiba H Gunji T Fukushima JI Yamamichi N Fujishiro M Matsuhashi N Koike K	Magnifying endoscopy with narrow-band imaging helps determine the management of gastric adenomas.	Gastric Cancer	15(4)	414-8	2012
Higurashi T Takahashi H Endo H Hosono K Yamada E Ohkubo H Sakai E Uchiyama T Hata Y Fujisawa N Uchiyama S Ezuka A Nagase H Kessoku T Matsuhashi N Nakayama S Inayama Y Morita S Nakajima A	Metformin efficacy and safety for colorectal polyps: a double-blind randomized controlled trial.	BMC Cancer	12	118:1-7	2012

Chiba H Gunji T Sato H Iijima K Fujibayashi K Okumura M Sasabe N <u>Matsuhashi N</u> <u>Nakajima A</u>	A cross-sectional study on the risk factors for erosive esophagitis in young adults.	Intern Med	51(11)	1293-9	2012
Gunji T Sato H Iijima K Fujibayashi K Okumura M Sasabe N <u>Matsuhashi N</u>	Modest Alcohol Consumption has an Inverse Association with Liver Fat Content.	Hepatogastroenterology	59(120)	2552-6	2012
Ohata K Ito T Chiba H Tsuji Y <u>Matsuhashi N</u>	Effective training system in colorectal endoscopic submucosal dissection.	Dig Endosc	24 Suppl 1	84-9	2012
Imajo K Fujita K Yoneda M Shinohara Y Suzuki K Mawatari H Takahashi J Nozaki Y Sumida Y Kirikoshi H Saito S Nakamuta M <u>Matsuhashi N</u> Wada K <u>Nakajima A</u>	Plasma free choline is a novel non-invasive biomarker for early-stage non-alcoholic steatohepatitis: A multi-center validation study.	Hepatol Res	42(8)	757-66	2012
<u>Nakajima T</u> <u>Matsuhashi N</u> Nara S <u>Nakajima A</u> Imura J Kihara A Murata K Fukushima J Horiuchi H	An adult case of midgut volvulus in familial visceral myopathy.	Pathol Int	62(8)	554-8	2012
Kubota K Sato T Kato S Watanabe S Hosono K Kobayashi N Hisatomi K <u>Matsuhashi N</u> Nakajima A	Needle-knife precut papillotomy with a small incision over a pancreatic stent improves the success rate and reduces the complication rate in difficult biliary cannulations.	J Hepatobiliary Pancreat Sci	Epub ahead of print		2012

Tsuji Y Ohata K Sekiguchi M Ohno A Ito T Chiba H Gunji T Fukushima JI Yamamichi N Fujishiro M <u>Matsuhashi N</u> Koike K	Magnifying endoscopy with narrow-band imaging helps determine the management of gastric adenomas.	Gastric Cancer	15(4)	414-8	2012
Chiba H Gunji T <u>Matsuhashi N</u> <u>Nakajima A</u>	Risk factors for erosive esophagitis in young adults.	Intern Med	51(20)	2995	2012
Ohata K Ito T Chiba H Tsuji Y <u>Matsuhashi N</u>	Effective training system in colorectal endoscopic mucosal dissection.	Dig Endosc	24 (suppl.1)	84-9	2012
Ohata K Ito T Chiba H Tsuji Y <u>Matsuhashi N</u>	A novel traction system for esophageal endoscopic submucosal dissection.	Endoscopy	44	s410-1	2012
Masaki T <u>Sugihara K</u> Nakajima A Nuto T	Nationwide survey on adult type chronic intestinal pseudo-obstruction in surgical institutions in Japan.	Surg Today	42(3)	264-71	2012
小林清典 迎 美幸 小川大志 横山 薫 佐田美和 小泉和三郎	内視鏡が変えた, Crohn病診療 鑑別診断:腸管ベーチェット病/単純性潰瘍	消化器内視鏡	24	205-21	2012
小林清典 小泉和三郎	消化管疾患の病態と診断・治療(II) クロウン病	医学と薬物	68	769-5	2012
小林清典 佐田美和 小泉和三郎	炎症性腸疾患の画像診断. CT・MRI 診断	日本臨床	70 (増刊号1)	225-8	2012

Kano Y Tsuchiya K Zheng X Horita N Fukushima K Hibiya S Yamauchi Y Nishimura T Hinohara K Gotoh N Suzuki S <u>Okamoto R</u> Nakamura T <u>Watanabe M</u>	The acquisition of malignant potential in colon cancer is regulated by the stabilization of Atonal homolog 1 protein.	Biochem Biophys Res Commun	Epub ahead of print		2013
Araki A Tsuchiya K Oshima S Okada E Suzuki S Morio-Akiyama J Fuji T <u>Okamoto R</u> <u>Watanabe M</u>	Endoscopic ultrasound with double-balloon endoscopy for the diagnosis of inverted Meckel's diverticulum: a case report.	Journal of Medical Case Reports	6(1)	328	2012
Mizutani T Nakamura T Morikawa R Fukuda M Mochizuki W Yamauchi Y Nozaki K Yui S Nemoto Y Nagaishi T <u>Okamoto R</u> Tsuchiya K <u>Watanabe M</u>	Real-time analysis of P-glycoprotein-mediated drug transport across primary intestinal epithelium three-dimensionally cultured in vitro.	Biochem Biophys Res Commun	419	238-3	2012
Nemoto Y <u>Kanai T</u> Takahara M Oshima S Nakamura T <u>Okamoto R</u> Tsuchiya K <u>Watanabe M</u>	Bone marrow-mesenchymal stem cells are a major source of interleukin-7 and sustain colitis by forming the niche for colitogenic CD4+ memory T cells.	Gut	Epub ahead of print		2012
Yui S Nakamura T Sato T Nemoto Y Mizutani T Zheng X Ichinose S Nagaishi T <u>Okamoto R</u> Tsuchiya K Clevers H <u>Watanabe M</u>	Functional engraftment of colon epithelium expanded in vitro from a single adult Lgr5+ stem cell.	Nat Med	18	618-23	2012

Yamaji O Nagaishi T Totsuka T Onizawa M Suzuki M Tsuge N Hasegawa A <u>Okamoto R</u> Tsuchiya K Nakamura T Arase H <u>Kanai T</u> <u>Watanabe M</u>	The development of colitogenic CD4+ T cells is regulated by IL-7 in collaboration with NK cell function in a murine model of colitis.	J Immunol	188(6)	2524-36	2012
---	---	-----------	--------	---------	------

学会発表に関する一覧表

発表者名	演題名	学会名	会場	日時
Hisamatsu T Uo M Miyoshi J Yoneno K <u>Matsuoka K</u> <u>Kanai T</u> Ogata H <u>Hibi T</u>	IntestinalCXCR4+IgG+ Immature Plasma Cells Contribute to the Pathogenesis of Ulcerative Colitis through IgG-Immune Complex-Fc γ R Signaling.	The 6th Korea-Japan IBD Symposium	Tokyo	2012.1.28
Yoneno K Hisamatsu T <u>Matsuoka K</u> Okamoto S Takayama T Ichikawa R Sujino T Miyoshi J Mikami Y Yajima T Inoue N <u>Iwao Y</u> <u>Kanai T</u> Ogata H <u>Hibi T</u>	Serum CRP level and loss of infliximab response in early phase can be markers for abdominal abscess for crohn's disease ;A report by multivariate study.	7th Congress of ECCO	Barcelona	2012.2.16-18
Inoue N <u>Matsuoka K</u> Hisamatsu T Miyoshi J Mikami Y Sujino T Okamoto S <u>Kanai T</u> Ogata H <u>Iwao Y</u> <u>Hibi T</u>	The efficacy of Anti-TNF- α antibody infliximab in refractory ulcerative colitis : Its positioning among the variety of treatment options.	7th Congress of ECCO	Barcelona	2012.2.16-18
Miyoshi J Yajima T Shimamura K <u>Matsuoka K</u> Okamoto S Higuchi H Funakoshi S Takaishi H <u>Hibi T</u>	5-Aminosalicylic Acid Mediates Expression of Cyclooxygenase-2 and 15-Hydroxyprostaglandin Dehydrogenase to Suppress Tumorigenesis in C-HA-RAS Transgenic Mice.	Digestive Disease Week 2012	San Diego	2012.5.19-22

Hayashi A <u>Kanai T</u> Sujino T Mikami Y Mizuno S Handa T Matsumoto A <u>Matsuoka K</u> Yajima T <u>Sato T</u> Hisamatsu T Ogata H <u>Hibi T</u>	A Single Strain of Clostridium Butyricum Suppresses Intestinal Inflammation by Converting Activated Lamina Propria Cd11b+CD11cInt Macrophages to IL-10-Producing Regulatory Macrophages	Digestive Disease Week 2012	San Diego	2012.5.19-22
Maruyama Y <u>Matsuoka K</u> <u>Iwao Y</u> Yajima T Inoue N Hisamatsu T Sujino T Takabayashi K Yoneno K Mikami Y Miyoshi J Mizuno S Kimura K <u>Kanai T</u> Ogata H Mukai M <u>Hibi T</u>	Anti-viral therapy is not necessarily indicated in ulcerative colitis patients with cytomegalovirus infection detected by immunohistochemistry.	Digestive Disease Week 2012	San Diego	2012.5.19-22
Inoue N Takabayashi K <u>Matsuoka K</u> Hisamatsu T <u>Kanai T</u> Ogata H <u>Iwao Y</u> <u>Hibi T</u>	Complete mucosal healing is associated with long-term remission in ulcerative colitis.	Digestive Disease Week 2012	San Diego	2012.5.19-22
Sujino T <u>Kanai T</u> Saigusa K Mikami Y Hayashi A Handa T Matsumoto A <u>Sato T</u> <u>Matsuoka K</u> Hisamatsu T <u>Hibi T</u>	Developmental pathway of colitogenic TH1 cells derived via classical pathway may require the help of ROR γ t+ TH17 and TH17/TH1 cells.	Digestive Disease Week 2013	San Diego	2012.5.19-23

Kimura K <u>Matsuoka K</u> <u>Kanai T</u> Okamoto S Hisamatsu T Inoue N Yajima T Ogata H <u>Iwao Y</u> <u>Hibi T</u>	Early normalization of C-reactive protein (CRP) by Infliximab is a predictive factor of sustained long-term clinical efficacy in Crohn's disease.	Digestive Disease Week 2013	San Diego	2012.5.19-23
Mikami Y <u>Kanai T</u> Mizuno S Sujino T Handa T Matsumoto A <u>Sato T</u> Kamada N <u>Matsuoka K</u> Hisamatsu T Sonoda A Takazoe M Sahara R Koganei K Sugita A <u>Hibi T</u>	New immunosuppressive system by myeloid-derived suppressor cells in the lamina propria of ulcerative colitis patients.	Digestive Disease Week 2013	San Diego	2012.5.19-23
Tsukagoshi U Saigusa K Yajima T Hisamatsu T <u>Matuoka K</u> Naganuma M Inoue N <u>Kanai T</u> Ogata H <u>Iwao Y</u> <u>Hibi T</u>	A case report of infliximab use in pregnant UC patient exacerbating with a complication of CMV colitis.	Asian IBD Symposium Seoul 2012	Seoul	2012.11.2-3
Saigusa K <u>Kanai T</u> Mikami Y Sujino T Handa T Hayashi A Mizuno S Kimura K Matumoto A <u>Sato T</u> <u>Matuoka K</u> Hisamatsu T <u>Hibi T</u>	Colitogenic ROR gamma t dependent Th1 cells may help the generation of colitogenic ROR gamma t independent Th1 cells.	Asian IBD Symposium Seoul 2012	Seoul	2012.11.2-3