研究成果の刊行に関する一覧表

書籍(外国語)

著者氏名	論文タイトル 名	書籍全体 の編集者 名	書籍名	出版社名	出版地	出版年	ページ
Ando M,	How to	Lancaster	Psychotherapy	NOVA	US	101-108	2012
<u>Morita T</u>	Conduct the	AJ, Sharpe	New Research	Science			
	Short-Term	0		Publishers			
	Life Review						
	Interview for						
	Terminally						
	III Patients.						

書籍(日本語)

日相(日午	HH /				1	1	1
著者氏名	論文タイトル	書籍全体の編集者	書籍名	出版社名	出版地	出版	ページ
	名	名				年	
的場元弘,		医療用麻	医療用麻薬	厚生労働省	東京	2012	
山本弘史,		薬適正使	適正使用ガ	医薬食品局	71473		
他		用ガイダ		監視指導・麻			
		ンス作成	がん疼痛治	薬対策課			
		検討会委	療における	SICVIS SICHAIN			
			医療用麻薬				
			の使用と管				
			理のガイダ				
			ンス -				
田村恵子,		田村恵子,	看護に活か	青海社	東京	2012	
森田達也,		森田達也,	すスピリチ				
他		他	ュアルケア				
			の手引き.				
森田達也	55緩和医療 1.	日本臨床	新臨床腫瘍	南江堂	東京	2012	673-682
	疼痛緩和と終	腫瘍学会	学 改訂第3				
	末期医療.		版.				
井上真一	B.サイコオン	日本乳癌	乳腺腫瘍学	金原出版株	東京	2012	325-330
郎, <u>内富庸</u>	コロジー	学会		式会社			
<u>介</u>							
内富庸介	サイコオンコ	小山司/監	Depression	先端医学社	東京	2012	7-12
	ロジー領域に	修	Strategyう				
	おける抗うつ		つ病治療の				
	薬の役割		新たなスト				
			ラテジー				
井上真一		八田耕太	病棟・ICUで	中外医学社	東京	2012	153-167
郎, <u>内富庸</u>	おけるせん妄	郎、岸泰宏	出会うせん				
<u>介</u>	症例B		妄の診かた				
寺田整司,	認知症を伴う	槇野博史	糖尿病×	南山堂	東京	2012	167-168
内富庸介	糖尿病性腎症		CKD診療ガ				

	患者のケース スタディ		イドQ&A				
日 病院学会 が 会 が 会 り が 会 修 り が 会 り の の の の の の の の の の の の の の の の の の		小川朝生/ 内富庸介	精神腫瘍学 クリニカル エッセンス	創造出版	東京	2012	1-333
小川朝生	精神腫瘍学コン サルテーション これだけは	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	21-28
小川朝生	不穏	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	71-74
小川朝生	せん妄	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	88-104
小川朝生	認知症	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	105-112
小川朝生	神経症状けいれ ん発作、末梢神 経障害	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	145-155
小川朝生	緩和ケアチーム	小川朝生、 内富庸介	精神腫瘍学 クリニカル エッセンス	社会福祉法人 新樹会創造出 版	東京	2012	262-274
小川朝生	がん診療連携拠 点病院緩和ケア チームに携わる 精神症状緩和担 当医師の現状調 査	(公財)日本 ポスピア (公財) (公別) (公別) (公別) (公別) (公別) (公別) (公別) (公別	ホスピス緩 和ケア白書 2012	(公財)日本ホスピス・緩和ケア研究振興財団	東京	2012	46-51
小川朝生	がん等による慢性疼痛時のうつ病診察のコツと処方例	中尾睦宏、 伊藤弘人	日常診療に おけるうつ 病治療指針	医薬ジャーナ ル社	東京	2012	135-148

雑誌(外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yamaguchi M, Hotta \underline{T} , et al	Concurrent Chemoradiotherapy fo	J Clin Oncol	vol. 30 doi	4044-404 6	2012

	Localized Nasal Natural				
	Killer/T-Cell Lymphoma:				
	An Updated Analysis of the Japan Clinical				
	Oncology Group study, JCOG0211.				
Ogura M, <u>Hotta T</u> , et al	Phase I study of BCX1777 (forodesine) in patients with relapsed or	Cancer Sci	103(7)	1290-129 5	2012
	refractory peripheral T/natural killer-cell malignancies				
Kagami Y, <u>Hotta T</u> , et al	Phase II study of cyclophosphamide, doxorubicin, vincristine, prednisolone (CHOP) therapy for newly diagnosed patients with low- and low-intermediate risk, aggressive non-Hodgkin's lymphoma: final results of the Japan Clinical Oncology Group study, JCOG9508	Int J Hematol	96	74-83	2012
Asai M, Shimizu K, Ogawa A, Akechi T,Kinoshita H, Uchitomi Y, et al	Impaired mental health among the bereaved spouses of cancer patients.	Psychoonco I ogy	20(12)		In press
Asai M, <u>Kinoshita</u> <u>H</u> , <u>Uchitomi Y</u> , et al	Psychological states and coping strategies after bereavement among spouses of cancer patients: a quantitative study in Japan.	Support Care Cancer	20(12)	3189-203	2012
Higashi T, Yoshimoto T, <u>Matoba</u> <u>M</u>	Prevalence of Analgesic Prescriptions among Patients with Cancer in Japan: An Analysis of Health Insurance Claims Data	Glob J Health Sci	4(6)	197-203	2012
Yamaguchi T, Narita M, <u>Morita T</u> , Kizawa Y, <u>Matoba M</u>	Recent Developments in the Management of Cancer Pain in Japan: Education, Clinical Guidelines, and	Jpn J Clin Oncol	Epub ahead of print		2012

	Basic Research				
Yamagishi A, <u>Morita</u> <u>T</u> , et al	Providing palliative care for cancer patients: The views and exposure of community general practitioners and district nurses in Japan.	J Pain Symptom Manage	43(1)	59-67	2012
Morita T, Matoba M, et al	A region-based palliative care intervention trial using the mixed-method approach: Japan OPTIM study.	BMC Palliat Care	11(1)	2	2012
Igarashi A, <u>Morita</u> <u>T</u> , et al	A scale for measuring feelings of support and security regarding cancer care in a region of Japan: A potential new endpoint of cancer care.	J Pain Symptom Manage	43(2)	218-225	2012
Yamaguchi T, <u>Morita</u> <u>T</u> , et al	Longitudinal follow-up study using the distress and impact thermometer in an outpatient chemotherapy setting.	J Pain Symptom Manage	43(2)	236-243	2012
Akechi T, <u>Morita T</u> , <u>Uchitomi Y</u> , et al	Good death in elderly adults with cancer in Japan based on perspectives of the general population.	J Am Geriatr Soc	60(2)	271-276	2012
Yamagishi A, <u>Morita</u> <u>T</u> , et al	Pain intensity, quality of life, quality of palliative care, and satisfaction in outpatients with metastatic or recurrent cancer: a Japanese, nationwide, region-based, multicenter survey.	Symptom Manage		503-514	2012
Nakazawa Y, <u>Morita</u> <u>T</u> , et al	The current status and issues regarding hospital-based specialized palliative care service in Japanese regional cancer centers: A nationwide questionnaire survey.	Jpn J Clin Oncol	42(5) 20(5)	432-441 893-900	2012

al	perspectives of deceased	Care Cancer			
	relatives' end-of-life				
	options on admission to a palliative are unit in				
	Japan.				
Akiyama M Marita T	Knowledge, beliefs, and	Support	20(5)	923-931	2012
Akiyama M, <u>Morita T</u> , <u>Matoba M</u> , et al	concerns about opioids,	Care Cancer	20(3)	923-931	2012
<u>watoba w</u> , et ai	palliative care, and	Care Cancer			
	homecare of advanced				
	cancer patients: a				
	nationwide survey in				
	Japan.				
Choi JE, <u>Morita T</u> ,	Making the decision for	Jpn J Clin	42(6)	498-505	2012
et al	home hospice:	Onco I	(0)	100 000	20.2
	perspectives of bereaved				
	Japanese families who had				
	loved ones in home				
	hospice.				
Yamaguchi T, Morita	Effect of parenteral	J Pain	43(6)	1001-101	2012
T, Uchitomi Y, et al	hydration therapy based	Symptom		2	
	on the Japanese national	Manage			
	clinical guideline on				
	quality of life,				
	discomfort, and symptom				
	intensity in patients				
	with advanced cancer.				
Ando M, <u>Morita T</u> , et	Factors in narratives to	Palliat	10(2)	83-90	2012
al	questions in the	Support			
	short-term life review	Care			
	interviews of terminally				
	ill cancer patients and				
Minama W. Manida T	utility of the questions.	Dall'at Mad	00(5)	744 750	0040
Kizawa Y, <u>Morita T</u> ,	Development of a	Palliat Med	26(5)	744-752	2012
et al	nationwide consensus				
	syllabus of palliative medicine for				
	undergraduate medical education in Japan: A				
	modified Delphi method.				
Akechi T, Morita T,	Dignity therapy:	Palliat Med	26(5)	768-769	2012
et al	Preliminary	. a.i.iat mod			
	cross-cultural findings				
	regarding implementation				
	among Japanese advanced				
	cancer patients.				
Matsuo N, <u>Morita T</u> ,	Physician-reported	J Palliat	15(9)	1011-101	2012
et al	corticosteroid therapy	Med	, ,	6	
	practices in certified				
	palliative care units in				

	Janan A matianwida				
	Japan: A nationwide survey.				
Kaneishi K, <u>Morita</u> <u>T</u> , et al	Olanzapine for the relief of nausea in patients with advanced cancer and incomplete bowel obstruction.	J Pain Symptom Manage	44(4)	604-607	2012
Yamagishi A, <u>Morita</u> <u>T</u> , et al	Preferred place of care and place of death of the general public and cancer patients in Japan.	Support Care Cancer	20(10)	2575-258 2	2012
Yoshida S, <u>Morita T</u> , et al	Pros and cons of prognostic disclosure to Japanese cancer patients and their families from the family's point of view.	J Palliat Med	15(12)	1342-134 9	2012
Yamaguchi T, <u>Morita</u> <u>T</u> , <u>Matoba M</u> , et al	Recent developments in the management of cancer pain in Japan: Education, clinical guidelines and basic research.	Jpn J Clin Oncol	42(12)	1120-112 7	2012
Yoshida S, <u>Morita T</u> , et al	Practices and evaluations of prognostic disclosure for Japanese cancer patients and their families from the family's point of view.	Palliat Support Care	Aug 23	[Epub ahead of pirnt]	2012
Kizawa Y, <u>Morita T</u> , et al	Specialized palliative care services in Japan: a nationwide survey of resources and utilization by patients with cancer.	Am J Hosp Palliat Care	Sep 3	[Epub ahead of print]	2012
Kunieda K, <u>Morita T</u> , et al	Reliability and validity of a tool to measure the severity of dysphagia: The food intake LEVEL scale.	J Pain Symptom Manage	Nov 12	[Epub ahead of print]	2012
Shirado A, <u>Morita T</u> , et al	Both maintaining hope and preparing for death: Effects of physicians' and nurses' behaviors from bereaved family members' perspectives.	J Pain Symptom Manage.	Nov 15	[Epub ahead of print]	2012
Amano K, <u>Morita T</u> , et al	Effect of nutritional support on terminally ill patients with cancer in a	Am J Hosp Palliat Care	Dec 12	[Epub ahead of pirnt]	2012

	palliative care unit.				
Terada S, <u>Uchitomi</u>	School refusal by	Gen Hosp	34(3)	299-303	2012
	patients with gender	Psychiatry	34(3)	299-303	2012
<u>Y</u> .	identity disorder.	TSychiatry			
Takeda N, Uchitomi	Creutzfeldt-Jakob	J Neurol Sci	15;312(1	108-16	2012
	disease with the M232R	J Neuror Scr	-2)	100-10	2012
<u>Y,</u> et al			-2)		
	mutation in the prion				
	protein gene in two cases				
	showing different				
	disease courses: a				
	clinicopathological				
01 : 1/ 1/ 1 : T	study.		00(0)	4070.0	0040
Shimizu K, Akechi T,	Clinical biopsychosocial	Ann Oncol,	23(8)	1973-9	2012
Ogawa A, Uchitomi Y,	risk factors for				
et al	depression in lung cancer				
	patients: a				
	comprehensive analysis				
	using data from the Lung				
0.14.11.1	Cancer Database Project.		00(0)	000 5	0040
Saito-Nakaya K,	Stress and survival after	Cancer	36(2)	230-5	2012
<u>Uchitomi Y</u> , et al	cancer: a prospective	Epidemiol			
	study of a Finnish				
0.1.1.	population-based cohort.		0.1.(0)	201 1001	2212
Oshima E, <u>Uchitomi</u>	Frontal assessment	Int	24(6)	994-1001	2012
$\frac{Y}{2}$, et al	battery and brain	Psychogeria			
	perfusion imaging in	tr			
	Alzheimer's disease.		10 (0)		2012
Ishida M, Onishi H,	Psychological Distress	Jpn J Clin	42(6)	506-12	2012
<u>Uchitomi Y</u> , et al	of the Bereaved Seeking	Onco I			
	Medical Counseling at a				
V 1.1	Cancer Center.		04(4)	00.07	0040
Yoshida, H.	Validation of the revised	Int	24(1)	28-37	2012
<u>Uchitomi Y</u> , et al	Addenbrooke's Cognitive	Psychogeria			
	Examination (ACE-R) for	tr			
	detecting mild cognitive				
	impairment and dementia				
	in a Japanese population.		E4 (44)	4.400.0	0040
Inoue S, <u>Uchitomi Y</u> ,	A case of adult-onset	Intern Med	51(11)	1403-6	2012
et al	adreno leukodystrophy				
	with frontal lobe				
	dysfunction: a novel				
	point mutation in the				
V	ABCD1 gene.		40 (0)	4004 15	0040
Yamaguchi T, Morita	Effect of parenteral	J Pain	43(6)	1001-12	2012
T, <u>Uchitomi Y</u> , et al	hydration therapy based	Symptom			
	on the Japanese national	Manage			
	clinical guideline on				
	quality of life,				
	discomfort, and symptom				

					1
	intensity in patients				
	with advanced cancer.				
Fujimori, M.	Communication between	New	301-303		2012
<u>Uchitomi Y</u> , et al	Cancer Patients and	Challenges			
	Oncologists in Japan.	in			
		Communicati			
		on with			
		Cancer			
		Patients			
Shirai, Y., <u>Ogawa,</u>	Patients' perception of	Psychooncolo	21	706-13	2012
A., <u>Uchitomi, Y.</u> ,et	the usefulness of a	gy			
al	question prompt sheet for				
	advanced cancer patients				
	when deciding the initial				
	treatment: a randomized,				
	controlled trial.				
Ogawa, A., Uchitomi,	Availability of	Jpn J Clin	42	42-52	2012
<u>Y.</u> , et al	Psychiatric	Onco I			
	Consultation-liaison				
	Services as an Integral				
	Component of Palliative				
	Care Programs at Japanese				
	Cancer Hospitals.				
Shimizu K., <u>Ogawa,</u>	Clinical biopsychosocial	Ann Oncol	23	1973-9	2012
A., Uchitomi, Y., et	risk factors for	74111 011001	20	1070 0	2012
al	depression in lung cancer				
	patients: a comprehensive				
	analysis using data from				
	the Lung Cancer Database				
	Project.				
Hamada A,	Association of ABCB1	Pharmacagan	13	615-24	2012
		omics	13	013-24	2012
<u>Sasaki J</u> , et al.	polymorphisms with erlotinib	OIIITCS			
et ar.					
	pharmacokinetics and				
	toxicity in Japanene				
	patients with				
	non-small-cell lung				
A Luuri - M	cancer.	0	00	4500.00	0040
Asakuma M,	Phase I trial of	Cancer	69	1529-36	2012
Sasaki J,	irinotecan and amrubicin	Chemother			
et al.	with granulocyte	Pharmacol			
	colony-stimulating				
	factor support in				
	extensive-stage				
	small-cell lung cancer.				
Sato R,	FDG-PET and chemotherapy	Intern Med	51	1909-12	2012
<u>Sasaki J</u> ,	for successful diagnosis				
et al.	and treatment of cardiac				
	metastasis from				

	non-small cell lung				
	cancer.				
Igawa S,	Pemetrexed for	Chemotherap	58	313-320	2012
<u>Sasaki J</u> ,	Previously Treated	у			
et al.	Patients with Non-Small				
	Cell Lung Cancer and				
	Differences in Efficacy				
	according to Thymidylate				
	Synthase Expression.				
<u>Fukui S</u> , Fujita J,	Associations between	J Palliat	29(1)	22-28	2013
Yoshiuchi K	Japanese people's	Care			
	concern about Family				
	caregiver burden and				
	preference for				
	end-of-life care				
	location				
<u>Fukui S</u> , Yoshiuchi K	Associations with the	Journal of	15(10)	1106-12	2012
	Japanese population's	Palliative			
	preferences for the place	Medicine			
	of end-of-life care and				
	their need for receiving				
	healthcare services.				

雑誌 (日本語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>森田達也</u> , <u>木下寛也</u> , 他	地域対象の緩和ケアプログラムによる医療福祉従事者の自覚する変化: OPTIM-study	Palliat Care Res	7(1)	121-135	2012
森田達也, 木下寛也, 他	地域緩和ケアプログラムに参加した 医療福祉従事者が 地域連携のために 同職種・他職種に勧 めること	Palliat Care Res	7(1)	163-171	2012
<u>木下寛也</u> ,森田達也, 他	がん専門病院が地域緩和ケアの向上 のために取り組ん でいることと課題	癌と化学療法	39(10)	1527-1532	2012
木澤義之, <u>木下寛也</u> , <u>森田達也</u> ,他	地域で統一した緩 和 ケ ア マ ニ ュ ア ル・パンフレット・ 評 価 シ ー ト の 評 価 : OPTIM-study	Palliat Care Res	7(2)	172-184	2012

<u>森田達也</u> , <u>木下寛也</u> , 他	地域緩和ケアプログラムに参加した 医療福祉従事者が 最も大きいと体験 すること: OPTIM-study	Palliat Care Res	7(2)	209-217	2012
木下寬也,森田達也, 他	がん専門病院緩和 ケア病棟の運営方 針が地域の自宅が ん死亡率に及ぼす 影響	Palliat Care Res	7(2)	348-353	2012
<u>森田達也</u> , <u>木下寛也</u> , 他	異なる算出方法に よる地域での専門 緩和ケアサービス 利用数の比較	Palliat Care Res	7(2)	374-381	2012
<u>森田達也</u> , <u>木下寛也</u> , 他	患者所持型情報共 有ツール「わたしの カルテ」の評価: OPTIM-study	Palliat Care Res	7(2)	382-388	2012
東陽一郎,木下寛也.	新しい局面を迎え た肺癌診療】《肺癌 診療にまつわるト ータルサポート 治療とケア》緩和ケ アの実際	内科	110 (5)	771-774	2012
古村和恵, <u>的場元弘,</u> 森田達也,他	市民の緩和ケアに 対するイメージの 変化	緩和ケア	22(1)	79-83	2012
村上敏史,岩瀬哲,西川 満則, <u>的場元弘</u>	在宅医療における がん疼痛治療の評 価と治療の実態に ついて	日本緩和医療学会誌	in press		2012
福本和彦, <u>森田達也</u> , 他	オピオイド新規導 入タイトレーショ ンパスががん疼痛 緩和治療に与える 影響	癌と化学療法	39(1)	81-84	2012
佐藤泉, <u>森田達也</u> ,他	在宅特化型診療所 と連携する訪問看 護ステーションの 遺族評価	訪問看護と介 護	17(2)	155-159	2012
井村千鶴, <u>森田達也</u> , 他	患者・遺族調査の結 果に基づいた緩和 ケアセミナーの有 用性	ペインクリニ ック	33(2)	241-250	2012
森田達也	医療羅針盤 私の 提言(第50回)地 域緩和ケアを進め	新医療	39(3)	18-23	2012

			ı	1	1
	るためには「顔の見				
	える関係」を作るこ				
	とが大切である				
井村千鶴, <u>森田達也</u> ,	地域で行うデスカ	緩和ケア	22(2)	189-194	2012
他	ンファレンスの有				
	用性と体験				
森田達也	がん性疼痛に対す	コンセンサス	10(4)	192-195	2012
	る鎮静薬の副作用	癌治療			
	対策				
森田達也	緩和ケアチームの	Credentials	44	9-11	2012
	活動と OPTIM の成果				
鄭陽,森田達也	EAPC (European	緩和ケア	22(3)	241-244	2012
XII 2, <u>444-20</u>	Association of	1V	(-,		
	Palliative Care)				
	疼痛ガイドライン				
	た 備 が				
	step オピオイ				
	Step パ し パ ー ド:弱オピオイドの				
	使用、WHO step オ				
	ピオイド:オピオイ				
	じカート・グロカー ドの第1選択				
	迷惑をかけてつら	Palliat Care	7(1)	142-148	2012
他	いと訴える終末期	Res	(1)	142-140	2012
ie	がん患者への緩和	INC3			
	ケア 遺族への質				
	的調査からの示唆				
	看取りのケアにお	Palliat Care	7/1)	149-162	2012
他		Res	7(1)	149-102	2012
16	けるLiverpool Care	Res			
	Pathway 日本語版の				
	意義と導入可能性				
	- 緩和ケア病棟2施				
	設におけるパイロ				
本田法は 川井工芸	ットスタディ	Delli-t O	7/4)	047.000	0040
<u>森田達也</u> , <u>川越正平</u> ,	在宅緩和ケアを担	Palliat Care	7(1)	317-322	2012
他	う診療所として在	Res			
	宅特化型診療所と				
	ドクターネットは				
-t	相互に排他的か?	5 111 / 5	- (()	000 000	2215
<u>森田達也</u> ,他	地域緩和ケアにお	Palliat Care	7(1)	323-333	2012
	ける「顔の見える関	Res			
	係」とは何か?				
山田博英, <u>森田達也</u> ,	患者・遺族調査から	Palliat Care	7(1)	342-347	2012
他	作成した医療者向	Res			
	け冊子「がん患者さ				
	ん・ご家族の声」				
前堀直美, <u>森田達也</u> ,	外来患者のがん疼	ペインクリニ	33(6)	817-824	2012
他	痛に対する保険薬	ック			
	局薬剤師の電話モ				
	ニタリング・受診前				
		<u> </u>	1	1	1

			T	1	1
	アセスメントの効果				
森田達也	臨床診断より優れ	MMJ	8(2)	102-103	2012
<u> </u>	た進行がん患者の		0(2)	102 100	2012
	予後予測モデル 開				
	発予測モデルの再				
*	現性は未確認	D (N	00 (7)	0.45	0040
<u>森田達也</u>	日本ホスピス緩和	Best Nurse	23(7)	6-15	2012
	ケア協会北海道支				
	部第 10 回年次大会				
	から.緩和ケア地				
	域介入研究 <				
	OPTIM-study > が明				
	らかにしたこと : 明				
	日への示唆				
岩崎静乃, <u>森田達也</u> ,	終末期がん患者の	緩和ケア	22(4)	369-373	2012
他	口腔合併症の前向				
	き観察研究				
小田切拓也, <u>森田達也</u>	EAPC (European	緩和ケア	22(4)	346-349	2012
	Association of				
	Palliative Care)				
	疼痛ガイドライン				
	を読む.第2回オピ				
	オイドのタイトレ				
	ーション オピオ				
	イドの経皮製剤の				
	役割				
大野友久, 森田達也,	入院患者における	癌と化学療法	39(8)	1233-1238	2012
他	口腔カンジダ症に				
	対する抗真菌薬の				
	臨床効果に関する				
	研究				
今井堅吾,森田達也	EAPC (European	緩和ケア	22(5)	428-431	2012
<u></u>	Association of		, ,		
	Palliative Care)				
	疼痛ガイドライン				
	を読む. 第3回 1				
	オピオイドによる				
	嘔気・嘔吐に対する				
	治療,2オピオイド				
	による便秘に対す				
	る治療,3オピオイ				
	ドによる中枢神経				
	症状に対する治療				
 森田達也	緩和ケア領域にお	腫瘍内科	10(3)	185-195	2012
<u>₩₩₩₩₩₩₩</u>	ける臨床研究:過	6±1201° 3°1°1	(0)	100 100	2012
	一去、現在、未来				
 森田達也	クローズアップ・が	臨床睡疸プラ	8(4)	415-417	2012
<u>松田庄臣</u>	ん治療施設(28)聖		^{U(¬} /	710-717	2012
	70 /LI /泉 /ILI 以 (20 <i>)</i> 主	7717]	

	++- \ = +				1
	隷三方原病院 腫				
	瘍センター・緩和ケ				
	ア部門				
鄭陽, <u>森田達也</u>	EAPC (European	緩和ケア	22(6)	522-525	2012
	Association of				
	Palliative Care)				
	疼痛ガイドライン				
	を読む. 第 4 回 1.				
	アセトアミノフェ				
	ンとNSAIDs の役割.				
	2. 鎮痛補助薬の役				
	割. 3.腎機能障害の				
	ある患者へのオピ				
	オイドの使用				
山本亮,森田達也,他	看取りの時期が近	Palliat Care	7(2)	192-201	2012
	づいた患者の家族	Res	, ,		
	への説明に用いる				
	『看取りのパンフ				
	レット』の有用性:				
	多施設研究				
白髭豊, <u>森田達也</u> ,他	OPTIM プロジェクト	Palliat Care	7(2)	389-394	2012
, , <u></u>	前後での病院から	Res	()		
	在宅診療への移行				
	率と病院医師・看護				
	師の在宅の視点の				
	変化				
森田達也,他	遺族調査に基づく	Palliat Care	7(2)	403-407	2012
<u></u>	自宅死亡を希望し	Res	- (-)		
	ていると推定され				
	るがん患者数				
矢野智宣, <u>内富庸介</u>	周術期のせん妄の診	Life Support	19(2)	144-8	2012
, <u></u>	断と治療術前からリ	and Anesthesia	- ()		
	スク因子に対応し、				
	必要に応じて薬物治				
	療を				
藤原雅樹, <u>内富庸介</u> ,他	うつ状態に対する	臨床精神薬理	15(4)	551-9	2012
	lamotrigineの急性				
	効果の検討				
内富庸介	がん患者の抑うつと	臨床精神薬理	15(7)	1135-43	2012
	薬物治療				
内富庸介	がん医療においてサ	CLINICIAN	59	26-32	2012
	イコオンコロジスト				
	築いてほしい心のケ				
	ア体制				
				1 0 0	2012
内富庸介	がん医療におけるコ	造血細胞移植	24	2-3	
内富庸介	がん医療におけるコ ミュニケーションス	造血細胞移植	24	2-3	20.2
	がん医療におけるコ ミュニケーションス キル				
内富庸介	がん医療におけるコ ミュニケーションス キル 新規抗うつ薬	CLINICIAN	59(8)	14-7	2012
	がん医療におけるコ ミュニケーションス キル				

	nrogobolinが左対で				T
	pregabalinが有効で あった1例				
内富庸介	がん患者の意思決定 を支援する	Nurshing Today	27(5)	50-3	2012
内富庸介	悪い知らせを伝える 際のコミュニケーション・スキルSHAREプロトコール	PSYCHIATRIST	17	5-22	2012
上山栄子、 <u>小川朝生</u> 、他	反復経頭蓋磁気刺激 によるラット海馬に おける神経細胞新生 の増加	精神神経学雑誌	114	1018-1022	2012
松本禎久、 <u>小川朝生</u>	がん患者の症状緩和	Modern Physician	32	1109-1112	2012
小川朝生	がん患者の精神心理 的ケアの最大の問題 点	がん患者ケア	5	55	2012
小川朝生	がん患者に見られる せん妄の特徴と知っ ておきたい知識	がん患者ケア	5	56-60	2012
小川朝生	悪性腫瘍(がん)	精神看護	15	76-79	2012
高野義久, <u>佐々木治一</u> 郎,他.	熊本県民の受動喫煙 に関するアンケート 調査.		7	83-92	2012
佐藤奈穂子, <u>佐々木治一郎,</u> 他.	肺癌に伴う上大静脈 症候群に対する血管 内ステント留置 15症 例の有効性と安全 性.	誌	1	374-380	2012
佐々木治一郎, 他.	禁煙と肺癌予防戦略 -EBM に基づく肺がん 予防.		240	1027-33	2012
佐々木治一郎	維持療法をプラクティスに取り入れる際に、私が注意するポイント .		71	984-93	2012
佐々木治一郎	骨転移治療の進歩- 治療薬の進歩と使用 上の注意点		29	951-55	2012
井川聡, 佐々木治一郎, 他.	組織型からみた治療 選択.	内科	110	724-28	2012
福井小紀子	在宅看取りを支える 全国訪問看護事業所 の実態とその選定指 標の提案~在宅看取 りを支える要因分析 の結果をエビデンス		2488	16-23	2012

	1	T			
	として~ .				
福井小紀子	介護報酬・診療報酬	コミュニティケ	14(10)	68-71	2012
	の同時改定が示す訪	ア			
	問看護のこれから				
	(連載第2回):訪問				
	看護ステーションの				
	調査結果は報酬改定				
	にどう活用された				
	か.				
福井小紀子	介護報酬・診療報酬	コミュニティケ	14(9)	66-70	2012
	の同時改定が示す訪	ア			
	問看護のこれから				
	(連載第 1 回):報酬				
	改定に役立った全国				
	訪問看護ステーショ				
	ンの調査結果.				
福井小紀子	緩和ケア最前線:緩	モダンフィジシ	32(9)	1077-1082.	2012
	和ケアにおける医療	ャン			
	保険と介護保険.				
福井小紀子	緩和ケアに関連した	緩和ケア	22(3)	278-281	2012
	2012 年度診療報酬と				
	介護報酬の同時改定				
	について :診療報				
	酬改定の具体的内容				
	と介護報酬改定.				
福井小紀子	緩和ケアに関連した	緩和ケア	22(2)	161-165	2012
	2012 年度診療報酬と				
	介護報酬の同時改定				
	について :診療報				
	酬改定で示された方				
	向性.				