




74




肝に白色病変





腎に白斑

75




76




腎に結節

77



78



腎に結節



2013/1/13

No.	動物種	捕獲場所	性別	体重(kg)	体長(cm)
79	イノシシ	豊田町	♂	推定15	80
80	イノシシ	豊田町	♀	推定15	83.5
81	イノシシ	豊田町	♀	推定50	121.5
82	イノシシ	豊田町	♀	推定50	121
83	イノシシ	豊田町	♀	推定60	125
84	イノシシ	豊田町	♀	推定60	125
85	イノシシ	豊田町	♀	推定60	124
86	イノシシ	豊田町	♂	推定10	推定70
87	イノシシ	豊田町	♂	推定10	71.5



79




80



81



82



83





84





肝臓に白斑

85





肝臓に白い癒痕

86



豚胃虫(Ascarops Dentata)

87



2013/1/27

No.	動物種	捕獲場所	性別	体重(kg)	体長(cm)
88	シカ	豊北町	♀	41.5	129.6
89	シカ	豊北町	♂	53.5	131
90	シカ	豊北町	♀	17	103
91	イノシシ	豊北町	♀	7	61
92	イノシシ	豊北町	♂	38	106
93	イノシシ	豊北町	♂	46	116.2
94	イノシシ	豊北町	♂	59	推定120




88




89





90





91



92



93



94





肝臓に白斑




2013/2/3

No.	動物種	捕獲場所	性別	体重(kg)	体長(cm)
95	シカ	豊田町	♂	57	131.5
96	シカ	豊田町	♀	20.5	103.5
97	シカ	豊田町	♀	21	103.6
98	イノシシ	豊田町	-	18	85.5
99	イノシシ	豊田町	-	15	77
100	イノシシ	豊田町	-	19	82
101	イノシシ	豊田町	-	11	78.5
102	イノシシ	豊田町	-	12	80.6

95





96



97




98





99




100



101



102






2013/02/10

No.	動物種	捕獲場所	性別	体重(kg)	体長(cm)
103	イノシシ	豊北町	♂	>100	143
104	イノシシ	豊北町	♀	47	112

103



104



2013/02/17

No.	動物種	捕獲場所	性別	体重(kg)	体長(cm)
105	シカ	豊北町	♀	40	132
106	シカ	豊北町	♀	39	108
107	シカ	豊北町	♂	58	140
108	シカ	豊北町	♂	17.5	90.5
109	イノシシ	豊北町	♂	25	93.5

105

