

- population-based cohort study". *Annals of Epidemiology*, 17, 3 (2007, 3), 171-179
- 7) Kessler RC, et al. "Trends in mental illness and suicidality after Hurricane Katrina". *Molecular Psychiatry*, 13, 4 (2008, 4), 374-384
 - 8) Brewin CR. "Risk factor effect sizes in PTSD: what this means for intervention". *J Trauma Dissociation*, 6, 2(2005), 123-130
 - 9) Hinton DE, Lewis-Fernández R. "The cross-cultural validity of Posttraumatic stress disorder: implications for DSM-5". *Depression and Anxiety*. 28, 9 (2011, 9), 783-801
 - 10) Rose S, Bisson J, Churchill R, Wessely S. "Psychological debriefing for preventing post traumatic stress disorder (PTSD)". *Cochrane Database Syst Rev*, 2 (2002), CD000560
 - 11) アメリカ国立子どもトラウマティックストレス・ネットワーク、アメリカ国立 PTSD センター。(兵庫県こころのケアセンター訳)【サイコロジカル・ファーストエイド実施の手引き第2版】(2009年) <http://www.j-hits.org/>
 - 12) Sastry N, VanLandingham M. "One year later: mental illness prevalence and disparities among New Orleans residents displaced by Hurricane Katrina". *Am J Public Health*, 99, Suppl 3 (2009, 11), S725-731
 - 13) Suzuki Y, et al. "Predictors for psychological distress after the Niigata-Chuetsu earthquake in Japan using pre-disaster physical health indicators". *精神保健研究*, 56, 23 (2010, 3), 89-97
 - 14) Suzuki Y, Tsutsumi A, Fukasawa M, Honma H, Someya T and Kim Y. "Prevalence of Mental Disorders and Suicidal Thoughts Among Community-Dwelling Elderly Adults 3 Years After the Niigata-Chuetsu Earthquake". *Journal of Epidemiology*, 21, 2 (2011,3), 144-150
 - 15) Yang CH, Xirasagar S, Chung HC, Huang YT, Lin HC. "Suicide trends following the Taiwan earthquake of 1999: empirical evidence and policy implications". *Acta Psychiatr Scand*, 112, 6 (2005, 12), 442-448
 - 16) Kessler R, Galea S, Jones RT, Parker HA and the Hurricane Katrina Community Advisory Group. "Mental illness and suicidality after Hurricane Katrina". *Bulletin of the World Health Organization*. 84, 12 (2006, 12), 930-939
 - 17) Mezuk B, Larkin GL, Prescott MR, Tracy M, Vlahov D, Tardiff K, Galea S. "The influence of a major disaster on suicide risk in the population". *J Trauma Stress*, 22, 6 (2009, 12), 481-488
 - 18) Bromet EJ, Havenaar JM, Guey LT. "A 25 year retrospective review of the psychological consequences of the Chernobyl accident". *Clin Oncol (R Coll Radiol)*, 23, 4 (2011, 5), 297-305
 - 19) Bennett B, Repacholi M, Carr Z (Ed). *Health effects of the Chernobyl accident and special health care programmes: Report of the UN Chernobyl Forum Expert Group "Health"*, Geneva, WHO, 2006
 - 20) Rahu K, Rahu M, Tekkel M, Bromet E. "Suicide risk among chernobyl cleanup workers in Estonia still increased: an updated cohort study". *Ann Epidemiol*, 16, 2 (2006, 12), 917-9
 - 21) Adams RE, Bromet EJ, Panina N, Golovakha E. "Stress and wellbeing in mothers of young children 11 years after the Chornobyl nuclear power plant accident". *Psychol Med*. 32, 1 (2002, 1), 143-156
 - 22) IAEA. *Chernobyl's Legacy: Health, Environmental and Socio-economic Impacts and Recommendations to the Governments of Belarus, the Russian Federation and Ukraine*, Second revised version, The Chernobyl Forum: 2003-2005, 2005

厚生労働科学研究費補助金（健康安全・危機管理対策総合研究事業）
健康危機発生時における地域健康安全に係る効果的な精神保健医療体制の構築に関する研究

平成22年度～平成24年度 総合研究報告書

発行日 平成25(2013)年3月

発行者 研究代表者 金 吉晴

発行所 独立行政法人

国立精神・神経医療研究センター 精神保健研究所 成人精神保健研究部

〒187-8553 東京都小平市小川東町 4-1-1
