

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
五島直樹	アレイを用いた自己抗体解析	津本 浩平	新機能抗体開発ハンドブック	(株)エヌ・ティー・エス	日本	2012	437-442

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nagai K., Ochi T., Fujiwara H., An J., Shirakata T., Mineno J., Kuzushima K., <u>Shiku H.</u> , Melenhorst JJ., Gostick E., Price DA., Ishii E., Yasukawa M.	Aurora kinase A-specific T-cell receptor gene transfer redirects T lymphocytes to display effective antileukemia reactivity.	Blood	119	368-376	2012
Noguchi T., Kato T., Wang L., Maeda Y., Ikeda H., Sato E., Knuth A., Gnjatic S., Ritter G., Sakaguchi S., Old LJ., <u>Shiku H.</u> , Nishikawa H.	Intracellular Tumor-Associated Antigens Represent Effective Targets for Passive Immunotherapy.	Cancer Research	72	1672-1682	2012
Nakamori Y., Liu B., Ohishi K., Suzuki K., Ino K., Matsumoto T., Masuya M., Nishikawa H., <u>Shiku H.</u> , Hamada H., Katayama N.	Human bone marrow stromal cells simultaneously support B and T/NK lineage development from human haematopoietic progenitors: a principal role for flt3 ligand in lymphopoiesis.	Br. J. Haematol	157	674-686	2012
Shirakura Y., Mizuno Y., Wang L., Imai N., Amaike C., Sato E., Ito M., Nukaya I., Mineno J., Takesako K., Ikeda H., <u>Shiku H.</u>	T-cell receptor gene therapy targeting melanoma-associated antigen-A4 inhibits human tumor growth in non-obese diabetic/SCID/ γ cnul mice.	Cancer Science	103	17-25	2012
Hiura Y, Takiguchi S, Yamamoto K, Takahashi T, Kurokawa Y, Yamasaki M, Nakajima K, Miyata H, Fujiwara Y, Mori M, Kanagawa K, <u>Doki Y.</u>	Effects of ghrelin administration during chemotherapy with advanced esophageal cancer patients: a prospective, randomized, placebo-controlled phase 2 study.	Cancer	118	4785-4794	2012

Yasuda T, Sugimura K, Yamasaki M, Miyata H, Motoori M, Yano M, Shiozaki H, Mori M, <u>Doki Y.</u>	Ten cases of gastro-tracheobronchial fistula: A serious complication after esophagectomy and reconstruction using posterior mediastinal gastric tube.	Dis. Esophagus	25	687-693	2012
Hamano R, Miyata H, Yamasaki M, Sugimura K, Tanaka K, Kurokawa Y, Nakajima K, Takiguchi S, Fujiwara Y, Mori M, <u>Doki Y.</u>	High expression of Lin28 is associated with tumour aggressiveness and poor prognosis of patients in oesophagus cancer.	Br. J. Cancer	106	1415-1423	2012
Sugimura K, Miyata H, Tanaka K, Hamano R, Takahashi T, Kurokawa Y, Yamasaki M, Nakajima K, Takiguchi S, Mori M, <u>Doki Y.</u>	Let-7 expression is significant determinant of response to chemotherapy through the regulation of IL-6/STAT3 pathway in esophageal squamous cell carcinoma.	Clin. Cancer Res.	18	5144-5153	2012
Fujiwara S, Wada H, Miyata H, Kawada J, Kawabata R, Nishikawa H, Gnjatic S, Sedrak C, Sato E, Nakamura Y, Sakakibara M, Kanto T, Shimosegawa E, Hatazawa J, Takahashi T, Kurokawa Y, Yamasaki M, Nakajima K, Takiguchi S, Nakayama E, Mori M, <u>Doki Y.</u>	Clinical trial of the intratumoral administration of labeled DC combined with systemic chemotherapy for esophageal cancer.	J. Immuno Therapy	35	513-521	2012
Kawada J, Wada H, Isobe M, Gnjatic S, Nishikawa H, Jungbluth AA, Okazaki N, Uenaka A, Nakamura Y, Fujiwara S, Mizuno N, Saika T, Ritter E, Yamasaki M, Miyata H, Ritter G, Murphy R, Venhaus R, Pan L, Old LJ, <u>Doki Y.</u> , Nakayama E.	Heteroclitic serological response in esophageal and prostate cancer patients after NY-ESO-1 protein vaccination.	Int. J. Cancer	130	584-592	2012

Yamasaki M, Makino T, masuzawa T, Kurokawa Y, Miyata H, Takiguchi S, Nakajima K, Fujiwara Y, Matsuura N, Mori M, <u>Doki Y.</u>	Role of multidrug resistance protein 2 (MRP2) in chemoresistance and clinical outcome in esophageal squamous cell carcinoma.	Br. J. Cancer	104	707-713	2011
Miyata H, Yamasaki M, Kurokawa Y, Takiguchi S, Nakajima K, Fujiwara Y, Konishi K, Mori M, <u>Doki Y.</u>	Survival factors in patients with recurrence after curative resection of esophageal squamous cell carcinomas.	Ann. Surg. Oncol.	18	3353-3361	2011
Yamasaki M, Miyata H, Fujiwara Y, Takiguchi S, Nakajima k, Kurokawa Y, Mori M, <u>Doki Y.</u>	Minimally invasive esophagectomy for esophageal cancer: comparative analysis of open and hand-assisted laparoscopic abdominal lymphadenectomy with gastric conduit reconstruction.	J. Surg. Oncol.	104	623-628	2011
Kakimi K, Isobe M, Uenaka A, Wada H, Sato E, <u>Doki Y.</u> , Nakajima J, Seto Y, Yamatsuji T, Naomoto Y, Shiraishi K, Takigawa N, Kiura K, Tsuji K, Iwatsuki K, Oka M, Pan L, Hoffman EW, Old LJ, Nakayama E.	A phase I study of vaccination with NY-ESO-1f peptide mixed with Picibanil OK-432 and Montanide ISA-51 in patients with cancers expressing the NY-ESO-1 antigen.	Int. J. Cancer	129	2836-2846	
Yoshida N, Naito Y, Inada Y, Kugai M, Kamada K, Katada K, Uchiyama K, Ishikawa T, Takagi T, Handa O, Konishi H, Yagi N, <u>Kokura S.</u> , Wakabayashi N, Yanagisawa A, Yoshikawa	T.Endoscopic mucosal resection with 0.13% hyaluronic acid solution for colorectal polyps less than 20 mm:A randomized controlled trial.	J. of Gastroenterology and Hepatology	27	1377-1383	2012
Dohi N, Yagi T, Wada N, Yamada N, Bito S, Yamada Y, Gen N, Yoshida K, Uchiyama T, Ishikawa T, Takagi O, Handa H, Konishi N, Wakabayashi S, <u>Kokura S.</u> , Naito T, Yoshikawa.	Recognition of Endoscopic Diagnosis in Differentiated-Type Early Gastric Cancer by Flexible Spectral Imaging Color Enhancement with Indigo Carmine	Digestion	86	161-170	2012

Ishikawa T, <u>Kokura S</u> , Sakamoto N, Ando T, Imamoto E, Hattori T, Oyamada H, Yoshinami N, Sakamoto M, Kitagawa K, Okumura Y, Yoshida N, Kamada K, Katada K, Uchiyama K, Handa O, Takagi T, Yasuda H, Sakagami J, Konishi H, Yagi N, Naito Y, Yoshikawa T.	Phase II trial of combined regional hyperthermia and gemcitabine for locally advanced or metastatic pancreatic cancer.	Int.J. Hyperthermia	28	597-604	2012
Satoh S, Okabe H, Teramukai S, Hasegawa S, Ozaki N, <u>Ueda S</u> , Tsuji A, Sakabayashi S, Fukushima M, Sakai Y.	Phase II trial of combined treatment consisting of preoperative S-1 plus cisplatin followed by gastrectomy and postoperative S-1 for stage IV gastric cancer	Gastric Cancer	15	61-69	2012
Oishi M, <u>Ueda S</u> , Honjo S, Koshiyama H, Yuba Y, Takabayashi A.	Adrenal Cavernous Hemangioma with Subclinical Cushing's Syndrome: Report of a Case	Surgery Today	42	937-973	2012
Ito S, <u>Nagata Y</u> , Susumu S, Yoneda A, Matsuo M, Yui K, Udono H, Eguchi S, Kanematsu T.	Phenotypic analysis of monocyte-derived dendritic cells loaded with tumor antigen with heat-shock cognate protein-70.	Anticancer Res.	32	4897-4904	2012
Yoneda A, Ito S, Susumu S, Matsuo M, Taniguchi K, Tajima Y, Eguchi S, Kanematsu T, <u>Nagata Y</u> .	Immunological milieu in the peritoneal cavity at laparotomy for gastric cancer.	World J. Gastroenterol	18	1470-1478	2012
Yamamoto T, Nakayama K, Hirano S, Tomonaga T, Ishihama Y, Yamada T, Kondo T, Koderu Y, Sato Y, Araki N, Mamitsuka H, <u>Goshima N</u> .	Integrated View of the Human Chromosome X-centric Proteome Project.	J. Proteome Res.	12	58-61	2013
Chujo T, Ohira T, Sakaguchi Y, <u>Goshima N</u> , Nomura N, Nagao A, Suzuki T.	LRPPRC/SLIRP suppresses PNPase-mediated mRNA decay and promotes polyadenylation in human mitochondria	Nucleic Acids Res.	40	8033-8047	2012
Kobayashi M, Matsumoto T, Ryuge Sh, Yanagita K, Nagashio R, Kawakami Y, <u>Goshima N</u> , Jiang S, Saegusa M, Iyoda A, Satoh Y, Masuda N, Sato Y.	CAXII Is a Sero-Diagnostic Marker for Lung Cancer	FEBS Letters	586	1708-1714	2012

Saito M, Kato Y, Ito E, Fujimoto J, Ishikawa K, Doi A, Kumazawa K, Matsui A, Takebe S, Ishida T, Azuma S, Mochizuki H, Kawamura Y, Yanagisawa Y, Honma R, Imai J, Ohbayashi H, <u>Goshima N</u> , Semba S, Watanabe S.	Expression screening of 17q12-21 amplicon reveals GRB7 as an ERBB2-dependent oncogene	FEBS Letters	586	1708-1714	2012
Naganuma T, Nakagawa S, Tanigawa A, Sasaki Y, <u>Goshima N</u> , Hirose T.	Alternative 3'-end processing of long noncoding RNA initiates construction of nuclear paraspeckles.	EMBOJ.	31	4020-4034	2012
Okabayashi K, Fujita T, Miyazaki J, Okada T, Iwata T, Hirano N, Noji S, Tsukamoto N, <u>Goshima N</u> , Hasegawa H, Takeuchi H, Ueda M, Kitagawa Y, Kawakami Y.	Cancer-testis antigen BORIS is a novel prognostic marker for patients with esophageal cancer.	Cancer Science	103	1617-1624	2012
Okita K, Yamakawa T, Matsumura Y, Sato Y, Amano N, Watanabe A, <u>Goshima N</u> , Yamanaka S.	An Efficient Non-viral Method to Generate Integration-Free Human iPS Cells from Cord Blood and Peripheral Blood Cells	Stem Cells	In press		
Nishimura A, Hasegawa M, Wakabayashi H, Yoshida K, Kato K, <u>Yamada T</u> , Uchida A, Sudo A.	Prevalence and characteristics of unilateral knee osteoarthritis in a community sample of elderly Japanese: do fractures around the knee affect the pathogenesis of unilateral knee osteoarthritis?	J. Orthop. Sci.	17	556-561	2012
Tanemura M, Mizuno S, Wada H, <u>Yamada T</u> , Nobori T, Isaji S.	Donor Age Affects Liver Regeneration during Early Period in the Graft Liver and Late Period in the Remnant Liver after Living Donor Liver Transplantation.	World J. Surg.	36	1102-1111	2012
Hirano K, Wagner K, Mark P, Gabel R, Furlani D, Li W, Vollmar B, <u>Yamada T</u> , Steinhoff G, Ma N.	Erythropoietin attenuates the sequels of ischemic spinal cord injury with enhanced recruitment of CD34 (+) cells in mice.	J. Cell Mol. Med.	16	1792-1802	2012

Nakajima Y, Zenda S, Minashi K, Yano T, Tahara M, Doi T, Onozawa M, Nihei K, Fujii S, <u>Ohtsu A.</u>	Non-surgical approach to small cell carcinoma of the esophagus: does this rare disease have the same tumor behavior as SCLC?	Int. J. Clin. Oncol.	17	610-615	2012
Yoda Y, Yano T, Kaneko K, Tsuruta S, Oono Y, Kojima T, Minashi K, Ikematsu H, <u>Ohtsu A.</u>	Endoscopic balloon dilatation for benign fibrotic strictures after curative nonsurgical treatment for esophageal cancer.	Surg. Endosc.	26	2877-2883	2012